

Prominence Dual (HMO D-SNP)

PROMINENCE HEALTH PLAN **2022 Formulary** **(List of Covered Drugs)**

PLEASE READ:

This document contains information about the drugs we cover in this plan.
HPMS Approved Formulary File Submission ID: 22096, Version Number 14

This formulary was updated on 09/01/2022. For more recent information or other questions, please contact Prominence Health Plan Member Services, at **833-775-MEDS (6337)** or, for TTY users, **711**, 8 am to 8 pm, 7 days a week from October 1 – March 31 and 8 am to 8 pm, Monday – Friday from April 1 – September 30 or visit **ProminenceMedicare.com**.

Changes to our pharmacy network may occur during the benefit year. An updated Pharmacy Directory is located on our website at **ProminenceMedicare.com**. You may also call Member Services at **833-775-MEDS (6337)** (TTY/TDD users should call 711) for updated information.

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us”, or “our,” it means Prominence Health Plan. When it refers to “plan” or “our plan,” it means Prominence Health Plan.

This document includes list of the drugs (formulary) for our plan which is current as of September 01, 2022. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, Prominence Health Plan, and from time to time during the year.

What is the Prominence Dual (HMO D-SNP) Formulary?

A formulary is a list of covered drugs selected by Prominence Health Plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Prominence Health Plan will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Prominence Health Plan network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but Prominence Health Plan may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
 - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can find information in the section below titled “How do I request an exception to the Prominence Health Plan’s Formulary?”
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.

- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a new generic drug to replace a brand name drug currently on the formulary; or add new restrictions to the brand name drug or move it to a different cost-sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.
 - If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Prominence Health Plan’s Formulary?”

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2022 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2022 coverage year except as described above. This means these drugs will remain available at the same cost sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of September 1, 2022. To get updated information about the drugs covered by Prominence Health Plan please contact us. Our contact information appears on the front and back cover pages. If there is a mid-year, non-maintenance change to the formulary, we will update printed formularies with an errata sheet.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 3. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, , “Cardiovascular Agents.” If you know what your drug is used for, look for the category name in the list that begins on 3. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

Prominence Health Plan covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Prominence Health Plan requires you [or your physician] to get prior authorization for certain drugs. This means that you will need to get approval from Prominence Health Plan before you fill your prescriptions. If you don't get approval, Prominence Health Plan may not cover the drug.
- **Quantity Limits:** For certain drugs, Prominence Health Plan limits the amount of the drug that Prominence Health Plan will cover. For example, Prominence Health Plan provides 60 tablets per prescription for Entresto oral tablets. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, Prominence Health Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Prominence Health Plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, Prominence Health Plan will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 3. You can also get more information about the restrictions applied to specific covered drugs by visiting our Web site. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Prominence Health Plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Prominence Health Plan's formulary?" on page iv for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered. For more information, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

2022 Part D Model Formulary (Comprehensive)

If you learn that Prominence Health Plan does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by Prominence Health Plan. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by Prominence Health Plan.
- You can ask Prominence Health Plan to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the Prominence Health Plan's Formulary?

You can ask Prominence Health Plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at lower cost-sharing level, unless the drug is on the specialty tier. If approved, this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, Prominence Health Plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Prominence Health Plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, or utilization restriction exception. **When you request a formulary, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

2022 Part D Model Formulary (Comprehensive)

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

Members who have a change in level of care (setting) will be allowed up to a one-time 31-day transition supply per drug. For example, members who:

- Enter long-term care (LTC) facilities from hospitals are sometimes accompanied by a discharge list of medications from the hospital formulary, with very short term planning taken into account (often under 8 hours).
- Are discharged from a hospital to a home.
- End their skilled nursing facility Medicare Part A stay (where payments include all pharmacy charges) and who need to revert to their Part D plan formulary.
- End a long-term care facility stay and return to the community. If a member has more than one change in level of care in a month, the pharmacy will have to call us to request an extension of the transition policy.

For more information

For more detailed information about your Prominence Health Plan prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Prominence Health Plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

Prominence Health Plan's Formulary

The formulary below provides coverage information about the drugs covered by Prominence Health Plan. If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., Coumadin) and generic drugs are listed in lower-case italics (e.g., *warfarin*).

The information in the Requirements/Limits column tells you if Prominence Health Plan has any special requirements for coverage of your drug.

You can find information on what the symbols and abbreviations on this table mean by going the next page.

List of Abbreviations:

- **PA BvD:** Prior Authorization Restriction for Part B vs Part D Determination. This prescription drug has a Part B versus D administrative prior authorization requirement. This drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.
- **QL: Quantity Limit:** For certain drugs, Prominence Health Plan limits the amount of the drug that we will cover. For example, Prominence Health Plan provides twelve tablets per prescription for Sumatriptan Succinate. This may be in addition to a standard one-month or three-month supply.
- **ST: Step Therapy:** In some cases, Prominence Health Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

2022 Part D Model Formulary (Comprehensive)

- **PA: Prior Authorization:** Prominence Health Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from us before you fill your prescriptions. If you don't get approval, we may not cover the drug.
- **PA- HRM: Prior Authorization Restriction for High Risk Medications.** This drug has been deemed to be potentially harmful and therefore, a High Risk Medication for individuals 65 years or older. Members age 65 years or older are required to get prior authorization from our plan before you fill your prescription for this drug.
- **PA NSO: Prior Authorization Restriction for New Starts Only.** If there is no evidence that you have taken this drug before, you (or your physician) are required to get prior authorization from our plan before you fill your prescription for this drug. Without prior approval, our plan may not cover this drug.
- **NDS: Non-Extended Days' Supply:** Drugs not available for an extended days' supply (i.e. more than a one-month supply) are noted with "NDS" in the Requirements/Limits column of your formulary.
- **GC: Gap Coverage:** We provide coverage of this prescription drug in the coverage gap, if your plan provides gap coverage. Please refer to our Evidence of Coverage for more information about this coverage.
- **LA: Limited Availability:** This prescription may be available only at certain pharmacies. For more information, consult your Provider and Pharmacy Directory or call Member Services at 1-844-587-7389, 8 am to 8 pm, 7 days a week from October 1- March 31 and 8am to 8pm, Monday - Friday from April 1 -September 30. TTY users should call 711.
- **EX;CB: Excluded Part D Capped Benefit:** Drugs covered by the plan that are excluded by Medicare law that are covered by your plan as a supplemental or bonus drug but do not count toward TrOOP.
- **NM: Not Available by Mail Order:** These are typically medications that need to be ordered from a specialty pharmacy and are listed as TIER 5 medications and are restricted to a 30-day supply.

Drug tier copay levels

This 2022 Comprehensive Formulary is a listing of brand-name and generic drugs. Prominence Health Plan's Formulary covers most drugs identified by Medicare as Part D drugs and your copay may differ depending upon the tier at which the drug resides.

The copay tiers for covered prescription medications are listed below. Copay amounts and coinsurance percentages for each tier vary by service area. Consult your Summary of Benefits or Evidence of Coverage for your applicable copays and coinsurance amounts.

Copay Tier	Type of Drug
Tier 1	Preferred Generic
Tier 2	Generic
Tier 3	Preferred Brand
Tier 4	Non-preferred Drugs
Tier 5	Specialty Drugs
Tier 6	Select Care Drugs

Table of Contents

Analgesics	3
Anesthetics	7
Anti-Addiction/Substance Abuse Treatment Agents	8
Antianxiety Agents	9
Antibacterials	10
Anticancer Agents	18
Anticonvulsants	34
Antidementia Agents	39
Antidepressants	40
Antidiabetic Agents	43
Antifungals	47
Antigout Agents	49
Antihistamines	49
Anti-Infectives (Skin And Mucous Membrane)	50
Antimigraine Agents	50
Antimycobacterials	51
Antinausea Agents	52
Antiparasite Agents	54
Antiparkinsonian Agents	54
Antipsychotic Agents	56
Antivirals (Systemic)	62
Blood Products/Modifiers/Volume Expanders	69
Caloric Agents	73
Cardiovascular Agents	76
Central Nervous System Agents	87
Contraceptives	90
Dental And Oral Agents	99
Dermatological Agents	100
Devices	105
Enzyme Replacement/Modifiers	145
Eye, Ear, Nose, Throat Agents	147
Gastrointestinal Agents	151
Genitourinary Agents	155
Heavy Metal Antagonists	156
Hormonal Agents, Stimulant/Replacement/Modifying	157
Immunological Agents	164

Inflammatory Bowel Disease Agents.....	173
Metabolic Bone Disease Agents.....	174
Miscellaneous Therapeutic Agents.....	176
Ophthalmic Agents.....	178
Replacement Preparations.....	179
Respiratory Tract Agents.....	181
Skeletal Muscle Relaxants.....	186
Sleep Disorder Agents.....	187
Vasodilating Agents.....	187
Vitamins And Minerals.....	189

Drug Name	Drug Tier	Requirements/Limits
Analgesics		
Analgesics, Miscellaneous		
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	1	NDS; QL (4500 per 30 days)
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>	2	NDS; QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet 300-60 mg</i>	2	NDS; QL (180 per 30 days)
<i>buprenorphine hcl injection solution (Buprenex) 0.3 mg/ml</i>	2	
<i>buprenorphine hcl injection syringe 0.3 mg/ml</i>	2	
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i>	2	QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i>	4	QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral tablet 50-325-40 mg</i>	2	QL (180 per 30 days)
<i>codeine sulfate oral tablet 30 mg, 60 mg</i>	2	NDS; QL (180 per 30 days)
<i>endocet oral tablet 10-325 mg (oxycodone- acetaminophen)</i>	2	NDS; QL (180 per 30 days)
<i>endocet oral tablet 2.5-325 mg, 5- 325 mg (oxycodone- acetaminophen)</i>	2	NDS; QL (360 per 30 days)
<i>endocet oral tablet 7.5-325 mg (oxycodone- acetaminophen)</i>	2	NDS; QL (240 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg</i>	5	PA; NM; NDS; QL (120 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 200 mcg</i>	3	PA; NDS; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour 100 mcg/hr</i>	3	NDS; QL (10 per 30 days)
<i>fentanyl transdermal patch 72 hour 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>	2	NDS; QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>	4	NDS; QL (2700 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg</i>	2	NDS; QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i>	2	NDS; QL (240 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 7.5-200 mg</i>	2	NDS; QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>	2	
<i>hydromorphone oral liquid 1 mg/ml (Dilaudid)</i>	2	NDS; QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg (Dilaudid)</i>	2	NDS; QL (180 per 30 days)
LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY	5	PA; NM; NDS; QL (30 per 30 days)
<i>methadone injection solution 10 mg/ml</i>	2	QL (120 per 30 days)
<i>methadone oral solution 10 mg/5 ml</i>	2	NDS; QL (600 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>	2	NDS; QL (1200 per 30 days)
<i>methadone oral tablet 10 mg</i>	2	NDS; QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i>	2	NDS; QL (180 per 30 days)
<i>methadose oral tablet, soluble 40 mg (methadone)</i>	2	NDS; QL (30 per 30 days)
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	2	PA; NDS; QL (180 per 30 days)
<i>morphine oral solution 10 mg/5 ml</i>	2	NDS; QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	NDS; QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	4	NDS; QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	4	NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i>	(MS Contin)	2	NDS; QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i>	(MS Contin)	2	NDS; QL (90 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>		4	NDS; QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg</i>		2	NDS; QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg</i>	(Roxicodone)	2	NDS; QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>		2	NDS; QL (120 per 30 days)
<i>oxycodone oral tablet 5 mg</i>	(Roxicodone)	2	NDS; QL (180 per 30 days)
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i>	(OxyContin)	3	NDS; QL (60 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i>	(Endocet)	2	NDS; QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i>	(Endocet)	2	NDS; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i>	(Endocet)	2	NDS; QL (240 per 30 days)
<i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>		2	NDS; QL (360 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG	(oxycodone)	3	NDS; QL (60 per 30 days)
<i>tramadol oral tablet 50 mg</i>	(Ultram)	1	NDS; QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>	(Ultracet)	2	NDS; QL (300 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG		3	NDS; QL (60 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG		3	NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XTAMPZA ER ORAL CAP, SPRINKL, ER 12HR (DONT CRUSH) 36 MG	3	NDS; QL (240 per 30 days)
Nonsteroidal Anti-Inflammatory Agents		
<i>celecoxib oral capsule 100 mg, 200 mg, 50 mg (Celebrex)</i>		
<i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i>	4	PA; QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg (Cataflam)</i>	2	QL (120 per 30 days)
<i>diclofenac sodium oral tablet, extended release 24 hr 100 mg</i>	2	QL (60 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg</i>	2	QL (150 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg</i>	2	QL (120 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 75 mg</i>	2	QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>	2	QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 % (Arthritis Pain (diclofenac))</i>	2	QL (1000 per 30 days)
<i>diclofenac sodium topical gel 3 %</i>	4	PA; QL (100 per 28 days)
<i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram /actuation(2 %) (Pennsaid)</i>	5	PA; NM; NDS; QL (224 per 28 days)
<i>etodolac oral capsule 200 mg, 300 mg</i>	4	
<i>etodolac oral tablet 400 mg (Lodine)</i>	4	
<i>etodolac oral tablet 500 mg</i>	4	
<i>flurbiprofen oral tablet 100 mg</i>	2	
<i>ibu oral tablet 400 mg, 600 mg, 800 mg (ibuprofen)</i>	1	
<i>ibuprofen oral suspension 100 mg/5 ml (Children's Advil)</i>	2	
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg (IBU)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>indomethacin oral capsule 25 mg</i>	1	QL (240 per 30 days)
<i>indomethacin oral capsule 50 mg</i>	1	QL (120 per 30 days)
<i>ketorolac oral tablet 10 mg</i>	2	QL (20 per 30 days)
<i>mefenamic acid oral capsule 250 mg</i>	4	
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	1	
<i>nabumetone oral tablet 500 mg, 750 mg (Relafen)</i>	2	
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	
<i>naproxen oral tablet 500 mg (Naprosyn)</i>	1	
<i>naproxen oral tablet, delayed release (EC-Naprosyn) (drlec) 375 mg, 500 mg</i>	2	
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	
Anesthetics		
Local Anesthetics		
<i>glydo mucous membrane jelly in applicator 2 % (lidocaine hcl)</i>	2	QL (30 per 30 days)
<i>lidocaine (pf) injection solution 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %) (Xylocaine-MPF)</i>	1	
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>	1	
<i>lidocaine hcl 1% 20 mg/2 ml vl sdv, p/f 10 mg/ml (1 %) (Xylocaine-MPF)</i>	1	
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %) (Xylocaine)</i>	1	
<i>lidocaine hcl mucous membrane jelly 2 %</i>	2	QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	PA
<i>lidocaine topical adhesive patch, medicated 5 % (Lidoderm)</i>	2	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	4	PA; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 % (lidocaine hcl)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	4	PA; QL (30 per 30 days)
ZTLEDO TOPICAL ADHESIVE PATCH, MEDICATED 1.8 %	3	PA; QL (90 per 30 days)
Anti-Addiction/Substance Abuse Treatment Agents		
Anti-Addiction/Substance Abuse Treatment Agents		
<i>acamprosate oral tablet, delayed release (dr/ec) 333 mg</i>	3	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	2	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg</i>	4	QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i>	4	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	2	QL (90 per 30 days)
<i>bupropion hcl (smoking deterrent) oral tablet extended release 12 hr 150 mg</i>	2	
CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG	3	QL (336 per 365 days)
<i>disulfiram oral tablet 250 mg, 500 mg</i>	2	
KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION	3	QL (4 per 30 days)
LUCEMYRA ORAL TABLET 0.18 MG	5	NM; NDS; QL (228 per 14 days)
<i>naloxone injection solution 0.4 mg/ml</i>	2	
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	2	
<i>naloxone nasal spray, non-aerosol 4 mg/actuation</i>	3	QL (4 per 30 days)
<i>naltrexone oral tablet 50 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION	(naloxone)	3	QL (4 per 30 days)
NICOTROL INHALATION CARTRIDGE 10 MG		4	QL (1008 per 90 days)
SUBLINATE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML		5	NM; NDS; QL (0.5 per 30 days)
SUBLINATE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 300 MG/1.5 ML		5	NM; NDS; QL (1.5 per 30 days)
varenicline oral tablet 0.5 mg		2	QL (336 per 365 days)
varenicline oral tablet 1 mg	(Chantix Continuing Month Box)	2	QL (336 per 365 days)
varenicline oral tablets, dose pack 0.5 mg (11)- 1 mg (42)	(Chantix Starting Month Box)	2	
Antianxiety Agents			
Benzodiazepines			
alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg	(Xanax)	1	NDS; QL (120 per 30 days)
alprazolam oral tablet 2 mg	(Xanax)	1	NDS; QL (150 per 30 days)
chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg		1	NDS; QL (120 per 30 days)
clonazepam oral tablet 0.5 mg, 1 mg	(Klonopin)	1	QL (90 per 30 days)
clonazepam oral tablet 2 mg	(Klonopin)	1	QL (300 per 30 days)
clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg		4	QL (90 per 30 days)
clonazepam oral tablet, disintegrating 2 mg		4	QL (300 per 30 days)
clorazepate dipotassium oral tablet 15 mg, 3.75 mg		2	QL (180 per 30 days)
clorazepate dipotassium oral tablet 7.5 mg	(Tranxene T-Tab)	2	QL (180 per 30 days)
diazepam 5 mg/ml oral conc 5 mg/ml	(Diazepam Intensol)	4	QL (1200 per 30 days)
diazepam injection solution 5 mg/ml		2	QL (10 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>diazepam injection syringe 5 mg/ml</i>	3	QL (10 per 28 days)
<i>diazepam intensol oral concentrate 5 mg/ml (diazepam)</i>	4	QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	4	QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg (Valium)</i>	1	QL (120 per 30 days)
<i>lorazepam injection solution 2 mg/ml, 4 mg/ml (Ativan)</i>	1	QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml, 4 mg/ml</i>	1	QL (2 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg (Ativan)</i>	1	NDS; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg (Ativan)</i>	1	NDS; QL (150 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg (Restoril)</i>	1	NDS; QL (30 per 30 days)
Antibacterials		
Aminoglycosides		
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	2	
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	2	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml</i>	2	
<i>neomycin oral tablet 500 mg</i>	2	
<i>streptomycin intramuscular recon soln 1 gram</i>	5	NM; NDS
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	5	NM; NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml (Tobi)</i>	5	PA BvD; NM; NDS
<i>tobramycin inhalation solution for nebulization 300 mg/4 ml (Bethkis)</i>	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tobramycin sulfate injection solution 40 mg/ml</i>	4	
Antibacterials, Miscellaneous		
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	2	
<i>clindamycin hcl oral capsule 150 mg, (Cleocin HCl) 300 mg, 75 mg</i>	1	
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml</i>	2	
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>	2	
<i>clindamycin phosphate injection (Cleocin) solution 150 mg/ml</i>	2	
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	2	
<i>colistin (colistimethate na) injection (Coly-Mycin M recon soln 150 mg Parenteral)</i>	5	NM; NDS
<i>daptomycin intravenous recon soln (Cubicin RF) 500 mg</i>	5	NM; NDS
FIRVANQ ORAL RECON SOLN 25 MG/ML	4	
<i>linezolid 600 mg/300 ml-0.9% nacl 600 mg/300 ml</i>	3	
<i>linezolid in dextrose 5% intravenous (Zyvox) piggyback 600 mg/300 ml</i>	3	
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i>	5	NM; NDS
<i>linezolid oral tablet 600 mg (Zyvox)</i>	2	
<i>methenamine hippurate oral tablet 1 gram (Hiprex)</i>	2	
<i>metronidazole in nacl (iso-os) (Metro I.V.) intravenous piggyback 500 mg/100 ml</i>	2	
<i>metronidazole oral tablet 250 mg, 500 mg</i>	1	
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i>	2	QL (120 per 30 days)
<i>nitrofurantoin macrocrystal oral capsule 25 mg</i>	4	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>nitrofurantoin monohyd/m-cryst oral</i> (Macrobid) <i>capsule 100 mg</i>	2	QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	2	
SYNERCID INTRAVENOUS RECON SOLN 500 MG	5	NM; NDS
<i>trimethoprim oral tablet 100 mg</i>	1	
<i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg</i>	2	
<i>vancomycin oral capsule 125 mg</i> (Vancocin)	4	QL (56 per 14 days)
<i>vancomycin oral capsule 250 mg</i> (Vancocin)	4	QL (112 per 14 days)
XIFAXAN ORAL TABLET 200 MG	5	PA; NM; NDS; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; NM; NDS; QL (90 per 30 days)
Cephalosporins		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	2	
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	4	
<i>cefadroxil oral capsule 500 mg</i>	2	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	
<i>cefazolin in dextrose (iso-os) intravenous piggyback 2 gram/50 ml</i>	2	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	
<i>cefdinir oral capsule 300 mg</i>	2	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	4	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	3	
<i>cefixime oral capsule 400 mg</i> (Suprax)	4	
<i>cefotaxime injection recon soln 1 gram</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>cefoxitin 1 gm piggyback bag 1 gram/50 ml</i>	4	
<i>cefoxitin intravenous recon soln 1 gram</i>	4	
<i>cefoxitin intravenous recon soln 10 gram, 2 gram</i>	4	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	4	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	2	
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i> (Tazicef)	2	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	NM; NDS
Macrolides		
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	2	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack)</i>	1	
<i>azithromycin oral tablet 250 mg, 500 mg (Zithromax)</i>	1	
<i>azithromycin oral tablet 600 mg</i>	2	
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	4	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	
DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML	5	NM; NDS; QL (136 per 10 days)
DIFICID ORAL TABLET 200 MG	5	NM; NDS; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml (E.E.S. Granules)</i>	4	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml (EryPed 400)</i>	4	
<i>erythromycin oral tablet 250 mg, 500 mg</i>	4	
Miscellaneous B-Lactam Antibiotics		
<i>aztreonam injection recon soln 1 gram, 2 gram (Azactam)</i>	3	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; NM; LA; NDS
<i>ertapenem injection recon soln 1 gram (Invanz)</i>	4	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	3	
<i>imipenem-cilastatin intravenous recon soln 500 mg (Primaxin IV)</i>	3	
<i>meropenem intravenous recon soln 1 gram</i>	4	
<i>meropenem intravenous recon soln 500 mg</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>meropenem-0.9% nacl 500 mg/50 ml</i>	4	
Penicillins		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	4	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i>	(Augmentin ES-600) 4	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i>	(Augmentin) 1	
<i>amoxicillin-pot clavulanate oral tablet 875-125 mg</i>	1	
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	4	
<i>ampicillin oral capsule 250 mg, 500 mg</i>	2	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	3	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i>	(Unasyn) 3	
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	
<i>nafcillin 1 g/ml 50 ml inj 1 gram/50 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>nafcillin 2 gml/ 100 ml inj 2 gram/100 ml</i>	2	
<i>nafcillin injection recon soln 1 gram, 2 gram</i>	2	
<i>nafcillin injection recon soln 10 gram</i>	5	NM; NDS
<i>penicillin g potassium injection recon (Pfizerpen-G) soln 20 million unit</i>	4	
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	2	
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	
<i>pfiizerpen-g injection recon soln 20 (penicillin g potassium) million unit</i>	4	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram</i>	3	
<i>piperacillin-tazobactam intravenous recon soln 40.5 gram</i>	4	
Quinolones		
<i>BAXDELA ORAL TABLET 450 MG</i>	5	PA; NM; NDS; QL (28 per 14 days)
<i>ciprofloxacin hcl oral tablet 250 mg, (Cipro) 500 mg</i>	1	
<i>ciprofloxacin hcl oral tablet 750 mg</i>	1	
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	
<i>ciprofloxacin oral (Cipro) suspension,microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i>	4	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	2	
<i>levofloxacin intravenous solution 25 mg/ml</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>levofloxacin oral solution 250 mg/10 ml</i>	4	
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	
<i>moxifloxacin oral tablet 400 mg</i>	4	
Sulfonamides		
<i>sulfadiazine oral tablet 500 mg</i>	3	
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	4	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i>	4	
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i>	1	
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i>	1	
Tetracyclines		
<i>doxy-100 intravenous recon soln 100 mg (doxycycline hyclate)</i>	3	
<i>doxycycline hyclate intravenous recon soln 100 mg (Doxy-100)</i>	2	
<i>doxycycline hyclate oral capsule 100 mg, 50 mg (Morgidox)</i>	2	
<i>doxycycline hyclate oral tablet 100 mg (LymePak)</i>	2	
<i>doxycycline hyclate oral tablet 20 mg</i>	2	
<i>doxycycline monohydrate oral capsule 100 mg (Mondoxyne NL)</i>	2	QL (60 per 30 days)
<i>doxycycline monohydrate oral capsule 50 mg (Monodox)</i>	2	QL (60 per 30 days)
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml (Vibramycin (mono))</i>	2	
<i>doxycycline monohydrate oral tablet 100 mg (Avidoxy)</i>	2	QL (60 per 30 days)
<i>doxycycline monohydrate oral tablet 50 mg</i>	2	QL (60 per 30 days)
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>monodoxine nl oral capsule 100 mg</i> (doxycycline monohydrate)	2	QL (60 per 30 days)
<i>tetracycline oral capsule 250 mg, 500 mg</i>	4	
<i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)	5	NM; NDS
Anticancer Agents		
Anticancer Agents		
<i>abiraterone oral tablet 250 mg, 500 mg</i> (Zytiga)	5	PA NSO; NM; NDS; QL (120 per 30 days)
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	5	PA BvD; NM; NDS
ADCETRIS INTRAVENOUS RECON SOLN 50 MG	5	PA NSO; NM; NDS
<i>adriamycin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i> (doxorubicin)	2	PA BvD
<i>adrucil intravenous solution 2.5 gram/50 ml</i> (fluorouracil)	2	PA BvD
ALECensa ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG	5	NM; NDS
ALIQOPA INTRAVENOUS RECON SOLN 60 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS, DOSE PACK 90 MG (7)- 180 MG (23)	5	PA NSO; NM; NDS
<i>alymsys intravenous solution 25 mg/ml</i>	5	PA NSO; NM; NDS
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	
<i>arsenic trioxide intravenous solution 1 mg/ml</i>	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>arsenic trioxide intravenous solution</i> (Trisenox) 2 mg/ml	5	NM; NDS
ASPARLAS INTRAVENOUS SOLUTION 750 UNIT/ML	5	PA NSO; NM; NDS
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100</i> (Vidaza) mg	5	NM; NDS
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	5	PA NSO; NM; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
BESPONSA INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)	5	PA NSO; NM; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	5	PA NSO; NM; NDS
<i>bexarotene topical gel 1 %</i> (Targretin)	5	PA NSO; NM; NDS
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	2	
BLENREP INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	2	
BLINCYTO INTRAVENOUS KIT 35 MCG	5	PA NSO; NM; NDS
<i>bortezomib injection recon soln 1 mg</i>	4	PA NSO
<i>bortezomib injection recon soln 2.5 mg</i>	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 (vandetanib) MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 (vandetanib) MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>clofarabine intravenous solution 1 mg/ml</i> (Clolar)	5	NM; NDS
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NM; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; NM; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NM; NDS
<i>cyclophosphamide intravenous solution 200 mg/ml</i>	5	PA BvD; NM; NDS
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG	4	PA BvD; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
cyclophosphamide oral tablet 25 mg, 50 mg	3	PA BvD; ST
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NM; NDS; QL (120 per 28 days)
DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML	5	PA NSO; NM; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; LA; NDS
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
decitabine intravenous recon soln 50 (Dacogen) mg	5	NM; NDS
doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml	2	PA BvD
doxorubicin, peg-liposomal (Doxil) intravenous suspension 2 mg/ml	5	PA BvD; NM; NDS
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	
EMCYT ORAL CAPSULE 140 MG	5	NM; NDS
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	5	PA NSO; NM; NDS
ENHERTU INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	5	PA NSO; NM; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>erlotinib oral tablet 100 mg, 25 mg</i> (Tarceva)	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i> (Tarceva)	5	PA NSO; NM; NDS; QL (90 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20 mg/ml</i> (Toposar)	2	
<i>everolimus (antineoplastic) oral tablet 10 mg</i> (Afinitor)	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Afinitor)	5	PA NSO; NM; NDS; QL (28 per 28 days)
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz)	5	PA NSO; NM; NDS; QL (112 per 28 days)
<i>exemestane oral tablet 25 mg</i> (Aromasin)	4	
EXKIVITY ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	5	PA NSO; NM; NDS
<i>floxuridine injection recon soln 0.5 gram</i>	2	PA BvD
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	2	PA BvD
<i>flutamide oral capsule 125 mg</i> (Eulexin)	3	
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)	5	NM; NDS
GAVRETO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML	5	PA NSO; NM; NDS
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NM; NDS; QL (5 per 21 days)
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG	5	PA NSO; NM; NDS
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
<i>hydroxyurea oral capsule 500 mg (Hydrea)</i>	2	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram</i>	2	
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	2	
<i>imatinib oral tablet 100 mg (Gleevec)</i>	3	PA NSO; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg (Gleevec)</i>	3	PA NSO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	4	PA NSO; QL (4 per 365 days)
IMLYGIC INJECTION SUSPENSION 10EXP8 (100 MILLION) PFU/ML	5	PA NSO; NM; NDS; QL (8 per 28 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NM; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IRESSA ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG	5	NM; NDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
KANJINTI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS; QL (8 per 21 days)
KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML	5	PA NSO; NM; NDS; QL (2 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NM; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NM; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NM; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (21 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NM; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NM; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG	5	PA NSO; NM; NDS
<i>lapatinib oral tablet 250 mg (Tykerb)</i>	5	PA NSO; NM; NDS
<i>lenalidomide oral capsule 10 mg, 15 mg, 25 mg, 5 mg (Revlimid)</i>	5	PA NSO; NM; NDS; QL (28 per 28 days)
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NM; NDS
<i>letrozole oral tablet 2.5 mg (Femara)</i>	1	
LEUKERAN ORAL TABLET 2 MG	5	NM; NDS
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	5	NM; NDS
LIBTAYO INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS; QL (7 per 21 days)
LONSURF ORAL TABLET 15- 6.14 MG	5	PA NSO; NM; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20- 8.19 MG	5	PA NSO; NM; NDS; QL (80 per 28 days)
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LUMOXITI INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	NM; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	NM; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NM; NDS
MARGENZA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
MATULANE ORAL CAPSULE 50 MG	5	NM; NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>mercaptopurine oral tablet 50 mg</i>	2	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	PA BvD
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	PA BvD
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	PA BvD
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	
MONJUVI INTRAVENOUS RECON SOLN 200 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MVASI INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)	5	PA NSO; NM; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	5	NM; NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; NM; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
ONCASPAR INJECTION SOLUTION 750 UNIT/ML	5	PA NSO; NM; NDS
ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML	5	NM; NDS
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NM; NDS
OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML	5	PA NSO; NM; NDS
<i>paclitaxel protein-bound intravenous suspension for reconstitution 100 mg</i> (Abraxane)	5	PA BvD; NM; NDS
PADCEV INTRAVENOUS RECON SOLN 20 MG, 30 MG	5	PA NSO; NM; NDS
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NM; NDS; QL (14 per 21 days)
<i>pemetrexed disodium intravenous recon soln 750 mg</i>	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
pemetrexed disodium intravenous solution 25 mg/ml	5	NM; NDS
pemetrexed intravenous recon soln 1 gram, 100 mg, 500 mg	5	NM; NDS
PEPAXTO INTRAVENOUS RECON SOLN 20 MG	5	PA NSO; NM; NDS; QL (2 per 28 days)
PHESGO SUBCUTANEOUS SOLUTION 1,200 MG-600MG-30000 UNIT/15ML	5	PA NSO; NM; NDS; QL (15 per 21 days)
PHESGO SUBCUTANEOUS SOLUTION 600 MG-600 MG-20000 UNIT/10ML	5	PA NSO; NM; NDS; QL (10 per 21 days)
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NM; NDS; QL (56 per 28 days)
POLIVY INTRAVENOUS RECON SOLN 140 MG, 30 MG	5	PA NSO; NM; NDS
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML)	5	PA NSO; NM; NDS; QL (100 per 21 days)
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	5	NM; NDS
PURIXAN ORAL SUSPENSION 20 MG/ML	5	NM; NDS
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
REVLIMID ORAL CAPSULE 2.5 MG, 20 MG	5	PA NSO; NM; LA; NDS; QL (28 per 28 days)
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NM; NDS
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML	5	PA NSO; NM; NDS
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
SARCLISA INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
SCEMBLIX ORAL TABLET 20 MG, 40 MG	5	PA NSO; NM; NDS
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NM; NDS
<i>sorafenib oral tablet 200 mg</i> (Nexavar)	5	PA NSO; NM; NDS; QL (120 per 30 days)
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
<i>sunitinib oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)	5	PA NSO; NM; NDS; QL (30 per 30 days)
SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG	5	PA NSO; NM; NDS
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TABLOID ORAL TABLET 40 (thioguanine) MG	4	
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAGRISSO ORAL TABLET 40 MG, 80 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
TALZENNA ORAL CAPSULE 0.5 MG, 0.75 MG, 1 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	5	PA NSO; NM; NDS
TEMODAR INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
TEPMETKO ORAL TABLET 225 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>thiotepa injection recon soln 100 mg, (Tepadina) 15 mg</i>	5	NM; NDS
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
TIVDAK INTRAVENOUS RECON SOLN 40 MG	5	PA NSO; NM; NDS; QL (5 per 21 days)
<i>toposar intravenous solution 20 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>toremifene oral tablet 60 mg</i> (Fareston)	5	NM; NDS
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	5	PA NSO; NM; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG	5	NM; NDS; QL (1 per 84 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NM; NDS; QL (1 per 168 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 3.75 MG	4	QL (1 per 28 days)
<i>tretinoiin (antineoplastic) oral capsule 10 mg</i>	5	NM; NDS
TRODELVY INTRAVENOUS RECON SOLN 180 MG	5	PA NSO; NM; NDS
TRUSELTIQ ORAL CAPSULE 100 MG/DAY (100 MG X 1), 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2), 75 MG/DAY (25 MG X 3)	5	PA NSO; NM; NDS
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML	5	PA NSO; NM; NDS
<i>valrubicin intravesical solution 40 mg/ml</i> (Valstar)	5	NM; NDS
VELCADE INJECTION RECON (bortezomib) SOLN 3.5 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; NM; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	3	PA NSO; LA; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; NM; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i> (Navelbine)	2	
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NM; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
VONJO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VOTRIENT ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	5	PA BvD; NM; NDS
WELIREG ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (20 MG X 5)	5	PA NSO; NM; NDS; QL (20 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40 MG/WEEK (20 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	5	PA NSO; NM; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	5	PA NSO; NM; NDS; QL (4 per 28 days)
XPOVIO ORAL TABLET 40MG TWICE WEEK (80 MG/WEEK), 80 MG/WEEK (20 MG X 4)	5	PA NSO; NM; NDS; QL (16 per 28 days)
XPOVIO ORAL TABLET 60 MG/WEEK (20 MG X 3)	5	PA NSO; NM; NDS; QL (12 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NM; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NM; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NM; NDS
YONDELIS INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NM; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ZELBORA ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ZEPZELCA INTRAVENOUS RECON SOLN 4 MG	5	PA NSO; NM; NDS
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG	4	QL (1 per 84 days)
ZOLADEX SUBCUTANEOUS IMPLANT 3.6 MG	4	QL (1 per 28 days)
ZOLINZA ORAL CAPSULE 100 MG	5	NM; NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	5	PA NSO; NM; NDS
Anticonvulsants		
Anticonvulsants		
APTIOM ORAL TABLET 200 MG, 400 MG	5	ST; NM; NDS; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	5	ST; NM; NDS; QL (60 per 30 days)
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	3	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	3	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	3	QL (60 per 30 days)
<i>carbamazepine oral capsule, er</i> (Carbatrol) <i>multiphase 12 hr 100 mg, 200 mg,</i> <i>300 mg</i>	4	
<i>carbamazepine oral suspension 100</i> (Tegretol) <i>mg/5 ml</i>	4	
<i>carbamazepine oral tablet 200 mg</i> (Epitol)	2	
<i>carbamazepine oral tablet extended</i> (Tegretol XR) <i>release 12 hr 100 mg, 200 mg, 400</i> <i>mg</i>	4	
<i>carbamazepine oral tablet, chewable</i> <i>100 mg</i>	2	
CELONTIN ORAL CAPSULE 300 MG	4	
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	4	QL (480 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
clobazam oral tablet 10 mg, 20 mg (Onfi)	4	QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg (Diastat AcuDial)	4	
diazepam rectal kit 2.5 mg (Diastat)	4	
divalproex oral capsule, delayed release sprinkle 125 mg (Depakote Sprinkles)	2	
divalproex oral tablet extended release 24 hr 250 mg, 500 mg (Depakote ER)	2	
divalproex oral tablet, delayed release (dr/lec) 125 mg, 250 mg, 500 mg (Depakote)	2	
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; NM; NDS
epitol oral tablet 200 mg (carbamazepine)	2	
EPRONTIA ORAL SOLUTION 25 MG/ML	4	QL (480 per 30 days)
ethosuximide oral capsule 250 mg (Zarontin)	3	
ethosuximide oral solution 250 mg/5 ml (Zarontin)	2	
felbamate oral suspension 600 mg/5 ml (Felbatol)	4	
felbamate oral tablet 400 mg, 600 mg (Felbatol)	4	
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	PA NSO; NM; NDS
fosphenytoin injection solution 100 mg per 2 ml, 500 mg per 10 ml (Cerebyx)	2	
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	5	ST; NM; NDS; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	5	ST; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FYCOMPA ORAL TABLET 2 MG	4	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	5	ST; NM; NDS; QL (60 per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	1	QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i> (Neurontin)	1	QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	4	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i> (Neurontin)	2	QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i> (Neurontin)	2	QL (120 per 30 days)
<i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat)	2	QL (200 per 5 days)
<i>lacosamide oral solution 10 mg/ml</i> (Vimpat)	2	QL (1200 per 30 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat)	2	QL (60 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)	1	
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	2	
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	2	
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	2	
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	2	
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	2	
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	4	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	4	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	2	
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG	4	ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 600 MG	5	ST; NM; NDS
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	4	
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	2	
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	2	
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	2	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	2	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	2	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	2	
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica)	2	QL (90 per 30 days)
<i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica)	2	QL (60 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	4	QL (900 per 30 days)
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	2	
<i>rufinamide oral suspension 40 mg/ml</i> (Banzel)	5	ST; NM; NDS
<i>rufinamide oral tablet 200 mg, 400 mg</i> (Banzel)	5	ST; NM; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	4	ST; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	4	ST; QL (120 per 30 days)
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (lamotrigine)	1	
SYMPAZAN ORAL FILM 10 MG, 20 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SYMPAZAN ORAL FILM 5 MG	4	PA NSO; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i> (Gabitril)	4	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	2	
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	2	
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	
<i>valproic acid oral capsule 250 mg</i>	2	
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	4	
<i>vigabatrin oral powder in packet 500 mg</i> (Vigadron)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigabatrin oral tablet 500 mg</i> (Sabril)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigadron oral powder in packet 500 mg</i> (vigabatrin)	5	PA NSO; NM; NDS; QL (180 per 30 days)
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML (lacosamide)	3	QL (200 per 5 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	4	ST; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 50 MG	4	ST; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	4	ST; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	4	ST
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	2	
<i>zonisamide oral capsule 50 mg</i>	2	
Antidementia Agents		
Antidementia Agents		
<i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept)	1	QL (30 per 30 days)
<i>donepezil oral tablet,disintegrating 10 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	4	
<i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> (Razadyne ER)	2	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	4	QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	2	QL (60 per 30 days)
<i>memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> (Namenda XR)	4	ST; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	4	QL (300 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i> (Namenda)	2	QL (60 per 30 days)
NAMZARIC ORAL CAP,SPRINKLE,ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	3	ST
NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG	3	ST; QL (30 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	2	QL (60 per 30 days)
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> (Exelon Patch)	4	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Antidepressants		
Antidepressants		
amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg	2	
amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg	4	
bupropion hcl oral tablet 100 mg, 75 mg	2	
bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg	2	
bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg	2	
citalopram oral solution 10 mg/5 ml	4	QL (600 per 30 days)
citalopram oral tablet 10 mg (Celexa)	1	QL (120 per 30 days)
citalopram oral tablet 20 mg, 40 mg (Celexa)	1	QL (30 per 30 days)
clomipramine oral capsule 25 mg, 50 mg, 75 mg (Anafranil)	4	
desipramine oral tablet 10 mg, 25 mg (Norpramin)	4	
desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg	4	
desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg	4	QL (30 per 30 days)
doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg	2	
doxepin oral concentrate 10 mg/ml	1	
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)
duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg (Cymbalta)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	ST; NM; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	4	
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg (Lexapro)</i>	1	
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg (Prozac)</i>	1	
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	4	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	2	
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg, 30 mg (Remeron)</i>	2	
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	2	
<i>mirtazapine oral tablet,disintegrating 15 mg, 30 mg, 45 mg (Remeron SolTab)</i>	2	
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	4	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg (Pamelor)</i>	1	
<i>nortriptyline oral solution 10 mg/5 ml</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>paroxetine hcl oral suspension 10 mg/5 ml</i> (Paxil)	4	
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	2	
<i>phenelzine oral tablet 15 mg</i> (Nardil)	2	
<i>protriptyline oral tablet 10 mg, 5 mg</i>	4	
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	2	
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	
SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG	4	PA NSO
SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)	5	PA NSO; NM; NDS
<i>tranylcypromine oral tablet 10 mg</i> (Parnate)	4	
<i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i>	1	
<i>trazodone oral tablet 300 mg</i>	4	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	4	
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR)	2	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)	2	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	
VIIBRYD ORAL TABLETS, DOSE PACK 10 MG (7)- 20 MG (23)	3	
<i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i> (Viibryd)	2	QL (30 per 30 days)
ZULRESSO INTRAVENOUS SOLUTION 5 MG/ML	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Antidiabetic Agents		
Antidiabetic Agents, Miscellaneous		
acarbose oral tablet 100 mg, 25 mg, 50 mg (Precose)	2	QL (90 per 30 days)
FARXIGA ORAL TABLET 10 MG, 5 MG	3	QL (30 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	QL (30 per 30 days)
KORLYM ORAL TABLET 300 MG	5	PA; NM; NDS; QL (112 per 28 days)
metformin oral tablet 1,000 mg	6	QL (75 per 30 days)
metformin oral tablet 500 mg	6	QL (150 per 30 days)
metformin oral tablet 850 mg	6	QL (90 per 30 days)
metformin oral tablet extended release 24 hr 500 mg	6	QL (120 per 30 days)
metformin oral tablet extended release 24 hr 750 mg	6	QL (60 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML)	3	QL (1.5 per 28 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 1 MG/DOSE (2 MG/1.5 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	3	QL (3 per 28 days)
pioglitazone oral tablet 15 mg, 30 mg, 45 mg (Actos)	6	QL (30 per 30 days)
repaglinide oral tablet 0.5 mg, 1 mg	6	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
repaglinide oral tablet 2 mg	6	QL (240 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	3	QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	5	PA; NM; NDS; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	5	PA; NM; NDS; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG	3	QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	QL (2 per 28 days)
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	3	QL (9 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 10-500 MG	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Insulins		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	QL (24 per 28 days)
LANTUS SOLOSTAR U-100 (insulin glargine) INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
LANTUS U-100 INSULIN (insulin glargine) SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70- 30)	3	QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U- 100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
NOVOLIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	QL (30 per 28 days)
NOVOLOG MIX 70-30 U-100 INSULN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70- 30)	2	QL (40 per 28 days)
NOVOLOG MIX 70- 30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	2	QL (30 per 28 days)
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	2	QL (30 per 28 days)
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	QL (40 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	3	QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	3	QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	3	QL (13.5 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	QL (15 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Sulfonylureas		
glimepiride oral tablet 1 mg, 2 mg (Amaryl)	6	QL (30 per 30 days)
glimepiride oral tablet 4 mg (Amaryl)	6	QL (60 per 30 days)
glipizide oral tablet 10 mg	6	QL (120 per 30 days)
glipizide oral tablet 5 mg	6	QL (60 per 30 days)
glipizide oral tablet extended release (Glucotrol XL) 24hr 10 mg	6	QL (60 per 30 days)
glipizide oral tablet extended release (Glucotrol XL) 24hr 2.5 mg, 5 mg	6	QL (30 per 30 days)
glipizide-metformin oral tablet 2.5- 250 mg	6	QL (240 per 30 days)
glipizide-metformin oral tablet 2.5- 500 mg, 5-500 mg	6	QL (120 per 30 days)
glyburide micronized oral tablet 1.5 (Glynase) mg, 3 mg, 6 mg	6	
glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg	6	
glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg	6	
Antifungals		
Antifungals		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	4	PA BvD
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG	5	PA BvD; NM; NDS
amphotericin b injection recon soln 50 mg	2	PA BvD
amphotericin b liposome intravenous (AmBisome) suspension for reconstitution 50 mg	5	PA BvD; NM; NDS
caspofungin intravenous recon soln (Cancidas) 50 mg	5	NM; NDS
caspofungin intravenous recon soln (Cancidas) 70 mg	3	
ciclopirox topical cream 0.77% (Ciclodan)	2	QL (180 per 30 days)
ciclopirox topical solution 8% (Ciclodan)	2	QL (19.8 per 30 days)
clotrimazole mucous membrane troche 10 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>clotrimazole topical cream 1 %</i>	(Antifungal (clotrimazole))	2	
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>		2	QL (90 per 30 days)
<i>econazole topical cream 1 %</i>		4	QL (170 per 30 days)
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i>		2	
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i>	(Diflucan)	4	
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>	(Diflucan)	2	
<i>flucytosine oral capsule 250 mg, 500 mg</i>	(Ancobon)	5	NM; NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>		4	
<i>griseofulvin microsize oral tablet 500 mg</i>		4	
<i>itraconazole oral capsule 100 mg</i>	(Sporanox)	2	
<i>ketoconazole oral tablet 200 mg</i>		2	
<i>ketoconazole topical cream 2 %</i>		2	QL (180 per 30 days)
<i>ketoconazole topical shampoo 2 %</i>		2	QL (360 per 30 days)
<i>miconazole-3 vaginal suppository 200 mg</i>		2	
<i>NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML)</i>	(posaconazole)	5	PA; NM; NDS
<i>nyamyc topical powder 100,000 unit/gram</i>	(nystatin)	2	QL (60 per 30 days)
<i>nystatin oral suspension 100,000 unit/ml</i>		2	QL (900 per 30 days)
<i>nystatin oral tablet 500,000 unit</i>		2	
<i>nystatin topical cream 100,000 unit/gram</i>		2	QL (60 per 30 days)
<i>nystatin topical ointment 100,000 unit/gram</i>		2	QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram</i>	(Nyamyc)	2	QL (60 per 30 days)
<i>nystop topical powder 100,000 unit/gram</i>	(nystatin)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>posaconazole oral tablet, delayed release (dr/ec) 100 mg</i>	(Noxafil)	5	PA; NM; NDS
<i>terbinafine hcl oral tablet 250 mg</i>		1	
<i>voriconazole intravenous recon soln 200 mg</i>	(Vfend IV)	5	PA BvD; NM; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i>	(Vfend)	5	PA; NM; NDS
<i>voriconazole oral tablet 200 mg, 50 mg</i>	(Vfend)	3	
Antigout Agents			
Antigout Agents, Other			
<i>allopurinol oral tablet 100 mg</i>	(Zyloprim)	1	
<i>allopurinol oral tablet 300 mg</i>		1	
<i>colchicine oral tablet 0.6 mg</i>	(Colcrys)	4	PA; QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i>	(Uloric)	4	ST; QL (30 per 30 days)
<i>MITIGARE ORAL CAPSULE 0.6 MG</i>	(colchicine)	2	QL (60 per 30 days)
<i>probenecid oral tablet 500 mg</i>		2	
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>		2	
Antihistamines			
Antihistamines			
<i>ciproheptadine oral syrup 2 mg/5 ml</i>		2	
<i>diphenhydramine hcl injection solution 50 mg/ml</i>		2	
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>		4	
<i>diphenhydramine hcl oral elixir 12.5 mg/5 ml</i>	(Diphen)	2	
<i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i>		2	
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>		2	
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>		1	
<i>levocetirizine oral tablet 5 mg</i>	(24HR Allergy Relief)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>promethazine oral syrup 6.25 mg/5 ml</i>	2	
Anti-Infectives (Skin And Mucous Membrane)		
Anti-Infectives (Skin And Mucous Membrane)		
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	2	
<i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i> (Vandazole)	2	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	
<i>terconazole vaginal suppository 80 mg</i>	4	
Antimigraine Agents		
Antimigraine Agents		
<i>AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML</i>	3	PA; QL (1 per 30 days)
<i>AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML</i>	3	PA; QL (1.5 per 30 days)
<i>AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML</i>	3	PA; QL (1.5 per 30 days)
<i>dihydroergotamine injection solution 1 mg/ml</i>	3	QL (24 per 28 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal)	5	NM; NDS; QL (8 per 28 days)
<i>EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML</i>	3	PA; QL (2 per 30 days)
<i>EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML</i>	3	PA; QL (2 per 30 days)
<i>EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)</i>	3	PA; QL (3 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG	3	PA; QL (18 per 30 days)
QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG	3	PA; QL (30 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	2	QL (12 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	2	QL (12 per 30 days)
<i>rizatriptan oral tablet,disintegrating 10 mg</i> (Maxalt-MLT)	2	QL (12 per 30 days)
<i>rizatriptan oral tablet,disintegrating 5 mg</i>	2	QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation</i> (Imitrex)	4	QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol 5 mg/actuation</i> (Imitrex)	4	QL (18 per 30 days)
<i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex)	2	QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex)	2	QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml, 6 mg/0.5 ml Refill</i> (Imitrex STATdose)	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Pen) (Imitrex STATdose)	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	4	QL (4 per 28 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	3	PA; QL (16 per 30 days)
Antimycobacterials		
Antimycobacterials		
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	
<i>ethambutol oral tablet 100 mg</i>	2	
<i>ethambutol oral tablet 400 mg</i> (Myambutol)	2	
<i>isoniazid oral solution 50 mg/5 ml</i>	2	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PRETOMANID ORAL TABLET 200 MG	4	QL (30 per 30 days)
PRIFTIN ORAL TABLET 150 MG	4	
<i>pyrazinamide oral tablet 500 mg</i>	3	
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)	4	
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	4	
<i>rifampin oral capsule 150 mg, 300 mg</i>	2	
SIRTURO ORAL TABLET 100 MG, 20 MG	5	PA; NM; NDS
TRECATOR ORAL TABLET 250 MG	4	
Antinausea Agents		
Antinausea Agents		
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	4	
AKYNZEO (FOSNETUPITANT) INTRAVENOUS SOLUTION 235 MG-0.25 MG /20 ML	4	
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	4	PA BvD
<i>aprepitant oral capsule 125 mg</i>	4	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	4	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	4	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule,dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	4	PA BvD; QL (6 per 28 days)
<i>compro rectal suppository 25 mg</i> (prochlorperazine)	4	
<i>dimenhydrinate injection solution 50 mg/ml</i>	2	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	4	PA; QL (60 per 30 days)
<i>droperidol injection solution 2.5 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	4	PA BvD; QL (6 per 28 days)
<i>fosaprepitant intravenous recon soln</i> (Emend 150 mg (fosaprepitant))	4	QL (2 per 28 days)
<i>granisetron (pf) intravenous solution 1 mg/ml (1 ml), 100 mcg/ml</i>	2	
<i>granisetron hcl intravenous solution 1 mg/ml</i>	2	
<i>granisetron hcl oral tablet 1 mg</i>	4	PA BvD
<i>meclizine oral tablet 12.5 mg</i>	2	
<i>meclizine oral tablet 25 mg</i> (Dramamine (meclizine))	2	
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	1	
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	2	
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	2	PA BvD
<i>ondansetron oral tablet,disintegrating 4 mg, 8 mg</i>	2	PA BvD
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml), 5 mg/ml</i>	2	
<i>prochlorperazine maleate oral tablet</i> (Compazine) 10 mg, 5 mg	2	
<i>prochlorperazine rectal suppository</i> (Compro) 25 mg	4	
<i>promethazine injection solution 25</i> (Phenergan) mg/ml, 50 mg/ml	4	
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	
<i>promethazine rectal suppository 50</i> (Promethegan) mg	4	
<i>promethegan rectal suppository 12.5</i> (promethazine) mg, 25 mg	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>scopolamine base transdermal patch (Transderm-Skop) 3 day 1 mg over 3 days</i>	2	QL (10 per 30 days)
Antiparasite Agents		
Antiparasite Agents		
<i>albendazole oral tablet 200 mg</i>	5	NM; NDS
<i>atovaquone oral suspension 750 mg/5 ml</i>	3	
<i>atovaquone-proguanil oral tablet 250-100 mg</i>	2	
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i>	2	
<i>chloroquine phosphate oral tablet 250 mg</i>	4	QL (50 per 30 days)
<i>chloroquine phosphate oral tablet 500 mg</i>	4	QL (25 per 30 days)
COARTEM ORAL TABLET 20-120 MG	4	
<i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)	2	QL (90 per 30 days)
IMPAVIDO ORAL CAPSULE 50 MG	5	PA; NM; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg</i> (Stromectol)	2	
KRINTAFEL ORAL TABLET 150 MG	4	
<i>mefloquine oral tablet 250 mg</i>	2	
<i>nitazoxanide oral tablet 500 mg</i> (Alinia)	5	NM; NDS
<i>paromomycin oral capsule 250 mg</i> (Humatin)	4	
<i>pentamidine inhalation recon soln 300 mg</i> (Nebupent)	3	PA BvD
<i>pentamidine injection recon soln 300 mg</i> (Pentam)	4	
PRIMAQUINE ORAL TABLET 26.3 MG	4	
<i>pyrimethamine oral tablet 25 mg</i> (Daraprim)	5	PA; NM; NDS
<i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)	4	PA; QL (42 per 7 days)
Antiparkinsonian Agents		
Antiparkinsonian Agents		
<i>amantadine hcl oral capsule 100 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>amantadine hcl oral solution 50 mg/5 ml</i>	1	
<i>apomorphine subcutaneous cartridge (APOKYN) 10 mg/ml</i>	5	PA; NM; NDS; QL (60 per 30 days)
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>bromocriptine oral capsule 5 mg (Parlodel)</i>	4	
<i>bromocriptine oral tablet 2.5 mg (Parlodel)</i>	2	
<i>cabergoline oral tablet 0.5 mg</i>	2	
<i>carbidopa-levodopa oral tablet 10-100 mg</i>	2	
<i>carbidopa-levodopa oral tablet 25-100 mg</i>	2	
<i>carbidopa-levodopa oral tablet 25-250 mg</i>	2	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	2	
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg</i>	4	
<i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg</i>	4	
<i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg</i>	4	
<i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg</i>	4	
<i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg</i>	4	
<i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg</i>	4	
<i>entacapone oral tablet 200 mg (Comtan)</i>	3	
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	5	PA; NM; NDS; QL (300 per 30 days)
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	3	QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	4	ST; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1)	4	ST; QL (60 per 30 days)
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	1	
<i>rasagiline oral tablet 0.5 mg, 1 mg</i>	4	
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	2	
<i>selegiline hcl oral capsule 5 mg</i>	2	
<i>selegiline hcl oral tablet 5 mg</i>	2	
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	2	
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	
XADAGO ORAL TABLET 100 MG	4	PA; QL (30 per 30 days)
XADAGO ORAL TABLET 50 MG	5	PA; NM; NDS; QL (30 per 30 days)
Antipsychotic Agents		
Antipsychotic Agents		
<i>ariPIPRAZOLE oral solution 1 mg/ml</i>	4	QL (900 per 30 days)
<i>ariPIPRAZOLE oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i>	4	QL (30 per 30 days)
<i>ariPIPRAZOLE oral tablet 2 mg</i>	4	QL (60 per 30 days)
<i>ariPIPRAZOLE oral tablet,disintegrating 10 mg</i>	4	ST; QL (90 per 30 days)
<i>ariPIPRAZOLE oral tablet,disintegrating 15 mg</i>	5	ST; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	5	NM; NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NM; NDS; QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	NM; NDS; QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	NM; NDS; QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NM; NDS; QL (3.2 per 28 days)
<i>asenapine maleate sublingual tablet</i> (Saphris) 10 mg, 2.5 mg, 5 mg	2	QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 42 MG	5	ST; NM; NDS; QL (30 per 30 days)
<i>chlorpromazine injection solution</i> 25 mg/ml	2	
<i>chlorpromazine oral concentrate</i> 100 mg/ml, 30 mg/ml	4	
<i>chlorpromazine oral tablet</i> 10 mg, 100 mg, 200 mg, 25 mg, 50 mg	4	
<i>clozapine oral tablet</i> 100 mg (Clozaril)	2	QL (270 per 30 days)
<i>clozapine oral tablet</i> 200 mg (Clozaril)	3	QL (135 per 30 days)
<i>clozapine oral tablet</i> 25 mg (Clozaril)	3	QL (90 per 30 days)
<i>clozapine oral tablet</i> 50 mg (Clozaril)	2	QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating</i> 100 mg, 12.5 mg, 25 mg	4	ST; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating</i> 150 mg	4	ST; QL (180 per 30 days)
<i>clozapine oral tablet,disintegrating</i> 200 mg	5	ST; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	5	ST; NM; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)- 2MG(2)- 4MG(2)-6MG(2)	4	ST
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	2	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	3	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	4	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	4	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	4	
<i>haloperidol decanoate intramuscular (Haldol Decanoate) solution 100 mg/ml</i>	3	
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml)</i>	2	
<i>haloperidol decanoate intramuscular (Haldol Decanoate) solution 50 mg/ml</i>	2	
<i>haloperidol decanoate intramuscular solution 50 mg/ml(1ml)</i>	3	
<i>haloperidol lactate injection solution 5 mg/ml</i>	2	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	5	NM; NDS; QL (3.5 per 180 days)
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	5	NM; NDS; QL (5 per 180 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NM; NDS; QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NM; NDS; QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NM; NDS; QL (1.5 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NM; NDS; QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	5	NM; NDS; QL (0.88 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	5	NM; NDS; QL (1.32 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NM; NDS; QL (1.75 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	5	NM; NDS; QL (2.63 per 84 days)
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG	3	QL (30 per 30 days)
LATUDA ORAL TABLET 80 MG	3	QL (60 per 30 days)
<i>loxpipine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>molindone oral tablet 10 mg</i>	2	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	2	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln</i> (Zyprexa) 10 mg	3	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i>	2	QL (30 per 30 days)
<i>olanzapine oral tablet,disintegrating</i> (Zyprexa Zydis) 10 mg, 15 mg, 20 mg, 5 mg	4	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr</i> 1.5 mg, 3 mg, 9 mg	4	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr</i> 6 mg	4	QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	4	
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 120 MG, 90 MG	5	NM; NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	3	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>	2	QL (90 per 30 days)
<i>quetiapine oral tablet 300 mg, 400 mg</i>	2	QL (60 per 30 days)
REXULTI ORAL TABLET 0.25 MG	5	ST; NM; NDS; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	5	ST; NM; NDS; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	5	ST; NM; NDS; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML	4	QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML	5	NM; NDS; QL (2 per 28 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	2	QL (480 per 30 days)
<i>risperidone oral tablet 0.25 mg</i>	2	QL (60 per 30 days)
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg</i> (Risperdal)	2	QL (60 per 30 days)
<i>risperidone oral tablet 4 mg</i> (Risperdal)	2	QL (120 per 30 days)
<i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	4	QL (60 per 30 days)
<i>risperidone oral tablet, disintegrating 3 mg, 4 mg</i>	4	QL (120 per 30 days)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	ST; NM; NDS; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	4	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NM; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NM; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE, DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	2	QL (60 per 30 days)
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon)	3	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NM; NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NM; NDS; QL (1 per 28 days)
Antivirals (Systemic)		
Antiretrovirals		
abacavir oral solution 20 mg/ml (Ziagen)	4	
abacavir oral tablet 300 mg (Ziagen)	2	
abacavir-lamivudine oral tablet 600- 300 mg (Epzicom)	2	
abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg (Trizivir)	5	NM; NDS
APRETUDE INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 600 MG/3 ML (200 MG/ML) (cabotegravir)	5	NM; NDS; QL (24 per 365 days)
APTIVUS (WITH VITAMIN E) ORAL SOLUTION 100 MG/ML	5	NM; NDS
APTIVUS ORAL CAPSULE 250 MG	5	NM; NDS
atazanavir oral capsule 150 mg	3	
atazanavir oral capsule 200 mg, 300 mg (Reyataz)	3	
BIKTARVY ORAL TABLET 30- 120-15 MG, 50-200-25 MG	5	NM; NDS
CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML (cabotegravir intramuscular suspension,extended release 400 mg/2 ml (200 mg/ml))	5	NM; NDS
cabotegravir intramuscular suspension,extended release 400 mg/2 ml (200 mg/ml)	5	NM; NDS; QL (24 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>cabotegravir intramuscular suspension, extended release 600 mg/3 ml (200 mg/ml)</i>	(Apretude)	5	NM; NDS; QL (24 per 365 days)
CIMDUO ORAL TABLET 300-300 MG		5	NM; NDS
COMPLERA ORAL TABLET 200-25-300 MG		5	NM; NDS
CRIXIVAN ORAL CAPSULE 200 MG		4	
DELSTRIGO ORAL TABLET 100-300-300 MG		5	NM; NDS
DESCOVY ORAL TABLET 120-15 MG, 200-25 MG		5	NM; NDS
<i>didanosine oral capsule, delayed release(dr/ec) 250 mg, 400 mg</i>		3	
DOVATO ORAL TABLET 50-300 MG		5	NM; NDS
EDURANT ORAL TABLET 25 MG		5	NM; NDS
<i>efavirenz oral capsule 200 mg</i>	(Sustiva)	3	
<i>efavirenz oral capsule 50 mg</i>	(Sustiva)	2	
<i>efavirenz oral tablet 600 mg</i>	(Sustiva)	3	
<i>efavirenz-emtricitabine-tenofovir oral tablet 600-200-300 mg</i>	(Atripla)	5	NM; NDS
<i>efavirenz-lamivu-tenofovir disop oral tablet 400-300-300 mg</i>	(Symfi Lo)	5	NM; NDS
<i>efavirenz-lamivu-tenofovir disop oral tablet 600-300-300 mg</i>	(Symfi)	5	NM; NDS
<i>emtricitabine oral capsule 200 mg</i>	(Emtriva)	3	
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg</i>	(Truvada)	5	NM; NDS
EMTRIVA ORAL SOLUTION 10 MG/ML		4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)		4	
<i>etravirine oral tablet 100 mg, 200 mg</i>	(Intelence)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EVOTAZ ORAL TABLET 300-150 MG	5	NM; NDS
<i>fosamprenavir oral tablet 700 mg</i> (Lexiva)	3	
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NM; NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NM; NDS
INTELENCE ORAL TABLET 25 MG	4	
INVIRASE ORAL TABLET 500 MG	5	NM; NDS
ISENTRESS HD ORAL TABLET 600 MG	5	NM; NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	4	
ISENTRESS ORAL TABLET 400 MG	5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG, 25 MG	4	
JULUCA ORAL TABLET 50-25 MG	5	NM; NDS
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	4	
<i>lamivudine oral tablet 100 mg</i> (Epivir HBV)	4	
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	2	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir)	2	
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	2	QL (480 per 30 days)
<i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra)	3	QL (300 per 30 days)
<i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra)	5	NM; NDS; QL (120 per 30 days)
<i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
nevirapine oral suspension 50 mg/5 ml	4	
nevirapine oral tablet 200 mg	2	
nevirapine oral tablet extended release 24 hr 100 mg, 400 mg	4	
NORVIR ORAL POWDER IN PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NM; NDS
PIFELTRO ORAL TABLET 100 MG	5	NM; NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NM; NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NM; NDS
PREZISTA ORAL TABLET 150 MG, 600 MG, 800 MG	5	NM; NDS
PREZISTA ORAL TABLET 75 MG	4	
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NM; NDS
rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)	5	NM; NDS
ritonavir oral tablet 100 mg (Norvir)	2	
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NM; NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	4	
SELZENTRY ORAL TABLET 25 MG	3	
SELZENTRY ORAL TABLET 75 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NM; NDS
SYMTUZA ORAL TABLET 800-150-200-10 MG	5	NM; NDS
TEMIXYS ORAL TABLET 300-300 MG	5	NM; NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	2	
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NM; NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	4	
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NM; NDS
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	5	NM; NDS
TRIZIVIR ORAL TABLET 300-150-300 MG (abacavir-lamivudine-zidovudine)	5	NM; NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NM; NDS
VEMLIDY ORAL TABLET 25 MG	5	NM; NDS; QL (30 per 30 days)
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NM; NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NM; NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NM; NDS
VOCABRIA ORAL TABLET 30 MG	4	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	
<i>zidovudine oral tablet 300 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Antivirals, Miscellaneous		
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	4	PA BvD
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	2	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	2	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	2	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	2	QL (540 per 180 days)
PAXLOVID (EUA) ORAL TABLETS,DOSE PACK 150-100 MG	4	QL (20 per 5 days)
PAXLOVID (EUA) ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG	4	QL (30 per 5 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	5	PA; NM; NDS; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	5	PA; NM; NDS; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NM; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	3	
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	5	PA; NM; NDS
XOFLUZA ORAL TABLET 20 MG, 40 MG	4	QL (4 per 180 days)
XOFLUZA ORAL TABLET 80 MG	4	QL (2 per 180 days)
Hcv Antivirals		
EPCLUSIA ORAL PELLETS IN PACKET 150-37.5 MG	5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSIA ORAL PELLETS IN PACKET 200-50 MG	5	PA; NM; NDS; QL (56 per 28 days)
EPCLUSIA ORAL TABLET 200-50 MG	5	PA; NM; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
EPCLUSA ORAL TABLET 400-100 MG	(sofosbuvir-velpatasvir)	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG		5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG		5	PA; NM; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG		5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 MG	(ledipasvir-sofosbuvir)	5	PA; NM; NDS; QL (28 per 28 days)
VOSEVI ORAL TABLET 400-100-100 MG		5	PA; NM; NDS; QL (28 per 28 days)
Interferons			
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)		5	PA NSO; NM; NDS
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML		5	PA NSO; NM; NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML		5	NM; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML		5	NM; NDS
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML		5	NM; NDS
Nucleosides And Nucleotides			
acyclovir oral capsule 200 mg		2	
acyclovir oral suspension 200 mg/5 ml (Zovirax)		4	
acyclovir oral tablet 400 mg, 800 mg		2	
acyclovir sodium intravenous recon soln 1,000 mg, 500 mg		2	PA BvD
acyclovir sodium intravenous solution 50 mg/ml		3	PA BvD
adefovir oral tablet 10 mg (Hepsera)		3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>entecavir oral tablet 0.5 mg, 1 mg (Baraclude)</i>	2	
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	2	
<i>ganciclovir sodium intravenous recon soln 500 mg</i>	5	PA BvD; NM; NDS
<i>ganciclovir sodium intravenous solution 50 mg/ml</i>	5	PA BvD; NM; NDS
<i>lagevrio (eua) oral capsule 200 mg</i>	4	QL (40 per 5 days)
<i>ribavirin inhalation recon soln 6 gram</i>	5	PA BvD; NM; NDS
<i>ribavirin oral capsule 200 mg</i>	2	
<i>ribavirin oral tablet 200 mg</i>	2	
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	4	
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	2	
VEKLURY INTRAVENOUS RECON SOLN 100 MG	5	PA BvD; NM; NDS
Blood		
Products/Modifiers/Volume Expanders		
Anticoagulants		
<i>ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)</i>	3	
<i>ELIQUIS ORAL TABLET 2.5 MG</i>	3	QL (60 per 30 days)
<i>ELIQUIS ORAL TABLET 5 MG</i>	3	QL (74 per 30 days)
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i> (Lovenox)	2	QL (30 per 30 days)
<i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> (Lovenox)	3	QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> (Lovenox)	3	QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i> (Lovenox)	3	QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> (Lovenox)	3	QL (24 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>enoxaparin subcutaneous syringe 60 (Lovenox) mg/0.6 ml</i>	3	QL (36 per 30 days)
<i>fondaparinux subcutaneous syringe (Arixtra) 10 mg/0.8 ml</i>	5	NM; NDS; QL (24 per 30 days)
<i>fondaparinux subcutaneous syringe (Arixtra) 2.5 mg/0.5 ml</i>	3	QL (15 per 30 days)
<i>fondaparinux subcutaneous syringe (Arixtra) 5 mg/0.4 ml</i>	5	NM; NDS; QL (12 per 30 days)
<i>fondaparinux subcutaneous syringe (Arixtra) 7.5 mg/0.6 ml</i>	5	NM; NDS; QL (18 per 30 days)
<i>heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)</i>	2	
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	2	
<i>heparin (porcine) injection syringe 5,000 unit/ml</i>	2	
<i>heparin, porcine (pf) injection solution 1,000 unit/ml</i>	2	
<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i>	2	
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	
<i>XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)</i>	3	
<i>XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML</i>	3	QL (600 per 30 days)
<i>XARELTO ORAL TABLET 10 MG, 20 MG</i>	3	QL (30 per 30 days)
<i>XARELTO ORAL TABLET 15 MG, 2.5 MG</i>	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Blood Formation Modifiers		
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NM; NDS; QL (20 per 30 days)
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NM; NDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NM; NDS; QL (20 per 30 days)
LEUKINE INJECTION RECON SOLN 250 MCG	5	NM; NDS
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	5	NM; NDS
MULPLETA ORAL TABLET 3 MG	5	PA; NM; NDS; QL (7 per 7 days)
NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	5	PA; NM; NDS
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
ORLADEYO ORAL CAPSULE 110 MG, 150 MG	5	PA; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; NM; NDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG	5	PA; NM; NDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 50 MG, 75 MG	5	PA; NM; NDS; QL (60 per 30 days)
RELEUKO INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
RELEUKO SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (4 per 28 days)
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
Hematologic Agents, Miscellaneous		
ADAKVEO INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	2	
<i>anagrelide oral capsule 1 mg</i>	2	
CABLIVI INJECTION KIT 11 MG	5	PA; NM; NDS; QL (30 per 30 days)
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	
GIVLAARI SUBCUTANEOUS SOLUTION 189 MG/ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>protamine intravenous solution 10 mg/ml</i>	2	
SIKLOS ORAL TABLET 1,000 MG, 100 MG	4	PA
TAVALISSE ORAL TABLET 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>tranexamic acid intravenous solution (Cyklokapron) 1,000 mg/10 ml (100 mg/ml)</i>	2	
<i>tranexamic acid oral tablet 650 mg (Lysteda)</i>	2	
Platelet-Aggregation Inhibitors		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	4	QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	
<i>clopidogrel oral tablet 75 mg (Plavix)</i>	1	
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	2	
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	
<i>prasugrel oral tablet 10 mg, 5 mg (Effient)</i>	4	QL (30 per 30 days)
Caloric Agents		
Caloric Agents		
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	4	PA BvD
AMINOSYN-PF 7 % (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	PA BvD
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
<i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i>	2	PA BvD
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	4	
<i>dextrose 5 % in water (d5w) intravenous piggyback 5 %</i>	2	
<i>dextrose 5%-water iv soln single use</i>	1	
<i>dextrose 5%-water iv soln single use</i>	2	
HEPATAMINE 8% INTRAVENOUS PARENTERAL SOLUTION 8 %	4	PA BvD
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	4	PA BvD
NEPHRAMINE 5.4 % INTRAVENOUS PARENTERAL SOLUTION 5.4 %	4	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	4	PA BvD
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
Cardiovascular Agents		
Alpha-Adrenergic Agents		
clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg	1	
clonidine transdermal patch weekly (Catapres-TTS-1) 0.1 mg/24 hr	4	QL (4 per 28 days)
clonidine transdermal patch weekly (Catapres-TTS-2) 0.2 mg/24 hr	4	QL (4 per 28 days)
clonidine transdermal patch weekly (Catapres-TTS-3) 0.3 mg/24 hr	4	QL (8 per 28 days)
doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg (Cardura)	2	
droxidopa oral capsule 100 mg, 200 mg, 300 mg (Northera)	5	PA; NM; NDS; QL (180 per 30 days)
guanfacine oral tablet 1 mg, 2 mg	2	
methyldopa oral tablet 250 mg, 500 mg	4	
midodrine oral tablet 10 mg, 2.5 mg, 5 mg	2	
phenylephrine hcl injection solution 10 mg/ml (Vazculep)	2	
prazosin oral capsule 1 mg, 2 mg, 5 mg (Minipress)	4	
Angiotensin II Receptor Antagonists		
EDARBI ORAL TABLET 40 MG, 80 MG	3	
EDARBYCLOL ORAL TABLET 40-12.5 MG, 40-25 MG	3	
ENTRESTO ORAL TABLET 24-26 MG	3	QL (180 per 30 days)
ENTRESTO ORAL TABLET 49-51 MG, 97-103 MG	3	QL (60 per 30 days)
irbesartan oral tablet 150 mg, 300 mg, 75 mg (Avapro)	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	6	
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	6	
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	6	
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	6	
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	6	
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	6	
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	6	
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	6	
Angiotensin-Converting Enzyme Inhibitors		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	6	
<i>benazepril oral tablet 5 mg</i>	6	
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)	6	
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>	6	
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	2	
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	6	
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	2	
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	6	
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	6	
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i>	6	
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	6	
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	6	
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	6	
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	6	
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i>	6	
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	6	
Antiarrhythmic Agents		
<i>amiodarone oral tablet 200 mg (Pacerone)</i>	1	
<i>amiodarone oral tablet 400 mg (Pacerone)</i>	4	
<i>disopyramide phosphate oral capsule (Norpace) 100 mg, 150 mg</i>	3	
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg (Tikosyn)</i>	4	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	
<i>lidocaine (pf) injection solution 10 mg/ml (1 %)</i>	1	
<i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2 %), 50 mg/5 ml (1 %)</i>	1	
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	2	
MULTAQ ORAL TABLET 400 MG	3	
<i>pacerone oral tablet 200 mg (amiodarone)</i>	1	
<i>pacerone oral tablet 400 mg (amiodarone)</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	2	
<i>procainamide intravenous syringe 100 mg/ml</i>	2	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	
<i>quinidine sulfate oral tablet 200 mg</i>	1	
<i>quinidine sulfate oral tablet 300 mg</i>	2	
Beta-Adrenergic Blocking Agents		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg (Tenormin)</i>	1	
<i>atenolol-chlorthalidone oral tablet 100-25 mg (Tenoretic 100)</i>	2	
<i>atenolol-chlorthalidone oral tablet 50-25 mg (Tenoretic 50)</i>	2	
<i>betaxolol oral tablet 10 mg, 20 mg</i>	2	
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg (Ziac)</i>	2	
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg (Coreg)</i>	1	
<i>labetalol intravenous solution 5 mg/ml</i>	2	
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	2	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	2	
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg (Toprol XL)</i>	1	
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>	2	
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	
<i>metoprolol tartrate oral tablet 25 mg</i>	1	
<i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Bystolic)	2	
<i>propranolol intravenous solution 1 mg/ml</i>	2	
<i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	4	
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	2	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	2	
<i>propranolol-hydrochlorothiazide oral tablet 40-25 mg, 80-25 mg</i>	2	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (sotalol)	2	
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> (sotalol)	2	
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (Sorine)	2	
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	4	
Calcium-Channel Blocking Agents		
<i>cartia xt oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (diltiazem hcl)	2	
<i>diltiazem 24h er(cd) 300 mg cp 300 mg</i> (Cartia XT)	2	
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	2	
<i>diltiazem hcl oral capsule, extended release 12 hr 120 mg, 60 mg, 90 mg</i>	4	
<i>diltiazem hcl oral capsule, extended release 24 hr 420 mg</i> (Tiadylt ER)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg (Cartia XT)	2	
diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg (Cardizem)	2	
diltiazem hcl oral tablet 90 mg	2	
dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg (diltiazem hcl)	2	
taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg (diltiazem hcl)	2	
tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg (diltiazem hcl)	2	
verapamil intravenous syringe 2.5 mg/ml	2	
verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg (Verelan PM)	4	
verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg (Verelan)	2	
verapamil oral capsule,ext rel. pellets 24 hr 360 mg (Verelan)	4	
verapamil oral tablet 120 mg, 40 mg, 80 mg	1	
verapamil oral tablet extended release 120 mg, 180 mg, 240 mg (Calan SR)	2	
Cardiovascular Agents, Miscellaneous		
CORLANOR ORAL SOLUTION 5 MG/5 ML	3	QL (600 per 30 days)
CORLANOR ORAL TABLET 5 MG, 7.5 MG	3	QL (60 per 30 days)
digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg) (digoxin)	2	
digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg) (digoxin)	2	
digoxin 250 mcg tablet 250 mcg (0.25 mg) (Digitek)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	2	
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	2	
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i>	2	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i>	2	QL (4 per 30 days)
<i>epinephrine injection solution 1 mg/ml</i>	1	
<i>hydralazine injection solution 20 mg/ml</i>	2	
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	
<i>icatibant subcutaneous syringe 30 mg/3 ml</i>	5	PA; NM; NDS; QL (18 per 30 days)
<i>metyrosine oral capsule 250 mg</i>	5	NM; NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg</i>	4	QL (60 per 30 days)
<i>ranolazine oral tablet extended release 12 hr 500 mg</i>	4	QL (120 per 30 days)
<i>sajazir subcutaneous syringe 30 mg/3 ml</i>	5	PA; NM; NDS; QL (18 per 30 days)
VYNDAMAX ORAL CAPSULE 61 MG	5	PA; NM; NDS; QL (30 per 30 days)
VYNDAQEL ORAL CAPSULE 20 MG	5	PA; NM; NDS; QL (120 per 30 days)
Dihydropyridines		
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i>	6	
<i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>	6	
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i>	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>nicardipine oral capsule 20 mg, 30 mg</i>	4	
<i>nifedipine oral capsule 10 mg, 20 mg</i>	4	
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg (Procardia XL)</i>	2	
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>	2	
Diuretics		
<i>amiloride oral tablet 5 mg</i>	2	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	
<i>bumetanide injection solution 0.25 mg/ml</i>	4	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>chlorothiazide sodium intravenous recon soln 500 mg (Diuril IV)</i>	2	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	
<i>furosemide injection solution 10 mg/ml</i>	2	
<i>furosemide injection syringe 10 mg/ml</i>	1	
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	2	
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg (Lasix)</i>	1	
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	
JYNARQUE ORAL TABLET 15 MG, 30 MG	5	PA; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	5	PA; NM; NDS; QL (56 per 28 days)
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<i>spironolactone oral tablet 100 mg, (Aldactone) 25 mg, 50 mg</i>	1	
<i>torsemide oral tablet 10 mg, 100 mg, 5 mg</i>	2	
<i>torsemide oral tablet 20 mg (Soaanz)</i>	2	
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral (Maxzide-25mg) tablet 37.5-25 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral (Maxzide) tablet 75-50 mg</i>	1	
Dyslipidemics		
<i>atorvastatin oral tablet 10 mg, 20 (Lipitor) mg, 40 mg, 80 mg</i>	6	QL (30 per 30 days)
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i>	2	
<i>cholestyramine light oral powder in packet 4 gram (cholestyramine- aspartame)</i>	2	
<i>colesevelam oral powder in packet 3.75 gram</i>	3	
<i>colesevelam oral tablet 625 mg (WelChol)</i>	2	
<i>colestipol oral packet 5 gram (Colestid)</i>	3	
<i>colestipol oral tablet 1 gram (Colestid)</i>	2	
<i>ezetimibe oral tablet 10 mg (Zetia)</i>	2	QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 134 mg, 200 mg, 67 mg</i>	4	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg (Tricor)</i>	2	
<i>fenofibrate nanocrystallized oral tablet 160 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	2	
<i>gemfibrozil oral tablet 600 mg (Lopid)</i>	1	
JUXTAPID ORAL CAPSULE 10 MG, 30 MG, 40 MG, 60 MG	5	PA; NM; NDS; QL (30 per 30 days)
JUXTAPID ORAL CAPSULE 20 MG	5	PA; NM; NDS; QL (90 per 30 days)
JUXTAPID ORAL CAPSULE 5 MG	5	PA; NM; NDS; QL (45 per 30 days)
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG	3	QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	6	
NEXLETOL ORAL TABLET 180 MG	3	QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG	3	QL (30 per 30 days)
<i>niacin oral tablet 500 mg (Niacor)</i>	4	
<i>niacin oral tablet extended release 24 hr 1,000 mg, 750 mg</i>	4	
<i>niacin oral tablet extended release 24 hr 500 mg</i>	2	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i>	2	QL (120 per 30 days)
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	3	QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg, 80 mg</i>	6	
<i>pravastatin oral tablet 20 mg, 40 mg</i>	6	QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i>	2	
(cholestyramine-aspartame)		
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	3	QL (7 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	3	QL (6 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	3	QL (6 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	6	QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Zocor)	6	QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg</i>	6	QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM	2	QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM (icosapent ethyl)	2	QL (120 per 30 days)
Renin-Angiotensin-Aldosterone System Inhibitors		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	4	
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspira)	4	
Vasodilators		
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	2	
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradoser)	2	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	2	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	
<i>isosorbide-hydralazine oral tablet 20-37.5 mg</i> (BiDil)	2	
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (nitroglycerin)	2	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	2	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	2	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Nitro-Dur)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Central Nervous System Agents		
Central Nervous System Agents		
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> (Strattera)	3	QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> (Strattera)	3	QL (30 per 30 days)
AUBAGIO ORAL TABLET 14 MG, 7 MG	5	PA; NM; NDS; QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NM; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS; QL (15 per 30 days)
<i>caffeine citrate intravenous solution 60 mg/3 ml (20 mg/ml)</i> (Cafcit)	2	PA BvD
<i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>	2	
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML	5	PA; NM; NDS; QL (30 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML	5	PA; NM; NDS; QL (12 per 28 days)
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra)	2	PA; QL (60 per 30 days)
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> (Focalin)	2	QL (60 per 30 days)
<i>dextroamphetamine sulfate oral tablet 10 mg</i> (Zenzedi)	4	QL (180 per 30 days)
<i>dextroamphetamine sulfate oral tablet 15 mg, 5 mg</i> (Zenzedi)	4	QL (90 per 30 days)
<i>dextroamphetamine sulfate oral tablet 20 mg, 30 mg</i> (Zenzedi)	4	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 10 mg, 15 mg, 5 mg</i>	(Adderall XR)	4	QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 20 mg, 25 mg, 30 mg</i>	(Adderall XR)	4	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>	(Adderall)	2	QL (60 per 30 days)
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg</i>	(Tecfidera)	5	PA; NM; NDS; QL (14 per 7 days)
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i>	(Tecfidera)	5	PA; NM; NDS
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 240 mg</i>	(Tecfidera)	5	PA; NM; NDS; QL (60 per 30 days)
<i>flumazenil intravenous solution 0.1 mg/ml</i>		2	
GILENYA ORAL CAPSULE 0.25 MG, 0.5 MG		5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i>	(Copaxone)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i>	(Copaxone)	5	PA; NM; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i>	(glatiramer)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i>	(glatiramer)	5	PA; NM; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i>	(Intuniv ER)	2	QL (30 per 30 days)
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML		5	PA; NM; NDS; QL (1.2 per 28 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>		1	
<i>lithium carbonate oral tablet 300 mg</i>		2	
<i>lithium carbonate oral tablet extended release 300 mg</i>	(Lithobid)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>lithium carbonate oral tablet extended release 450 mg</i>	2	
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NM; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 1 MG, 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	4	PA
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	5	PA; NM; NDS
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>	4	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>	4	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er (Ritalin LA) biphasic 50-50 10 mg, 20 mg, 40 mg</i>	4	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er (Ritalin LA) biphasic 50-50 30 mg</i>	4	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 60 mg</i>	4	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	2	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	2	QL (90 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	5	PA; NM; NDS; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
RADICAVA INTRAVENOUS SOLUTION 30 MG/100 ML	5	PA; NM; NDS; QL (2800 per 28 days)
<i>riluzole oral tablet 50 mg</i> (Rilutek)	2	QL (60 per 30 days)
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)	5	PA; NM; NDS; QL (112 per 28 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	5	PA; NM; NDS; QL (120 per 30 days)
Contraceptives		
Contraceptives		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	
<i>altavera (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	2	
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
<i>apri oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>		2	
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
<i>aubra eq oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	
<i>aviane oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>ayuna oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>		2	
<i>bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>blisovi fe 1/20 (28) oral tablet 1 mg- 20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	
<i>briellyn oral tablet 0.4-35 mg-mcg</i>		2	
<i>camila oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>caziant (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>		2	
<i>chateal eq (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>cryselle (28) oral tablet 0.3-30 mg- mcg</i>	(norgestrel-ethinyl estradiol)	2	
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	
<i>cyred eq oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	
<i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol- e.estrad)	2	QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>desog-e.estradiolle.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(Azurette (28))	2	
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	(Apri)	2	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i>	(Jasmiel (28))	2	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>	(Syeda)	2	
<i>elonest oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	
ELLA ORAL TABLET 30 MG		4	QL (6 per 365 days)
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	4	QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>emoquette oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	
<i>enskyce oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>errin oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>estarrylla oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	(Kelnor 1/35 (28))	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	(Kelnor 1-50 (28))	2	
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	(EluRyng)	4	QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>femynor oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>hailey oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>heather oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	2	QL (91 per 84 days)
<i>incassia oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	2	QL (91 per 84 days)
<i>isibloom oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	(1 norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
jasmiel (28) oral tablet 3-0.02 mg	(drospirenone-ethinyl estradiol)	2	
jencycla oral tablet 0.35 mg	(norethindrone (contraceptive))	1	
juleber oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	2	
junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg	(norethindrone ac-eth estradiol)	2	
junel 1/20 (21) oral tablet 1-20 mg-mcg	(norethindrone ac-eth estradiol)	2	
junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	2	
junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	
junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	2	
kalliga oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	2	
kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(desog-e.estradiol/e.estradiol)	2	
kelnor 1/35 (28) oral tablet 1-35 mg-mcg	(ethynodiol diac-eth estradiol)	2	
kelnor 1-50 (28) oral tablet 1-50 mg-mcg	(ethynodiol diac-eth estradiol)	2	
kurvelo (28) oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	2	
l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)	(LoJaimiess)	2	QL (91 per 84 days)
l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	(Amethia)	2	QL (91 per 84 days)
larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg	(norethindrone ac-eth estradiol)	2	
larin 1/20 (21) oral tablet 1-20 mg-mcg	(norethindrone ac-eth estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	
<i>larissia oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>lessina oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>	(Afirmelle)	2	
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>	(Altavera (28))	2	
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(Iclevia)	2	QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(Enpresse)	2	
<i>levora-28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>lillow (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>lojaimiess oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
<i>loryna (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>lultera (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>lyleq oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>lyza oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>merzee oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estriadiol-iron)	2	
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estriadiol-iron)	1	
<i>milki oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>		2	
<i>nikki (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	(Camila)	1	
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i>	(Aurovela 1.5/30 (21))	2	
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i>	(Aurovela 1/20 (21))	2	
<i>norethindrone-e.estriadiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(Merzee)	2	
<i>norethindrone-e.estriadiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1-20 (28))	1	
<i>norethindrone-e.estriadiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1.5/30 (28))	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(Tri-Lo-Estarylla)	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(Tri-Estarylla)	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i>	(Femynor)	2	
<i>norlyda oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>	2	
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg (norethindrone-ethin estradiol)</i>	2	
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>nylia 1/35 (28) oral tablet 1-35 mg- mcg (norethindrone-ethin estradiol)</i>	2	
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>nymyo oral tablet 0.25-35 mg-mcg (norgestimate-ethinyl estradiol)</i>	2	
<i>orsythia oral tablet 0.1-20 mg-mcg (levonorgestrel-ethinyl estrad)</i>	2	
<i>philith oral tablet 0.4-35 mg-mcg</i>	2	
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5 (desog-e.estradiol/e.estradol)</i>	2	
<i>pirmella oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>pirmella oral tablet 1-35 mg-mcg (norethindrone-ethin estradiol)</i>	2	
<i>portia 28 oral tablet 0.15-0.03 mg (levonorgestrel-ethinyl estrad)</i>	2	
<i>previfem oral tablet 0.25-35 mg-mcg (norgestimate-ethinyl estradiol)</i>	1	
<i>reclipsen (28) oral tablet 0.15-0.03 mg (desogestrel-ethinyl estradiol)</i>	2	
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91) (levonorgestrel-ethinyl estrad)</i>	2	QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg (norethindrone (contraceptive))</i>	1	
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5 (desog-e.estradiol/e.estradol)</i>	2	
<i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7) (1 norgest/e.estradiol-e.estrad)</i>	2	QL (91 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
sprintec (28) oral tablet 0.25-35 mg-mcg	(norgestimate-ethinyl estradiol)	2	
sronyx oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	2	
syeda oral tablet 3-0.03 mg	(drospirenone-ethinyl estradiol)	2	
tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estriadiol-iron)	2	
tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estriadiol-iron)	1	
tri-femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	
tri-estarrylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	1	
tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)	(norethindrone-e.estriadiol-iron)	2	
tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	
tri-lo-estarrylla oral tablet 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	1	
tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	1	
tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	1	
tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	2	
tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	
tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	
tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	1	
tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	
trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)	(levonorg-eth estrad triphasic)	2	
tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>tulana oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>tyblume oral tablet, chewable 0.1 mg- 20 mcg</i>		2	
<i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>		2	
<i>vestura (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>vienna oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>viovere (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>		2	
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>		2	
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>		4	QL (3 per 28 days)
<i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>		4	QL (3 per 28 days)
<i>zarah oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	2	

Dental And Oral Agents

Dental And Oral Agents

<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	(Paroex Oral Rinse)	1	
<i>denta 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1	
<i>dentagel dental gel 1.1 %</i>	(fluoride (sodium))	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>fluoride (sodium) dental solution 0.2 %</i>	(PreviDent)	1	
<i>oralone dental paste 0.1 %</i>	(triamcinolone acetonide)	2	
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i>	(chlorhexidine gluconate)	1	
<i>periogard mucous membrane mouthwash 0.12 %</i>	(chlorhexidine gluconate)	1	
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>	(Salagen (pilocarpine))	2	
<i>sf 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1	
<i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i>	(Fluoridex Sensitivity Relief)	1	
<i>triamcinolone acetonide dental paste 0.1 %</i>	(Oralone)	2	
Dermatological Agents			
Dermatological Agents, Other			
<i>accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	(isotretinoin)	2	
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>		2	
<i>acyclovir topical ointment 5 %</i>	(Zovirax)	4	QL (30 per 30 days)
<i>ALCOHOL 70% SWABS</i>	(Alcohol Pads)	1	
<i>ALCOHOL PADS TOPICAL PADS, MEDICATED</i>	(alcohol swabs)	1	
<i>ALCOHOL PREP SWABS TOPICAL PADS, MEDICATED</i>	(alcohol swabs)	1	
<i>ammonium lactate topical cream 12 %</i>		2	
<i>ammonium lactate topical lotion 12 %</i>	(Skin Treatment)	2	
<i>BD SINGLE USE SWAB</i>	(alcohol swabs)	1	
<i>calcipotriene scalp solution 0.005 %</i>		4	QL (120 per 30 days)
<i>calcipotriene topical cream 0.005 %</i>	(Dovonex)	4	QL (120 per 30 days)
<i>CARETOUCH ALCOHOL 70% PREP PAD</i>	(alcohol swabs)	1	
<i>CURITY ALCOHOL PREPS 2 PLY,MEDIUM</i>	(alcohol swabs)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
DROPSAFE ALCOHOL 70% PREP PADS	(alcohol swabs)	1	
EASY COMFORT ALCOHOL 70% PAD	(alcohol swabs)	1	
EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED	(alcohol swabs)	1	
<i>fluorouracil topical cream 0.5 %</i> (Carac)		5	NM; NDS
<i>fluorouracil topical cream 5 %</i> (Efudex)		2	
<i>fluorouracil topical solution 2 %, 5 %</i>		2	
HEB INCONTROL ALCOHOL 70% PADS	(alcohol swabs)	1	
<i>imiquimod topical cream in packet 5 %</i>		2	QL (24 per 30 days)
IV ANTISEPTIC WIPES	(alcohol swabs)	1	
KENDALL ALCOHOL 70% PREP PAD	(alcohol swabs)	1	
KLISYRI TOPICAL OINTMENT IN PACKET 1 %		3	QL (5 per 5 days)
<i>methoxsalen oral capsule, liqd-filled,rapid rel 10 mg</i>		5	NM; NDS
PANRETIN TOPICAL GEL 0.1 %		5	NM; NDS; QL (180 per 30 days)
<i>podofilox topical solution 0.5 %</i>		2	
PRO COMFORT ALCOHOL 70% PADS	(alcohol swabs)	1	
PURE COMFORT ALCOHOL 70% PADS	(alcohol swabs)	1	
RA ISOPROPYL ALCOHOL 70% WIPES	(alcohol swabs)	1	
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM		4	QL (180 per 30 days)
SURE COMFORT ALCOHOL PREP PADS	(alcohol swabs)	1	
SURE-PREP ALCOHOL PREP PADS	(alcohol swabs)	1	
TRUE COMFORT ALCOHOL 70% PADS	(alcohol swabs)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
TRUE COMFORT PRO ALCOHOL PADS	(alcohol swabs)	1	
ULTILET ALCOHOL STERL SWAB	(alcohol swabs)	1	
VALCHLOR TOPICAL GEL 0.016 %		5	NM; NDS
WEBCOL ALCOHOL PREPS 20'S,LARGE	(alcohol swabs)	1	
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	(isotretinoin)	2	
Dermatological Antibacterials			
<i>clindamycin phosphate topical solution 1 %</i>	(Cleocin T)	2	QL (180 per 30 days)
<i>clindamycin phosphate topical swab 1 %</i>	(Clindacin ETZ)	2	
<i>ery pads topical swab 2 %</i>	(erythromycin with ethanol)	2	
<i>erythromycin with ethanol topical gel 2 %</i>	(Erygel)	4	QL (180 per 30 days)
<i>erythromycin with ethanol topical solution 2 %</i>		2	QL (180 per 30 days)
<i>gentamicin topical cream 0.1 %</i>		2	QL (120 per 30 days)
<i>gentamicin topical ointment 0.1 %</i>		2	QL (120 per 30 days)
<i>metronidazole topical cream 0.75 %</i>	(Rosadan)	4	
<i>metronidazole topical gel 0.75 %</i>	(Rosadan)	2	
<i>metronidazole topical gel 1 %</i>	(Metrogel)	4	
<i>metronidazole topical lotion 0.75 %</i>	(MetroLotion)	4	
<i>mupirocin topical ointment 2 %</i>	(Centany)	1	QL (220 per 30 days)
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>		2	
<i>rosadan topical cream 0.75 %</i>	(metronidazole)	4	
<i>selenium sulfide topical lotion 2.5 %</i>		2	
<i>silver sulfadiazine topical cream 1 %</i>	(SSD)	2	
<i>ssd topical cream 1 %</i>	(silver sulfadiazine)	4	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i>	(Klaron)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Dermatological Anti-Inflammatory Agents		
<i>ala-cort topical cream 1 %</i> (hydrocortisone)	1	
<i>alclometasone topical cream 0.05 %</i>	2	
<i>alclometasone topical ointment 0.05 %</i>	2	
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	
<i>betamethasone valerate topical cream 0.1 %</i>	2	
<i>betamethasone valerate topical lotion 0.1 %</i>	2	
<i>betamethasone valerate topical ointment 0.1 %</i>	2	
<i>betamethasone, augmented topical cream 0.05 %</i>	2	
<i>betamethasone, augmented topical gel 0.05 %</i>	2	
<i>betamethasone, augmented topical lotion 0.05 %</i>	3	
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented))	2	
<i>clobetasol scalp solution 0.05 %</i>	2	
<i>clobetasol topical cream 0.05 %</i>	2	
<i>clobetasol-emollient topical cream 0.05 %</i>	2	
<i>desoximetasone topical cream 0.25 %</i> (Topicort)	2	QL (120 per 30 days)
EUCRISA TOPICAL OINTMENT 2 %	3	
<i>fluocinolone topical cream 0.01 %</i>	2	
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	2	
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fluocinonide topical cream 0.05 %</i>	2	
<i>fluocinonide topical solution 0.05 %</i>	2	
<i>fluocinonide-e topical cream 0.05 % (fluocinonide-emollient)</i>	4	
<i>fluticasone propionate topical cream 0.05 %</i>	2	
<i>fluticasone propionate topical ointment 0.005 %</i>	2	
<i>halobetasol propionate topical cream 0.05 %</i>	2	
<i>halobetasol propionate topical ointment 0.05 %</i>	2	
<i>hydrocortisone 2.5% cream 2.5 %</i>	1	
<i>hydrocortisone topical cream 1 % (Ala-Cort)</i>	1	
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i>	(Procto-Med HC)	1
<i>hydrocortisone topical lotion 2.5 %</i>	2	
<i>hydrocortisone topical ointment 1 % (Anti-Itch (HC))</i>	1	
<i>hydrocortisone topical ointment 2.5 %</i>	1	
<i>mometasone topical cream 0.1 %</i>	2	
<i>mometasone topical ointment 0.1 %</i>	2	
<i>mometasone topical solution 0.1 %</i>	2	
<i>pimecrolimus topical cream 1 % (Elidel)</i>	4	QL (100 per 30 days)
<i>prednicarbate topical ointment 0.1 %</i>	2	
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>	(hydrocortisone)	2
<i>procosol hc topical cream with perineal applicator 2.5 %</i>	(hydrocortisone)	2
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i>	(hydrocortisone)	2
<i>tacrolimus topical ointment 0.03 %, 0.1 % (Protopic)</i>	4	QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 % (Triderm)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	2		
<i>triamcinolone acetonide topical ointment 0.025 %</i>	1		
<i>triamcinolone acetonide topical ointment 0.1 %, 0.5 %</i>	2		
Dermatological Retinoids			
<i>adapalene topical cream 0.1 %</i> (Differin)	4		
<i>adapalene topical gel 0.1 %</i> (Differin)	2		
ALTRENO TOPICAL LOTION 0.05 %	4	PA	
<i>tazarotene topical cream 0.1 %</i> (Tazorac)	4		
TAZORAC TOPICAL CREAM 0.05 %	4		
<i>tretinoi topical cream 0.025 %</i> (Avita)	4	PA	
<i>tretinoi topical cream 0.05 %, 0.1 %</i> (Retin-A)	4	PA	
<i>tretinoi topical gel 0.01 %</i> (Retin-A)	4	PA	
<i>tretinoi topical gel 0.025 %</i> (Avita)	4	PA	
<i>tretinoi topical gel 0.05 %</i> (Atralin)	4	PA	
Scabicides And Pediculicides			
<i>malathion topical lotion 0.5 %</i> (Ovide)	4		
<i>permethrin topical cream 5 %</i> (Elimite)	2		
Devices			
Devices			
1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE- USE,SHRT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
1ST TIER UNIFINE PNTP 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
1ST TIER UNIFINE PNTP 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
1ST TIER UNIFINE PNTP 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
ABOUTTIME PEN NEEDLE 30G X 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	2	
ABOUTTIME PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
ABOUTTIME PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
ABOUTTIME PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"		2	
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"		2	
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"		2	
ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"		2	
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"		2	
ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	
ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"		2	
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"		2	
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"		2	
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"		2	
BD ECLIPSE 30GX1/2" SYRINGE 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"		2	
BD INS SYRINGE 1/2 ML 6MMX31G (ONLY FOR 500 UNIT/ML INSULIN) 1/2 ML 31 GAUGE X 15/64"		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
BD INS SYRN UF 1 ML 12.7MMX30G NOT FOR RETAIL SALE 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
BD INSULIN SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1"		2	
BD INSULIN SYR 1 ML 25GX5/8" 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	
BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2"		2	
BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8"		2	
BD INSULIN SYR 1 ML 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	
BD INSULIN SYRINGE 1 ML W/O NEEDLE 1 ML	(insulin syringe needleless)	2	
BD LUER-LOK SYRINGE 1 ML 1 ML	(BD Insulin Syringe Slip Tip)	2	
BD NANO 2 GEN PEN NDL 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
BD SAFETGLD INS 0.3 ML 13MMX29G 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
BD SAFETGLD INS 0.3 ML 8MMX31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
BD SAFETGLD INS 0.5 ML 13MMX29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
BD SAFETGLD INS 0.5 ML 8MMX30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	2	
BD SAFETYGLIDE NEEDLE NEEDLE 27 X 5/8 "	2	
BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8"	2	
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	2	
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"	2	
BD UF MICRO PEN NEEDLE (pen needle, diabetic) 6MMX32G 32 GAUGE X 1/4"	2	
BD UF MINI PEN NEEDLE (pen needle, diabetic) 5MMX31G 31 GAUGE X 3/16"	2	
BD UF NANO PEN NEEDLE (pen needle, diabetic) 4MMX32G 32 GAUGE X 5/32"	2	
BD UF ORIG PEN NDL (pen needle, diabetic) 12.7MMX29G 29 GAUGE X 1/2"	2	
BD UF SHORT PEN NEEDLE (pen needle, diabetic) 8MMX31G 31 GAUGE X 5/16"	2	
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	2	
BD VEO INS SYRING 1 ML (insulin syringe-needle 6MMX31G 1 ML 31 GAUGE X u-100) 15/64"	2	
BD VEO INS SYRN 0.3 ML (insulin syringe-needle 6MMX31G 0.3 ML 31 GAUGE X u-100) 15/64"	2	
BD VEO INS SYRN 0.5 ML (insulin syringe-needle 6MMX31G 1/2 ML 31 GAUGE X u-100) 15/64"	2	
BORDERED GAUZE 2"X2" 2 X (gauze bandage) 2"	1	
CAREFINE PEN NEEDLE (pen needle, diabetic) 12.7MM 29G 29 GAUGE X 1/2"	2	
CAREFINE PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CAREFINE PEN NEEDLE 5MM (pen needle, diabetic) 32G 32 GAUGE X 3/16"	2	
CAREFINE PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	2	
CAREFINE PEN NEEDLE 8MM (pen needle, diabetic) 30G 30 GAUGE X 5/16"	2	
CAREFINE PEN NEEDLES (pen needle, diabetic) 6MM 32G 32 GAUGE X 1/4"	2	
CAREFINE PEN NEEDLES (pen needle, diabetic) 8MM 31G 31 GAUGE X 5/16"	2	
CAREONE SYR 0.3 ML (Advocate Syringes) 31GX5/16" SHORT, HRI 0.3 ML 31 GAUGE X 5/16"	2	
CARETOUCH PEN NEEDLE (pen needle, diabetic) 29G 12MM 29 GAUGE X 1/2"	2	
CARETOUCH PEN NEEDLE (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4"	2	
CARETOUCH PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	2	
CARETOUCH PEN NEEDLE (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	2	
CARETOUCH PEN NEEDLE (pen needle, diabetic) 32GX3/16" 32 GAUGE X 3/16"	2	
CARETOUCH PEN NEEDLE (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	
CARETOUCH SYR 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16"	2	
CARETOUCH SYR 0.5 ML (insulin syringe-needle 30GX5/16" 0.5 ML 30 GAUGE X u-100) 5/16"	2	
CARETOUCH SYR 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"	2	
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
CLICKFINE 31G X 5/16" NEEDLES 8MM, UNIVERSAL 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
CLICKFINE UNIVERSAL 31G X 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
COMFORT EZ INS 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16"	2	
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 5MM 33G 33 GAUGE X 3/16"	2	
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 6MM 31G 31 GAUGE X 1/4"	2	
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 6MM 32G 32 GAUGE X 1/4"	2	
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 6MM 33G 33 GAUGE X 1/4"	2	
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 8MM 31G SHORT 31 GAUGE X 5/16"	2	
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 8MM 32G 32 GAUGE X 5/16"	2	
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"	2	
COMFORT EZ SYR 0.3 ML (insulin syringe-needle 29GX1/2" 0.3 ML 29 GAUGE X u-100) 1/2"	2	
COMFORT EZ SYR 0.5 ML (insulin syringe-needle 28GX1/2" 1/2 ML 28 GAUGE X u-100) 1/2"	2	
COMFORT EZ SYR 0.5 ML (insulin syringe-needle 29GX1/2" 0.5 ML 29 GAUGE X u-100) 1/2"	2	
COMFORT EZ SYR 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X u-100) 1/2"	2	
COMFORT EZ SYR 1 ML (insulin syringe-needle 28GX1/2" 1 ML 28 GAUGE X u-100) 1/2"	2	
COMFORT EZ SYR 1 ML (insulin syringe-needle 29GX1/2" 1 ML 29 GAUGE X u-100) 1/2"	2	
COMFORT EZ SYR 1 ML (insulin syringe-needle 30GX1/2" 1 ML 30 GAUGE X u-100) 1/2"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
COMFORT EZ SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"		2	
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"		2	
COMFORT TOUCH PEN NDL 31G 4MM 31 GAUGE X 5/32"		2	
COMFORT TOUCH PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
COMFORT TOUCH PEN NDL 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
COMFORT TOUCH PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
COMFORT TOUCH PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
COMFORT TOUCH PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	
COMFORT TOUCH PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
COMFORT TOUCH PEN NDL 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	2	
COMFORT TOUCH PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	2	
COMFORT TOUCH PEN NDL 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
COMFORT TOUCH PEN NDL 33GX5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	2	
CURAD GAUZE PADS 2" X 2" 2 X 2 "	(gauze bandage)	1	
CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 "		1	
CURITY GUAZE PADS 1'S(12 PLY) 2 X 2 "	(gauze bandage)	1	
DERMACEA 2"X2" GAUZE 12 PLY, USP TYPE VII 2 X 2 "	(gauze bandage)	1	
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "		1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "	1	
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"	2	
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"	2	
DROPLET INS 0.3 ML 29GX12.5MM 0.3 ML 29 (insulin syringe-needle u-100) GAUGE X 1/2"	2	
DROPLET INS 0.3 ML 30GX12.5MM 0.3 ML 30 (insulin syringe-needle u-100) GAUGE X 1/2"	2	
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"	2	
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"	2	
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"	2	
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"	2	
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"	2	
DROPLET INS SYR 0.3 ML 30GX8MM 0.3 ML 30 GAUGE X (insulin syringe-needle u-100) 5/16"	2	
DROPLET INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X (insulin syringe-needle u-100) 15/64"	2	
DROPLET INS SYR 0.3 ML 31GX8MM 0.3 ML 31 GAUGE X (insulin syringe-needle u-100) 5/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
DROPLET INS SYR 1 ML 29GX12.5MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
DROPLET INS SYR 1 ML 30GX12.5MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64"		2	
DROPLET INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
DROPLET INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	
DROPLET INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"		2	
DROPLET PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
DROPLET PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"		2	
DROPLET PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"	(pen needle, diabetic)	2	
DROPLET PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
DROPLET PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
DROPLET PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
DROPLET PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
DROPLET PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	
DROPLET PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	(pen needle, diabetic)	2	
DROPLET PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"		2	
DROPSAFE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	
DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"		2	
DRUG MART ULTRA COMFORT SYR 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
EASY COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"		2	
EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"		2	
EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	2	
EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	2	
EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	
EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	
EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	
EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"		2	
EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"		2	
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"		2	
EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"		2	
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"		2	
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"		2	
EASY TOUCH INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
EASY TOUCH INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
EASY TOUCH INSULIN SYR 1 ML 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"		2	
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"		2	
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"		2	
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"		2	
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"		2	
EASY TOUCH LUER LOK INSUL 1 ML 1 ML	(insulin syringe needleless)	2	
EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16"	(pen needle, diabetic)	2	
EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16"	(pen needle, diabetic)	2	
EASY TOUCH PEN NEEDLE 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"		2	
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"		2	
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"		2	
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"		2	
EASY TOUCH SYR 0.5 ML 28G 12.7MM 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
EASY TOUCH SYR 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"	2	
EASY TOUCH SYR 1 ML 28G (insulin syringe-needle 12.7MM 1 ML 28 GAUGE X 1/2" u-100)	2	
EASY TOUCH SYR 1 ML 29G (insulin syringe-needle 12.7MM 1 ML 29 GAUGE X 1/2" u-100)	2	
EASY TOUCH UNI-SLIP SYR 1 (insulin syringe ML 1 ML needleless)	2	
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"	2	
EQL INSULIN 0.3 ML (Ultra Comfort Insulin SYRINGE SHORT NEEDLE 0.3 Syringe) ML 30	2	
EQL INSULIN 0.5 ML (Lite Touch Insulin SYRINGE SHORT NEEDLE 1/2 Syringe) ML 30 GAUGE	2	
EQL INSULIN 1 ML SYRINGE (Lite Touch Insulin SHORT NEEDLE 1 ML 30 Syringe) GAUGE X 7/16"	2	
EXEL INSULIN SYRINGE 27G- (insulin syringe-needle 1 ML 1 ML 27 GAUGE X 1/2" u-100)	2	
FIFTY50 INS 0.5 ML 31GX5/16" (Advocate Syringes) SHORT NEEDLE 0.5 ML 31 GAUGE X 5/16"	2	
FIFTY50 INS SYR 1 ML (Advocate Syringes) 31GX5/16" SHORT NEEDLE 1 ML 31 GAUGE X 5/16	2	
FIFTY50 PEN 31G X 3/16" (pen needle, diabetic) NEEDLE (OTC) 31 GAUGE X 3/16"	2	
FP INSULIN 1 ML SYRINGE 1 (Lite Touch Insulin ML 28 GAUGE Syringe)	2	
FREESTYLE PREC 0.5 ML (insulin syringe-needle 30GX5/16 0.5 ML 30 GAUGE X u-100) 5/16"	2	
FREESTYLE PREC 0.5 ML (insulin syringe-needle 31GX5/16 0.5 ML 31 GAUGE X u-100) 5/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	(gauze bandage)	1	
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"		2	
GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	2	
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	2	
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE		2	
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30	(insulin syringe-needle u-100)	2	
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
HEALTHY ACCENTS PENTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
HEALTHY ACCENTS PENTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
HEALTHY ACCENTS PENTIP 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
HEALTHY ACCENTS PENTP 12MM 29G 29 GAUGE X 1/2"		2	
INCONTROL PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
INCONTROL PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
INCONTROL PEN NEEDLE 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
INCONTROL PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
INCONTROL PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN		3	
INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN		3	
INSULIN SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(Advocate Syringes)	2	
INSULIN SYR 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(UltiCare Insulin Syr(half unit))	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
INSULIN SYRIN 0.3 ML 30GX1/2" SHORT NEEDLE 0.3 ML 30 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	
INSULIN SYRIN 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	
INSULIN SYRIN 0.5 ML 30GX1/2" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	
INSULIN SYRIN 0.5 ML 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16"	(Advocate Syringes)	2	
INSULIN SYRING 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(Easy Touch Insulin Syringe)	2	
INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE	(insulin syringe-needle u-100)	2	
INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	2	
INSULIN SYRINGE 0.5 ML 1/2 ML 29	(insulin syringe-needle u-100)	2	
INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	2	
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE		2	
INSULIN SYRINGE 1 ML 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2"	(BD Eclipse Luer-Lok)	2	
INSULIN SYRINGE 1 ML 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16	(Advocate Syringes)	2	
INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	2	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE	(Ultilet Insulin Syringe)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2"	(Advocate Syringes)	2	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE	(Lite Touch Insulin Syringe)	2	
INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	2	
INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
INSUPEN 32G 6MM PEN NEEDLE 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16"	(pen needle, diabetic)	2	
INSUPEN PEN NEEDLE 29GX12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
INSUPEN PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
INSUPEN PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
INSUPEN PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
LISCO SPONGES 100/BAG 2 X 2 "		1	
LITE TOUCH 31GX1/4" PEN NEEDLE 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
LITE TOUCH INSULIN 0.5 ML SYR 1/2 ML 28 GAUGE, 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	2	
LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	2	
LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE		2	
LITE TOUCH INSULIN SYR 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
LITE TOUCH PEN NEEDLE 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
LITE TOUCH PEN NEEDLE 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
LITETOUCH INS 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
LITETOUCH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
LITETOUCH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
LITETOUCH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
LITETOUCH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
LITETOUCH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
LITETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"		2	
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"		2	
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 X 1/2"		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"	2		
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"	2		
MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"		2	
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"		2	
MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
MINI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(1st Tier Unifine Pentips)	2	
MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"	(CareFine Pen Needle)	2	
MINI PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(BD Ultra-Fine Micro Pen Needle)	2	
MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"	(Comfort EZ Pen Needles)	2	
MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(Advocate Pen Needle)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16"	(Comfort EZ Pen Needles)	2	
MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4"	(Comfort EZ Pen Needles)	2	
MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	2	
MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC) 1 ML (disposable))	(insulin syringes u-100)	2	
MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
MONOJECT INSULIN SYR U-100 29 GAUGE X 1/2"		2	
MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
NOVOFINE 30 NEEDLE		2	
NOVOFINE 32G NEEDLES 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"		2	
NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5"		2	
OMNIPOD 5 G6 INTRO KIT (GEN 5) SUBCUTANEOUS CARTRIDGE		3	QL (1 per 365 days)
OMNIPOD 5 G6 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE		3	
OMNIPOD CLASSIC PDM KIT(GEN 3)		3	QL (1 per 365 days)
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE		3	
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE		3	QL (1 per 365 days)
OMNIPOD DASH PDM KIT (GEN 4)		3	QL (1 per 365 days)
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE		3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
PC UNIFINE PENTIPS 8MM NEEDLE SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
PEN NEEDLE 30G X 5/16" 30 GAUGE X 5/16"	(pen needle, diabetic)	2	
PEN NEEDLE 30G X 8MM 30 GAUGE X 5/16"	(AboutTime Pen Needle)	2	
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"	(1st Tier Unifine Pentips Plus)	2	
PEN NEEDLES 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
PEN NEEDLES 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
PEN NEEDLES 6MM 31G 31GX6MM, STRL 31 GAUGE X 1/4"	(1st Tier Unifine Pentips)	2	
PEN NEEDLES 8MM 31G 31GX8MM, STRL, SHORT (OTC) 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
PENTIPS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
PENTIPS PEN NEEDLE 32GX5/32" 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
PENTIPS PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
PIP PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
PIP PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"		2	
PRO COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
PRO COMFORT 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
PRO COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
PRO COMFORT 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
PRO COMFORT 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
PRO COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
PRO COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
PRO COMFORT PEN NDL 32G X 1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
PRO COMFORT PEN NDL 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
PRO COMFORT PEN NDL 5MM 32G 32 GAUGE X 3/16"	(pen needle, diabetic)	2	
PRODIGY INS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
PRODIGY SYRNG 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	2	
RELI ON 31G X 1/4" NEEDLES 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(BD Veo Insulin Syringe UF)	2	
RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(BD Veo Insulin Syringe UF)	2	
RELION INS SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	(BD Veo Insulin Syringe UF)	2	
RELI-ON INSULIN 0.5 ML SYR 1/2 ML 29	(Lite Touch Insulin Syringe)	2	
RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"		2	
RELION MINI PEN 31G X 1/4" NDL 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
RELION PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"		2	
RELION PEN NEEDLES 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"		2	
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"		2	
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"		2	
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"		2	
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	2	
SAFETY PEN NEEDLE 5MM X (pen needle, diabetic, 31G 31 GAUGE X 3/16" safety)	2	
SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"	2	
SM STERILE PADS 2" X 2" (gauze bandage) 2"X2", STERILE 2 X 2 "	1	
SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"	2	
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	
NEEDLES, INSULIN DISP., SAFETY (insulin syringe-needle u-100)	2	
SURE COMFORT 0.5 ML (insulin syringe-needle SYRINGE 0.5 ML 30 GAUGE X u-100) 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	2	
SURE COMFORT 1 ML (insulin syringe-needle SYRINGE 1 ML 28 GAUGE X u-100) 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	2	
SURE COMFORT 3/10 ML (insulin syringe-needle SYRINGE 0.3 ML 29 GAUGE X u-100) 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	2	
SURE COMFORT 3/10 ML (insulin syringe-needle SYRINGE INSULIN SYRINGE u-100) 0.3 ML 31 GAUGE X 5/16"	2	
SURE COMFORT 30G PEN (pen needle, diabetic) NEEDLE 30 GAUGE X 5/16"	2	
SURE COMFORT 31G PEN (pen needle, diabetic) NEEDLE 31 GAUGE X 5/16"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	
SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	
SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	
SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
SURE COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
SURE COMFORT PEN NDL 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
SURE COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"	2	
TECHLITE 0.3 ML 30GX12MM (1/2) 0.3 ML 30 GAUGE X 1/2"	2	
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"	2	
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"	2	
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"	2	
TECHLITE 0.5 ML 29GX12MM (1/2) 0.5 ML 29 GAUGE X 1/2"	2	
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"	2	
TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"	2	
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"	2	
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"	2	
TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X u-100) 1/2"	2	
TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X u-100) 1/2"	2	
TECHLITE INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X u-100) 5/16	2	
TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X u-100) 15/64"	2	
TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X u-100) 5/16	2	
TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	2	
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	(pen needle, diabetic)	2	
TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
TERUMO INS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(Advocate Syringes)	2	
TERUMO INS SYRINGE U100-1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TERUMO INS SYRINGE U100-1 ML 1 ML 30 GAUGE X 3/8"	(Thinpro Insulin Syringe)	2	
TERUMO INS SYRINGE U100- 1/2 ML 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	
TERUMO INS SYRINGE U100- 1/3 ML 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	
TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"		2	
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8"	(insulin syringe-needle u-100)	2	
THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"		2	
TOPCARE CLICKFINE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
TOPCARE CLICKFINE 31G X 5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
TRUE CMFR PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
TRUE CMFR PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
TRUE CMFR PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"		2	
TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
TRUE COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
TRUE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
TRUE COMFORT PEN NDL 31GX5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
TRUE COMFORT PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
TRUE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
TRUE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
TRUE COMFORT PEN NDL 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
TRUE COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
TRUE COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	2	
TRUE COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	2	
TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"		2	
TRUE COMFR PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TRUEPLUS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
TRUEPLUS PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
TRUEPLUS PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
ULT CFT 0.3 ML 30GX5/16" (1/2) 1/2 UNIT 0.3 ML 30 GAUGE X 5/16"		2	
ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(insulin syr/ndl u100 half mark)	2	
ULTICARE INS 0.3 ML 31GX1/4" 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	
ULTICARE INS 0.5 ML 31GX1/4" 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	
ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"		2	
ULTICARE SAFE PEN NDL 8MM 30G 30 GAUGE X 5/16"		2	
ULTICARE SAFETY 0.5 ML 29GX1/2 (RX) 0.5 ML 29 GAUGE X 1/2"	(Advocate Syringes)	2	
ULTICARE SYR 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTICARE SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTICARE SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ULTIGUARD SAFE PACK 29G 12.7MM 29 GAUGE X 1/2"	2	
ULTIGUARD SAFE PACK 32G 4MM 32 GAUGE X 5/32"	2	
ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"	2	
ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"	2	
ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"	2	
ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16"	2	
ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4"	2	
ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16"	2	
ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4"	2	
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"	2	
ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"	2	
ULTILET INSULIN SYRINGE (insulin syringe-needle 0.3 ML 0.3 ML 29 GAUGE X u-100) 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	2	
ULTILET INSULIN SYRINGE (insulin syringe-needle 0.5 ML 0.5 ML 29 GAUGE X u-100) 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	2	
ULTILET INSULIN SYRINGE 1 (insulin syringe-needle ML 1 ML 29 GAUGE X 1/2", 1 u-100) ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	2	
ULTILET PEN NEEDLE 29 GAUGE	2	
ULTILET PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	2	
ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"		2	
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"		2	
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"		2	
ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
ULTRA FLO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
ULTRA FLO PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
ULTRA FLO PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
ULTRA FLO SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTRA FLO SYR 0.3 ML 30G 5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
ULTRA FLO SYR 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA FLO SYR 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTRA THIN PEN NDL 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
ULTRACARE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRACARE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRACARE INS 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTRACARE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	
ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	
ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	2	
UNIFINE PENTIPS 31GX3/16" 31GX5MM,STRL,MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	
UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	
UNIFINE PENTIPS 32GX5/32" 32GX4MM, STRL, NANO 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
UNIFINE PENTIPS 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
UNIFINE PENTIPS 6MM 31G (pen needle, diabetic) 31 GAUGE X 1/4"	2	
UNIFINE PENTIPS MAX 30GX3/16" 30 GAUGE X 3/16"	2	
UNIFINE PENTIPS NEEDLES 29G 29 GAUGE	2	
UNIFINE PENTIPS PLUS (pen needle, diabetic) 29GX1/2" 12MM 29 GAUGE X 1/2"	2	
UNIFINE PENTIPS PLUS 30GX3/16" 30 GAUGE X 3/16"	2	
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4"	2	
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX3/16" MINI 31 GAUGE X 3/16"	2	
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX5/16" SHORT 31 GAUGE X 5/16"	2	
UNIFINE PENTIPS PLUS (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	
UNIFINE PENTIPS PLUS (pen needle, diabetic) 33GX5/32" 33 GAUGE X 5/32"	2	
UNIFINE SAFECONTROL 30GX3/16" 30 GAUGE X 3/16"	2	
UNIFINE SAFECONTROL 30GX5/16" 30 GAUGE X 5/16"	2	
UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32"	2	
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 5MM 31 GAUGE X 3/16"	2	
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 6MM 31 GAUGE X 1/4"	2	
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 8MM 31 GAUGE X 5/16"	2	
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 32G 4MM 32 GAUGE X 5/32"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
VANISHPOINT 0.5 ML 30GX1/2" SY OUTER 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"		2	
VANISHPOINT U-100 29X1/2 SYR 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	
VERIFINE PEN NEEDLE 31G X 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	
VERIFINE PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	
VERIFINE PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	
VERIFINE PEN NEEDLE 32G X 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "		1	
V-GO 20 DEVICE		3	
V-GO 30 DEVICE		3	
V-GO 40 DEVICE		3	
Enzyme Replacement/Modifiers			
Enzyme Replacement/Modifiers			
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML		5	NM; NDS
CERDELGA ORAL CAPSULE 84 MG		5	PA; NM; NDS
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT		5	NM; NDS
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT		3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	5	NM; NDS
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	5	NM; NDS
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	5	PA; NM; NDS
GALAFOLD ORAL CAPSULE 123 MG	5	PA; NM; NDS; QL (14 per 28 days)
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NM; NDS
KRYSTEXXA INTRAVENOUS SOLUTION 8 MG/ML	5	PA BvD; NM; NDS
MEPSEVII INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NM; NDS
<i>miglustat oral capsule 100 mg</i> (Zavesca)	5	PA; NM; NDS; QL (90 per 30 days)
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	5	NM; NDS
<i>nitisinone oral capsule 10 mg, 2 mg, 5 mg</i> (Orfadin)	5	PA; NM; NDS
NITYR ORAL TABLET 10 MG, 2 MG, 5 MG	5	PA; NM; NDS
ORFADIN ORAL CAPSULE 20 MG	5	PA; NM; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	5	PA; NM; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NM; NDS
REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	5	PA; NM; NDS
<i>sapropterin oral tablet, soluble 100 mg</i> (Kuvan)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; NM; LA; NDS
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	5	PA; NM; NDS
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	5	NM; NDS
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT	3	
Eye, Ear, Nose, Throat Agents		
Eye, Ear, Nose, Throat Agents, Miscellaneous		
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	2	
<i>atropine ophthalmic (eye) drops 1 % (Isopto Atropine)</i>	4	
<i>azelastine nasal aerosol,spray 137 mcg (0.1 %)</i>	2	QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>cromolyn ophthalmic (eye) drops 4 %</i>	2	
<i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 % (Cyclogyl)</i>	2	
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	5	PA; NM; NDS; QL (60 per 28 days)
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i>	2	QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ipratropium bromide nasal spray, non-aerosol 42 mcg (0.06 %)</i>	2	QL (15 per 10 days)
<i>levofloxacin ophthalmic (eye) drops 1.5 %</i>	4	
<i>olopatadine ophthalmic (eye) drops 0.1 %</i>	2	
<i>olopatadine ophthalmic (eye) drops 0.2 %</i>	4	
<i>proparacaine ophthalmic (eye) drops 0.5 %</i>	2	
TEPEZZA INTRAVENOUS RECON SOLN 500 MG	5	PA; NM; NDS
Eye, Ear, Nose, Throat Anti-Infectives Agents		
<i>acetic acid otic (ear) solution 2 %</i>	2	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	4	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i>	2	
<i>bleph-10 ophthalmic (eye) drops 10 % (sulfacetamide sodium)</i>	2	
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i>	2	
<i>ciprofloxacin-dexamethasone otic (ear) drops, suspension 0.3-0.1 %</i>	3	QL (7.5 per 7 days)
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	2	QL (3.5 per 4 days)
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	2	
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	1	
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>	4	
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i>	2	
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	(Neo-Polycin HC)	2	
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	(Neo-Polycin)	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i>	(Maxitrol)	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i>	(Maxitrol)	2	
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>		2	
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>		4	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>		2	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>		2	
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	(neomycin-bacitracin-poly-hc)	2	
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	(neomycin-bacitracin-polymyxin)	2	
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i>	(Ocuflax)	2	
<i>ofloxacin otic (ear) drops 0.3 %</i>		2	
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	(bacitracin-polymyxin b)	2	
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit-1 mg/ml</i>	(Polytrim)	1	
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	2	
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	2	
<i>tobramycin ophthalmic (eye) drops 0.3 % (Tobrex)</i>	2	
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 % (TobraDex)</i>	2	
<i>trifluridine ophthalmic (eye) drops 1 %</i>	3	
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	4	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	3	
Eye, Ear, Nose, Throat Anti-Inflammatory Agents		
<i>ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %</i>	3	ST
BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %	3	
<i>cyclosporine ophthalmic (eye) dropperette 0.05 % (Restasis)</i>	2	QL (60 per 30 days)
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	2	
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	2	
<i>difluprednate ophthalmic (eye) drops 0.05 % (Durezol)</i>	3	
EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	3	QL (8.3 per 14 days)
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	2	QL (50 per 25 days)
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 % (FML Liquifilm)</i>	4	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i>	(24 Hour Allergy Relief)	1	QL (16 per 30 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %		3	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %		3	
<i>ketorolac ophthalmic (eye) drops 0.5 %</i>	(Acular)	2	QL (10 per 25 days)
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %		3	
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %		3	
<i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %</i>	(Lotemax)	4	
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i>		4	QL (34 per 30 days)
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i>	(Pred Forte)	4	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>		2	
PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %		3	
RESTASIS MULTIDOSE OPHTHALMIC (EYE) DROPS 0.05 %		3	QL (60 per 30 days)
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 %	(cyclosporine)	2	QL (60 per 30 days)
XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION		3	ST; QL (32 per 30 days)
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %		3	QL (60 per 30 days)
Gastrointestinal Agents			
Antiulcer Agents And Acid Suppressants			
<i>cimetidine hcl oral solution 300 mg/5 ml</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>esomeprazole magnesium oral capsule, delayed release (dr/ec) 20 mg</i>	(Nexium)	2	QL (30 per 30 days)
<i>esomeprazole magnesium oral capsule, delayed release (dr/ec) 40 mg</i>	(Nexium)	2	QL (60 per 30 days)
<i>esomeprazole sodium intravenous recon soln 20 mg</i>		2	
<i>esomeprazole sodium intravenous recon soln 40 mg</i>	(Nexium IV)	2	
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>		1	
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>		2	
<i>famotidine intravenous solution 10 mg/ml</i>		2	
<i>famotidine oral tablet 20 mg</i>	(Acid Controller)	1	
<i>famotidine oral tablet 40 mg</i>	(Pepcid)	1	
<i>lansoprazole oral capsule, delayed release (dr/ec) 15 mg</i>	(Prevacid 24Hr)	4	QL (30 per 30 days)
<i>lansoprazole oral capsule, delayed release (dr/ec) 30 mg</i>	(Prevacid)	4	QL (60 per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i>	(Cytotec)	2	
<i>nizatidine oral capsule 150 mg, 300 mg</i>		2	
<i>omeprazole oral capsule, delayed release (dr/ec) 10 mg, 40 mg</i>		1	
<i>omeprazole oral capsule, delayed release (dr/ec) 20 mg</i>		1	
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram</i>	(Zegerid)	4	ST; QL (30 per 30 days)
<i>pantoprazole intravenous recon soln 40 mg</i>	(Protonix)	2	
<i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg</i>	(Protonix)	1	QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (dr/ec) 40 mg</i>	(Protonix)	1	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>rabeprazole oral tablet, delayed release (dr/ec) 20 mg</i>	(AcipHex)	2	QL (30 per 30 days)
<i>sucralfate oral tablet 1 gram</i>	(Carafate)	2	
Gastrointestinal Agents, Other			
<i>carglumic acid oral tablet, dispersible 200 mg</i>	(Carbaglu)	5	NM; NDS
<i>constulose oral solution 10 gram/15 ml</i>	(lactulose)	2	
<i>cromolyn oral concentrate 100 mg/5 ml</i>	(Gastrocrom)	4	
<i>dicyclomine oral capsule 10 mg</i>		2	
<i>dicyclomine oral solution 10 mg/5 ml</i>		4	
<i>dicyclomine oral tablet 20 mg</i>		2	
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i>	(Lomotil)	4	
<i>enulose oral solution 10 gram/15 ml</i>	(lactulose)	2	
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG		5	PA; NM; NDS
<i>generlac oral solution 10 gram/15 ml</i>	(lactulose)	2	
<i>glycopyrrolate oral tablet 1 mg</i>	(Robinul)	2	
<i>glycopyrrolate oral tablet 2 mg</i>	(Robinul Forte)	2	
<i>kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml</i>		2	
<i>lactulose oral solution 10 gram/15 ml</i>	(Constulose)	2	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG		3	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM		3	QL (34 per 30 days)
LOKELMA ORAL POWDER IN PACKET 5 GRAM		3	QL (30 per 30 days)
<i>loperamide oral capsule 2 mg</i>	(Anti-Diarrheal (loperamide))	2	
<i>lubiprostone oral capsule 24 mcg, 8 mcg</i>	(Amitiza)	3	QL (60 per 30 days)
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>		4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>metoclopramide hcl injection solution 5 mg/ml</i>	2	
<i>metoclopramide hcl injection syringe 5 mg/ml</i>	2	
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	2	
<i>metoclopramide hcl oral tablet 10 mg, 5 mg (Reglan)</i>	1	
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
OCALIVA ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; NM; NDS
<i>sodium phenylbutyrate oral tablet (Buphenyl) 500 mg</i>	5	NM; NDS
<i>sodium polystyrene (sorb free) oral suspension 15 gram/60 ml</i>	2	
<i>sodium polystyrene sulfonate oral powder</i>	2	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	2	
<i>ursodiol oral capsule 300 mg</i>	2	
<i>ursodiol oral tablet 250 mg (URSO 250)</i>	2	
<i>ursodiol oral tablet 500 mg (URSO Forte)</i>	2	
XERMELO ORAL TABLET 250 MG	5	PA; NM; NDS; QL (90 per 30 days)
Laxatives		
<i>CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML</i>	3	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i>	2	
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i>	2	
<i>gavilyte-n oral recon soln 420 gram (peg-electrolyte soln)</i>	2	
<i>peg 3350-electrolytes oral recon soln (GaviLyte-G) 236-22.74-6.74 -5.86 gram</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>peg-electrolyte soln oral recon soln (GaviLyte-N) 420 gram</i>	2	
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram (Suprep Bowel Prep Kit)</i>	3	
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13- 1.6 GRAM	3	
SUTAB ORAL TABLET 1.479- 0.188- 0.225 GRAM	3	
<i>trilyte with flavor packets oral recon soln 420 gram (peg-electrolyte soln)</i>	2	
Phosphate Binders		
<i>calcium acetate(phosphat bind) oral capsule 667 mg</i>	2	
<i>calcium acetate(phosphat bind) oral tablet 667 mg</i>	2	
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	4	
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram (Renvela)</i>	5	NM; NDS
<i>sevelamer carbonate oral tablet 800 mg (Renvela)</i>	4	
<i>sevelamer hcl oral tablet 400 mg</i>	3	
VELPHORO ORAL TABLET,CHEWABLE 500 MG	3	
Genitourinary Agents		
Antispasmodics, Urinary		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<i>fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg (Toviaz)</i>	2	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	3	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	2	
<i>oxybutynin chloride oral tablet 5 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 5 mg</i>	(Ditropan XL)	2	
<i>oxybutynin chloride oral tablet extended release 24hr 15 mg</i>		2	
<i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i>	(Detrol LA)	2	
<i>tolterodine oral tablet 1 mg, 2 mg</i>	(Detrol)	2	
<i>trospium oral tablet 20 mg</i>		4	
Genitourinary Agents, Miscellaneous			
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i>	(Uroxatral)	1	QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg</i>	(Avodart)	2	
<i>finasteride oral tablet 5 mg</i>	(Proscar)	1	
<i>tamsulosin oral capsule 0.4 mg</i>	(Flomax)	1	
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>		1	
THIOLA EC ORAL TABLET,DELAYED RELEASE (DR/EC) 100 MG, 300 MG		5	PA; NM; NDS
<i>tiopronin oral tablet 100 mg</i>	(Thiola)	5	NM; NDS
Heavy Metal Antagonists			
Heavy Metal Antagonists			
<i>clovique oral capsule 250 mg</i>	(trientine)	5	PA; NM; NDS; QL (240 per 30 days)
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i>	(Jadenu Sprinkle)	5	PA; NM; NDS
<i>deferasirox oral tablet 180 mg, 360 mg</i>	(Jadenu)	5	PA; NM; NDS
<i>deferasirox oral tablet 90 mg</i>	(Jadenu)	3	PA
<i>deferasirox oral tablet, dispersible 125 mg</i>	(Exjade)	2	PA
<i>deferasirox oral tablet, dispersible 250 mg, 500 mg</i>	(Exjade)	5	PA; NM; NDS
<i>deferiprone oral tablet 1,000 mg, 500 mg</i>	(Ferriprox)	5	PA; NM; NDS
<i>deferoxamine injection recon soln 2 gram</i>		2	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>deferoxamine injection recon soln</i> 500 mg	(Desferal)	2	PA
FERRIPROX 1,000 MG TAB(2X/DAY) 1,000 MG	(deferiprone)	5	PA; NM; NDS
FERRIPROX ORAL SOLUTION 100 MG/ML		5	PA; NM; NDS
FERRIPROX ORAL TABLET 1,000 MG	(deferiprone)	5	PA; NM; NDS
<i>penicillamine oral capsule 250 mg</i>	(Cuprimine)	5	PA; NM; NDS
<i>penicillamine oral tablet 250 mg</i>	(Depen Titratabs)	5	PA; NM; NDS
<i>trientine oral capsule 250 mg</i>	(Syprine)	5	PA; NM; NDS; QL (240 per 30 days)

**Hormonal Agents,
Stimulant/Replacement/Modifyi
ng**

Androgens

ANADROL-50 ORAL TABLET 50 MG		5	PA; NM; NDS
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>		3	
<i>oxandrolone oral tablet 10 mg</i>	(Oxandrin)	2	
<i>oxandrolone oral tablet 2.5 mg</i>	(Oxandrin)	4	
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i>	(Depo-Testosterone)	2	PA
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>		2	PA
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>		2	PA; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i>	(Vogelxo)	3	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i>	(AndroGel)	2	PA; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i>	(AndroGel)	4	PA; QL (300 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)</i>	4	PA; QL (180 per 30 days)
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML	3	PA; QL (2 per 28 days)
Estrogens And Antiestrogens		
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg (estradiol-norethindrone acet)</i>	2	
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr (estradiol)</i>	2	QL (8 per 28 days)
DUAVEE ORAL TABLET 0.45-20 MG	3	
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg (Estrace)</i>	1	
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr (Dotti)</i>	2	QL (8 per 28 days)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr (Climara)</i>	2	QL (4 per 28 days)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram) (Estrace)</i>	2	
<i>estradiol vaginal tablet 10 mcg (Yuvafem)</i>	2	QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml (Delestrogen)</i>	2	
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg (Amabelz)</i>	2	
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	4	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg (norethindrone ac-eth estradiol)</i>	2	
<i>jinteli oral tablet 1-5 mg-mcg (norethindrone ac-eth estradiol)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(estradiol)	2	QL (8 per 28 days)
<i>mimvey oral tablet 1-0.5 mg</i>	(estradiol-norethindrone acet)	2	
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	(Fyavolv)	2	
PREMARIN INJECTION RECON SOLN 25 MG		3	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG		3	
PREMARIN ORAL TABLET 0.625 MG, 1.25 MG	(conjugated estrogens)	3	
PREMARIN VAGINAL CREAM 0.625 MG/GRAM		3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG- 5MG(14)		3	
PREMPRO ORAL TABLET 0.3- 1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG		3	
<i>raloxifene oral tablet 60 mg</i>	(Evista)	2	
<i>yuvafem vaginal tablet 10 mcg</i>	(estradiol)	2	QL (18 per 28 days)
Glucocorticoids/Mineralocorticoids			
<i>a-hydrocort injection recon soln 100 mg</i>		2	
<i>betamethasone acet,sod phos injection suspension 6 mg/ml</i>	(Celestone Soluspan)	2	
<i>dexamethasone 0.5 mg/5 ml liq 0.5 mg/5 ml</i>		2	
<i>dexamethasone oral elixir 0.5 mg/5 ml</i>		2	
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 4 mg, 6 mg</i>	(Decadron)	2	
<i>dexamethasone oral tablet 1 mg, 1.5 mg, 2 mg</i>		2	
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>		1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dexamethasone sodium phos (pf) injection syringe 10 mg/ml</i>	1	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	1	
EMFLAZA ORAL SUSPENSION 22.75 MG/ML	5	PA; NM; NDS; QL (91 per 28 days)
EMFLAZA ORAL TABLET 18 MG	5	PA; NM; NDS; QL (30 per 30 days)
EMFLAZA ORAL TABLET 30 MG, 36 MG, 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>fludrocortisone oral tablet 0.1 mg</i>	2	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i>	2	
<i>methylprednisolone acetate injection (Depo-Medrol) suspension 40 mg/ml, 80 mg/ml</i>	2	
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>	2	
<i>methylprednisolone oral tablets, dose pack 4 mg</i>	2	
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	2	
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg</i>	2	
<i>prednisolone 15 mg/5 ml soln dl/f 15 mg/5 ml (3 mg/ml)</i>	2	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	3	PA BvD
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i>	3	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	3	PA BvD
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	
SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 100 MG/2 ML	4	
<i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog)	2	
Pituitary		
ACTHAR INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)
BYNFEZIA SUBCUTANEOUS PEN INJECTOR 2,500 MCG/ML	5	NM; NDS
CORTROPHIN GEL INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)
<i>desmopressin injection solution 4 mcg/ml</i> (DDAVP)	4	
<i>desmopressin nasal spray with pump 10 mcg/spray (0.1 ml)</i>	4	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	2	
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	NM; NDS
<i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> (Somatuline Depot)	5	PA; NM; NDS; QL (0.5 per 28 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	5	NM; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NM; NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN Injector 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NM; NDS
<i>octreotide acetate injection solution</i> 1,000 mcg/ml, 200 mcg/ml	3	
<i>octreotide acetate injection solution</i> (Sandostatin) 100 mcg/ml, 50 mcg/ml, 500 mcg/ml	3	
<i>octreotide acetate injection syringe</i> 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)	3	
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NM; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NM; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NM; NDS; QL (56 per 28 days)
SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 10 MG, 20 MG, 30 MG	5	NM; NDS
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NM; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NM; NDS; QL (60 per 30 days)
SOMATULINE DEPOT (lanreotide) SUBCUTANEOUS SYRINGE 120 MG/0.5 ML	5	PA NSO; NM; NDS; QL (0.5 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	5	PA NSO; NM; NDS; QL (0.2 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML	5	PA NSO; NM; NDS; QL (0.3 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	5	NM; NDS; QL (1 per 360 days)
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	5	NM; NDS
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NM; NDS; QL (1 per 168 days)
ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG	5	PA; NM; NDS
Progestins		
<i>hydroxyprogesterone cap(ppres) (Makena) intramuscular oil 250 mg/ml</i>	5	NM; NDS
<i>medroxyprogesterone intramuscular suspension 150 mg/ml (Depo-Provera)</i>	2	QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml (Depo-Provera)</i>	2	QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg (Provera)</i>	1	
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	2	
<i>norethindrone acetate oral tablet 5 mg (Aygestin)</i>	2	
<i>progesterone intramuscular oil 50 mg/ml</i>	2	
<i>progesterone micronized oral capsule 100 mg, 200 mg (Prometrium)</i>	2	
Thyroid And Antithyroid Agents		
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg (Euthyrox)</i>	1	
<i>levothyroxine oral tablet 300 mcg (Levo-T)</i>	1	
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg (Cytomel)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	
<i>propylthiouracil oral tablet 50 mg</i>	2	
Immunological Agents		
Immunological Agents		
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	NM; NDS
<i>azathioprine oral tablet 50 mg</i> (Imuran)	2	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>	2	PA BvD
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	5	PA; NM; NDS
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	5	PA NSO; NM; NDS; QL (2 per 28 days)
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NM; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; NM; NDS
<i>cyclosporine intravenous solution</i> (Sandimmune) 250 mg/5 ml	2	PA BvD
<i>cyclosporine modified oral capsule</i> (Gengraf) 100 mg, 25 mg	2	PA BvD
<i>cyclosporine modified oral capsule</i> 50 mg	2	PA BvD
<i>cyclosporine modified oral solution</i> (Gengraf) 100 mg/ml	3	PA BvD
<i>cyclosporine oral capsule 100 mg, 25 mg</i> (Sandimmune)	3	PA BvD
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NM; NDS
<i>everolimus (immunosuppressive)</i> (Zortress) oral tablet 0.25 mg	4	PA BvD
<i>everolimus (immunosuppressive)</i> (Zortress) oral tablet 0.5 mg, 0.75 mg, 1 mg	5	PA BvD; NM; NDS
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NM; NDS
GAMIFANT INTRAVENOUS SOLUTION 5 MG/ML	5	PA; NM; NDS
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA BvD; NM; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NM; NDS
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	5	PA BvD; NM; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NM; NDS
<i>gengraf</i> oral capsule 100 mg, 25 mg (cyclosporine modified)	2	PA BvD
<i>gengraf</i> oral solution 100 mg/ml (cyclosporine modified)	3	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NM; NDS
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	5	PA; NM; NDS
<i>leflunomide oral tablet 10 mg, 20 mg (Arava)</i>	2	
<i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i>	2	PA BvD
<i>mycophenolate mofetil oral capsule 250 mg</i>	2	PA BvD
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i>	5	PA BvD; NM; NDS
<i>mycophenolate mofetil oral tablet 500 mg</i>	2	PA BvD
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NM; NDS
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NM; NDS
PRIVIGEN INTRAVENOUS SOLUTION 10 %	5	PA BvD; NM; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD; ST
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	3	
REZUROCK ORAL TABLET 200 MG	5	PA NSO; NM; NDS
RIDAURA ORAL CAPSULE 3 MG	5	NM; NDS
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG	5	PA; NM; NDS
<i>sirolimus oral solution 1 mg/ml (Rapamune)</i>	5	PA BvD; NM; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg (Rapamune)</i>	4	PA BvD
<i>sirolimus oral tablet 2 mg (Rapamune)</i>	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 360 MG/2.4 ML (150 MG/ML)	5	PA; NM; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NM; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg (Prograf)</i>	2	PA BvD
<i>tacrolimus oral capsule 5 mg (Prograf)</i>	3	PA BvD
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; NDS
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	5	PA; NM; LA; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; NM; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Vaccines		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG- LF/0.5ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	3	
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML	3	
DENGVAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	3	QL (3 per 365 days)
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	3	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	3	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	3	PA BvD
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	3	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	3	QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	3	
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	3	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25-58-10 LF- MCG-LF/0.5ML	3	
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	3	
IPOP INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	3	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	3	
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	3	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	3	
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	3	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	3	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	3	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	3	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	3	
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF-48MCG-62DU -10 MCG/0.5ML	3	
PREHEVBRIOD (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML	3	PA BvD
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4- 4.2- 3.3CCID50/0.5ML	3	
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3- 4.3-3- 3.99 TCID50/0.5	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML, 15 LF-48 MCG- 5 LF UNIT/0.5ML (58 UNT/ML)	3	
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	3	
ROTAQUE VACCINE ORAL SOLUTION 2 ML	3	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	3	QL (2 per 365 days)
TDVAX INTRAMUSCULAR (tetanus-diphtheria SUSPENSION 2-2 LF UNIT/0.5 toxoids-td) ML	3	
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	3	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TETANUS,DIPHTHERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	3	
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML	3	QL (0.75 per 365 days)
TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML	3	QL (1.5 per 365 days)
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	3	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	3	
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML (typhoid vi polysacch vaccine)	3	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	3	QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	3	
Inflammatory Bowel Disease Agents		
Inflammatory Bowel Disease Agents		
alosetron oral tablet 0.5 mg (Lotronex)	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>alosetron oral tablet 1 mg</i>	(Lotronex)	5	NM; NDS
<i>balsalazide oral capsule 750 mg</i>	(Colazal)	2	
<i>budesonide oral capsule,delayed,extend.release 3 mg</i>		4	
DIPENTUM ORAL CAPSULE 250 MG		5	ST; NM; NDS
<i>hydrocortisone rectal enema 100 mg/60 ml</i>	(Cortenema)	4	
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i>	(Delzicol)	4	
<i>mesalamine oral capsule,extended release 24hr 0.375 gram</i>	(Apriso)	4	
<i>mesalamine oral tablet,delayed release (dr/lec) 1.2 gram</i>	(Lialda)	4	
<i>mesalamine oral tablet,delayed release (dr/lec) 800 mg</i>	(Asacol HD)	4	
<i>mesalamine rectal suppository 1,000 mg</i>	(Canasa)	3	
<i>sulfasalazine oral tablet 500 mg</i>	(Azulfidine)	2	
<i>sulfasalazine oral tablet,delayed release (dr/lec) 500 mg</i>	(Azulfidine EN-tabs)	4	
UCERIS RECTAL FOAM 2 MG/ACTUATION		3	
Metabolic Bone Disease Agents			
Metabolic Bone Disease Agents			
<i>alendronate oral tablet 10 mg, 5 mg</i>		1	QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>		1	QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i>	(Fosamax)	1	QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray,non-aerosol 200 unit/actuation</i>		2	QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>		2	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>	(Rocaltrol)	2	
<i>calcitriol oral solution 1 mcg/ml</i>	(Rocaltrol)	4	
<i>cinacalcet oral tablet 30 mg</i>	(Sensipar)	3	QL (60 per 30 days)
<i>cinacalcet oral tablet 60 mg</i>	(Sensipar)	5	NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>cinacalcet oral tablet 90 mg</i>	(Sensipar)	5	NM; NDS; QL (120 per 30 days)
EVENITY SUBCUTANEOUS SYRINGE 105 MG/1.17 ML, 210MG/2.34ML (105MG/1.17MLX2)		5	PA; NM; NDS; QL (2.34 per 30 days)
FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (600MCG/2.4ML)		3	PA; QL (2.4 per 28 days)
<i>ibandronate intravenous solution 3 mg/3 ml</i>		4	QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml</i>		4	QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg</i>	(Boniva)	2	QL (1 per 28 days)
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE		5	PA; NM; NDS; QL (2 per 28 days)
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i>	(Zemplar)	4	
<i>paricalcitol oral capsule 4 mcg</i>		4	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML		3	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG		3	QL (60 per 30 days)
<i>risedronate oral tablet 150 mg</i>	(Actonel)	4	QL (1 per 28 days)
<i>risedronate oral tablet 30 mg, 5 mg</i>		4	QL (30 per 30 days)
<i>risedronate oral tablet 35 mg</i>	(Actonel)	4	QL (4 per 28 days)
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>		4	QL (4 per 28 days)
<i>risedronate oral tablet,delayed release (dr/lec) 35 mg</i>	(Atelvia)	4	QL (4 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)		3	PA; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)		5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>zoledronic acid intravenous recon soln 4 mg</i>	4	
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	4	
<i>zoledronic acid-mannitol-water (Reclast) intravenous piggyback 5 mg/100 ml</i>	4	QL (100 per 300 days)
Miscellaneous Therapeutic Agents		
Miscellaneous Therapeutic Agents		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	PA; NM; NDS
<i>betaine oral powder 1 gram/scoop (Cystadane)</i>	5	NM; NDS
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	2	
<i>diazoxide oral suspension 50 mg/ml (Proglycem)</i>	2	
ELMIRON ORAL CAPSULE 100 MG	4	QL (90 per 30 days)
ENDARI ORAL POWDER IN PACKET 5 GRAM	5	PA; NM; NDS; QL (180 per 30 days)
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	5	PA; NM; NDS
EXONDYS-51 INTRAVENOUS SOLUTION 50 MG/ML	5	PA; NM; LA; NDS
<i>fomepizole intravenous solution 1 gram/ml</i>	5	NM; NDS
GVOKE HYPOOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML	3	
<i>hydroxyzine pamoate oral capsule 100 mg</i>	2	
<i>hydroxyzine pamoate oral capsule (Vistaril) 25 mg, 50 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
KEVEYIS ORAL TABLET 50 MG	5	PA; NM; NDS; QL (120 per 30 days)
<i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg</i>	3	
<i>leucovorin calcium injection solution 10 mg/ml</i>	3	
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 5 mg</i>	2	
<i>leucovorin calcium oral tablet 25 mg</i>	3	
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i>	2	
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	4	
<i>levoleucovorin calcium intravenous recon soln 50 mg</i> (Fusilev)	5	NM; NDS
<i>mesna intravenous solution 100 mg/ml</i> (Mesnex)	2	
MESNEX ORAL TABLET 400 MG	5	NM; NDS
OXLUMO SUBCUTANEOUS SOLUTION 94.5 MG/0.5 ML	5	PA; NM; NDS
<i>pyridostigmine bromide oral syrup 60 mg/5 ml</i> (Mestinon)	4	
<i>pyridostigmine bromide oral tablet 30 mg</i>	4	
<i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)	2	
RECTIV RECTAL OINTMENT 0.4 % (W/W)	4	QL (30 per 30 days)
TAKHYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS; QL (4 per 28 days)
TAKHYRO SUBCUTANEOUS SYRINGE 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS; QL (4 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TOTECT INTRAVENOUS RECON SOLN 500 MG	5	NM; NDS
TYBOST ORAL TABLET 150 MG	4	QL (30 per 30 days)
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	5	NM; NDS; QL (24 per 14 days)
XURIDEN ORAL GRANULES IN PACKET 2 GRAM	5	PA; NM; NDS; QL (120 per 30 days)
ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO-Injector 0.6 MG/0.6 ML	3	
ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML	3	
Ophthalmic Agents		
Antiglaucoma Agents		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	3	
AZOPT OPHTHALMIC (EYE) (brinzolamide) DROPS,SUSPENSION 1 %	2	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	
<i>brimonidine-timolol ophthalmic (Combigan) (eye) drops 0.2-0.5 %</i>	3	
<i>carteolol ophthalmic (eye) drops 1 %</i>	2	
COMBIGAN OPHTHALMIC (brimonidine-timolol) (EYE) DROPS 0.2-0.5 %	3	
<i>dorzolamide ophthalmic (eye) drops (Trusopt) 2 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i>	2	
<i>latanoprost ophthalmic (eye) drops 0.005 %</i>	1	QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
<i>metipranolol ophthalmic (eye) drops 0.3 %</i>	2	
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 4 %</i>	2	
<i>pilocarpine hcl ophthalmic (eye) drops 2 %</i>	2	
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>	1	
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i>	4	
<i>travoprost ophthalmic (eye) drops 0.004 %</i>	4	QL (2.5 per 25 days)
Replacement Preparations		
Replacement Preparations		
<i>calcium chloride intravenous syringe 100 mg/ml (10 %)</i>	2	
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	4	
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	4	
ISOLYTE S IV SOLUTION-EXCEL SINGLE USE	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
<i>klor-con m10 oral tablet,er</i> (potassium chloride) <i>particles/crystals 10 meq</i>	2	
<i>klor-con m15 oral tablet,er</i> (potassium chloride) <i>particles/crystals 15 meq</i>	2	
<i>klor-con m20 oral tablet,er</i> (potassium chloride) <i>particles/crystals 20 meq</i>	2	
<i>magnesium sulfate in d5w</i> <i>intravenous piggyback 1 gram/100 ml</i>	2	
<i>magnesium sulfate in water</i> <i>intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)</i>	2	PA BvD
<i>magnesium sulfate in water</i> <i>intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)</i>	2	PA BvD
<i>magnesium sulfate injection syringe</i> <i>4 meq/ml</i>	2	PA BvD
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	4	
<i>potassium chloride intravenous solution 2 meq/ml</i>	1	PA BvD
<i>potassium chloride intravenous solution 2 meq/ml (20 ml)</i>	2	PA BvD
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	4		
<i>potassium chloride oral tablet extended release 10 meq, 20 meq</i>	2		
<i>potassium chloride oral tablet extended release 8 meq</i>	2		
<i>potassium chloride oral tablet,er particles/crystals 10 meq</i>	2		
<i>potassium chloride oral tablet,er particles/crystals 15 meq</i>	2		
<i>potassium chloride oral tablet,er particles/crystals 20 meq</i>	2		
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	2		
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i>	2		
<i>potassium citrate oral tablet extended release 15 meq</i>	2		
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i>	2		
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	2		
<i>sodium chloride 0.9 % injection solution</i>	2		
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	2		
<i>sodium chloride 0.9 % intravenous piggyback</i>	2		
<i>sodium chloride 0.9% solution viaflex, single use</i>	4		
Respiratory Tract Agents			
Anti-Inflammatories, Inhaled Corticosteroids			
<i>ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE</i>	(fluticasone propionate-salmeterol)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115- 21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	3	QL (12 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 (fluticasone furoate-vilanterol) MCG/DOSE, 200-25 MCG/DOSE	3	QL (60 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i> (Pulmicort)	3	PA BvD; QL (120 per 30 days)
<i>budesonide inhalation suspension for nebulization 1 mg/2 ml</i> (Pulmicort)	3	PA BvD; QL (60 per 30 days)
FLOVENT 100 MCG DISKUS 100 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT 250 MCG DISKUS 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 (fluticasone propionate) MCG/ACTUATION	3	QL (12 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 (fluticasone propionate) MCG/ACTUATION	3	QL (24 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 (fluticasone propionate) MCG/ACTUATION	3	QL (21.2 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SYMBICORT INHALATION HFA AEROSOL INHALER 160- 4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION (budesonide-formoterol)	3	QL (30.6 per 30 days)
Antileukotrienes		
montelukast oral tablet 10 mg (Singulair)	1	
montelukast oral tablet, chewable 4 mg, 5 mg (Singulair)	1	
zafirlukast oral tablet 10 mg, 20 mg (Accolate)	4	
Bronchodilators		
albuterol 5 mg/ml solution 5 mg/ml	2	PA BvD; QL (120 per 30 days)
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (ProAir HFA)	2	QL (17 per 30 days)
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)	2	QL (13.4 per 30 days)
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)	2	QL (36 per 30 days)
albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %)	2	PA BvD; QL (360 per 30 days)
albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml	2	PA BvD; QL (120 per 30 days)
albuterol sulfate oral syrup 2 mg/5 ml	2	
albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg	2	
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	3	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	4	QL (25.8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	QL (10.7 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD; QL (312.5 per 30 days)
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	2	PA BvD; QL (540 per 30 days)
<i>metaproterenol oral syrup 10 mg/5 ml</i>	1	
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	3	QL (4 per 30 days)
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	3	QL (30 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	4	
<i>terbutaline subcutaneous solution 1 mg/ml</i>	5	NM; NDS
<i>theophylline oral solution 80 mg/15 ml</i>	4	
<i>theophylline oral tablet extended release 12 hr 300 mg, 450 mg</i>	4	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200- 62.5-25 MCG	3	QL (60 per 30 days)
Respiratory Tract Agents, Other		
<i>acetylcysteine intravenous solution</i> (Acetadote) 200 mg/ml (20 %)	2	
<i>acetylcysteine solution</i> 100 mg/ml (10 %), 200 mg/ml (20 %)	2	PA BvD
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	5	NM; NDS; QL (560 per 28 days)
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>cromolyn inhalation solution for nebulization</i> 20 mg/2 ml	2	PA BvD
DALIRESP ORAL TABLET 250 MCG	3	QL (28 per 28 days)
DALIRESP ORAL TABLET 500 MCG	3	QL (30 per 30 days)
ESBRIET ORAL CAPSULE 267 MG	5	PA; NM; NDS; QL (270 per 30 days)
FASENRA PEN SUBCUTANEOUS AUTO- INJECTOR 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG	5	PA; NM; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NM; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	5	PA; NM; LA; NDS; QL (0.4 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG	5	PA; NM; NDS; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NM; NDS; QL (120 per 30 days)
<i>pirfenidone oral tablet 267 mg</i> (Esbriet)	5	PA; NM; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 801 mg</i> (Esbriet)	5	PA; NM; NDS; QL (90 per 30 days)
PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,SUV 1,000 MG (+/-)/20 ML	5	PA BvD; NM; NDS
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	5	PA BvD; NM; NDS
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/150 MG (N), 50-75 MG (D)/75 MG (N)	5	PA; NM; NDS; QL (56 per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D)/150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	5	PA; NM; NDS; QL (84 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NM; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML	5	PA; NM; NDS
Skeletal Muscle Relaxants		
Skeletal Muscle Relaxants		
<i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>	2	
<i>chlorzoxazone oral tablet 250 mg</i>	5	NM; NDS; QL (120 per 30 days)
<i>chlorzoxazone oral tablet 500 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
cyclobenzaprine oral tablet 10 mg, 5 mg	1	
dantrolene oral capsule 100 mg, 50 mg	2	
dantrolene oral capsule 25 mg (Dantrium)	2	
methocarbamol oral tablet 500 mg, 750 mg	2	
revonto intravenous recon soln 20 mg (dantrolene)	2	
tizanidine oral tablet 2 mg	2	
tizanidine oral tablet 4 mg (Zanaflex)	2	
Sleep Disorder Agents		
Sleep Disorder Agents		
armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg (Nuvigil)	2	PA; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
eszopiclone oral tablet 1 mg, 2 mg, 3 mg (Lunesta)	4	QL (30 per 30 days)
HETLIOZ LQ ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS; QL (150 per 30 days)
HETLIOZ ORAL CAPSULE 20 MG	5	PA; NM; NDS; QL (30 per 30 days)
modafinil oral tablet 100 mg (Provigil)	2	PA; QL (30 per 30 days)
modafinil oral tablet 200 mg (Provigil)	2	PA; QL (60 per 30 days)
SUNOSI ORAL TABLET 150 MG, 75 MG	4	PA; QL (30 per 30 days)
XYREM ORAL SOLUTION 500 MG/ML	5	PA; NM; LA; NDS; QL (540 per 30 days)
zaleplon oral capsule 10 mg, 5 mg	4	QL (30 per 30 days)
zolpidem oral tablet 10 mg, 5 mg (Ambien)	1	QL (30 per 30 days)
Vasodilating Agents		
Vasodilating Agents		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; NM; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>alyq oral tablet 20 mg</i>	(tadalafil (pulm. hypertension))	3	PA; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg</i>	(Letairis)	5	PA; NM; NDS; QL (30 per 30 days)
<i>epoprostenol (glycine) intravenous recon soln 0.5 mg, 1.5 mg</i>	(Flolan)	5	PA; NM; NDS
OPSUMIT ORAL TABLET 10 MG		5	PA; NM; NDS; QL (30 per 30 days)
<i>sildenafil (pulm.hypertension) intravenous solution 10 mg/12.5 ml</i>	(Revatio)	5	PA; NM; NDS; QL (37.5 per 1 day)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i>	(Revatio)	2	PA; QL (90 per 30 days)
<i>sildenafil oral tablet 100 mg, 25 mg, 50 mg</i>	(Viagra)	1	EX; CB (6 EA per 30 days)
<i>tadalafil (pulm. hypertension) oral tablet 20 mg</i>	(Alyq)	3	PA; QL (60 per 30 days)
TRACLEER ORAL TABLET 125 MG, 62.5 MG	(bosentan)	5	PA; NM; LA; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG		5	PA; NM; NDS; QL (112 per 28 days)
<i>treprostinil sodium injection solution 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i>	(Remodulin)	5	PA; NM; NDS
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)		5	PA; NM; NDS
UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG		5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG		5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG		5	PA; NM; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)		5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Vitamins And Minerals		
Vitamins And Minerals		
<i>bal-care dha combo pack 27-1-430 mg</i>	2	
<i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i>	2	
<i>calcium pnv oral capsule 28-1-250 mg</i>	2	
<i>c-nate dha softgel 28 mg iron-1 mg -200 mg</i>	2	
<i>completenate tablet chew 29 mg iron- 1 mg</i>	2	
<i>dothelle dha oral capsule 35-1-200 mg</i>	2	
<i>extra-virt plus dha oral capsule 29 mg iron-1.25 mg-55 mg</i>	2	
<i>folivane-ob capsule 85-1 mg</i>	2	
<i>hemenatal ob + dha oral combo pack 28 mg iron-6 mg iron-1 mg</i>	2	
<i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i>	2	
<i>marnatal-f capsule 60 mg iron-1 mg</i>	2	
<i>m-natal plus tablet 27 mg iron- 1 mg (pnv,calcium 72-iron-folic acid)</i>	2	
<i>mynatal advance oral tablet 90-1-50 mg</i>	2	
<i>mynatal capsule 65 mg iron- 1 mg</i>	2	
<i>mynatal oral tablet 90-1-50 mg</i>	2	
<i>mynatal plus captab 65 mg iron- 1 mg</i>	2	
<i>mynatal-z captab 65 mg iron- 1 mg</i>	2	
<i>mynate 90 plus oral tablet extended release 90 mg iron-1 mg</i>	2	
<i>newgen tablet 32-1,000 mg-mcg</i>	2	
<i>niva-plus tablet 27 mg iron- 1 mg</i>	2	
<i>obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>o-cal prenatal tablet 15 mg iron-1,000 mcg</i>	2	
<i>pnv 29-1 tablet (rx) 29 mg iron-1 mg</i>	2	
<i>pnv-dha + docusate oral capsule 27-1.25-55-300 mg</i>	2	
<i>pnv-ferrous fumarate-docu-fa oral tablet 29 mg iron- 1 mg-25 mg</i>	2	
<i>pnv-omega softgel 28-1-300 mg</i>	2	
<i>pnv-vp-u capsule 106.5-1 mg</i>	2	
<i>pr natal 400 combo pack 29-1-400 mg</i>	2	
<i>pr natal 400 ec combo pack 29-1-400 mg</i>	2	
<i>pr natal 430 combo pack 29 mg iron-1 mg -430 mg</i>	2	
<i>pr natal 430 ec combo pack 29-1-430 mg</i>	2	
<i>prenaI true combo pack 30 mg iron-1.4 mg-300 mg</i>	2	
<i>prenaissance oral capsule 29-1.25-55-325 mg</i>	2	
<i>prenaissance plus oral capsule 28-1-50-250 mg</i>	2	
<i>prenatabs fa tablet 29-1 mg</i>	2	
<i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i>	2	
<i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i>	2	
<i>prenatal low iron tablet (rx) 27 mg iron- 1 mg</i>	2	
<i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg</i>	2	(pnv,calcium 72-iron,carb-folic)
<i>prenatal plus tablet (rx) 27 mg iron- 1 mg</i>	2	(pnv,calcium 72-iron-folic acid)
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i>	2	(pnv,calcium 72-iron-folic acid)
<i>prenatal-u capsule 106.5-1 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>preplus ca-fe 27 mg-fa 1 mg tb (rx) (pnv,calcium 72-iron-27 mg iron- 1 mg folic acid)</i>	2	
<i>prefab 29 mg-1 mg tablet (rx) 29-1 mg</i>	2	
<i>purefe ob plus capsule 106 mg iron-1 mg</i>	2	
<i>purefe plus capsule 106 mg iron- 1 mg</i>	2	
<i>r-natal ob softgel 20 mg iron- 1 mg- 320 mg</i>	2	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	2	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	2	
<i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i>	2	
<i>taron-c dha capsule 35-1-200 mg</i>	2	
<i>taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg</i>	2	
<i>triveen-duo dha combo pack 29-1- 400 mg</i>	2	
<i>triveen-prx rnf oral capsule 26-1.2- 55-300 mg</i>	2	
<i>vena-bal dha oral combo pack,tablet and cap,dr 27-1-430 mg</i>	2	
<i>vinate care chewable tablet 40 mg iron- 1 mg</i>	2	
<i>vinate gt oral tablet 90-1-50 mg</i>	2	
<i>vinate ii oral tablet 29 mg iron- 1 mg</i>	2	
<i>vinate ultra oral tablet 90-1-50 mg</i>	2	
<i>virt-c dha softgel (rx) 35-1-200 mg</i>	2	
<i>virt-nate dha softgel 28 mg iron-1 mg -200 mg</i>	2	
<i>virt-pn dha softgel (rx) 27 mg iron- 1 mg -300 mg</i>	2	
<i>virt-pn oral tablet 27-1 mg</i>	2	
<i>virt-pn plus softgel (rx) 28-1-300 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
vitafol gummies 3.33 mg iron- 0.33 mg	2	
vitafol nano tablet 18 mg iron- 1 mg	2	
vitafol-ob+dha combo pack 65-1-250 mg	2	
viva dha oral capsule 28 mg iron-1 mg -200 mg	2	
vol-nate oral tablet 28 mg iron- 1 mg	2	
vol-tab rx oral tablet 29 mg iron- 1 mg	2	
vp-ch plus oral capsule 29 mg iron-1 mg -50 mg-265 mg	2	
vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg	2	
vp-ggr-b6 oral tablet 1.2 mg-40 mg-124.1 mg-100 mg	2	
vp-pnv-dha softgel (rx) 28 mg iron-1 mg-200 mg	2	
zatean-pn dha capsule 27 mg iron-1 mg -300 mg	2	
zatean-pn plus softgel 28-1-300 mg	2	
zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

INDEX

<p>1ST TIER UNIFINE PENTIPS..... 105</p> <p>1ST TIER UNIFINE PENTIPS PLUS..... 105, 106</p> <p><i>abacavir</i>..... 62</p> <p><i>abacavir-lamivudine</i>..... 62</p> <p><i>abacavir-lamivudine-zidovudine</i>..... 62</p> <p>ABELCET..... 47</p> <p><i>abiraterone</i>..... 18</p> <p>ABOUTTIME PEN NEEDLE..... 106</p> <p>ABRAXANE..... 18</p> <p><i>acamprosate</i>..... 8</p> <p><i>acarbose</i>..... 43</p> <p><i>accutane</i>..... 100</p> <p><i>acebutolol</i>..... 79</p> <p><i>acetaminophen-codeine</i>..... 3</p> <p><i>acetazolamide</i>..... 178</p> <p><i>acetazolamide sodium</i>..... 178</p> <p><i>acetic acid</i>..... 148</p> <p><i>acetylcysteine</i>..... 185</p> <p><i>acitretin</i>..... 100</p> <p>ACTHAR..... 161</p> <p>ACTHIB (PF)..... 169</p> <p>ACTIMMUNE..... 176</p> <p><i>acyclovir</i>..... 68, 100</p> <p><i>acyclovir sodium</i>..... 68</p> <p>ADACEL(TDAP ADOLESN/ADULT)(PF).... 169</p> <p>ADAKVEO..... 72</p> <p><i>adapalene</i>..... 105</p> <p>ADCETRIS..... 18</p> <p><i>adefovir</i>..... 68</p> <p>ADEMPAS..... 187</p> <p><i>adriamycin</i>..... 18</p> <p><i>adrucil</i>..... 18</p> <p>ADVAIR DISKUS..... 181</p>	<p>ADVAIR HFA..... 182</p> <p>ADVOCATE PEN NEEDLE 106, 107</p> <p>ADVOCATE SYRINGES.... 106</p> <p><i>afirmelle</i>..... 90</p> <p><i>a-hydrocort</i>..... 159</p> <p>AIMOVIG</p> <p>AUTOINJECTOR..... 50</p> <p>AJOVY AUTOINJECTOR.... 50</p> <p>AJOVY SYRINGE..... 50</p> <p>AKYNZEO</p> <p>(FOSNETUPITANT)..... 52</p> <p>AKYNZEO</p> <p>(NETUPITANT)..... 52</p> <p><i>ala-cort</i>..... 103</p> <p><i>albendazole</i>..... 54</p> <p><i>albuterol sulfate</i>..... 183</p> <p><i>alclometasone</i>..... 103</p> <p>ALCOHOL PADS..... 100</p> <p>ALCOHOL PREP PADS.... 101</p> <p>ALCOHOL PREP SWABS.. 100</p> <p>ALCOHOL SWABS..... 100</p> <p>ALCOHOL WIPES..... 101</p> <p>ALDURAZYME..... 145</p> <p>ALECENSA..... 18</p> <p><i>alendronate</i>..... 174</p> <p><i>alfuzosin</i>..... 156</p> <p>ALIMTA..... 18</p> <p>ALIQOPA..... 18</p> <p><i>aliskiren</i>..... 86</p> <p><i>allopurinol</i>..... 49</p> <p><i>alosetron</i>..... 173, 174</p> <p>ALPHAGAN P..... 178</p> <p><i>alprazolam</i>..... 9</p> <p>ALREX..... 150</p> <p><i>altavera (28)</i>..... 90</p> <p>ALTRENO..... 105</p> <p>ALUNBRIG..... 18</p> <p><i>alyacen 1/35 (28)</i>..... 90</p> <p><i>alyacen 7/7/7 (28)</i>..... 91</p> <p><i>alymsys</i>..... 18</p> <p><i>alyq</i>..... 188</p> <p><i>amabelz</i>..... 158</p> <p><i>amantadine hcl</i>..... 54, 55</p> <p>AMBISOME..... 47</p> <p><i>ambrisentan</i>..... 188</p> <p><i>amethia</i>..... 91</p> <p><i>amiloride</i>..... 83</p> <p><i>amiloride-hydrochlorothiazide</i>.. 83</p> <p>AMINOSYN II 15 %..... 73</p> <p>AMINOSYN-PF 7 % (SULFITE-FREE)..... 73</p> <p><i>amiodarone</i>..... 78</p> <p><i>amitriptyline</i>..... 40</p> <p><i>amlodipine</i>..... 82</p> <p><i>amlodipine-benazepril</i>..... 82</p> <p><i>amlodipine-valsartan</i>..... 82</p> <p><i>ammonium lactate</i>..... 100</p> <p><i>amoxapine</i>..... 40</p> <p><i>amoxicillin</i>..... 15</p> <p><i>amoxicillin-pot clavulanate</i>..... 15</p> <p><i>amphotericin b</i>..... 47</p> <p><i>amphotericin b liposome</i>..... 47</p> <p><i>ampicillin</i>..... 15</p> <p><i>ampicillin sodium</i>..... 15</p> <p><i>ampicillin-sulbactam</i>..... 15</p> <p>ANADROL-50..... 157</p> <p><i>anagrelide</i>..... 72</p> <p><i>anastrozole</i>..... 18</p> <p>ANORO ELLIPTA..... 183</p> <p><i>apomorphine</i>..... 55</p> <p><i>apraclonidine</i>..... 147</p> <p><i>aprepitant</i>..... 52</p> <p>APRETUDE..... 62</p> <p><i>apri</i>..... 91</p> <p>APTIOM..... 34</p>
---	---

bisoprolol-hydrochlorothiazide	79	caffeine citrate	87	cefoxitin	13
BLENREP	19	calcipotriene	100	cefoxitin in dextrose, iso-osm	13
bleomycin	19	calcitonin (salmon)	174	cefpodoxime	13
bleph-10	148	calcitriol	174	cefprozil	13
BLINCYTO	19	calcium acetate(phosphat		ceftazidime	13
blisovi 24 fe	91	bind)	155	ceftriaxone	13
blisovi fe 1.5/30 (28)	91	calcium chloride	179	cefuroxime axetil	13
blisovi fe 1/20 (28)	92	calcium pnv	189	cefuroxime sodium	13
BOOSTRIX TDAP	169	CALQUENCE	20	celecoxib	6
BORDERED GAUZE	109	camila	92	CELONTIN	34
bortezomib	19	CAPLYTA	57	cephalexin	13
BORTEZOMIB	20	CAPRELSA	20	CERDELGA	145
BOSULIF	20	captopril	77	CEREZYME	145
BRAFTOVI	20	carbamazepine	34	CHANTIX CONTINUING	
BREO ELLIPTA	182	carbidopa-levodopa	55	MONTH BOX	8
BREZTRI AEROSPHERE	184	carbidopa-levodopa-		chateal eq (28)	92
briellyn	92	entacapone	55	chloramphenicol sod succinate	11
BRILINTA	73	CAREFINE PEN NEEDLE		chlordiazepoxide hcl	9
brimonidine	178	CARETOUCH ALCOHOL		chlorhexidine gluconate	99
brimonidine-timolol	178	PREP PAD	100	chloroquine phosphate	54
BRIVIACT	34	CARETOUCH INSULIN		chlorothiazide sodium	83
bromocriptine	55	SYRINGE	110, 111	chlorpromazine	57
BROMSITE	150	CARETOUCH PEN		chlorthalidone	83
BRONCHITOL	185	NEEDLE	110	chlorzoxazone	186
BRUKINSA	20	carglumic acid	153	cholestyramine (with sugar)	84
budesonide	174, 182	carteolol	178	cholestyramine light	84
bumetanide	83	cartia xt	80	ciclopirox	47
buprenorphine hcl	3, 8	carvedilol	79	cilostazol	73
buprenorphine-naloxone	8	caspofungin	47	CIMDUO	63
bupropion hcl	40	CAYSTON	14	cimetidine hcl	151
bupropion hcl (smoking deter)	8	caziant (28)	92	cinacalcet	174, 175
buspirone	176	cefaclor	12	CINQAIR	185
butalbital-acetaminophen-caff	3	cefadroxil	12	CINRYZE	71
butalbital-aspirin-caffeine	3	cefazolin	12	ciprofloxacin	16
BYNFEZIA	161	cefazolin in dextrose (iso-os)	12	ciprofloxacin hcl	16, 148
CABENUVA	62	cefdinir	12	ciprofloxacin in 5 % dextrose	16
cabergoline	55	cefepime	12	ciprofloxacin-dexamethasone	148
CABLIVI	72	cefixime	12	citalopram	40
CABOMETYX	20	cefotaxime	12	clarithromycin	14
cabotegravir	62, 63	CLENPIQ		CLENPIQ	154

CLICKFINE PEN NEEDLE	clonidine hcl.....	76	CURAD GAUZE PAD.....	113
.....	clopidogrel.....	73	CURITY ALCOHOL	
clindamycin hcl.....	clorazepate dipotassium.....	9	SWABS.....	100
clindamycin in 5 % dextrose.....	clotrimazole.....	47, 48	CURITY GAUZE.....	113
clindamycin phosphate 11, 50, 102	clotrimazole-betamethasone.....	48	cyclafem 1/35 (28).....	92
CLINIMIX 5%/D15W	clovique.....	156	cyclafem 7/7/7 (28).....	92
SULFITE FREE.....	clozapine.....	57	cyclobenzaprine.....	187
CLINIMIX 4.25%/D10W	c-nate dha.....	189	cyclopentolate.....	147
SULF FREE.....	COARTEM.....	54	cyclophosphamide.....	20, 21
CLINIMIX 4.25%/D5W	codeine sulfate.....	3	CYCLOPHOSPHAMIDE.....	20
SULFIT FREE.....	colchicine.....	49	cyclosporine.....	150, 164
CLINIMIX 5%- D20W(SULFITE-FREE).....	colesevelam.....	84	cyclosporine modified.....	164
CLINIMIX 6%-D5W (SULFITE-FREE).....	colestipol.....	84	ciproheptadine.....	49
CLINIMIX 8%- D10W(SULFITE-FREE).....	colistin (<i>colistimethate na</i>)	11	CYRAMZA.....	21
CLINIMIX 8%- D14W(SULFITE-FREE).....	COMBIGAN.....	178	cyred eq.....	92
CLINIMIX E 2.75%/D5W	COMBIVENT RESPIMAT..	184	CYSTARAN.....	147
SULF FREE.....	COMETRIQ.....	20	<i>d</i> 5 % and 0.9 % sodium	
CLINIMIX E 4.25%/D10W	COMFORT EZ INSULIN		chloride.....	179
SUL FREE.....	SYRINGE.....	111, 112, 113	<i>d</i> 5 %-0.45 % sodium chloride..	179
CLINIMIX E 4.25%/D5W	COMFORT EZ PEN		dalfampridine.....	87
SULF FREE.....	NEEDLES.....	111, 112	DALIRESP.....	185
CLINIMIX E 5%/D15W	COMFORT TOUCH PEN		danazol.....	157
SULFIT FREE.....	NEEDLE.....	113	dantrolene	187
CLINIMIX E 5%/D20W	COMPLERA.....	63	DANYELZA.....	21
SULFIT FREE.....	completenate.....	189	dapsone	51
CLINIMIX E 8%-D10W	compro.....	52	DAPTACEL (DTAP PEDIATRIC) (PF).....	169
SULFITEFREE.....	constulose.....	153	daptomycin	11
CLINIMIX E 8%-D14W	COPAXONE.....	87	DARZALEX.....	21
SULFITEFREE.....	COPIKTRA.....	20	DARZALEX FASPRO.....	21
clobazam.....	CORLANOR.....	81	dasetta 1/35 (28).....	92
clobetasol.....	CORTROPHIN GEL.....	161	dasetta 7/7/7 (28).....	92
clobetasol-emollient	COSENTYX.....	164	DAURISMO.....	21
clofarabine	COSENTYX (2 SYRINGES)		daysee.....	92
clomipramine	164	deblitane.....	92
clonazepam	COSENTYX PEN (2 PENS)	164	decitabine	21
clonidine	COTELLIC.....	20	deferasirox	156
	CREON.....	145	deferiprone	156
	CRIXIVAN.....	63	deferoxamine	156, 157
	cromolyn.....	147, 153, 185	DELSTRIGO	63
	cryselle (28)	92		

DENGVAXIA (PF).....	169	diltiazem hcl.....	80, 81	DROPSAFE PEN NEEDLE	116
denta 5000 plus.....	99	dilt-xr	81	drospirenone-ethinyl estradiol	92
dentagel.....	99	dimenhydrinate	52	DROXIA.....	72
DERMACEA.....	113	dimethyl fumarate	88	droxidopa.....	76
DERMACEA NON- WOVEN	114	DIPENTUM	174	DUAVEE.....	158
DESCOVY	63	diphenhydramine hcl.....	49	duloxetine.....	40
desipramine	40	diphenoxylate-atropine	153	DUPIXENT PEN.....	164
desmopressin	161	dipyridamole	73	DUPIXENT SYRINGE.....	165
desog-e.estradiolle.estriadiol....	92	disopyramide phosphate	78	dutasteride.....	156
desogestrel-ethinyl estradiol....	92	disulfiram	8	EASY COMFORT	
desoximetasone	103	divalproex	35	ALCOHOL PAD.....	101
desvenlafaxine succinate	40	dofetilide	78	EASY COMFORT	
dexamethasone	159	donepezil	39	INSULIN SYRINGE....	116, 117
dexamethasone sodium phos (pf)	159, 160	DOPTELET (10 TAB PACK)	71	EASY COMFORT PEN	
dexamethasone sodium phosphate	150, 160	DOPTELET (15 TAB PACK)	71	NEEDLES.....	116, 117
dexmethylphenidate	87	DOPTELET (30 TAB PACK)	71	EASY GLIDE INSULIN	
dextroamphetamine sulfate	87	dorzolamide	178	SYRINGE	117
dextroamphetamine- amphetamine	88	dorzolamide-timolol	179	EASY GLIDE PEN	
dextrose 10 % in water (d10w)	.75	dothelle dha.....	189	NEEDLE.....	117
dextrose 5 % in water (d5w)	75	dotti.....	158	EASY TOUCH	119
DIACOMIT	35	DOVATO	63	EASY TOUCH ALCOHOL	
diazepam	9, 10, 35	doxazosin	76	PREP PADS	101
diazepam intensol	10	doxepin	40	EASY TOUCH FLIPLOCK	
diazoxide	176	doxorubicin	21	INSULIN	118, 119
diclofenac epolamine	6	doxorubicin, peg-liposomal	21	EASY TOUCH FLIPLOCK	
diclofenac potassium	6	doxy-100	17	SYRINGE	118
diclofenac sodium	6, 150	doxycycline hyclate	17	EASY TOUCH INSULIN	
dicloxacillin	15	doxycycline monohydrate	17	SAFETY SYR	117, 118
dicyclomine	153	DRIZALMA SPRINKLE	40	EASY TOUCH INSULIN	
didanosine	63	dronabinol	52	SYRINGE	117, 118, 119, 120
DIFICID	14	droperidol	52	EASY TOUCH LUER	
difluprednate	150	DROPLET INSULIN		LOCK INSULIN	119
digitek	81	SYR(HALF UNIT).....	114	EASY TOUCH PEN	
digox	81	DROPLET INSULIN		NEEDLE	119
digoxin	81, 82	SYRINGE	114, 115	EASY TOUCH SAFETY	
dihydroergotamine	50	DROPLET MICRON PEN		PEN NEEDLE	119, 120
		NEEDLE	115		
		DROPLET PEN NEEDLE..	115		
		DROPSAFE ALCOHOL			
		PREP PADS	101		

EASY TOUCH	ENBREL MINI.....	165
SHEATHLOCK INSULIN	ENBREL SURECLICK.....	165
.....	ENDARI.....	176
EASY TOUCH UNI-SLIP...	<i>endocet</i>	3
econazole.....	ENGERIX-B (PF).....	169, 170
EDARBI.....	ENGERIX-B PEDIATRIC	
EDARBYCLOR.....	(PF).....	170
EDURANT.....	ENHERTU.....	21
efavirenz.....	<i>enoxaparin</i>	69, 70
efavirenz-emtricitabin-tenofov..	<i>enpresse</i>	93
efavirenz-lamivu-tenofov disop.	<i>enskyce</i>	93
EGRIFTA SV.....	<i>entacapone</i>	55
ELAPRASE.....	<i>entecavir</i>	69
ELIGARD.....	ENTRESTO.....	76
ELIGARD (3 MONTH).....	<i>enulose</i>	153
ELIGARD (4 MONTH).....	EPCLUSA.....	67, 68
ELIGARD (6 MONTH).....	EPIDIOLEX.....	35
elinet.....	<i>epinastine</i>	147
ELIQUIS.....	<i>epinephrine</i>	82
ELIQUIS DVT-PE TREAT	<i>epitol</i>	35
30D START.....	EPIVIR HBV.....	63
ELITEK.....	<i>eplerenone</i>	86
ELLA.....	<i>epoprostenol (glycine)</i>	188
ELMIRON.....	EPRONTIA.....	35
eluryng.....	ERBITUX.....	22
EMCYT.....	<i>ergoloid</i>	39
EMEND.....	ERIVEDGE.....	22
EMFLAZA.....	ERLEADA.....	22
EMGALITY PEN.....	<i>erlotinib</i>	22
EMGALITY SYRINGE.....	<i>errin</i>	93
emoquette.....	<i>ertapenem</i>	14
EMPLICITI.....	<i>ery pads</i>	102
EMSAM.....	<i>erythromycin</i>	14, 148
<i>emtricitabine</i>	<i>erythromycin ethylsuccinate</i>	14
<i>emtricitabine-tenofovir (tdf)</i> ..	<i>erythromycin with ethanol</i>	102
EMTRIVA.....	ESBRIET.....	185
<i>enalapril maleate</i>	<i>escitalopram oxalate</i>	41
<i>enalaprilat</i>	<i>esomeprazole magnesium</i>	152
<i>enalapril-hydrochlorothiazide</i> ..	<i>esomeprazole sodium</i>	152
ENBREL.....	<i>estarrylla</i>	93
	<i>estradiol</i>	158
	<i>estradiol valerate</i>	158
	<i>estradiol-norethindrone acet</i> ...	158
	<i>eszopiclone</i>	187
	<i>ethambutol</i>	51
	<i>ethosuximide</i>	35
	<i>ethynodiol diac-eth estradiol</i>	93
	<i>etodolac</i>	6
	<i>etonogestrel-ethinyl estradiol</i>	93
	ETOPOPHOS.....	22
	<i>etoposide</i>	22
	<i>etravirine</i>	63
	EUCRISA.....	103
	EVENITY.....	175
	<i>everolimus (antineoplastic)</i>	22
	<i>everolimus</i>	
	<i>(immunosuppressive)</i>	165
	EVOTAZ.....	64
	EVRYSDI.....	176
	EXEL INSULIN.....	120
	<i>exemestane</i>	22
	EXKIVITY.....	22
	EXONDYS-51.....	176
	<i>extra-virt plus dha</i>	189
	EYSUVIS.....	150
	<i>ezetimibe</i>	84
	FABRAZYME.....	146
	<i>falmina (28)</i>	93
	<i>famciclovir</i>	69
	<i>famotidine</i>	152
	<i>famotidine (pf)</i>	152
	<i>famotidine (pf)-nacl (iso-os)</i>	152
	FANAPT.....	58
	FARXIGA.....	43
	FARYDAK.....	22
	FASENRA.....	185
	FASENRA PEN.....	185
	<i>febuxostat</i>	49
	<i>felbamate</i>	35
	FEMRING.....	158

femynor.....	93	flurbiprofen sodium.....	150	GAZYVA.....	23
fenofibrate	85	flutamide.....	22	gemfibrozil.....	85
fenofibrate micronized.....	84	fluticasone propionate	104, 151	generlac.....	153
fenofibrate nanocrystallized.....	84	fluvoxamine.....	41	gengraf.....	165
fentanyl.....	3	folivane-ob.....	189	gentak.....	148
fentanyl citrate.....	3	fomepizole.....	176	gentamicin.....	10, 102, 148
FERRIPROX.....	157	fondaparinux.....	70	gentamicin sulfate (ped) (pf) ...	10
FERRIPROX (2 TIMES A DAY).....	157	FORTEO.....	175	gentamicin sulfate (pf)	10
fesoterodine	155	fosamprenavir.....	64	GENVOYA.....	64
FETZIMA.....	41	fosaprepitant.....	53	GILENYA.....	88
FIASP FLEXTOUCH U-100		foscarnet.....	67	GILOTRIF.....	23
INSULIN.....	45	fosinopril.....	78	GIVLAARI.....	72
FIASP PENFILL U-100		fosphenytoin.....	35	glatiramer.....	88
INSULIN.....	45	FOTIVDA.....	22	glatopa.....	88
FIASP U-100 INSULIN.....	45	FREESTYLE PRECISION		glimepiride.....	47
finasteride.....	156	FULPHILA.....	71	glipizide.....	47
FINTEPLA.....	35	fulvestrant.....	22	glipizide-metformin.....	47
FIRVANQ.....	11	furosemide.....	83	glyburide.....	47
FLEBOGAMMA DIF	165	FUZEON.....	64	glyburide micronized.....	47
flecainide.....	78	fyavolv.....	158	glycopyrrolate.....	153
FLOVENT DISKUS.....	182	FYCOMPA.....	35, 36	glydo.....	7
FLOVENT HFA.....	182	gabapentin.....	36	GLYXAMBI.....	43
flouxuridine.....	22	GALAFOLD.....	146	granisetron (pf)	53
fluconazole.....	48	galantamine.....	39	granisetron hcl.....	53
fluconazole in nacl (iso-osm) ...	48	GAMIFANT.....	165	griseofulvin microsize	48
flucytosine.....	48	GAMMAGARD LIQUID... 165		guanfacine.....	76, 88
fludrocortisone.....	160	GAMMAGARD S-D (IGA <		GVOKE.....	176
flumazenil.....	88	1 MCG/ML).....	165	GVOKE HYPOPEN 2-	
flunisolide.....	150	GAMMAPLEX.....	165	PACK.....	176
fluocinolone.....	103	GAMMAPLEX (WITH		GVOKE PFS 1-PACK	
fluocinonide	104	SORBITOL).....	165	SYRINGE.....	176
fluocinonide-e	104	ganciclovir sodium	69	HAEGARDA.....	71
fluoride (sodium)	100	GARDASIL 9 (PF).....	170	hailey	93
fluorometholone	150	GATTEX 30-VIAL.....	153	hailey 24 fe	93
fluorouracil.....	22, 101	GAUZE PAD.....	121	hailey fe 1.5/30 (28)	93
fluoxetine	41	gavilyte-c.....	154	hailey fe 1/20 (28)	93
fluphenazine decanoate.....	58	gavilyte-g.....	154	halobetasol propionate	104
fluphenazine hcl.....	58	gavilyte-n.....	154	haloperidol	58
flurbiprofen	6	GAVRETO.....	22	haloperidol decanoate	58

<i>haloperidol lactate</i>	58	<i>hydralazine</i>	82	INCONTROL PEN	
HARVONI	68	<i>hydrochlorothiazide</i>	83	NEEDLE	122
HAVRIX (PF)	170	<i>hydrocodone-acetaminophen</i>	3, 4	INCRELEX	161
HEALTHWISE INSULIN SYRINGE	121	<i>hydrocodone-ibuprofen</i>	4	<i>indapamide</i>	83
HEALTHWISE PEN NEEDLE	122	<i>hydrocortisone</i>	104, 160, 174	<i>indomethacin</i>	7
HEALTHWISE ACCENTS UNIFINE PENTIP	122	<i>hydromorphone</i>	4	INFANRIX (DTAP) (PF)	170
<i>heather</i>	93	<i>hydromorphone (pf)</i>	4	INLYTA	24
<i>hemenatal ob + dha</i>	189	<i>hydroxychloroquine</i>	54	INPEN (FOR HUMALOG) BLUE	122
<i>heparin (porcine)</i>	70	<i>hydroxyprogesterone cap(ppres)</i>	163	INPEN (NOVOLOG OR FIASP) BLUE	122
<i>heparin, porcine (pf)</i>	70	<i>hydroxyurea</i>	23	INQOVI	24
HEPATAMINE 8%	75	<i>hydroxyzine hcl</i>	49	INREBIC	24
HERCEPTIN	23	<i>hydroxyzine pamoate</i>	176	INSULIN SYR/NDL U100 HALF MARK	108
HERCEPTIN HYLECTA	23	HYQVIA	166	INSULIN SYRINGE	122
HERZUMA	23	<i>ibandronate</i>	175	MICROFINE	108
HETLIOZ	187	IBRANCE	23	INSULIN SYRINGE NEEDLELESS	108
HETLIOZ LQ	187	<i>ibu</i>	6	INSULIN SYRINGE- NEEDLE U-100	108
HIBERIX (PF)	170	<i>ibuprofen</i>	6	108, 110, 120, 122, 123, 124, 131, 135, 139	
HUMIRA	166	<i>icatibant</i>	82	INSUPEN	124
HUMIRA PEN	166	<i>iclevia</i>	93	INTELENCE	64
HUMIRA PEN CROHNS- UC-HS START	166	ICLUSIG	23	INTRALIPID	75
HUMIRA PEN PSOR- UVEITS-ADOL HS	166	IDHIFA	23	INTRON A	68
HUMIRA(CF)	166	<i>ifosfamide</i>	23	<i>introvale</i>	93
HUMIRA(CF) PEDI CROHNS STARTER	166	ILARIS (PF)	167	INVEGA HAFYERA	58
HUMIRA(CF) PEN	166	ILEVRO	151	INVEGA SUSTENNA	59
HUMIRA(CF) PEN CROHNS-UC-HS	166	<i>imatinib</i>	23	INVEGA TRINZA	59
HUMIRA(CF) PEN PEDIATRIC UC	166	IMBRUVICA	23	INVELTYS	151
HUMIRA(CF) PEN PSOR- UV-ADOL HS	166	IMFINZI	23	INVIRASE	64
HUMULIN R U-500 (CONC) INSULIN	45	<i>imipenem-cilastatin</i>	14	IPOL	170
HUMULIN R U-500 (CONC) KWIKPEN	45	<i>imipramine hcl</i>	41	<i>ipratropium bromide</i>	147, 148, 184
		<i>imiquimod</i>	101	<i>ipratropium-albuterol</i>	184
		IMLYGIC	24	<i>irbesartan</i>	76
		IMOVAX RABIES		<i>irbesartan-hydrochlorothiazide</i>	77
		VACCINE (PF)	170	IRESSA	24
		IMPAVIDO	54		
		INBRIJA	55		
		<i>incassia</i>	93		
		INCONTROL ALCOHOL PADS	101		

ISENTRESS	64	<i>kelnor 1/35 (28)</i>	94	<i>larin 1.5/30 (21)</i>	94
ISENTRESS HD	64	<i>kelnor 1-50 (28)</i>	94	<i>larin 1/20 (21)</i>	94
<i>isibloom</i>	93	KESIMPTA PEN	88	<i>larin 24 fe</i>	95
ISOLYTE S PH 7.4	180	<i>ketoconazole</i>	48	<i>larin fe 1.5/30 (28)</i>	95
ISOLYTE-P IN 5 %		<i>ketorolac</i>	7, 151	<i>larin fe 1/20 (28)</i>	95
DEXTROSE	180	KEVEYIS	177	<i>larissia</i>	95
ISOLYTE-S	179	KEYTRUDA	24	<i>latanoprost</i>	179
<i>isoniazid</i>	51	KIMMTRAK	24	LATUDA	59
<i>isosorbide dinitrate</i>	86	KINRIX (PF)	170, 171	LAZANDA	4
<i>isosorbide mononitrate</i>	86	<i>kionex (with sorbitol)</i>	153	<i>leflunomide</i>	167
<i>isosorbide-hydralazine</i>	86	KISQALI	24, 25	<i>lenalidomide</i>	25
<i>itraconazole</i>	48	KISQALI FEMARA CO-		LENVIMA	25
IV PREP WIPES	101	PACK	24	<i>lessina</i>	95
<i>ivermectin</i>	54	KLISYRI	101	<i>letrozole</i>	25
IXEMPRA	24	<i>klor-con m10</i>	180	<i>leucovorin calcium</i>	177
IXIARO (PF)	170	<i>klor-con m15</i>	180	LEUKERAN	25
<i>jaimiess</i>	94	<i>klor-con m20</i>	180	LEUKINE	71
JAKAFI	24	KLOXXADO	8	<i>leuprolide</i>	25
<i>jantoven</i>	70	KORLYM	43	<i>levetiracetam</i>	36
JARDIANCE	43	KOSELUGO	25	<i>levobunolol</i>	179
<i>jasmiel (28)</i>	94	<i>kosher prenatal plus iron</i>	189	<i>levocarnitine</i>	177
JEMPERLI	24	KRINTAFEL	54	<i>levocarnitine (with sugar)</i>	177
<i>jencycla</i>	94	KRYSTEXXA	146	<i>levocetirizine</i>	49
JENTADUETO	43	<i>kurvelo (28)</i>	94	<i>levofloxacin</i>	16, 17, 148
JENTADUETO XR	43	KYNMOBI	55	<i>levofloxacin in d5w</i>	16
<i>jinteli</i>	158	KYPROLIS	25	<i>levoleucovorin calcium</i>	177
<i>juleber</i>	94	<i>l norgest/e.estradiol-e.estrad</i>	94	<i>levonest (28)</i>	95
JULUCA	64	<i>labetalol</i>	79	<i>levonorgestrel-ethinyl estrad</i>	95
<i>junel 1.5/30 (21)</i>	94	<i>lacosamide</i>	36	<i>levonorg-eth estrad triphasic</i>	95
<i>junel 1/20 (21)</i>	94	<i>lactulose</i>	153	<i>levora-28</i>	95
<i>junel fe 1.5/30 (28)</i>	94	<i>lagevrio (eua)</i>	69	<i>levothyroxine</i>	163
<i>junel fe 1/20 (28)</i>	94	<i>lamivudine</i>	64	LEXIVA	64
<i>junel fe 24</i>	94	<i>lamivudine-zidovudine</i>	64	LIBTAYO	25
JUXTAPID	85	<i>lamotrigine</i>	36	<i>lidocaine</i>	7
JYNARQUE	83, 84	<i>lanreotide</i>	161	<i>lidocaine (pf)</i>	7, 78
<i>kalliga</i>	94	<i>lansoprazole</i>	152	<i>lidocaine hcl</i>	7
KALYDECO	185	LANTUS SOLOSTAR U-100		<i>lidocaine viscous</i>	7
KANJINTI	24	INSULIN	45	<i>lidocaine-prilocaine</i>	8
KANUMA	146	LANTUS U-100 INSULIN	45	<i>lillow (28)</i>	95
<i>kariva (28)</i>	94	<i>lapatinib</i>	25	linezolid	11

<i>linezolid in dextrose 5%</i>	11
<i>linezolid-0.9% sodium chloride</i>	11
LINZESS.....	153
<i>liothyronine</i>	163
LISCO.....	124
<i>lisinopril</i>	78
<i>lisinopril-hydrochlorothiazide</i> ...	78
LITE TOUCH INSULIN PEN NEEDLES.....	124, 125
LITE TOUCH INSULIN SYRINGE.....	124, 125
<i>lithium carbonate</i>	88, 89
LIVALO.....	85
<i>lojaimiess</i>	95
LOKELMA.....	153
LONSURF.....	25
<i>loperamide</i>	153
<i>lopinavir-ritonavir</i>	64
<i>lorazepam</i>	10
LORBRENA.....	25
<i>loryna (28)</i>	95
<i>losartan</i>	77
<i>losartan-hydrochlorothiazide</i> ...	77
LOTEMAX.....	151
LOTEMAX SM.....	151
<i>loteprednol etabonate</i>	151
<i>lovastatin</i>	85
<i>low-ogestrel (28)</i>	95
<i>loxapine succinate</i>	59
<i>lo-zumandimine (28)</i>	95
<i>lubiprostone</i>	153
LUCEMYRA.....	8
LUMAKRAS.....	25
LUMIGAN.....	179
LUMOXITI.....	26
LUPRON DEPOT.....	161
LUPRON DEPOT (3 MONTH).....	26, 161
LUPRON DEPOT (4 MONTH).....	26
LUPRON DEPOT (6 MONTH).....	26
LUPRON DEPOT-PED.....	161
LUPRON DEPOT-PED (3 MONTH).....	161
<i>lutera (28)</i>	95
LYBALVI.....	59
<i>lyleq</i>	95
<i>lyllana</i>	159
LYNPARZA.....	26
LYSODREN.....	26
<i>lyza</i>	96
MAGELLAN INSULIN SAFETY SYRNG.....	125, 126
MAGELLAN SYRINGE.....	125
<i>magnesium sulfate</i>	180
<i>magnesium sulfate in d5w</i>	180
<i>magnesium sulfate in water</i>	180
<i>malathion</i>	105
<i>maprotiline</i>	41
<i>maraviroc</i>	64
MARGENZA.....	26
<i>marlissa (28)</i>	96
<i>marnatal-f</i>	189
MARPLAN.....	41
MATULANE.....	26
MAVENCLAD (10 TABLET PACK).....	89
MAVENCLAD (4 TABLET PACK).....	89
MAVENCLAD (5 TABLET PACK).....	89
MAVENCLAD (6 TABLET PACK).....	89
MAVENCLAD (7 TABLET PACK).....	89
MAVENCLAD (8 TABLET PACK).....	89
MAVENCLAD (9 TABLET PACK).....	89
MAXICOMFORT II PEN NEEDLE.....	126
MAXICOMFORT INSULIN SYRINGE.....	126
MAXI-COMFORT INSULIN SYRINGE.....	126
MAXICOMFORT SAFETY PEN NEEDLE.....	126
MAYZENT.....	89
MAYZENT STARTER(FOR 1MG MAINT).....	89
MAYZENT STARTER(FOR 2MG MAINT).....	89
<i>meclizine</i>	53
<i>medroxyprogesterone</i>	163
<i>mefenamic acid</i>	7
<i>mefloquine</i>	54
<i>megestrol</i>	26, 163
MEKINIST.....	26
MEKTOVI.....	26
<i>meloxicam</i>	7
<i>memantine</i>	39
MENACTRA (PF).....	171
MENQUADFI (PF).....	171
MENVEO A-C-Y-W-135- DIP (PF).....	171
MEPSEVII.....	146
<i>mercaptopurine</i>	26
<i>meropenem</i>	14
<i>meropenem-0.9% sodium chloride</i>	15
<i>merzee</i>	96
<i>mesalamine</i>	174
<i>mesna</i>	177
MESNEX.....	177
<i>metaproterenol</i>	184
<i>metformin</i>	43
<i>methadone</i>	4

<i>methadose</i>	4	M-M-R II (PF)	171	<i>naltrexone</i>	8
<i>methenamine hippurate</i>	11	<i>m-natal plus</i>	189	NAMZARIC	39
<i>methimazole</i>	164	<i>modafinil</i>	187	<i>naproxen</i>	7
<i>methocarbamol</i>	187	<i>molindone</i>	59	NARCAN	9
<i>methotrexate sodium</i>	26	<i>mometasone</i>	104, 151	NATACYN	148
<i>methotrexate sodium (pf)</i>	26	<i>monodoxine nl</i>	18	NATPARA	175
<i>methoxsalen</i>	101	MONJUVI	26	NAYZILAM	36
<i>methscopolamine</i>	153	MONOJECT INSULIN		<i>nebivolol</i>	80
<i>methyldopa</i>	76	SAFETY SYRING	127, 128	<i>necon 0.5/35 (28)</i>	96
<i>methylphenidate hcl</i>	89, 90	MONOJECT INSULIN		<i>nefazodone</i>	41
<i>methylprednisolone</i>	160	SYRINGE	127, 128	<i>neomycin</i>	10
<i>methylprednisolone acetate</i>	160	MONOJECT SYRINGE	127	<i>neomycin-bacitracin-poly-hc</i>	149
<i>methylprednisolone sodium succ</i>	160	MONOJECT ULTRA		<i>neomycin-bacitracin-polymyxin</i>	149
<i>metipranolol</i>	179	COMFORT INSULIN	141	<i>neomycin-polymyxin b gu</i>	102
<i>metoclopramide hcl</i>	154	<i>mono-linyah</i>	96	<i>neomycin-polymyxin b-dexameth</i>	149
<i>metolazone</i>	84	montelukast	183	<i>neomycin-polymyxin-gramicidin</i>	149
<i>metoprolol succinate</i>	79	<i>morphine</i>	4, 5	<i>neomycin-polymyxin-hc</i>	149
<i>metoprolol ta-hydrochlorothiaz</i>	79	MORPHINE	4	<i>neo-polycin</i>	149
<i>metoprolol tartrate</i>	79, 80	<i>morphine concentrate</i>	4	<i>neo-polycin hc</i>	149
<i>metronidazole</i>	11, 50, 102	MOVANTIK	154	NEPHRAMINE 5.4 %	75
<i>metronidazole in nacl (iso-os)</i>	11	<i>moxifloxacin</i>	17, 148	NERLYNX	27
<i>metyrosine</i>	82	MOZOBIL	71	NEULASTA	71
<i>mexiletine</i>	78	MULPLETA	71	NEULASTA ONPRO	71
<i>miconazole-3</i>	48	MULTAQ	78	NEUPRO	56
MICRODOT INSULIN PEN NEEDLE	126	<i>mupirocin</i>	102	<i>nevirapine</i>	65
<i>microgestin fe 1/20 (28)</i>	96	MVASI	27	<i>newgen</i>	189
<i>midodrine</i>	76	<i>mycophenolate mofetil</i>	167	NEXLETOL	85
<i>miglustat</i>	146	<i>mycophenolate mofetil (hcl)</i>	167	NEXLIZET	85
<i>mili</i>	96	MYLOTARG	27	<i>niacin</i>	85
<i>mimvey</i>	159	<i>mynatal</i>	189	<i>nicardipine</i>	83
MINI ULTRA-THIN II	127	<i>mynatal advance</i>	189	NICOTROL	9
<i>minitran</i>	86	<i>mynatal plus</i>	189	<i>nifedipine</i>	83
<i>minocycline</i>	17	<i>mynatal-z</i>	189	<i>nikki (28)</i>	96
<i>minoxidil</i>	86	<i>mynate 90 plus</i>	189	<i>nilutamide</i>	27
<i>mirtazapine</i>	41	MYRBETRIQ	155	NINLARO	27
<i>misoprostol</i>	152	<i>nabumetone</i>	7	<i>nitazoxanide</i>	54
MITIGARE	49	<i>nafcillin</i>	16	<i>nitisinone</i>	146
<i>mitoxantrone</i>	26	<i>nafcillin in dextrose iso-osm 15, 16</i>			
		NAGLAZYME	146		
		<i>naloxone</i>	8		

<i>nitrofurantoin macrocrystal</i>	11	NOVOLOG MIX 70-30 U-100 INSULN.....	46	<i>omeprazole</i>	152
<i>nitrofurantoin monohyd/m-cryst</i>	12	NOVOLOG MIX 70-30FLEXPEN U-100.....	46	<i>omeprazole-sodium bicarbonate</i>	152
<i>nitroglycerin</i>	86	NOVOLOG PENFILL U-100 INSULIN.....	46	OMNIPOD 5 G6 INTRO KIT (GEN 5).....	128
NITYR.....	146	NOVOTWIST.....	128	OMNIPOD 5 G6 PODS (GEN 5).....	128
<i>niva-plus</i>	189	NOXAFIL.....	48	OMNIPOD CLASSIC PDM KIT(GEN 3).....	128
NIVESTYM.....	71	NUBEQA.....	27	OMNIPOD CLASSIC PODS (GEN 3).....	128
<i>nizatidine</i>	152	NUCALA.....	185, 186	OMNIPOD DASH INTRO KIT (GEN 4).....	128
NORDITROPIN FLEXPRO	162	NULOJIX.....	167	OMNIPOD DASH PDM KIT (GEN 4).....	128
<i>norethindrone (contraceptive)</i> ..	96	NUPLAZID.....	60	OMNIPOD DASH PODS (GEN 4).....	128
<i>norethindrone acetate</i>	163	NURTEC ODT.....	51	ONCASPAR	27
<i>norethindrone ac-eth estradiol</i>	96, 159	NUTRILIPID.....	75	<i>ondansetron</i>	53
<i>norethindrone-e.estradiol-iron</i> ..	96	<i>nyamyc</i>	48	<i>ondansetron hcl</i>	53
<i>norgestimate-ethinyl estradiol</i> ..	96	<i>nylia 1/35 (28)</i>	97	<i>ondansetron hcl (pf)</i>	53
<i>norlyda</i>	96	<i>nylia 7/7/7 (28)</i>	97	ONIVYDE	27
NORMOSOL-M IN 5 %		<i>nymyo</i>	97	ONTRUZANT	27
DEXTROSE.....	180	<i>nystatin</i>	48	ONUREG	27
<i>nortrel 0.5/35 (28)</i>	97	<i>nystop</i>	48	OPDIVO	27
<i>nortrel 1/35 (21)</i>	97	NYVEPRIA.....	71	OPDUALAG	27
<i>nortrel 1/35 (28)</i>	97	<i>obstetrix dha</i>	189	OPSUMIT	188
<i>nortrel 7/7/7 (28)</i>	97	<i>o-cal prenatal</i>	190	<i>oralone</i>	100
<i>nortriptyline</i>	41	OCALIVA.....	154	ORFADIN	146
NORVIR.....	65	OCREVUS.....	90	ORGOVYX	162
NOVOFINE 30.....	128	OCTAGAM.....	167	ORILISSA	162
NOVOFINE 32.....	128	<i>octreotide acetate</i>	162	ORKAMBI	186
NOVOFINE PLUS.....	128	ODEFSEY	65	ORLADEYO	71
NOVOLIN 70/30 U-100		ODOMZO	27	<i>orsythia</i>	97
INSULIN.....	45	OFEV	186	<i>oseltamivir</i>	67
NOVOLIN 70-30 FLEXPEN		<i>ofloxacin</i>	149	OSMOLEX ER	56
U-100.....	45	OGIVRI.....	27	<i>oxandrolone</i>	157
NOVOLIN N FLEXPEN	45	<i>olanzapine</i>	60	<i>oxcarbazepine</i>	36
NOVOLIN N NPH U-100		<i>olmesartan</i>	77	OXLUMO	177
INSULIN.....	45	<i>olmesartan-hydrochlorothiazide</i>	77	OXTELLAR XR.....	36, 37
NOVOLIN R FLEXPEN.....	46	<i>olopatadine</i>	148		
NOVOLIN R REGULAR U-100 INSULN.....	46	<i>omega-3 acid ethyl esters</i>	85		
NOVOLOG FLEXPEN U-100 INSULIN.....	46				

<i>oxybutynin chloride</i>	155, 156	PEPAXTO	28	<i>polymyxin b sulf-trimethoprim</i>	149
<i>oxycodone</i>	5	<i>perindopril erbumine</i>	78	POMALYST	28
<i>oxycodone-acetaminophen</i>	5	<i>periogard</i>	100	<i>portia</i>	97
<i>oxycodone-aspirin</i>	5	<i>permethrin</i>	105	PORTRAZZA	28
OXYCONTIN	5	<i>perphenazine</i>	60	<i>posaconazole</i>	49
OZEMPIC	43	<i>perphenazine-amitriptyline</i>	42	<i>potassium chloride</i>	180, 181
<i>pacerone</i>	78	PERSERIS	60	<i>potassium chloride-0.45 % nacl</i>	
<i>paclitaxel protein-bound</i>	27	<i>pfizerpen-g</i>	16		181
PADCEV	27	<i>phenelzine</i>	42	<i>potassium citrate</i>	181
<i>paliperidone</i>	60	<i>phenobarbital</i>	37	<i>pr natal 400</i>	190
PALYNZIQ	146	<i>phenylephrine hcl</i>	76	<i>pr natal 400 ec</i>	190
PANRETIN	101	<i>phenytoin</i>	37	<i>pr natal 430</i>	190
<i>pantoprazole</i>	152	<i>phenytoin sodium</i>	37	<i>pr natal 430 ec</i>	190
<i>paricalcitol</i>	175	<i>phenytoin sodium extended</i>	37	PRALUENT PEN	85
<i>paroex oral rinse</i>	100	PHESGO	28	<i>pramipexole</i>	56
<i>paromomycin</i>	54	<i>philith</i>	97	<i>prasugrel</i>	73
<i>paroxetine hcl</i>	42	PHOSLYRA	155	<i>pravastatin</i>	85
PAXLOVID (EUA)	67	PIFELTRO	65	<i>prazosin</i>	76
PEDIARIX (PF)	171	<i>pilocarpine hcl</i>	100, 179	<i>prednicarbate</i>	104
PEDVAX HIB (PF)	171	<i>pimecrolimus</i>	104	<i>prednisolone</i>	160
<i>peg 3350-electrolytes</i>	154	<i>pimozone</i>	60	<i>prednisolone acetate</i>	151
PEGASYS	68	<i>pimtrea (28)</i>	97	<i>prednisolone sodium phosphate</i>	
<i>peg-electrolyte soln</i>	155	<i>pioglitazone</i>	43		151, 160
PEGINTRON	68	PIP PEN NEEDLE	129	<i>prednisone</i>	160, 161
PEMAZYRE	27	<i>piperacillin-tazobactam</i>	16	<i>pregabalin</i>	37
<i>pemetrexed</i>	28	PIQRAY	28	PREHEVBRI (PF)	171
<i>pemetrexed disodium</i>	27, 28	<i>pirfenidone</i>	186	PREMARIN	159
PEN NEEDLE	120, 129, 131	<i>pirmella</i>	97	PREMPHASE	159
PEN NEEDLE, DIABETIC		PLASMA-LYTE 148	180	PREMPRO	159
.....113, 126, 127, 129, 131		PLASMA-LYTE A	180	<i>prenal true</i>	190
PEN NEEDLE, DIABETIC,		PLEGRIDY	90	<i>prenaissance</i>	190
SAFETY	132	<i>pnv 29-1</i>	190	<i>prenaissance plus</i>	190
penicillamine	157	<i>pnv-dha + docusate</i>	190	<i>prenatabs fa</i>	190
penicillin g potassium	16	<i>pnv-ferrous fumarate-docu-fa.</i>	190	<i>prenatal 19</i>	190
penicillin g procaine	16	<i>pnv-omega</i>	190	<i>prenatal 19 (with docusate)</i>	190
penicillin v potassium	16	<i>pnv-vp-u</i>	190	<i>prenatal low iron</i>	190
PENTACEL (PF)	171	<i>podofilox</i>	101	<i>prenatal plus</i>	190
<i>pentamidine</i>	54	POLIVY	28	<i>prenatal plus (calcium carb)</i>	190
PENTIPS	129	<i>polycin</i>	149	<i>prenatal vitamin plus low iron.</i>	190
<i>pentoxifylline</i>	73	<i>polymyxin b sulfate</i>	12	<i>prenatal-u.</i>	190

<i>preplus</i>	191	PROMACTA.....	72	RAYALDEE.....	175
<i>pretab</i>	191	<i>promethazine</i>	50, 53	<i>reclipsen</i> (28)	97
PRETOMANID.....	52	<i>promethegan</i>	53	RECOMBIVAX HB (PF)....	172
<i>prevalite</i>	85	<i>propafenone</i>	79	RECTIV.....	177
PREVENT DROPSAFE		<i>proparacaine</i>	148	RELENZA DISKHALER....	67
PEN NEEDLE.....	129, 130	<i>propranolol</i>	80	RELEUKO.....	72
<i>previfem</i>	97	<i>propranolol-hydrochlorothiazid</i> 80		RELION NEEDLES.....	131
PREVYMIC.....	67	<i>propylthiouracil</i>	164	RELION PEN NEEDLES....	131
PREZCOBIX.....	65	PROQUAD (PF).....	171	<i>repaglinide</i>	43, 44
PREZISTA.....	65	PROSOL 20 %.....	75	REPATHA PUSHTRONEX..	85
PRIFTIN.....	52	<i>protamine</i>	73	REPATHA SURECLICK....	85
PRIMAQUINE.....	54	<i>protriptyline</i>	42	REPATHA SYRINGE.....	86
<i>primidone</i>	37	PULMOZYME.....	146	RESTASIS.....	151
PRIORIX (PF).....	171	PURE COMFORT		RESTASIS MULTIDOSE....	151
PRIVIGEN.....	167	ALCOHOL PADS.....	101	RETACRIT.....	72
PRO COMFORT		PURE COMFORT PEN		RETEVMO.....	28
ALCOHOL PADS.....	101	NEEDLE.....	130, 131	RETROVIR.....	65
PRO COMFORT INSULIN		<i>purefe ob plus</i>	191	REVCORI.....	146
SYRINGE.....	130	<i>purefe plus</i>	191	REVLIMID.....	28
PRO COMFORT PEN		PURIXAN.....	28	<i>revonto</i>	187
NEEDLE.....	130	<i>pyrazinamide</i>	52	REXULTI.....	60
<i>probenecid</i>	49	<i>pyridostigmine bromide</i> ..	177	REYATAZ.....	65
<i>probenecid-colchicine</i>	49	<i>pyrimethamine</i>	54	REZUROCK.....	167
<i>procainamide</i>	79	QINLOCK.....	28	RHOPRESSA.....	179
PROCALAMINE 3%.....	75	QUADRACEL (PF).....	172	RIABNI.....	28
<i>prochlorperazine</i>	53	<i>quetiapine</i>	60	<i>ribavirin</i>	69
<i>prochlorperazine edisylate</i>	53	<i>quinapril</i>	78	RIDAURA.....	167
<i>prochlorperazine maleate</i>	53	<i>quinapril-hydrochlorothiazide</i> ..	78	<i>rifabutin</i>	52
<i>procto-med hc</i>	104	<i>quinidine sulfate</i>	79	<i>rifampin</i>	52
<i>proctosol hc</i>	104	<i>quinine sulfate</i>	54	<i>rilpivirine</i>	65
<i>proctozone-hc</i>	104	QULIPTA.....	51	<i>riluzole</i>	90
PRODIGY INSULIN		RABAVERT (PF).....	172	<i>rimantadine</i>	67
SYRINGE.....	130	<i>rabeprazole</i>	153	RINVOQ.....	167
<i>progesterone</i>	163	RADICAVA.....	90	<i>risedronate</i>	175
<i>progesterone micronized</i>	163	<i>raloxifene</i>	159	RISPERDAL CONSTA ...	60, 61
PROGRAF.....	167	<i>ramipril</i>	78	<i>risperidone</i>	61
PROLASTIN-C.....	186	<i>ranolazine</i>	82	<i>ritonavir</i>	65
PROLENSA.....	151	<i>rasagiline</i>	56	RITUXAN.....	29
PROLEUKIN.....	28	RASUVO (PF).....	167	RITUXAN HYCELA	29
PROLIA.....	175	RAVICTI.....	154	<i>rivastigmine</i>	39

rivastigmine tartrate	39	sertraline	42	SPIRIVA WITH HANDIHALER	184
rizatriptan.....	51	setlakin	97	spironolactone	84
r-natal ob	191	sevelamer carbonate	155	SPRAVATO	42
ROCKLATAN	179	sevelamer hcl	155	sprintec (28)	98
ropinirole	56	sf 5000 plus	100	SPRITAM	37
rosadan	102	sharobel	97	SPRYCEL	29
rosuvastatin	86	SHINGRIX (PF)	172	sps (with sorbitol)	154
ROTARIX	172	SIGNIFOR	162	sronyx	98
ROTATEQ VACCINE.....	172	SIKLOS	73	ssd	102
ROZLYTREK	29	sildenafil	188	stavudine	66
RUBRACA	29	sildenafil (pulm.hypertension)	188	STELARA	168
rufinamide	37	silver sulfadiazine	102	STERILE PADS	132
RUKOBIA	65	SIMBRINZA	179	STIOLTO RESPIMAT	184
RUXIENCE	29	simliya (28)	97	STIVARGA	29
RYBELSUS	44	simpesse	97	STRENSIQ	147
RYBREVANT	29	simvastatin	86	streptomycin	10
RYDAPT	29	sirolimus	167	STRIBILD	66
SAFESNAP INSULIN		SIRTURO	52	STRIVERDI RESPIMAT	184
SYRINGE	131	SKYRIZI	168	SUBLOCADE	9
SAFETY PEN NEEDLE.....	132	sodium chloride 0.45 %.....	181	subvenite	37
sajazir	82	sodium chloride 0.9 %.....	181	sucralfate	153
SANDOSTATIN LAR DEPOT	162	sodium fluoride-pot nitrate	100	sulfacetamide sodium	149, 150
SANTYL	101	sodium phenylbutyrate	154	sulfacetamide sodium (acne)	102
sapropterin	146	sodium polystyrene (sorb free)	154	sulfacetamide-prednisolone	150
SARCLISA	29	sodium polystyrene sulfonate	154	sulfadiazine	17
SAVELLA	90	sodium,potassium,mag sulfates	155	sulfamethoxazole- trimethoprim	17
SCEMBLIX	29	SOLIQUA 100/33	46	sulfasalazine	174
scopolamine base	54	SOLTAMOX	29	sulindac	7
SECUADO	61	SOLU-CORTEF ACT-O- VIAL (PF)	161	sumatriptan	51
SECURESAFE PEN NEEDLE	132	SOMATULINE DEPOT	162	sumatriptan succinate	51
select-ob	191	SOMAVERT	163	sunitinib	29
select-ob (folic acid)	191	sorafenib	29	SUNOSI	187
selegiline hcl	56	sorine	80	SUPPRELIN LA	163
selenium sulfide	102	sotalol	80	SUPREP BOWEL PREP KIT	155
SELZENTRY	65	sotalol af	80	SURE COMFORT ALCOHOL PREP PADS	101
se-natal 19 chewable	191	SPIRIVA RESPIMAT	184		
SEREVENT DISKUS	184				
SEROSTIM	162				

SURE COMFORT INS.	
SYR. U-100.....	132
SURE COMFORT	
INSULIN SYRINGE....	132, 133
SURE COMFORT PEN	
NEEDLE.....	132, 133
SURE COMFORT SAFETY	
PEN NEEDLE.....	132
SURE-FINE PEN	
NEEDLES.....	133
SURE-JECT INSULIN	
SYRINGE.....	133
SURE-PREP ALCOHOL	
PREP PADS.....	101
SUTAB.....	155
syeda.....	98
SYLVANT.....	29
SYMBICORT.....	183
SYMDEKO.....	186
SYMLINPEN 120.....	44
SYMLINPEN 60.....	44
SYMPAZAN.....	37, 38
SYMTUZA.....	66
SYNAGIS.....	67
SYNAREL.....	163
SYNERCID.....	12
SYNJARDY.....	44
SYNJARDY XR.....	44
SYNRIBO.....	29
TABLOID.....	30
TABRECTA.....	30
tacrolimus.....	104, 168
tadalafil (pulm. hypertension)	188
TAFINLAR.....	30
TAGRISSO.....	30
TAKHZYRO.....	177
TALZENNA.....	30
tamoxifen.....	30
tamsulosin.....	156
tarina 24 fe.....	98
tarina fe 1-20 eq (28)	98
taron-c dha.....	191
taron-prex prenatal-dha.....	191
TASIGNA.....	30
TAVALISSE.....	73
tazarotene.....	105
TAZORAC.....	105
taztia xt.....	81
TAZVERIK.....	30
TDVAX.....	172
TECENTRIQ.....	30
TECHLITE INSULIN	
SYRINGE.....	134
TECHLITE INSULN	
SYR(HALF UNIT).....	134
TECHLITE PEN NEEDLE	
.....	134, 135
TEFLARO.....	13
telmisartan.....	77
temazepam.....	10
TEMIXYS.....	66
TEMODAR.....	30
TENIVAC (PF).....	172
tenofovir disoproxil fumarate ..	66
TEPEZZA.....	148
TEPMETKO.....	30
terazosin.....	156
terbinafine hcl.....	49
terbutaline.....	184
terconazole.....	50
TERUMO INSULIN	
SYRINGE.....	135
testosterone.....	157, 158
testosterone cypionate.....	157
testosterone enanthate.....	157
TETANUS,DIPHTHERIA	
TOX PED(PF).....	173
tetrabenazine.....	90
tetracycline.....	18
THALOMID.....	177
theophylline.....	184
THINPRO INSULIN	
SYRINGE.....	135, 136
THIOLA EC.....	156
thioridazine.....	61
thiotepa.....	30
thiothixene.....	61
tiadylt er.....	81
tiagabine.....	38
TIBSOVO.....	30
TICE BCG.....	30
TICOVAC.....	173
tigecycline.....	18
timolol maleate	80, 179
tiopronin.....	156
TIVDAK.....	30
TIVICAY.....	66
TIVICAY PD.....	66
tizanidine.....	187
TOBI PODHALER.....	10
tobramycin.....	10, 150
tobramycin in 0.225 % nacl.....	10
tobramycin sulfate.....	11
tobramycin-dexamethasone	150
tolterodine.....	156
TOPCARE CLICKFINE....	136
TOPCARE ULTRA	
COMFORT.....	136
topiramate	38
toposar.....	30
toremifene	31
torsemide	84
TOTECT.....	178
TOUJEON MAX U-300	
SOLOSTAR.....	46
TOUJEON SOLOSTAR U-300	
INSULIN.....	46
TRACLEER.....	188
TRADJENTA.....	44
tramadol.....	5

<i>tramadol-acetaminophen</i>	5	TRIPTODUR	163	UBRELVY	51
<i>trandolapril</i>	78	<i>tri-sprintec</i> (28)	98	UCERIS	174
<i>tranexamic acid</i>	73	TRIUMEQ	66	UDENYCA	72
<i>tranylcypromine</i>	42	TRIUMEQ PD	66	ULTICARE	139
TRAVASOL 10 %	75	<i>triveen-duo dha</i>	191	ULTICARE INSULIN	
<i>travoprost</i>	179	<i>triveen-prx rnf</i>	191	SYRINGE	138
TRAZIMERA	31	<i>trivora</i> (28)	98	ULTICARE INSULIN	
<i>trazodone</i>	42	<i>tri-vylibra</i>	99	SYR(HALF UNIT)	138
TREANDA	31	<i>tri-vylibra lo</i>	98	ULTICARE PEN NEEDLE	139
TRECATOR	52	TRIZIVIR	66	ULTICARE SAFETY PEN	
TRELEGY ELLIPTA	185	TRODELVY	31	NEEDLE	139
TRELSTAR	31	TROGARZO	66	ULTIGUARD SAFEPACK-	
TREMFYA	168	TROPHAMINE 10 %	76	INSULIN SYR	139, 140
<i>treprostinil sodium</i>	188	<i>trospium</i>	156	ULTIGUARD SAFEPACK-	
<i>tretinooin</i>	105	TRUE COMFORT		PEN NEEDLE	140
<i>tretinooin (antineoplastic)</i>	31	ALCOHOL PADS	101	ULTILET ALCOHOL	
<i>tri-femynor</i>	98	TRUE COMFORT		SWAB	102
<i>triamcinolone acetonide</i>		INSULIN SYRINGE	136	ULTILET INSULIN	
.....	100, 104, 105, 161	TRUE COMFORT PEN		SYRINGE	123, 140
<i>triамтерене-гидрохлоротиазид</i>	84	NEEDLE	136, 137	ULTILET PEN NEEDLE	140
<i>trientine</i>	157	TRUE COMFORT PRO		ULTRA CMFT INS SYR	
<i>tri-estarrylla</i>	98	ALCOHOL PADS	102	(HALF UNIT)	121, 132, 138
<i>trifluoperazine</i>	61	TRUE COMFORT PRO INS		ULTRA COMFORT	
<i>trifluridine</i>	150	SYRINGE	136, 137	INSULIN SYRINGE	
<i>trihexyphenidyl</i>	56	TRUEPLUS INSULIN	137, 138	116, 121, 141
TRIJARDY XR	44	TRUEPLUS PEN NEEDLE	137	ULTRA FLO INSUL	
TRIKAFTA	186	TRULICITY	44	SYR(HALF UNIT)	141
<i>tri-legest fe</i>	98	TRUMENBA	173	ULTRA FLO INSULIN	
<i>tri-linyah</i>	98	TRUSELTIQ	31	SYRINGE	141, 142
<i>tri-lo-estarrylla</i>	98	TRUXIMA	31	ULTRA FLO PEN NEEDLE	
<i>tri-lo-marzia</i>	98	TUKYSA	31	141
<i>tri-lo-mili</i>	98	<i>tulana</i>	99	ULTRA THIN PEN	
<i>tri-lo-sprintec</i>	98	TURALIO	31	NEEDLE	142
<i>trilyte with flavor packets</i>	155	TWINRIX (PF)	173	ULTRACARE INSULIN	
<i>trimethoprim</i>	12	<i>tyblume</i>	99	SYRINGE	142
<i>tri-mili</i>	98	TYBOST	178	ULTRACARE PEN	
<i>trimipramine</i>	42	TYMLOS	175	NEEDLE	142, 143
TRINTELLIX	42	TYPHIM VI	173	ULTRA-THIN II (SHORT)	
<i>tri-nymyo</i>	98	TYSABRI	168	INS SYR	143
<i>tri-previfem</i> (28)	98	TYVASO	188		

ULTRA-THIN II (SHORT)	
PEN NDL	143
ULTRA-THIN II INS PEN NEEDLES	143
ULTRA-THIN II INSULIN SYRINGE	143
UNIFINE PEN NEEDLE	143
UNIFINE PENTIPS	
.....	129, 143, 144
UNIFINE PENTIPS MAXFLOW	144
UNIFINE PENTIPS PLUS	144
UNIFINE PENTIPS PLUS MAXFLOW	144
UNIFINE SAFECONTROL	144
UNIFINE ULTRA PEN NEEDLE	144
UNITUXIN	31
UPTRAVI	188
ursodiol	154
valacyclovir	69
VALCHLOR	102
valganciclovir	69
valproate sodium	38
valproic acid	38
valproic acid (as sodium salt)	38
valrubicin	31
valsartan	77
valsartan-hydrochlorothiazide	77
VALTOCO	38
vancomycin	12
VANISHPOINT INSULIN SYRINGE	145
VANISHPOINT SYRINGE	145
VAQTA (PF)	173
varenicline	9
VARIVAX (PF)	173
VASCEPA	86
VEKLURY	69
VELCADE	31
<i>velivet triphasic regimen</i> (28)	99
VELPHORO	155
VEMLIDY	66
<i>vena-bal dha</i>	191
VENCLEXTA	32
VENCLEXTA STARTING PACK	32
<i>venlafaxine</i>	42
<i>verapamil</i>	81
VERIFINE PEN NEEDLE	145
VERSACLOZ	61
VERSALON	145
VERZENIO	32
<i>vestura</i> (28)	99
V-GO 20	145
V-GO 30	145
V-GO 40	145
VICTOZA	44
<i>vienna</i>	99
<i>vigabatrin</i>	38
<i>vigadron</i>	38
VIIBRYD	42
<i>vilazodone</i>	42
VIMIZIM	147
VIMPAT	38
<i>vinate care</i>	191
<i>vinate gt</i>	191
<i>vinate ii</i>	191
<i>vinate ultra</i>	191
<i>vinorelbine</i>	32
<i>viorele</i> (28)	99
VIRACEPT	66
VIREAD	66
<i>virt-c dha</i>	191
<i>virt-nate dha</i>	191
<i>virt-pn</i>	191
<i>virt-pn dha</i>	191
<i>virt-pn plus</i>	191
VISTOGARD	178
<i>vitafol gummies</i>	192
<i>vitafol nano</i>	192
<i>vitafol-ob+dha</i>	192
VITRAKVI	32
<i>viva dha</i>	192
VIZIMPRO	32
VOCABRIA	66
<i>vol-nate</i>	192
<i>volnea</i> (28)	99
<i>vol-tab rx</i>	192
VONJO	32
<i>voriconazole</i>	49
VOSEVI	68
VOTRIENT	32
<i>vp-ch plus</i>	192
<i>vp-ch-pnv</i>	192
<i>vp-ggr-b6</i>	192
<i>vp-pnv-dha</i>	192
VPRI	147
VRAYLAR	61
VUMERITY	90
<i>vyfemla</i> (28)	99
<i>vylibra</i>	99
VYNDAMAX	82
VYNDAQEL	82
VYXEOS	32
<i>warfarin</i>	70
WEBCOL	102
WELIREG	32
<i>wera</i> (28)	99
XADAGO	56
XALKORI	32
XARELTO	70
XARELTO DVT-PE TREAT 30D START	70
XATMEP	32
XCOPRI	38
XCOPRI MAINTENANCE PACK	38
XCOPRI TITRATION PACK	39

XELJANZ.....	168	<i>zingiber</i>	192
XELJANZ XR.....	168	ziprasidone hcl.....	61
XERMELO.....	154	ziprasidone mesylate	61
XGEVA.....	175	ZIRABEV.....	33
XHANCE.....	151	ZIRGAN.....	150
XIFAXAN.....	12	ZOLADEX.....	34
XIGDUO XR.....	44	zoledronic acid.....	176
XiIDRA.....	151	zoledronic acid-mannitol-water	176
XOFLUZA.....	67	ZOLINZA.....	34
XOLAIR.....	186	zolpidem.....	187
XOSPATA.....	32	zonisamide.....	39
XPOVIO.....	32, 33	ZORBTIVE.....	163
XTAMPZA ER.....	5, 6	<i>zovia 1-35 (28)</i>	99
XTANDI.....	33	ZTLIDO.....	8
<i>xulane</i>	99	ZULRESSO.....	42
XULTOPHY 100/3.6.....	46	<i>zumandimine (28)</i>	99
XURIDEN.....	178	ZYDELIG.....	34
XYOSTED.....	158	ZYKADIA.....	34
XYREM.....	187	ZYLET.....	150
YEROVY.....	33	ZYNLONTA.....	34
YF-VAX (PF).....	173	ZYPREXA RELPREVV..	61, 62
YONDELIS.....	33		
YONSA.....	33		
<i>yuvafem</i>	159		
<i>zafemy</i>	99		
<i>zafirlukast</i>	183		
<i>zaleplon</i>	187		
<i>zarah</i>	99		
ZARXIO.....	72		
<i>zatean-pn dha</i>	192		
<i>zatean-pn plus</i>	192		
ZEGALOGUE			
AUTOINJECTOR.....	178		
ZEGALOGUE SYRINGE...	178		
ZEJULA.....	33		
ZELBORAF.....	33		
<i>zenatane</i>	102		
ZENPEP.....	147		
ZEPZELCA.....	33		
<i>zidovudine</i>	66		

This formulary was updated on 09/01/2022. For more recent information or other questions, please contact Prominence Health Plan Customer Service, at **833-775-MEDS (6337)** or, for TTY users, **711**, 8 am to 8 pm, 7 days a week from October 1 – March 31 and 8 am to 8 pm, Monday – Friday from April 1 – September 30 or visit **ProminenceMedicare.com**.

Changes to our pharmacy network may occur during the benefit year. An updated Pharmacy Directory is located on our website at [ProminenceMedicare.com](#). You may also call Member Services at 833-775-MEDS (6337) (TTY/TDD users should call 711) for updated information.

This information is available for free in other languages. Please contact our Member Services number at 1-855-969-5882 for additional information. This document may be available in an alternate format such as large print or Spanish.

- ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1-855-969-5882 (TTY: 711).
- PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 1-855-969-5882 (TTY: 711).
- CHÚ Y: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 1-855-969-5882 (TTY: 711).
- ATANSYON: Si w pale Kreyòl Ayisyen, gen sèvis èd pou lang ki disponib gratis pou ou. Rele 1-855-969-5882 (TTY: 711).

Prominence Health Plan complies with applicable federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex.

Prominence Health Plan cumple con las leyes federates de derechos civiles aplicables y no discrimina por motives de raza, color, nacionalidad, edad, discapacidad o sexo.

Sumusunod ang Prominence Health Plan sa mga naaangkop na Federal na batas sa karapatang sibil at hindi nandidiskrimina batay sa lahi, kulay, bansang pinagmulan, edad, kapansanan o kasarian.

Prominence Health Plan tuan thu luat dan quyen hien hanh cua Lien bang va khong phan biet doi xur dua tren chung toc, mau da, nguon goc quoc gia, do, tuoi, khuyet tat, hoac goi tinh.

Prominence Health Plan konfòm ak lwa sou dwa sivil Federal ki aplikab yo e li pa fè diskriminasyon sou baz ras, koulè, peyi orijin, laj, enfimite oswa sèks.



Prominence Health Plan is an HMO and HMO SNP plan with a Medicare contract and a contract with the Medicaid programs in Florida and Texas. Enrollment in Prominence Health Plan depends on contract renewal.