

Prominence Plus® (HMO)

# PROMINENCE HEALTH PLAN® **2023 Formulary** **(List of Covered Drugs)**

## **PLEASE READ:**

This document contains information about the drugs we cover in this plan.  
HPMS Approved Formulary File Submission ID: 23556, Version Number 6

This formulary was updated on 8/22/2022. For more recent information or other questions, please contact Prominence Health Plan Member Services, at **833-775-MEDS (6337)** or, for TTY users, **711**, 8 am to 8 pm, 7 days a week from October 1 – March 31 and 8 am to 8 pm, Monday – Friday from April 1 – September 30 or visit **ProminenceMedicare.com**.

Changes to our pharmacy network may occur during the benefit year. An updated Pharmacy Directory is located on our website at **ProminenceMedicare.com**. You may also call Member Services at **833-775-MEDS (6337)** (TTY/TDD users should call 711) for updated information.

# Prominence Health Plan

## 2023 Formulary

### List of Covered Drugs

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION  
ABOUT THE DRUGS WE COVER IN THIS PLAN**

HPMS Approved Formulary File Submission ID, 23556, Version 6

This formulary was updated on 8/22/22. For more recent information or other questions, please contact, Prominence Health Plan Member Service at 833-775-MEDS (6337) or, for TTY users, 711, 8 am to 8 pm, 7 days a week from October 1 – March 31 and 8 am to 8 pm, Monday – Friday from April 1 – September 30 or visit [ProminenceMedicare.com](http://ProminenceMedicare.com).

**Note to existing members:** This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us”, or “our,” it means Prominence Health Plan. When it refers to “plan” or “our plan,” it means Prominence Plus.

This document includes list of the drugs (formulary) for our plan which is current as of 8/22/22. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2023, and from time to time during the year.

### What is the Prominence Health Plan Formulary?

A formulary is a list of covered drugs selected by Prominence Health Plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Prominence Health Plan will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Prominence Health Plan network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

## Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes.

**Changes that can affect you this year:** In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand-name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand-name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand-name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
  - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can find information in the section below titled “How do I request an exception to the Prominence Health Plan’s Formulary?”
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to the market to replace a brand-name drug currently on the formulary or add new restrictions to the brand-name drug or move it to a different cost-sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, [or] add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.
  - If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Prominence Health Plans Formulary?”

**Changes that will not affect you if you are currently taking the drug.** Generally, if you are taking a drug on our 2023 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2023 coverage year except as described

above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of 8/22/22. To get updated information about the drugs covered by Prominence Health Plan please contact us. Our contact information appears on the front and back cover pages. If there is a mid-year, non-maintenance change to the formulary, we will update printed formularies with an errata sheet.

## **How do I use the Formulary?**

There are two ways to find your drug within the formulary:

### **Medical Condition**

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, Cardiovascular Agents. If you know what your drug is used for, look for the category name in the list that begins on page 3. Then look under the category name for your drug.

### **Alphabetical Listing**

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## **What are generic drugs?**

Prominence Health Plan covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

## **Are there any restrictions on my coverage?**

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Prominence Health Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from Prominence Health Plan before you fill your prescriptions. If you don't get approval, Prominence Health Plan may not cover the drug.
- **Quantity Limits:** For certain drugs, Prominence Health Plan limits the amount of the drug that Prominence Health Plan will cover. For example, Prominence Health Plan provides 60 per prescription for Eliquis. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, Prominence Health Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Prominence Health Plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, Prominence Health Plan will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 3. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Prominence Health Plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Prominence Health Plan's formulary?" on page v for information about how to request an exception.

## **What if my drug is not on the Formulary?**

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that Prominence Health Plan does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by Prominence Health Plan. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by Prominence Health Plan.
- You can ask Prominence Health Plan to make an exception and cover your drug. See below for information about how to request an exception.

## **How do I request an exception to the Prominence Health Plan's Formulary?**

You can ask Prominence Health Plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at lower cost-sharing level unless the drug is on the specialty tier. If approved, this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, Prominence Health Plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Prominence Health Plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, or utilization restriction exception. **When you request a formulary, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.**

Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

## **What do I do before I can talk to my doctor about changing my drugs or requesting an exception?**

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

Members who have a change in level of care (setting) will be allowed up to a one-time 31-day transition supply per drug. For example, members who:

- Enter long-term care (LTC) facilities from hospitals are sometimes accompanied by a discharge list of medications from the hospital formulary, with very short-term planning taken into account (often under 8 hours).
- Are discharged from a hospital to a home.
- End their skilled nursing facility Medicare Part A stay (where payments include all pharmacy charges) and who need to revert to their Part D plan formulary.
- End a long-term care facility stay and return to the community. If a member has more than one change in level of care in a month, the pharmacy will have to call us to request an extension of the transition policy. For more information

For more detailed information about your Prominence Health Plan prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Prominence Health Plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

## Prominence Health Plan's Formulary

The formulary below provides coverage information about the drugs covered by Prominence Health Plan. If you have trouble finding your drug in the list, turn to the Index that begins on page 1.

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., COUMADIN) and generic drugs are listed in lower-case italics (e.g., warfarin).

The information in the Requirements/Limits column tells you if Prominence Health Plan has any special requirements for coverage of your drug.

You can find information on what the symbols and abbreviations on this table mean by going the next page.

### List of Abbreviations:

- **PA BvD:** Prior Authorization Restriction for Part B vs Part D Determination. This prescription drug has a Part B versus D administrative prior authorization requirement. This drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.
- **QL: Quantity Limit:** For certain drugs, Prominence Health Plan limits the amount of the drug that we will cover. For example, Prominence Health Plan provides twelve tablets per prescription for Sumatriptan Succinate. This may be in addition to a standard one-month or three-month supply.
- **ST: Step Therapy:** In some cases, Prominence Health Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.
- **PA: Prior Authorization:** Prominence Health Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from us before you fill your prescriptions. If you don't get approval, we may not cover the drug.
- **PA NSO: Prior Authorization Restriction for New Starts Only.** If there is no evidence that you have taken this drug before, you (or your physician) are required to get prior authorization from our plan before you fill your prescription for this drug. Without prior approval, our plan may not cover this drug.

- **NDS: Non-Extended Days' Supply:** Drugs not available for an extended days' supply (i.e. more than a one-month supply) are noted with "NDS" in the Requirements/Limits column of your formulary.
- **GC: Gap Coverage:** We provide coverage of this prescription drug in the coverage gap, if your plan provides gap coverage. Please refer to our Evidence of Coverage for more information about this coverage.
- **LA: Limited Availability:** This prescription may be available only at certain pharmacies. For more information, consult your Provider and Pharmacy Directory or call Member Services at 1-844-587-7389, 8 am to 8 pm, 7 days a week from October 1- March 31 and 8am to 8pm, Monday - Friday from April 1 -September 30. TTY users should call 711.
- **EX;CB: Excluded Part D Capped Benefit:** Drugs covered by the plan that are excluded by Medicare law that are covered by your plan as a supplemental or bonus drug but do not count toward TrOOP.
- **NM: Not Available by Mail Order:** These are typically medications that need to be ordered from a specialty pharmacy and are listed as TIER 5 medications and are restricted to a 30-day supply.
- **SI: Select Insulin:** These are the insulins that we have on our "Senior Savings Model" and will cost the member no more than \$35 for a one-month supply and will be covered through the GAP/Donut Hole.

## Table of Contents

Analgesics .....	3
Anesthetics .....	7
Anti-Addiction/Substance Abuse Treatment Agents .....	7
Antianxiety Agents .....	8
Antibacterials .....	9
Anticancer Agents .....	16
Anticonvulsants .....	26
Antidementia Agents .....	30
Antidepressants .....	31
Antidiabetic Agents .....	34
Antifungals .....	39
Antigout Agents .....	41
Antihistamines .....	41
Anti-Infectives (Skin And Mucous Membrane) .....	41
Antimigraine Agents .....	42
Antimycobacterials .....	43
Antinausea Agents .....	43
Antiparasite Agents .....	44
Antiparkinsonian Agents .....	45
Antipsychotic Agents .....	47
Antivirals (Systemic) .....	52
Blood Products/Modifiers/Volume Expanders .....	58
Caloric Agents .....	61
Cardiovascular Agents .....	62
Central Nervous System Agents .....	72
Contraceptives .....	75
Dental And Oral Agents .....	81
Dermatological Agents .....	82
Devices .....	87
Enzyme Replacement/Modifiers .....	127
Eye, Ear, Nose, Throat Agents .....	128
Gastrointestinal Agents .....	132
Genitourinary Agents .....	135
Heavy Metal Antagonists .....	136
Hormonal Agents, Stimulant/Replacement/Modifying .....	136
Immunological Agents .....	141

Inflammatory Bowel Disease Agents.....	149
Metabolic Bone Disease Agents.....	150
Miscellaneous Therapeutic Agents.....	151
Ophthalmic Agents.....	153
Replacement Preparations.....	154
Respiratory Tract Agents.....	156
Skeletal Muscle Relaxants.....	160
Sleep Disorder Agents.....	161
Vasodilating Agents.....	161

Drug Name	Drug Tier	Requirements/Limits
<b>Analgesics</b>		
<b>Analgesics, Miscellaneous</b>		
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	1	GC; QL (4500 per 30 days)
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>	2	GC; QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet 300-60 mg</i>	2	GC; QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i>	2	GC; QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i>	4	QL (180 per 30 days)
<i>codeine sulfate oral tablet 30 mg, 60 mg</i>	2	GC; QL (180 per 30 days)
<i>endocet oral tablet 10-325 mg (oxycodone- acetaminophen)</i>	2	GC; QL (180 per 30 days)
<i>endocet oral tablet 5-325 mg (oxycodone- acetaminophen)</i>	2	GC; QL (360 per 30 days)
<i>endocet oral tablet 7.5-325 mg (oxycodone- acetaminophen)</i>	2	GC; QL (240 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg</i>	5	PA; NM; NDS; QL (120 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 200 mcg</i>	3	PA; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour 100 mcg/hr</i>	3	QL (10 per 30 days)
<i>fentanyl transdermal patch 72 hour 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>	2	GC; QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>	4	QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg</i>	2	GC; QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 5-325 mg</i>	2	GC; QL (240 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 7.5-200 mg</i>	2	GC; QL (150 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>	2	GC
<i>hydromorphone oral liquid 1 mg/ml (Dilaudid)</i>	2	GC; QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg (Dilaudid)</i>	2	GC; QL (180 per 30 days)
<b>LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 400 MCG/SPRAY</b>	5	PA; NM; NDS; QL (30 per 30 days)
<i>methadone oral solution 10 mg/5 ml</i>	2	GC; QL (600 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>	2	GC; QL (1200 per 30 days)
<i>methadone oral tablet 10 mg</i>	2	GC; QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i>	2	GC; QL (180 per 30 days)
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	2	PA; GC; QL (180 per 30 days)
<i>morphine oral solution 10 mg/5 ml</i>	2	GC; QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	GC; QL (300 per 30 days)
<b>MORPHINE ORAL TABLET 15 MG</b>	4	QL (180 per 30 days)
<b>MORPHINE ORAL TABLET 30 MG</b>	4	QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg (MS Contin)</i>	2	GC; QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg (MS Contin)</i>	2	GC; QL (90 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	4	QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg</i>	2	GC; QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg (Roxicodone)</i>	2	GC; QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	2	GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>oxycodone oral tablet 5 mg</i>	(Roxicodone)	2	GC; QL (180 per 30 days)
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 20 mg, 40 mg, 80 mg</i>	(OxyContin)	3	QL (60 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i>	(Endocet)	2	GC; QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i>	(Endocet)	2	GC; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i>	(Endocet)	2	GC; QL (240 per 30 days)
<b>OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG</b>	(oxycodone)	3	QL (60 per 30 days)
<i>tramadol oral tablet 50 mg</i>	(Ultram)	1	GC; QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>	(Ultragel)	2	GC; QL (300 per 30 days)
<b>Nonsteroidal Anti-Inflammatory Agents</b>			
<i>celecoxib oral capsule 100 mg, 200 mg, 50 mg</i>	(Celebrex)	2	GC; QL (60 per 30 days)
<i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i>	(Flector)	4	PA; QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i>	(Cataflam)	2	GC; QL (120 per 30 days)
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>		2	GC; QL (60 per 30 days)
<i>diclofenac sodium oral tablet,delayed release (dr/ec) 25 mg</i>		2	GC; QL (150 per 30 days)
<i>diclofenac sodium oral tablet,delayed release (dr/ec) 50 mg</i>		2	GC; QL (120 per 30 days)
<i>diclofenac sodium oral tablet,delayed release (dr/ec) 75 mg</i>		2	GC; QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>		2	GC; QL (300 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>diclofenac sodium topical gel 1 %</i>	(Arthritis Pain (diclofenac))	2	GC; QL (1000 per 30 days)
<i>diclofenac sodium topical gel 3 %</i>		4	PA; QL (100 per 28 days)
<i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram lactuation(2 %)</i>	(Pennsaid)	5	PA; NM; NDS; QL (224 per 28 days)
<i>ec-naproxen dr 500 mg tablet 500 mg</i>	(naproxen)	2	GC
<i>etodolac oral capsule 200 mg, 300 mg</i>		4	
<i>etodolac oral tablet 400 mg</i>	(Lodine)	4	
<i>etodolac oral tablet 500 mg</i>		4	
<i>flurbiprofen oral tablet 100 mg</i>		2	GC
<i>ibu oral tablet 600 mg, 800 mg</i>	(ibuprofen)	1	GC
<i>ibuprofen oral suspension 100 mg/5 ml</i>	(Children's Advil)	2	GC
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>	(IBU)	1	GC
<i>indomethacin oral capsule 25 mg</i>		1	GC; QL (240 per 30 days)
<i>indomethacin oral capsule 50 mg</i>		1	GC; QL (120 per 30 days)
<i>ketorolac oral tablet 10 mg</i>		2	GC; QL (20 per 30 days)
<i>mefenamic acid oral capsule 250 mg</i>		4	
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>		1	GC
<i>nabumetone oral tablet 500 mg, 750 mg</i>	(Relafen)	2	GC
<i>naproxen oral tablet 250 mg, 375 mg</i>		1	GC
<i>naproxen oral tablet 500 mg</i>	(Naprosyn)	1	GC
<i>naproxen oral tablet, delayed release (dr/lec) 375 mg</i>	(EC-Naprosyn)	2	GC
<i>naproxen oral tablet, delayed release (dr/lec) 500 mg</i>	(EC-Naproxen)	2	GC
<i>sulindac oral tablet 150 mg, 200 mg</i>		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Anesthetics</b>		
<b>Local Anesthetics</b>		
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	PA; GC
<i>lidocaine topical adhesive patch,medicated 5 %</i>	2	PA; GC; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	4	PA; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i>	2	GC
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	4	PA; QL (30 per 30 days)
<b>ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %</b>	3	PA; QL (90 per 30 days)
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<i>acamprosate oral tablet,delayed release (dr/ec) 333 mg</i>	3	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	2	GC; QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg</i>	4	QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i>	4	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	2	GC; QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	2	GC
<b>CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG</b>	(varenicline) 3	QL (336 per 365 days)
<b>CHANTIX STARTING MONTH BOX ORAL TABLETS,DOSE PACK 0.5 MG (11)- 1 MG (42)</b>	(varenicline) 3	
<i>disulfiram oral tablet 250 mg, 500 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION	3	QL (4 per 30 days)
LUCEMYRA ORAL TABLET 0.18 MG	5	NM; NDS; QL (228 per 14 days)
<i>naloxone injection solution 0.4 mg/ml</i>	2	GC
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	2	GC
<i>naloxone nasal spray, non-aerosol 4 mg/actuation (Narcan)</i>	3	QL (4 per 30 days)
<i>naltrexone oral tablet 50 mg</i>	2	GC
NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION (naloxone)	3	QL (4 per 30 days)
NICOTROL INHALATION CARTRIDGE 10 MG	4	QL (1008 per 90 days)
<i>varenicline oral tablet 0.5 mg</i>	2	GC; QL (336 per 365 days)
<i>varenicline oral tablet 1 mg (Chantix Continuing Month Box)</i>	2	GC; QL (336 per 365 days)
<b>Antianxiety Agents</b>		
<b>Benzodiazepines</b>		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg (Xanax)</i>	1	GC; QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg (Xanax)</i>	1	GC; QL (150 per 30 days)
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	GC; QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg (Klonopin)</i>	1	GC; QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg (Klonopin)</i>	1	GC; QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	4	QL (90 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>	4	QL (300 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg</i>	2	GC; QL (180 per 30 days)
<i>clorazepate dipotassium oral tablet (Tranxene T-Tab) 7.5 mg</i>	2	GC; QL (180 per 30 days)
<i>diazepam intensol oral concentrate 5 mg/ml (diazepam)</i>	4	QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	4	QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg (Valium)</i>	1	GC; QL (120 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg (Ativan)</i>	1	GC; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg (Ativan)</i>	1	GC; QL (150 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg (Restoril)</i>	1	GC; QL (30 per 30 days)
<b>Antibacterials</b>		
<b>Aminoglycosides</b>		
<i>gentamicin injection solution 40 mg/ml</i>	2	GC
<i>neomycin oral tablet 500 mg</i>	2	GC
<i>streptomycin intramuscular recon soln 1 gram</i>	5	NM; NDS
<i>TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG</i>	5	NM; NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i>	5	PA BvD; NM; NDS
<i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i>	5	PA BvD; NM; NDS
<i>tobramycin sulfate injection solution 40 mg/ml</i>	4	
<b>Antibacterials, Miscellaneous</b>		
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i>	1	GC
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>	2	GC
<i>clindamycin phosphate injection (Cleocin) solution 150 mg/ml</i>	2	GC
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	2	GC
<i>colistin (colistimethate na) injection recon soln 150 mg Parenteral</i>	5	PA BvD; NM; NDS
<i>daptomycin intravenous recon soln 500 mg (Cubicin RF)</i>	5	NM; NDS
<b>FIRVANQ ORAL RECON SOLN 25 MG/ML</b>	4	
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml (Zyvox)</i>	3	
<i>linezolid oral suspension for reconstitution 100 mg/5 ml (Zyvox)</i>	5	NM; NDS
<i>linezolid oral tablet 600 mg (Zyvox)</i>	2	GC
<i>methenamine hippurate oral tablet 1 gram (Hiprex)</i>	2	GC
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml (Metro I.V.)</i>	2	GC
<i>metronidazole oral tablet 250 mg, 500 mg</i>	1	GC
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg (Macrodantin)</i>	2	GC; QL (120 per 30 days)
<i>nitrofurantoin macrocrystal oral capsule 25 mg (Macrodantin)</i>	4	QL (120 per 30 days)
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg (Macrobid)</i>	2	GC; QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	2	GC
<i>trimethoprim oral tablet 100 mg</i>	1	GC
<i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 500 mg, 750 mg</i>	2	GC
<i>vancomycin oral capsule 125 mg (Vancocin)</i>	4	QL (56 per 14 days)
<i>vancomycin oral capsule 250 mg (Vancocin)</i>	4	QL (112 per 14 days)
<b>XIFAXAN ORAL TABLET 200 MG</b>	5	PA; NM; NDS; QL (9 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
XIFAXAN ORAL TABLET 550 MG	5	PA; NM; NDS; QL (90 per 30 days)
<b>Cephalosporins</b>		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	2	GC
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	4	
<i>cefadroxil oral capsule 500 mg</i>	2	GC
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	GC
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	GC
<i>cefdinir oral capsule 300 mg</i>	2	GC
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	4	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	3	
<i>cefixime oral capsule 400 mg (Suprax)</i>	4	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	4	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	4	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	2	GC
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	GC
<b>CEFTAZIDIME 2 GM PIGGYBACK 2 GRAM/50 ML</b>	2	GC
<i>ceftazidime injection recon soln 1 gram, 6 gram</i>	2	GC
<b>CEFTAZIDIME INJECTION RECON SOLN 2 GRAM</b>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	GC
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	GC
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	GC
<i>cefuroxime sodium intravenous recon soln 1.5 gram</i>	2	GC
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	GC
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<b>TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG</b>	5	NM; NDS
<b>Macrolides</b>		
<i>azithromycin intravenous recon soln (Zithromax) 500 mg</i>	2	GC
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	4	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack)</i>	1	GC
<i>azithromycin oral tablet 250 mg, (Zithromax) 500 mg</i>	1	GC
<i>azithromycin oral tablet 600 mg</i>	2	GC
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	4	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	GC
<b>DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML</b>	5	NM; NDS; QL (136 per 10 days)
<b>DIFICID ORAL TABLET 200 MG</b>	5	NM; NDS; QL (20 per 10 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i>	(E.E.S. Granules)	4	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i>	(EryPed 400)	4	
<i>erythromycin oral tablet 250 mg, 500 mg</i>		4	
<b>Miscellaneous B-Lactam Antibiotics</b>			
<i>aztreonam injection recon soln 1 gram</i>	(Azactam)	3	
<b>CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML</b>		5	PA; NM; LA; NDS
<i>ertapenem injection recon soln 1 gram</i>	(Invanz)	4	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>		3	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i>	(Primaxin IV)	3	
<i>meropenem intravenous recon soln 1 gram, 500 mg</i>		4	
<b>Penicillins</b>			
<i>amoxicillin oral capsule 250 mg, 500 mg</i>		1	GC
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>		1	GC
<i>amoxicillin oral tablet 500 mg, 875 mg</i>		1	GC
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>		2	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>		4	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i>	(Augmentin ES-600)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)	1	GC
<i>amoxicillin-pot clavulanate oral tablet 875-125 mg</i>	1	GC
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	4	
<i>ampicillin oral capsule 500 mg</i>	2	GC
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg</i>	3	
<i>ampicillin-sulbactam injection recon (Unasyn) soln 1.5 gram, 15 gram, 3 gram</i>	3	
<b>BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML</b>	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	GC
<i>nafcillin 1 gml/ 50 ml inj 1 gram/50 ml</i>	2	GC
<i>nafcillin injection recon soln 1 gram</i>	2	GC
<i>nafcillin injection recon soln 10 gram</i>	5	NM; NDS
<i>nafcillin injection recon soln 2 gram</i>	2	GC
<i>penicillin g potassium injection recon (Pfizerpen-G) soln 20 million unit</i>	4	
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml</i>	2	GC
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	GC
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram</i>	3	
<i>piperacillin-tazobactam intravenous recon soln 40.5 gram</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Quinolones</b>		
BAXDELA ORAL TABLET 450 MG	5	PA; NM; NDS; QL (28 per 14 days)
ciprofloxacin hcl oral tablet 250 mg, (Cipro) 500 mg	1	GC
ciprofloxacin hcl oral tablet 750 mg	1	GC
ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml	2	GC
levofloxacin in d5w intravenous piggyback 500 mg/100 ml, 750 mg/150 ml	2	GC
levofloxacin intravenous solution 25 mg/ml	4	
levofloxacin oral solution 250 mg/10 ml	4	
levofloxacin oral tablet 250 mg, 500 mg, 750 mg	1	GC
moxifloxacin oral tablet 400 mg	4	
<b>Sulfonamides</b>		
sulfadiazine oral tablet 500 mg	3	
sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml	4	
sulfamethoxazole-trimethoprim oral tablet 400-80 mg	1	GC
sulfamethoxazole-trimethoprim oral tablet 800-160 mg	1	GC
<b>Tetracyclines</b>		
doxy-100 intravenous recon soln 100 (doxycycline hyclate) mg	3	
doxycycline hyclate oral capsule 100 (Morgidox) mg, 50 mg	2	GC
doxycycline hyclate oral tablet 100 (LymePak) mg	2	GC
doxycycline hyclate oral tablet 20 mg	2	GC
doxycycline monohydrate oral capsule 100 mg (Mondoxyne NL)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>doxycycline monohydrate oral capsule 50 mg</i>	(Monodox)	2	GC
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>	(Vibramycin (mono))	2	GC
<i>doxycycline monohydrate oral tablet 100 mg</i>	(Avidoxy)	2	GC
<i>doxycycline monohydrate oral tablet 50 mg</i>		2	GC
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>		2	GC
<i>tetracycline oral capsule 250 mg, 500 mg</i>		4	
<i>tigecycline intravenous recon soln 50 mg</i>	(Tygacil)	5	NM; NDS
<b>Anticancer Agents</b>			
<b>Anticancer Agents</b>			
<i>abiraterone oral tablet 250 mg, 500 mg</i>	(Zytiga)	5	PA NSO; NM; NDS; QL (120 per 30 days)
<b>ALECENSA ORAL CAPSULE 150 MG</b>		5	PA NSO; NM; NDS; QL (240 per 30 days)
<b>ALUNBRIG ORAL TABLET 180 MG, 90 MG</b>		5	PA NSO; NM; NDS; QL (30 per 30 days)
<b>ALUNBRIG ORAL TABLET 30 MG</b>		5	PA NSO; NM; NDS; QL (120 per 30 days)
<b>ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)</b>		5	PA NSO; NM; NDS
<i>anastrozole oral tablet 1 mg</i>	(Arimidex)	1	GC
<b>AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG</b>		5	PA NSO; NM; NDS; QL (30 per 30 days)
<b>BALVERSA ORAL TABLET 3 MG</b>		5	PA NSO; NM; NDS; QL (84 per 28 days)
<b>BALVERSA ORAL TABLET 4 MG</b>		5	PA NSO; NM; NDS; QL (56 per 28 days)
<b>BALVERSA ORAL TABLET 5 MG</b>		5	PA NSO; NM; NDS; QL (28 per 28 days)
<i>bexarotene oral capsule 75 mg</i>	(Targretin)	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
bexarotene topical gel 1 % (Targretin)	5	PA NSO; NM; NDS
bicalutamide oral tablet 50 mg (Casodex)	2	GC
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG (vandetanib)	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG (vandetanib)	5	PA NSO; NM; NDS; QL (30 per 30 days)
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NM; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; NM; LA; NDS; QL (63 per 28 days)
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG	4	PA BvD; ST
cyclophosphamide oral capsule 50 mg	4	PA BvD; ST
cyclophosphamide oral tablet 25 mg, 50 mg	3	PA BvD; ST
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	
EMCYT ORAL CAPSULE 140 MG	5	NM; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>erlotinib oral tablet 100 mg, 25 mg</i> (Tarceva)	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i> (Tarceva)	5	PA NSO; NM; NDS; QL (90 per 30 days)
<i>everolimus (antineoplastic) oral tablet 10 mg</i> (Afinitor)	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Afinitor)	5	PA NSO; NM; NDS; QL (28 per 28 days)
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz)	5	PA NSO; NM; NDS; QL (112 per 28 days)
<i>exemestane oral tablet 25 mg</i> (Aromasin)	4	
EXKIVITY ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>flutamide oral capsule 125 mg</i> (Eulexin)	3	
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
GAVRETO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	2	GC
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>imatinib oral tablet 100 mg</i> (Gleevec)	3	PA NSO; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	3	PA NSO; QL (60 per 30 days)
IMBRUWICA ORAL CAPSULE 140 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IMBRUWICA ORAL CAPSULE 70 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMBRUWICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NM; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IRESSA ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NM; NDS; QL (49 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NM; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NM; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NM; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NM; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	5	PA NSO; NM; NDS
<i>lenalidomide oral capsule 10 mg, 15 mg, 25 mg, 5 mg</i> (Revlimid)	5	PA NSO; NM; LA; NDS; QL (28 per 28 days)
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NM; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	GC
LEUKERAN ORAL TABLET 2 MG	5	NM; NDS
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	5	NM; NDS
LONSURF ORAL TABLET 15- 6.14 MG	5	PA NSO; NM; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20- 8.19 MG	5	PA NSO; NM; NDS; QL (80 per 28 days)
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	NM; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	NM; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NM; NDS
MATULANE ORAL CAPSULE 50 MG	5	NM; NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	GC
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>mercaptopurine oral tablet 50 mg</i>	2	GC
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	PA BvD; GC
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	PA BvD; GC
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST; GC
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>nilutamide oral tablet 150 mg (Nilandron)</i>	5	NM; NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; NM; LA; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (14 per 28 days)
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NM; NDS; QL (14 per 21 days)
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NM; NDS; QL (56 per 28 days)
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
PURIXAN ORAL SUSPENSION 20 MG/ML	5	NM; NDS
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
REVLIMID ORAL CAPSULE 10 (lenalidomide) MG, 15 MG, 25 MG, 5 MG	5	PA NSO; NM; LA; NDS; QL (28 per 28 days)
REVLIMID ORAL CAPSULE 2.5 MG, 20 MG	5	PA NSO; NM; LA; NDS; QL (28 per 28 days)
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
SCEMBLIX ORAL TABLET 20 MG, 40 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NM; NDS
<i>sorafenib oral tablet 200 mg</i> (Nexavar)	5	PA NSO; NM; NDS; QL (120 per 30 days)
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
<i>sunitinib oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)	5	PA NSO; NM; NDS; QL (30 per 30 days)
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
TABLOID ORAL TABLET 40 MG (thioguanine)	4	
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAGRISSO ORAL TABLET 40 MG, 80 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG, 0.5 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
TALZENNA ORAL CAPSULE 0.75 MG, 1 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	GC
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
TEPMETKO ORAL TABLET 225 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>toremifene oral tablet 60 mg</i> (Fareston)	5	NM; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG	5	NM; NDS; QL (1 per 84 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NM; NDS; QL (1 per 168 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 3.75 MG	4	QL (1 per 28 days)
<i>tretinoi (antineoplastic) oral capsule 10 mg</i>	5	NM; NDS
TRUSELTIQ ORAL CAPSULE 100 MG/DAY (100 MG X 1), 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2), 75 MG/DAY (25 MG X 3)	5	PA NSO; NM; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; NM; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	3	PA NSO; LA; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; NM; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NM; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
VONJO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VOTRIENT ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
WELIREG ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	5	PA NSO; NM; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	5	PA NSO; NM; NDS; QL (4 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NM; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NM; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
YONSA ORAL TABLET 125 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ZOLINZA ORAL CAPSULE 100 MG	5	NM; NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
<b>Anticonvulsants</b>		
<b>Anticonvulsants</b>		
APTIOM ORAL TABLET 200 MG, 400 MG	5	ST; NM; NDS; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	5	ST; NM; NDS; QL (60 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	3	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	3	QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i>	4	
<i>carbamazepine oral suspension 100 mg/5 ml</i>	4	
<i>carbamazepine oral tablet 200 mg</i>	2	GC
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i>	4	
<i>carbamazepine oral tablet, chewable 100 mg</i>	2	GC
CELONTIN ORAL CAPSULE 300 MG	4	
<i>clobazam oral suspension 2.5 mg/ml</i>	4	PA NSO; QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i>	4	PA NSO; QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DIACOMIT ORAL CAPSULE 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i> (Diastat AcuDial)	4	
<i>diazepam rectal kit 2.5 mg</i> (Diastat)	4	
<i>divalproex oral capsule, delayed release sprinkle 125 mg</i> (Depakote Sprinkles)	2	GC
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	2	GC
<i>divalproex oral tablet, delayed release (drlec) 125 mg, 250 mg, 500 mg</i> (Depakote)	2	GC
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; NM; NDS
<i>epitol oral tablet 200 mg</i> (carbamazepine)	2	GC
EPRONTIA ORAL SOLUTION 25 MG/ML	4	QL (480 per 30 days)
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	3	
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	2	GC
<i>felbamate oral suspension 600 mg/5 ml</i> (Felbatol)	4	
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	4	
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	PA NSO; NM; NDS
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	5	ST; NM; NDS; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	5	ST; NM; NDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG	4	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	5	ST; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	1	GC; QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i> (Neurontin)	1	GC; QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	4	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i> (Neurontin)	2	GC; QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i> (Neurontin)	2	GC; QL (120 per 30 days)
<i>lacosamide oral solution 10 mg/ml</i> (Vimpat)	2	GC; QL (1200 per 30 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat)	3	QL (60 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Lamictal)	1	GC
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	2	GC
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	2	GC
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	2	GC
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	2	GC
<b>NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)</b>	4	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	4	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	2	GC
<b>OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG</b>	4	ST
<b>OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 600 MG</b>	5	ST; NM; NDS
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	GC
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	2	GC
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	2	GC
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	2	GC
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	2	GC
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica)	2	GC; QL (90 per 30 days)
<i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica)	2	GC; QL (60 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	4	QL (900 per 30 days)
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	2	GC
<i>rufinamide oral suspension 40 mg/ml</i> (Banzel)	5	ST; NM; NDS
<i>rufinamide oral tablet 200 mg</i> (Banzel)	4	ST
<i>rufinamide oral tablet 400 mg</i> (Banzel)	5	ST; NM; NDS
<b>SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG</b>	4	ST; QL (60 per 30 days)
<b>SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG</b>	4	ST; QL (120 per 30 days)
<b>SYMPAZAN ORAL FILM 10 MG, 20 MG</b>	5	PA NSO; NM; NDS; QL (60 per 30 days)
<b>SYMPAZAN ORAL FILM 5 MG</b>	4	PA NSO; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i> (Gabitril)	4	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	2	GC
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	GC
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	GC
<i>valproic acid oral capsule 250 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	4	
vigabatrin oral powder in packet 500 mg (Vigadrone)	5	PA NSO; NM; NDS; QL (180 per 30 days)
vigabatrin oral tablet 500 mg (Sabril)	5	PA NSO; NM; NDS; QL (180 per 30 days)
vigadroner oral powder in packet 500 mg (vigabatrin)	5	PA NSO; NM; NDS; QL (180 per 30 days)
VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	3	QL (60 per 30 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	4	ST; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 50 MG	4	ST; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	4	ST; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS, DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	4	ST
zonisamide oral capsule 100 mg, 25 mg (Zonegran)	2	GC
zonisamide oral capsule 50 mg	2	GC
<b>Antidementia Agents</b>		
<b>Antidementia Agents</b>		
donepezil oral tablet 10 mg, 5 mg (Aricept)	1	GC; QL (30 per 30 days)
donepezil oral tablet, disintegrating 10 mg, 5 mg	2	GC; QL (30 per 30 days)
ergoloid oral tablet 1 mg	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg	(Razadyne ER)	2	GC; QL (30 per 30 days)
galantamine oral solution 4 mg/ml		4	QL (200 per 30 days)
galantamine oral tablet 12 mg, 4 mg, 8 mg		2	GC; QL (60 per 30 days)
memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg, 7 mg	(Namenda XR)	4	ST; QL (30 per 30 days)
memantine oral solution 2 mg/ml		4	QL (300 per 30 days)
memantine oral tablet 10 mg, 5 mg	(Namenda)	2	GC; QL (60 per 30 days)
NAMZARIC ORAL CAP,SPRINKLE,ER 24HR DOSE PACK 7/14/21/28 MG-10 MG		3	ST
NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG		3	ST; QL (30 per 30 days)
rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg		2	GC; QL (60 per 30 days)
rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour	(Exelon Patch)	4	QL (30 per 30 days)
<b>Antidepressants</b>			
<b>Antidepressants</b>			
amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg		2	GC
amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg		4	
bupropion hcl oral tablet 100 mg, 75 mg		2	GC
bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg	(Wellbutrin XL)	2	GC
bupropion hcl oral tablet sustained- release 12 hr 100 mg, 150 mg, 200 mg	(Wellbutrin SR)	2	GC
citalopram oral solution 10 mg/5 ml		4	QL (600 per 30 days)
citalopram oral tablet 10 mg, 20 mg, 40 mg	(Celexa)	1	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg (Anafranil)</i>	4	
<i>desipramine oral tablet 10 mg, 25 mg (Norpramin)</i>	4	
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	4	
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg (Pristiq)</i>	4	QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	GC
<i>doxepin oral concentrate 10 mg/ml</i>	1	GC
<b>DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG</b>	4	ST; QL (60 per 30 days)
<b>DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG</b>	4	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release (dr/lec) 20 mg, 30 mg, 60 mg (Cymbalta)</i>	2	GC; QL (60 per 30 days)
<b>EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR</b>	5	ST; NM; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	4	
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg (Lexapro)</i>	1	GC
<b>FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)</b>	4	ST
<b>FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG</b>	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg (Prozac)</i>	1	GC
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	GC
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	GC
<b>MARPLAN ORAL TABLET 10 MG</b>	4	
<i>mirtazapine oral tablet 15 mg, 30 mg (Remeron)</i>	2	GC
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	2	GC
<i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg (Remeron SolTab)</i>	2	GC
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	4	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg (Pamelor)</i>	1	GC
<i>nortriptyline oral solution 10 mg/5 ml</i>	4	
<i>paroxetine hcl oral suspension 10 mg/5 ml (Paxil)</i>	4	
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg (Paxil)</i>	1	GC
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	2	GC
<i>phenelzine oral tablet 15 mg (Nardil)</i>	2	GC
<i>protriptyline oral tablet 10 mg, 5 mg</i>	4	
<i>sertraline oral concentrate 20 mg/ml (Zoloft)</i>	2	GC
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg (Zoloft)</i>	1	GC
<i>tranylcypromine oral tablet 10 mg (Parnate)</i>	4	
<i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i>	1	GC
<i>trazodone oral tablet 300 mg</i>	4	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	4	
<b>TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG</b>	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR)	2	GC; QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)	2	GC; QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	GC
VIIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG (vilazodone)	3	QL (30 per 30 days)
VIIIBRYD ORAL TABLETS, DOSE PACK 10 MG (7)- 20 MG (23)	3	
<b>Antidiabetic Agents</b>		
<b>Antidiabetic Agents, Miscellaneous</b>		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	2	GC; QL (90 per 30 days)
FARXIGA ORAL TABLET 10 MG, 5 MG	3	QL (30 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	3	QL (30 per 30 days)
JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG	3	ST; QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	3	ST; QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	3	ST; QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	3	ST; QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	3	ST; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	ST; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	ST; QL (30 per 30 days)
KORLYM ORAL TABLET 300 MG <i>metformin oral tablet 1,000 mg</i>	5	PA; NM; NDS; QL (112 per 28 days)
<i>metformin oral tablet 500 mg</i>	6	GC; QL (75 per 30 days)
<i>metformin oral tablet 850 mg</i>	6	GC; QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	6	GC; QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	6	GC; QL (60 per 30 days)
OZEMPIK SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML)	3	QL (1.5 per 28 days)
OZEMPIK SUBCUTANEOUS PEN INJECTOR 1 MG/DOSE (4 MG/3 ML)	3	QL (6 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg (Actos)</i>	6	GC; QL (30 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	6	GC; QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	6	GC; QL (240 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	3	QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	5	PA; ST; NM; NDS; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	5	PA; ST; NM; NDS; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	ST; QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG	3	QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	QL (2 per 28 days)
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	3	QL (9 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 10-500 MG	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
<b>Insulins</b>		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	SI; QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	SI; QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	SI; QL (24 per 28 days)
LANTUS SOLOSTAR U-100 (insulin glargine) INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
LANTUS U-100 INSULIN (insulin glargine) SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	SI; QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70- 30)	3	SI; QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U- 100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	SI; QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	SI; QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
NOVOLIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML	3	SI; QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 (insulin aspart u-100) INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	GC; SI; QL (30 per 28 days)
NOVOLOG MIX 70-30 U-100 (insulin asp prt-insulin aspart) INSULN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70- 30)	2	GC; SI; QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
NOVOLOG MIX 70-30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	(insulin asp prt-insulin aspart)	2	GC; SI; QL (30 per 28 days)
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	(insulin aspart u-100)	2	GC; SI; QL (30 per 28 days)
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin aspart u-100)	2	GC; SI; QL (40 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML		3	QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)		3	SI; QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)		3	SI; QL (13.5 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)		3	QL (15 per 28 days)
<b>Sulfonylureas</b>			
glimepiride oral tablet 1 mg, 2 mg	(Amaryl)	6	GC; QL (30 per 30 days)
glimepiride oral tablet 4 mg	(Amaryl)	6	GC; QL (60 per 30 days)
glipizide oral tablet 10 mg		6	GC; QL (120 per 30 days)
glipizide oral tablet 5 mg		6	GC; QL (60 per 30 days)
glipizide oral tablet extended release 24hr 10 mg	(Glucotrol XL)	6	GC; QL (60 per 30 days)
glipizide oral tablet extended release 24hr 2.5 mg, 5 mg	(Glucotrol XL)	6	GC; QL (30 per 30 days)
glipizide-metformin oral tablet 2.5-250 mg		6	GC; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	6	GC; QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i>	6	GC
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	6	GC
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	6	GC
<b>Antifungals</b>		
<b>Antifungals</b>		
<i>ABELCET INTRAVENOUS SUSPENSION 5 MG/ML</i>	4	PA BvD
<i>AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG</i>	5	PA BvD; NM; NDS
<i>amphotericin b injection recon soln 50 mg</i>	2	PA BvD; GC
<i>caspofungin intravenous recon soln 50 mg</i>	5	NM; NDS
<i>caspofungin intravenous recon soln 70 mg</i>	3	
<i>ciclopirox topical cream 0.77 %</i>	2	GC; QL (180 per 30 days)
<i>ciclopirox topical solution 8 %</i>	2	GC; QL (19.8 per 30 days)
<i>clotrimazole mucous membrane troche 10 mg</i>	2	GC
<i>clotrimazole topical cream 1 %</i>	2	GC
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>	2	GC; QL (90 per 30 days)
<i>econazole topical cream 1 %</i>	4	QL (170 per 30 days)
<i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	PA BvD; GC
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i>	4	
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>flucytosine oral capsule 250 mg, 500 mg (Ancobon)</i>	5	NM; NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	4	
<i>griseofulvin microsize oral tablet 500 mg</i>	4	
<i>itraconazole oral capsule 100 mg (Sporanox)</i>	2	GC
<i>ketoconazole oral tablet 200 mg</i>	2	GC
<i>ketoconazole topical cream 2 %</i>	2	GC; QL (180 per 30 days)
<i>ketoconazole topical shampoo 2 %</i>	2	GC; QL (360 per 30 days)
<i>miconazole-3 vaginal suppository 200 mg</i>	2	GC
<b>NOXAFIL ORAL SUSPENSION (posaconazole) 200 MG/5 ML (40 MG/ML)</b>	5	PA; NM; NDS
<i>nyamyc topical powder 100,000 unit/gram</i>	2	GC; QL (60 per 30 days)
<i>nystatin oral suspension 100,000 unit/ml</i>	2	GC; QL (900 per 30 days)
<i>nystatin oral tablet 500,000 unit</i>	2	GC
<i>nystatin topical cream 100,000 unit/gram</i>	2	GC; QL (60 per 30 days)
<i>nystatin topical ointment 100,000 unit/gram</i>	2	GC; QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram (Nyamyc)</i>	2	GC; QL (60 per 30 days)
<i>nystop topical powder 100,000 unit/gram (nystatin)</i>	2	GC; QL (60 per 30 days)
<i>posaconazole oral tablet, delayed release (dr/lec) 100 mg</i>	5	PA; NM; NDS
<i>terbinafine hcl oral tablet 250 mg</i>	1	GC
<i>voriconazole intravenous recon soln 200 mg (Vfend IV)</i>	5	PA BvD; NM; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i>	5	PA; NM; NDS
<i>voriconazole oral tablet 200 mg, 50 mg (Vfend)</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Antigout Agents</b>		
<b>Antigout Agents, Other</b>		
<i>allopurinol oral tablet 100 mg</i> (Zyloprim)	1	GC
<i>allopurinol oral tablet 300 mg</i>	1	GC
<i>colchicine oral tablet 0.6 mg</i> (Colcrys)	4	PA; QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	4	ST; QL (30 per 30 days)
<b>MITIGARE ORAL CAPSULE</b> (colchicine) 0.6 MG	2	GC; QL (60 per 30 days)
<i>probencid oral tablet 500 mg</i>	2	GC
<i>probencid-colchicine oral tablet 500-0.5 mg</i>	2	GC
<b>Antihistamines</b>		
<b>Antihistamines</b>		
<i>ciproheptadine oral syrup 2 mg/5 ml</i>	2	GC
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	2	GC
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	GC
<i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)	1	GC
<i>promethazine oral syrup 6.25 mg/5 ml</i>	2	GC
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	2	GC
<i>metronidazole vaginal gel 0.75 %</i> (Vandazole) (37.5mg/5 gram)	2	GC
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	GC
<i>terconazole vaginal suppository 80 mg</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Antimigraine Agents</b>		
<b>Antimigraine Agents</b>		
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 140 MG/ML, 70 MG/ML	3	PA; QL (1 per 30 days)
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
<i>dihydroergotamine nasal spray, non- aerosol 0.5 mg/pump act. (4 mg/ml)</i>	(Migranal) 5	NM; NDS; QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN Injector 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
NURTEC ODT ORAL TABLET, DISINTEGRATING 75 MG	3	PA; QL (18 per 30 days)
<i>rizatriptan oral tablet 10 mg</i>	(Maxalt) 2	GC; QL (12 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	2	GC; QL (12 per 30 days)
<i>rizatriptan oral tablet, disintegrating 10 mg</i>	(Maxalt-MLT) 2	GC; QL (12 per 30 days)
<i>rizatriptan oral tablet, disintegrating 5 mg</i>	2	GC; QL (12 per 30 days)
<i>sumatriptan nasal spray, non-aerosol 20 mg/actuation</i>	(Imitrex) 4	QL (12 per 30 days)
<i>sumatriptan nasal spray, non-aerosol 5 mg/actuation</i>	(Imitrex) 4	QL (18 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sumatriptan succinate oral tablet 100 mg (Imitrex)</i>	2	GC; QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg (Imitrex)</i>	2	GC; QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml, 6 mg/0.5 ml (Imitrex STATdose Refill)</i>	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml (Imitrex Pen)</i>	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml (Imitrex)</i>	4	QL (4 per 28 days)
<b>UBRELVY ORAL TABLET 100 MG, 50 MG</b>	3	PA; QL (16 per 30 days)
<b>Antimycobacterials</b>		
<b>Antimycobacterials</b>		
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	GC
<i>ethambutol oral tablet 100 mg</i>	2	GC
<i>ethambutol oral tablet 400 mg (Myambutol)</i>	2	GC
<i>isoniazid oral solution 50 mg/5 ml</i>	2	GC
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	GC
<b>PRETOMANID ORAL TABLET 200 MG</b>	4	QL (30 per 30 days)
<b>PRIFTIN ORAL TABLET 150 MG</b>	4	
<i>pyrazinamide oral tablet 500 mg</i>	3	
<i>rifabutin oral capsule 150 mg (Mycobutin)</i>	4	
<i>rifampin intravenous recon soln 600 mg (Rifadin)</i>	4	
<i>rifampin oral capsule 150 mg, 300 mg</i>	2	GC
<b>SIRTURO ORAL TABLET 100 MG, 20 MG</b>	5	PA; NM; NDS
<b>TRECATOR ORAL TABLET 250 MG</b>	4	
<b>Antinausea Agents</b>		
<b>Antinausea Agents</b>		
<i>aprepitant oral capsule 125 mg</i>	4	PA BvD; QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>aprepitant oral capsule 40 mg</i>	4	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	4	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	4	PA BvD; QL (6 per 28 days)
<i>compro rectal suppository 25 mg</i> (prochlorperazine)	4	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	4	PA; QL (60 per 30 days)
<b>EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)</b>	4	PA BvD; QL (6 per 28 days)
<i>gransetron hcl oral tablet 1 mg</i>	4	PA BvD
<i>meclizine oral tablet 12.5 mg</i>	2	GC
<i>meclizine oral tablet 25 mg</i> (Dramamine (meclizine))	2	GC
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	2	PA BvD; GC
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	2	PA BvD; GC
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine)	2	GC
<i>prochlorperazine rectal suppository 25 mg</i> (Compro)	4	
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>promethegan rectal suppository 25 mg</i> (promethazine)	4	
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop)	2	GC; QL (10 per 30 days)
<b>Antiparasite Agents</b>		
<b>Antiparasite Agents</b>		
<i>albendazole oral tablet 200 mg</i>	5	NM; NDS
<i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)	3	
<i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>atovaquone-proguanil oral tablet</i> 62.5-25 mg	(Malarone Pediatric)	2	GC
<i>chloroquine phosphate oral tablet</i> 250 mg		4	QL (50 per 30 days)
<i>chloroquine phosphate oral tablet</i> 500 mg		4	QL (25 per 30 days)
<b>COARTEM ORAL TABLET 20-</b> <b>120 MG</b>		4	
<i>hydroxychloroquine oral tablet 200 mg</i>	(Plaquenil)	2	GC; QL (90 per 30 days)
<b>IMPAVIDO ORAL CAPSULE 50 MG</b>		5	PA; NM; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg</i>	(Stromectol)	2	GC
<b>KRINTAFEL ORAL TABLET 150 MG</b>		4	
<i>mefloquine oral tablet 250 mg</i>		2	GC
<i>nitazoxanide oral tablet 500 mg</i>	(Alinia)	5	NM; NDS
<i>paromomycin oral capsule 250 mg</i>	(Humatin)	4	
<i>pentamidine inhalation recon soln 300 mg</i>	(Nebupent)	3	PA BvD
<i>pentamidine injection recon soln 300 mg</i>	(Pentam)	4	
<b>PRIMAQUINE ORAL TABLET 26.3 MG</b>		4	
<i>pyrimethamine oral tablet 25 mg</i>	(Daraprim)	5	PA; NM; NDS
<i>quinine sulfate oral capsule 324 mg</i>	(Qualaquin)	4	PA; QL (42 per 7 days)
<b>Antiparkinsonian Agents</b>			
<b>Antiparkinsonian Agents</b>			
<i>amantadine hcl oral capsule 100 mg</i>		2	GC
<i>amantadine hcl oral solution 50 mg/5 ml</i>		1	GC
<i>apomorphine subcutaneous cartridge 10 mg/ml</i>	(APOKYN)	5	PA; NM; NDS; QL (60 per 30 days)
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>		2	GC
<i>bromocriptine oral capsule 5 mg</i>	(Parlodel)	4	
<i>bromocriptine oral tablet 2.5 mg</i>	(Parlodel)	2	GC
<i>cabergoline oral tablet 0.5 mg</i>		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
carbidopa-levodopa oral tablet 10- 100 mg (Sinemet)	2	GC
carbidopa-levodopa oral tablet 25- 100 mg (Dhivy)	2	GC
carbidopa-levodopa oral tablet 25- 250 mg	2	GC
carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg	2	GC
carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg (Stalevo 50)	4	
carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg (Stalevo 75)	4	
carbidopa-levodopa-entacapone oral tablet 25-100-200 mg (Stalevo 100)	4	
carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg (Stalevo 125)	4	
carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg (Stalevo 150)	4	
carbidopa-levodopa-entacapone oral tablet 50-200-200 mg (Stalevo 200)	4	
entacapone oral tablet 200 mg (Comtan)	3	
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	5	PA; NM; NDS; QL (300 per 30 days)
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS; QL (150 per 30 days)
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	3	QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG	4	ST; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1)	4	ST; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i> (Mirapex)	1	GC
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	4	
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	2	GC
<i>selegiline hcl oral capsule 5 mg</i>	2	GC
<i>selegiline hcl oral tablet 5 mg</i>	2	GC
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	2	GC
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	GC
<b>Antipsychotic Agents</b>		
<b>Antipsychotic Agents</b>		
<i>aripiprazole oral solution 1 mg/ml</i>	4	QL (900 per 30 days)
<i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	4	QL (30 per 30 days)
<i>aripiprazole oral tablet 2 mg</i> (Abilify)	4	QL (60 per 30 days)
<i>aripiprazole oral tablet,disintegrating 10 mg</i>	4	ST; QL (90 per 30 days)
<i>aripiprazole oral tablet,disintegrating 15 mg</i>	5	ST; NM; NDS; QL (60 per 30 days)
<b>ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML</b>	5	NM; NDS; QL (4.8 per 365 days)
<b>ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML</b>	5	NM; NDS; QL (3.9 per 56 days)
<b>ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML</b>	5	NM; NDS; QL (1.6 per 28 days)
<b>ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML</b>	5	NM; NDS; QL (2.4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NM; NDS; QL (3.2 per 28 days)
asenapine maleate sublingual tablet (Saphris) 10 mg, 2.5 mg, 5 mg	2	GC; QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 42 MG	5	ST; NM; NDS; QL (30 per 30 days)
chlorpromazine oral concentrate 100 mg/ml, 30 mg/ml	4	
chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg	4	
clozapine oral tablet 100 mg (Clozaril)	2	GC; QL (270 per 30 days)
clozapine oral tablet 200 mg (Clozaril)	3	QL (135 per 30 days)
clozapine oral tablet 25 mg (Clozaril)	3	QL (90 per 30 days)
clozapine oral tablet 50 mg (Clozaril)	2	GC; QL (90 per 30 days)
clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg	4	ST; QL (90 per 30 days)
clozapine oral tablet,disintegrating 150 mg	4	ST; QL (180 per 30 days)
clozapine oral tablet,disintegrating 200 mg	5	ST; NM; NDS; QL (120 per 30 days)
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	5	ST; NM; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)	4	ST
fluphenazine decanoate injection solution 25 mg/ml	2	GC
fluphenazine hcl injection solution 2.5 mg/ml	3	
fluphenazine hcl oral concentrate 5 mg/ml	4	
fluphenazine hcl oral elixir 2.5 mg/5 ml	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	4	
<i>haloperidol decanoate intramuscular (Haldol Decanoate) solution 100 mg/ml</i>	3	
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml)</i>	2	GC
<i>haloperidol decanoate intramuscular solution 50 mg/ml(1ml)</i>	2	GC
<i>haloperidol lactate injection solution 5 mg/ml</i>	2	GC
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	GC
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	GC
<b>INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML</b>	5	NM; NDS; QL (3.5 per 180 days)
<b>INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML</b>	5	NM; NDS; QL (5 per 180 days)
<b>INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML</b>	5	NM; NDS; QL (0.75 per 28 days)
<b>INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML</b>	5	NM; NDS; QL (1 per 28 days)
<b>INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML</b>	5	NM; NDS; QL (1.5 per 28 days)
<b>INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML</b>	3	QL (0.25 per 28 days)
<b>INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML</b>	5	NM; NDS; QL (0.5 per 28 days)
<b>INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML</b>	5	NM; NDS; QL (0.88 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	5	NM; NDS; QL (1.32 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NM; NDS; QL (1.75 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	5	NM; NDS; QL (2.63 per 84 days)
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG	3	QL (30 per 30 days)
LATUDA ORAL TABLET 80 MG	3	QL (60 per 30 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	GC
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>molindone oral tablet 10 mg</i>	2	GC; QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	GC; QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	2	GC; QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln (Zyprexa) 10 mg</i>	3	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, (Zyprexa) 2.5 mg, 20 mg, 5 mg, 7.5 mg</i>	2	GC; QL (30 per 30 days)
<i>olanzapine oral tablet,disintegrating (Zyprexa Zydis) 10 mg, 15 mg, 20 mg, 5 mg</i>	4	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i>	4	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i>	4	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	4	
<b>PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 120 MG, 90 MG</b>	5	NM; NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	3	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg (Seroquel)</i>	2	GC; QL (90 per 30 days)
<i>quetiapine oral tablet 300 mg, 400 mg (Seroquel)</i>	2	GC; QL (60 per 30 days)
<b>REXULTI ORAL TABLET 0.25 MG</b>	5	ST; NM; NDS; QL (120 per 30 days)
<b>REXULTI ORAL TABLET 0.5 MG</b>	5	ST; NM; NDS; QL (60 per 30 days)
<b>REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG</b>	5	ST; NM; NDS; QL (30 per 30 days)
<b>RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML</b>	4	QL (2 per 28 days)
<b>RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML</b>	5	NM; NDS; QL (2 per 28 days)
<i>risperidone oral solution 1 mg/ml (Risperdal)</i>	2	GC; QL (480 per 30 days)
<i>risperidone oral tablet 0.25 mg</i>	2	GC; QL (60 per 30 days)
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg (Risperdal)</i>	2	GC; QL (60 per 30 days)
<i>risperidone oral tablet 4 mg (Risperdal)</i>	2	GC; QL (120 per 30 days)
<i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	4	QL (60 per 30 days)
<i>risperidone oral tablet,disintegrating 3 mg, 4 mg</i>	4	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	ST; NM; NDS; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	GC
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	4	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	GC
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NM; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NM; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg (Geodon)</i>	2	GC; QL (60 per 30 days)
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.) (Geodon)</i>	3	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
<b>Antivirals (Systemic)</b>		
<b>Antiretrovirals</b>		
<i>abacavir oral solution 20 mg/ml (Ziagen)</i>	4	
<i>abacavir oral tablet 300 mg (Ziagen)</i>	2	GC
<i>abacavir-lamivudine oral tablet 600- 300 mg (Epzicom)</i>	2	GC
APTIVUS ORAL CAPSULE 250 MG	5	NM; NDS
<i>atazanavir oral capsule 150 mg</i>	3	
<i>atazanavir oral capsule 200 mg, 300 mg (Reyataz)</i>	3	
BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CIMDUO ORAL TABLET 300-300 MG	5	NM; NDS
COMPLERA ORAL TABLET 200-25-300 MG	5	NM; NDS
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NM; NDS
DESCOVY ORAL TABLET 200-25 MG	5	NM; NDS
DOVATO ORAL TABLET 50-300 MG	5	NM; NDS
EDURANT ORAL TABLET 25 MG	5	NM; NDS
<i>efavirenz oral capsule 200 mg</i> (Sustiva)	3	
<i>efavirenz oral capsule 50 mg</i> (Sustiva)	2	GC
<i>efavirenz oral tablet 600 mg</i> (Sustiva)	3	
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i> (Atripla)	5	NM; NDS
<i>efavirenz-lamivu-tenofovir disop oral tablet 400-300-300 mg</i> (Symfi Lo)	5	NM; NDS
<i>efavirenz-lamivu-tenofovir disop oral tablet 600-300-300 mg</i> (Symfi)	5	NM; NDS
<i>emtricitabine oral capsule 200 mg</i> (Emtriva)	3	
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg</i> (Truvada)	5	NM; NDS
EMTRIVA ORAL SOLUTION 10 MG/ML	4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	
<i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)	5	NM; NDS
EVOTAZ ORAL TABLET 300-150 MG	5	NM; NDS
<i>fosamprenavir oral tablet 700 mg</i> (Lexiva)	3	
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NM; NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INTELENCE ORAL TABLET 25 MG	4	
ISENTRESS HD ORAL TABLET 600 MG	5	NM; NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	4	
ISENTRESS ORAL TABLET 400 MG	5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG, 25 MG	4	
JULUCA ORAL TABLET 50-25 MG	5	NM; NDS
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	4	
<i>lamivudine oral tablet 100 mg</i> (Epivir HBV)	4	
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	2	GC
<i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir)	2	GC
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
<i>lopinavir-ritonavir oral solution 400- 100 mg/5 ml</i> (Kaletra)	2	GC; QL (480 per 30 days)
<i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra)	3	QL (300 per 30 days)
<i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra)	5	NM; NDS; QL (120 per 30 days)
<i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry)	5	NM; NDS
<i>nevirapine oral suspension 50 mg/5 ml</i>	4	
<i>nevirapine oral tablet 200 mg</i>	2	GC
<i>nevirapine oral tablet extended release 24 hr 100 mg, 400 mg</i>	4	
NORVIR ORAL POWDER IN PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ODEFSEY ORAL TABLET 200-25-25 MG	5	NM; NDS
PIFELTRO ORAL TABLET 100 MG	5	NM; NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NM; NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NM; NDS
PREZISTA ORAL TABLET 150 MG, 600 MG, 800 MG	5	NM; NDS
PREZISTA ORAL TABLET 75 MG	4	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NM; NDS
<i>ritonavir oral tablet 100 mg</i> (Norvir)	2	GC
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NM; NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	4	
SELZENTRY ORAL TABLET 25 MG	3	
SELZENTRY ORAL TABLET 75 MG	5	NM; NDS
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NM; NDS
SYMTUZA ORAL TABLET 800-150-200-10 MG	5	NM; NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	2	GC
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NM; NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	4	
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	5	NM; NDS
TRIZIVIR ORAL TABLET 300-150-300 MG (abacavir-lamivudine-zidovudine)	5	NM; NDS
VEMLIDY ORAL TABLET 25 MG	5	NM; NDS; QL (30 per 30 days)
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NM; NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NM; NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NM; NDS
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	GC
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	GC
<i>zidovudine oral tablet 300 mg</i>	2	GC
<b>Antivirals, Miscellaneous</b>		
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	2	GC; QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	2	GC; QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	2	GC; QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	2	GC; QL (540 per 180 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NM; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	3	
XOFLUZA ORAL TABLET 40 MG	4	QL (4 per 180 days)
XOFLUZA ORAL TABLET 80 MG	4	QL (2 per 180 days)
<b>Hcv Antivirals</b>		
EPCLUSIA ORAL PELLETS IN PACKET 150-37.5 MG	5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSIA ORAL PELLETS IN PACKET 200-50 MG	5	PA; NM; NDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
EPCLUSA ORAL TABLET 200-50 MG	5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSA ORAL TABLET 400-100 MG (sofosbuvir-velpatasvir)	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NM; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 90-400 MG (ledipasvir-sofosbuvir)	5	PA; NM; NDS; QL (28 per 28 days)
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NM; NDS; QL (28 per 28 days)
<b>Interferons</b>		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	PA NSO; NM; NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	NM; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	NM; NDS
<b>Nucleosides And Nucleotides</b>		
acyclovir oral capsule 200 mg	2	GC
acyclovir oral suspension 200 mg/5 ml (Zovirax)	4	
acyclovir oral tablet 400 mg, 800 mg	2	GC
acyclovir sodium intravenous solution 50 mg/ml	3	PA BvD
adefovir oral tablet 10 mg (Hepsera)	3	
entecavir oral tablet 0.5 mg, 1 mg (Baraclude)	2	GC
famciclovir oral tablet 125 mg, 250 mg, 500 mg	2	GC
ribavirin oral capsule 200 mg	2	GC
ribavirin oral tablet 200 mg	2	GC
valacyclovir oral tablet 1 gram, 500 mg (Valtrex)	4	
valganciclovir oral tablet 450 mg (Valcyte)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Blood Products/Modifiers/Volume Expanders</b>		
<b>Anticoagulants</b>		
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	
ELIQUIS ORAL TABLET 2.5 MG	3	QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG	3	QL (74 per 30 days)
enoxaparin subcutaneous syringe (Lovenox) 100 mg/ml, 150 mg/ml	3	QL (60 per 30 days)
enoxaparin subcutaneous syringe (Lovenox) 120 mg/0.8 ml, 80 mg/0.8 ml	3	QL (48 per 30 days)
enoxaparin subcutaneous syringe 30 (Lovenox) mg/0.3 ml	3	QL (18 per 30 days)
enoxaparin subcutaneous syringe 40 (Lovenox) mg/0.4 ml	3	QL (24 per 30 days)
enoxaparin subcutaneous syringe 60 (Lovenox) mg/0.6 ml	3	QL (36 per 30 days)
fondaparinux subcutaneous syringe (Arixtra) 10 mg/0.8 ml	5	NM; NDS; QL (24 per 30 days)
fondaparinux subcutaneous syringe (Arixtra) 2.5 mg/0.5 ml	3	QL (15 per 30 days)
fondaparinux subcutaneous syringe (Arixtra) 5 mg/0.4 ml	5	NM; NDS; QL (12 per 30 days)
fondaparinux subcutaneous syringe (Arixtra) 7.5 mg/0.6 ml	5	NM; NDS; QL (18 per 30 days)
heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml	2	GC
jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg	1	GC
warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	
XARELTO ORAL TABLET 10 MG, 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	3	QL (60 per 30 days)
<b>Blood Formation Modifiers</b>		
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NM; NDS; QL (20 per 30 days)
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NM; NDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NM; NDS; QL (20 per 30 days)
LEUKINE INJECTION RECON SOLN 250 MCG	5	NM; NDS
MULPLETA ORAL TABLET 3 MG	5	PA; NM; NDS; QL (7 per 7 days)
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
ORLADEYO ORAL CAPSULE 110 MG, 150 MG	5	PA; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; NM; NDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG	5	PA; NM; NDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 50 MG, 75 MG	5	PA; NM; NDS; QL (60 per 30 days)
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (4 per 28 days)
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
<b>Hematologic Agents, Miscellaneous</b>		
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	2	GC
<i>anagrelide oral capsule 1 mg</i>	2	GC
CABLIVI INJECTION KIT 11 MG	5	PA; NM; NDS; QL (30 per 30 days)
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	
TAVALISSE ORAL TABLET 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>tranexamic acid oral tablet 650 mg</i> (Lysteda)	2	GC
<b>Platelet-Aggregation Inhibitors</b>		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	4	QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	GC
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
dipyridamole oral tablet 25 mg, 50 mg, 75 mg	2	GC
pentoxifylline oral tablet extended release 400 mg	2	GC
prasugrel oral tablet 10 mg, 5 mg (Effient)	4	QL (30 per 30 days)
<b>Caloric Agents</b>		
<b>Caloric Agents</b>		
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i>	2	PA BvD; GC
<i>dextrose 5 % in water (d5w) intravenous piggyback 5 %</i>	2	GC
<i>dextrose 5%-water iv soln single use</i>	2	GC
<b>INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %</b>	4	PA BvD
<b>NUTRILIPID INTRAVENOUS EMULSION 20 %</b>	4	PA BvD
<b>PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %</b>	4	PA BvD
<b>PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION</b>	4	PA BvD
<b>TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %</b>	4	PA BvD
<b>TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %</b>	4	PA BvD
<b>Cardiovascular Agents</b>		
<b>Alpha-Adrenergic Agents</b>		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	1	GC
<i>clonidine transdermal patch weekly (Catapres-TTS-1) 0.1 mg/24 hr</i>	4	QL (4 per 28 days)
<i>clonidine transdermal patch weekly (Catapres-TTS-2) 0.2 mg/24 hr</i>	4	QL (4 per 28 days)
<i>clonidine transdermal patch weekly (Catapres-TTS-3) 0.3 mg/24 hr</i>	4	QL (8 per 28 days)
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i>	2	GC
<i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i>	5	PA; NM; NDS; QL (180 per 30 days)
<i>guanfacine oral tablet 1 mg, 2 mg</i>	2	GC
<i>methyldopa oral tablet 250 mg, 500 mg</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg (Minipress)</i>	4	
<b>Angiotensin II Receptor Antagonists</b>		
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg (Atacand)</i>	4	
<i>EDARBI ORAL TABLET 40 MG, 80 MG</i>	3	
<i>EDARBYCLOL ORAL TABLET 40-12.5 MG, 40-25 MG</i>	3	
<i>ENTRESTO ORAL TABLET 24-26 MG</i>	3	QL (180 per 30 days)
<i>ENTRESTO ORAL TABLET 49-51 MG, 97-103 MG</i>	3	QL (60 per 30 days)
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg (Avapro)</i>	6	GC
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg (Avalide)</i>	6	GC
<i>losartan oral tablet 100 mg, 25 mg, 50 mg (Cozaar)</i>	6	GC
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg (Hyzaar)</i>	6	GC
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg (Benicar)</i>	6	GC
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg (Benicar HCT)</i>	6	GC
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg (Micardis)</i>	6	GC
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg (Diovan)</i>	6	GC
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg (Diovan HCT)</i>	6	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Angiotensin-Converting Enzyme Inhibitors</b>		
benazepril oral tablet 10 mg, 20 mg, 40 mg (Lotensin)	6	GC
benazepril oral tablet 5 mg	6	GC
benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg (Lotensin HCT)	6	GC
benazepril-hydrochlorothiazide oral tablet 5-6.25 mg	6	GC
captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg	2	GC
enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg (Vasotec)	6	GC
enalapril-hydrochlorothiazide oral tablet 10-25 mg (Vaseretic)	6	GC
enalapril-hydrochlorothiazide oral tablet 5-12.5 mg	6	GC
fosinopril oral tablet 10 mg, 20 mg, 40 mg	6	GC
lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg (Zestril)	6	GC
lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg (Zestoretic)	6	GC
perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg	6	GC
quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg (Accupril)	6	GC
quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg (Accuretic)	6	GC
ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg (Altace)	6	GC
trandolapril oral tablet 1 mg, 2 mg, 4 mg	6	GC
<b>Antiarrhythmic Agents</b>		
amiodarone oral tablet 200 mg (Pacerone)	1	GC
amiodarone oral tablet 400 mg (Pacerone)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>disopyramide phosphate oral capsule (Norpace) 100 mg, 150 mg</i>	3	
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg (Tikosyn)</i>	4	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	GC
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	2	GC
<b>MULTAQ ORAL TABLET 400 MG</b>	3	
<i>pacerone oral tablet 200 mg, 400 mg (amiodarone)</i>	4	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	GC
<i>quinididine sulfate oral tablet 200 mg</i>	1	GC
<i>quinididine sulfate oral tablet 300 mg</i>	2	GC
<b>Beta-Adrenergic Blocking Agents</b>		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	GC
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg (Tenormin)</i>	1	GC
<i>atenolol-chlorthalidone oral tablet 100-25 mg (Tenoretic 100)</i>	2	GC
<i>atenolol-chlorthalidone oral tablet 50-25 mg (Tenoretic 50)</i>	2	GC
<i>betaxolol oral tablet 10 mg, 20 mg</i>	2	GC
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	GC
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg (Ziac)</i>	2	GC
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg (Coreg)</i>	1	GC
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	2	GC
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg (Toprol XL)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>	2	GC
<i>metoprolol tartrate oral tablet 100 mg, 50 mg (Lopressor)</i>	1	GC
<i>metoprolol tartrate oral tablet 25 mg</i>	1	GC
<i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg (Bystolic)</i>	2	GC
<i>propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg (Inderal LA)</i>	4	
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	2	GC
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	2	GC
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg (sotalol)</i>	2	GC
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg (sotalol)</i>	2	GC
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg (Sorine)</i>	2	GC
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	4	
<b>Calcium-Channel Blocking Agents</b>		
<i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg (diltiazem hcl)</i>	2	GC
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>	4	
<i>diltiazem hcl oral capsule,extended release 24 hr 420 mg (Tiadylt ER)</i>	2	GC
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg (Cartia XT)</i>	2	GC
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg (Cardizem)</i>	2	GC
<i>diltiazem hcl oral tablet 90 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dilt-xr oral capsule, ext. rel 24h degradable 120 mg, 180 mg, 240 mg</i> (diltiazem hcl)	2	GC
<i>taztia xt oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> (diltiazem hcl)	2	GC
<i>tiadylt er oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	2	GC
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> (Verelan PM)	4	
<i>verapamil oral capsule, ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i> (Verelan)	2	GC
<i>verapamil oral capsule, ext rel. pellets 24 hr 360 mg</i> (Verelan)	4	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	GC
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i> (Calan SR)	2	GC
<b>Cardiovascular Agents, Miscellaneous</b>		
<i>CORLANOR ORAL SOLUTION 5 MG/5 ML</i>	3	QL (600 per 30 days)
<i>CORLANOR ORAL TABLET 5 MG, 7.5 MG</i>	3	QL (60 per 30 days)
<i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (digoxin)	2	GC
<i>digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (digoxin)	2	GC
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek)	2	GC
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	2	GC; QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q)	2	GC; QL (4 per 30 days)
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	GC
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Sajazir)	5	PA; NM; NDS; QL (18 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>metyrosine oral capsule 250 mg</i>	(Demser)	5	NM; NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg</i>	(Ranexa)	4	QL (60 per 30 days)
<i>ranolazine oral tablet extended release 12 hr 500 mg</i>	(Ranexa)	4	QL (120 per 30 days)
<i>sajazir subcutaneous syringe 30 mg/3 ml</i>	(icatibant)	5	PA; NM; NDS; QL (18 per 30 days)
<b>VYNDAMAX ORAL CAPSULE 61 MG</b>		5	PA; NM; NDS; QL (30 per 30 days)
<b>VYNDAQEL ORAL CAPSULE 20 MG</b>		5	PA; NM; NDS; QL (120 per 30 days)
<b>Dihydropyridines</b>			
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i>	(Norvasc)	1	GC
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i>	(Lotrel)	6	GC
<i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>		6	GC
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i>	(Exforge)	6	GC
<i>nicardipine oral capsule 20 mg, 30 mg</i>		4	
<i>nifedipine oral capsule 10 mg, 20 mg</i>		4	
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i>	(Procardia XL)	2	GC
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>		2	GC
<b>Diuretics</b>			
<i>amiloride oral tablet 5 mg</i>		2	GC
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>		2	GC
<i>bumetanide injection solution 0.25 mg/ml</i>		4	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>		2	GC
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>furosemide injection solution 10 mg/ml</i>	2	GC
<i>furosemide injection syringe 10 mg/ml</i>	1	GC
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	2	GC
<i>furosemide oral tablet 20 mg, 40 mg, (Lasix) 80 mg</i>	1	GC
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	GC
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	GC
<b>JYNARQUE ORAL TABLET 15 MG, 30 MG</b>	5	PA; NM; NDS; QL (120 per 30 days)
<b>JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)</b>	5	PA; NM; NDS; QL (56 per 28 days)
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC
<i>spironolactone oral tablet 100 mg, (Aldactone) 25 mg, 50 mg</i>	1	GC
<i>torsemide oral tablet 10 mg, 100 mg, 5 mg</i>	2	GC
<i>torsemide oral tablet 20 mg (Soaanz)</i>	2	GC
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	GC
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg</i>	1	GC
<i>triamterene-hydrochlorothiazid oral tablet 75-50 mg</i>	1	GC
<b>Dyslipidemics</b>		
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)	6	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i>	(Questran)	2	GC
<i>cholestyramine light oral powder in packet 4 gram</i>	(cholestyramine-aspartame)	2	GC
<i>colesevelam oral powder in packet 3.75 gram</i>	(WelChol)	3	
<i>colesevelam oral tablet 625 mg</i>	(WelChol)	2	GC
<i>colestipol oral packet 5 gram</i>	(Colestid)	3	
<i>colestipol oral tablet 1 gram</i>	(Colestid)	2	GC
<i>ezetimibe oral tablet 10 mg</i>	(Zetia)	2	GC; QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 134 mg, 200 mg, 67 mg</i>		4	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i>	(Tricor)	2	GC
<i>fenofibrate nanocrystallized oral tablet 160 mg</i>		2	GC
<i>fenofibrate oral tablet 160 mg, 54 mg</i>		2	GC
<i>gemfibrozil oral tablet 600 mg</i>	(Lopid)	1	GC
JUXTAPIID ORAL CAPSULE 10 MG, 30 MG		5	PA; NM; NDS; QL (30 per 30 days)
JUXTAPIID ORAL CAPSULE 20 MG		5	PA; NM; NDS; QL (90 per 30 days)
JUXTAPIID ORAL CAPSULE 5 MG		5	PA; NM; NDS; QL (45 per 30 days)
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG		3	QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>		6	GC
NEXLETOL ORAL TABLET 180 MG		3	PA; QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG		3	PA; QL (30 per 30 days)
<i>niacin oral tablet extended release 24 hr 1,000 mg, 750 mg</i>	(Niaspan Extended-Release)	4	
<i>niacin oral tablet extended release 24 hr 500 mg</i>	(Niaspan Extended-Release)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>omega-3 acid ethyl esters oral capsule 1 gram</i>	(Lovaza)	2	GC; QL (120 per 30 days)
<b>PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML</b>		3	QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg, 80 mg</i>		6	GC
<i>pravastatin oral tablet 20 mg, 40 mg</i>		6	GC; QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i>	(cholestyramine-aspartame)	2	GC
<b>REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML</b>		3	QL (7 per 28 days)
<b>REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML</b>		3	QL (6 per 28 days)
<b>REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML</b>		3	QL (6 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	(Crestor)	6	GC; QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>	(Zocor)	6	GC; QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg</i>		6	GC; QL (30 per 30 days)
<b>VASCEPA ORAL CAPSULE 0.5 GRAM</b>		2	GC; QL (240 per 30 days)
<b>VASCEPA ORAL CAPSULE 1 GRAM</b>	(icosapent ethyl)	2	GC; QL (120 per 30 days)
<b>Renin-Angiotensin-Aldosterone System Inhibitors</b>			
<i>aliskiren oral tablet 150 mg, 300 mg</i>	(Tekturna)	4	
<i>eplerenone oral tablet 25 mg, 50 mg</i>	(Inspira)	4	
<b>KERENDIA ORAL TABLET 10 MG, 20 MG</b>		4	ST
<b>Vasodilators</b>			
<b>BIDIL ORAL TABLET 20-37.5 MG</b>	(isosorbide-hydralazine)	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	2	GC
<i>isosorbide dinitrate oral tablet 5 mg (Isordil Titradose)</i>	2	GC
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	2	GC
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	GC
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	GC
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg (Nitrostat)</i>	2	GC
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr (Nitro-Dur)</i>	2	GC

## **Central Nervous System Agents**

### **Central Nervous System Agents**

<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg (Strattera)</i>	3	QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg (Strattera)</i>	3	QL (30 per 30 days)
<b>AUBAGIO ORAL TABLET 14 MG, 7 MG</b>	5	PA; NM; NDS; QL (30 per 30 days)
<b>AUSTEDO ORAL TABLET 12 MG, 9 MG</b>	5	PA; NM; NDS; QL (120 per 30 days)
<b>AUSTEDO ORAL TABLET 6 MG</b>	5	PA; NM; NDS; QL (60 per 30 days)
<b>AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML</b>	5	PA; NM; NDS; QL (1 per 28 days)
<b>AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML</b>	5	PA; NM; NDS; QL (1 per 28 days)
<b>BETASERON SUBCUTANEOUS KIT 0.3 MG</b>	5	PA; NM; NDS; QL (15 per 30 days)
<b>COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML</b>	5	PA; NM; NDS; QL (30 per 30 days)
<b>COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML</b>	5	PA; NM; NDS; QL (12 per 28 days)
<i>dalfampridine oral tablet extended release 12 hr 10 mg (Ampyra)</i>	2	PA; GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dexamphetamine oral tablet 10 mg, 2.5 mg, 5 mg</i>	(Focalin)	2	GC; QL (60 per 30 days)
<i>dextroamphetamine sulfate oral tablet 10 mg</i>	(Zenzedi)	4	QL (180 per 30 days)
<i>dextroamphetamine sulfate oral tablet 15 mg, 5 mg</i>	(Zenzedi)	4	QL (90 per 30 days)
<i>dextroamphetamine sulfate oral tablet 20 mg, 30 mg</i>	(Zenzedi)	4	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg</i>	(Adderall XR)	4	QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 20 mg, 25 mg, 30 mg</i>	(Adderall XR)	4	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>	(Adderall)	2	GC; QL (60 per 30 days)
<i>dimethyl fumarate oral capsule, delayed release (dr/ec) 120 mg</i>	(Tecfidera)	5	PA; NM; NDS; QL (14 per 7 days)
<i>dimethyl fumarate oral capsule, delayed release (dr/ec) 120 mg (14)- 240 mg (46)</i>	(Tecfidera)	5	PA; NM; NDS
<i>dimethyl fumarate oral capsule, delayed release (dr/ec) 240 mg</i>	(Tecfidera)	5	PA; NM; NDS; QL (60 per 30 days)
<b>GILENYA ORAL CAPSULE 0.5 MG</b>		5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i>	(Copaxone)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i>	(Copaxone)	5	PA; NM; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i>	(glatiramer)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i>	(glatiramer)	5	PA; NM; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i>	(Intuniv ER)	2	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	5	PA; NM; NDS; QL (1.2 per 28 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	GC
<i>lithium carbonate oral tablet 300 mg</i>	2	GC
<i>lithium carbonate oral tablet (Lithobid) extended release 300 mg</i>	2	GC
<i>lithium carbonate oral tablet extended release 450 mg</i>	2	GC
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NM; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	5	PA; NM; NDS
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>	4	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>	4	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er (Ritalin LA) biphasic 50-50 10 mg, 20 mg, 40 mg</i>	4	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>methylphenidate hcl oral capsule,er biphasic 50-50 30 mg</i> (Ritalin LA)	4	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 60 mg</i>	4	QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	2	GC; QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	2	GC; QL (90 per 30 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
<i>riluzole oral tablet 50 mg</i> (Rilutek)	2	GC; QL (60 per 30 days)
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)	5	PA; NM; NDS; QL (112 per 28 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	5	PA; NM; NDS; QL (120 per 30 days)
<b>Contraceptives</b>		
<b>Contraceptives</b>		
<i>altavera (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethynodiol diacetate)	2	GC
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethynodiol diacetate)	2	GC
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (l norgest/e.estradol-e.estradol)	2	GC; QL (91 per 84 days)
<i>apri oral tablet 0.15-0.03 mg</i> (desogestrel-ethynodiol diacetate)	2	GC
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ashlyna oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estriadiol-e.estrad)	2	GC; QL (91 per 84 days)
<i>aubra eq oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>aviane oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>		2	GC
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estriadiol-iron)	2	GC
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estriadiol-iron)	2	GC
<i>briellyn oral tablet 0.4-35 mg-mcg</i>		2	GC
<i>camila oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>caziant (28) oral tablet 0.11.125/.15-25 mg-mcg</i>		2	GC
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	GC
<i>cyred eq oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	GC
<i>deblitane oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>desog-e.estriadiolle.estriadiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(Kariva (28))	2	GC
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	(Apri)	2	GC
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i>	(Jasmiel (28))	2	GC
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>	(Syeda)	2	GC
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	4	QL (1 per 28 days)
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	GC
<i>enskyce oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>errin oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>estarrylla oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	(Kelnor 1/35 (28))	2	GC
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	(Kelnor 1-50 (28))	2	GC
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	(EluRyng)	4	QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>femynor oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	2	GC; QL (91 per 84 days)
<i>incassia oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>isibloom oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	GC
<i>jasmiel (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	GC
<i>juleber oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	GC
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	GC
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	GC
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	GC
<i>kelnor 1-50 (28) oral tablet 1-50 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	GC
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	(Camrese Lo)	2	GC; QL (91 per 84 days)
<i>l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(Amethia)	2	GC; QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	GC
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	GC
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>larissia oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>lessina oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	GC
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>	(Aubra EQ)	2	GC
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>	(Altavera (28))	2	GC
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(Iclevia)	2	GC; QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(Enpresse)	2	GC
<i>levora-28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>loryna</i> (28) oral tablet 3-0.02 mg	(drospirenone-ethinyl estradiol)	2	GC
<i>low-ogestrel</i> (28) oral tablet 0.3-30 mg-mcg	(norgestrel-ethinyl estradiol)	2	GC
<i>lulera</i> (28) oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	2	GC
<i>lyeq</i> oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
<i>lyza</i> oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
<i>marlissa</i> (28) oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	2	GC
<i>microgestin fe 1/20</i> (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estriadiol-iron)	1	GC
<i>mini</i> oral tablet 0.25-35 mg-mcg	(norgestimate-ethinyl estradiol)	1	GC
<i>necon</i> 0.5/35 (28) oral tablet 0.5-35 mg-mcg		2	GC
<i>nikki</i> (28) oral tablet 3-0.02 mg	(drospirenone-ethinyl estradiol)	2	GC
<i>norethindrone (contraceptive)</i> oral tablet 0.35 mg	(Camila)	1	GC
<i>norethindrone ac-eth estradiol</i> oral tablet 1-20 mg-mcg	(Junel 1/20 (21))	2	GC
<i>norethindrone-e.estriadiol-iron</i> oral capsule 1 mg-20 mcg (24)/75 mg (4)	(Gemmily)	2	GC
<i>norethindrone-e.estriadiol-iron</i> oral tablet 1 mg-20 mcg (21)/75 mg (7)	(Junel FE 1/20 (28))	1	GC
<i>norgestimate-ethinyl estradiol</i> oral tablet 0.18/0.215/0.25 mg-25 mcg	(Tri-Lo-Estarylla)	2	GC
<i>norgestimate-ethinyl estradiol</i> oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(Tri-Estarylla)	2	GC
<i>norgestimate-ethinyl estradiol</i> oral tablet 0.25-35 mg-mcg	(Femynor)	2	GC
<i>nortrel</i> 0.5/35 (28) oral tablet 0.5-35 mg-mcg		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>	2	GC
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg (norethindrone-ethin estradiol)</i>	2	GC
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	GC
<i>nylia 1/35 (28) oral tablet 1-35 mg- mcg (norethindrone-ethin estradiol)</i>	2	GC
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	GC
<i>nymyo oral tablet 0.25-35 mg-mcg (norgestimate-ethinyl estradiol)</i>	2	GC
<i>orsythia oral tablet 0.1-20 mg-mcg (levonorgestrel-ethinyl estrad)</i>	2	GC
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5 (desog- e.estradiol/e.estradol)</i>	2	GC
<i>pirmella oral tablet 1-35 mg-mcg (norethindrone-ethin estradiol)</i>	2	GC
<i>portia 28 oral tablet 0.15-0.03 mg (levonorgestrel-ethinyl estrad)</i>	2	GC
<i>reclipsen (28) oral tablet 0.15-0.03 mg (desogestrel-ethinyl estradiol)</i>	2	GC
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91) (levonorgestrel-ethinyl estrad)</i>	2	GC; QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg (norethindrone (contraceptive))</i>	1	GC
<i>sprintec (28) oral tablet 0.25-35 mg-mcg (norgestimate-ethinyl estradiol)</i>	2	GC
<i>sronyx oral tablet 0.1-20 mg-mcg (levonorgestrel-ethinyl estrad)</i>	2	GC
<i>syeda oral tablet 3-0.03 mg (drospirenone-ethinyl estradiol)</i>	2	GC
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4) (norethindrone- e.estradiol-iron)</i>	2	GC
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7) (norethindrone- e.estradiol-iron)</i>	1	GC
<i>tri-estarrylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28) (norgestimate-ethinyl estradiol)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(norethindrone- e.estriadiol-iron)	2	GC
<i>tri-lo-estarrylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	GC
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>		2	GC
<i>vestura (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	GC
<i>vienna oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estradiol)	2	GC
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>		2	GC
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>		4	QL (3 per 28 days)
<i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>		4	QL (3 per 28 days)
<i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	GC
<b>Dental And Oral Agents</b>			
<b>Dental And Oral Agents</b>			
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	(Periogard)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>periogard mucous membrane mouthwash 0.12 %</i>	(chlorhexidine gluconate)	1	GC
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>	(Salagen (pilocarpine))	2	GC
<i>triamcinolone acetonide dental paste 0.1 %</i>	(Oralone)	2	GC
<b>Dermatological Agents</b>			
<b>Dermatological Agents, Other</b>			
<i>accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	(isotretinoin)	2	GC
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>		2	GC
<i>acyclovir topical ointment 5 %</i>	(Zovirax)	4	QL (30 per 30 days)
<i>ALCOHOL 70% SWABS</i>	(Alcohol Pads)	1	GC
<i>ALCOHOL PADS TOPICAL PADS, MEDICATED</i>	(alcohol swabs)	1	GC
<i>ALCOHOL PREP SWABS TOPICAL PADS, MEDICATED</i>	(alcohol swabs)	1	GC
<i>ammonium lactate topical cream 12 %</i>		2	GC
<i>ammonium lactate topical lotion 12 %</i>	(Skin Treatment)	2	GC
<i>BD SINGLE USE SWAB</i>	(alcohol swabs)	1	GC
<i>calcipotriene scalp solution 0.005 %</i>		4	QL (120 per 30 days)
<i>calcipotriene topical cream 0.005 %</i>	(Dovonex)	4	QL (120 per 30 days)
<i>CARETOUCH ALCOHOL 70% PREP PAD</i>	(alcohol swabs)	1	GC
<i>CURITY ALCOHOL PREPS 2 PLY,MEDIUM</i>	(alcohol swabs)	1	GC
<i>DROPSAFE ALCOHOL 70% PREP PADS</i>	(alcohol swabs)	1	GC
<i>EASY COMFORT ALCOHOL 70% PAD</i>	(alcohol swabs)	1	GC
<i>EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED</i>	(alcohol swabs)	1	GC
<i>fluorouracil topical cream 0.5 %</i>	(Carac)	5	NM; NDS
<i>fluorouracil topical cream 5 %</i>	(Efudex)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fluorouracil topical solution 2 %, 5 %</i>	2	GC
HEB INCONTROL ALCOHOL 70% PADS (alcohol swabs)	1	GC
<i>imiquimod topical cream in packet 5 %</i>	2	GC; QL (24 per 30 days)
IV ANTISEPTIC WIPES (alcohol swabs)	1	GC
KENDALL ALCOHOL 70% PREP PAD (alcohol swabs)	1	GC
<i>methoxsalen oral capsule, liqd-filled,rapid rel 10 mg</i>	5	NM; NDS
PANRETIN TOPICAL GEL 0.1 %	5	NM; NDS; QL (180 per 30 days)
<i>podofilox topical solution 0.5 %</i>	2	GC
PRO COMFORT ALCOHOL 70% PADS (alcohol swabs)	1	GC
PURE COMFORT ALCOHOL 70% PADS (alcohol swabs)	1	GC
RA ISOPROPYL ALCOHOL 70% WIPES (alcohol swabs)	1	GC
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	QL (180 per 30 days)
SURE COMFORT ALCOHOL PREP PADS (alcohol swabs)	1	GC
SURE-PREP ALCOHOL PREP PADS (alcohol swabs)	1	GC
TRUE COMFORT ALCOHOL 70% PADS (alcohol swabs)	1	GC
TRUE COMFORT PRO ALCOHOL PADS (alcohol swabs)	1	GC
ULTILET ALCOHOL STERL SWAB (alcohol swabs)	1	GC
VALCHLOR TOPICAL GEL 0.016 %	5	NM; NDS
WEBCOL ALCOHOL PREPS 20'S,LARGE (alcohol swabs)	1	GC
<i>zenatane oral capsule 10 mg, 20 mg, (isotretinoin) 30 mg, 40 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
<b>Dermatological Antibacterials</b>			
<i>clindamycin phosphate topical solution 1 %</i>	(Cleocin T)	2	GC; QL (180 per 30 days)
<i>clindamycin phosphate topical swab 1 %</i>	(Clindacin ETZ)	2	GC
<i>ery pads topical swab 2 %</i>	(erythromycin with ethanol)	2	GC
<i>erythromycin with ethanol topical gel 2 %</i>	(Erygel)	4	QL (180 per 30 days)
<i>erythromycin with ethanol topical solution 2 %</i>		2	GC; QL (180 per 30 days)
<i>gentamicin topical cream 0.1 %</i>		2	GC; QL (120 per 30 days)
<i>gentamicin topical ointment 0.1 %</i>		2	GC; QL (120 per 30 days)
<i>metronidazole topical cream 0.75 %</i>	(MetroCream)	4	
<i>metronidazole topical gel 0.75 %</i>	(Rosadan)	2	GC
<i>metronidazole topical gel 1 %</i>	(Metrogel)	4	
<i>metronidazole topical lotion 0.75 %</i>	(MetroLotion)	4	
<i>mupirocin topical ointment 2 %</i>	(Centany)	1	GC; QL (220 per 30 days)
<i>selenium sulfide topical lotion 2.5 %</i>		2	GC
<i>silver sulfadiazine topical cream 1 %</i>	(SSD)	2	GC
<i>ssd topical cream 1 %</i>	(silver sulfadiazine)	4	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i>	(Klaron)	4	
<b>Dermatological Anti-Inflammatory Agents</b>			
<i>ala-cort topical cream 1 %</i>	(hydrocortisone)	1	GC
<i>alclometasone topical cream 0.05 %</i>		2	GC
<i>alclometasone topical ointment 0.05 %</i>		2	GC
<i>betamethasone dipropionate topical cream 0.05 %</i>		2	GC
<i>betamethasone dipropionate topical lotion 0.05 %</i>		2	GC
<i>betamethasone dipropionate topical ointment 0.05 %</i>		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>betamethasone valerate topical cream 0.1 %</i>	2	GC
<i>betamethasone valerate topical lotion 0.1 %</i>	2	GC
<i>betamethasone valerate topical ointment 0.1 %</i>	2	GC
<i>betamethasone, augmented topical cream 0.05 %</i>	2	GC
<i>betamethasone, augmented topical gel 0.05 %</i>	2	GC
<i>betamethasone, augmented topical lotion 0.05 %</i>	3	
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented))	2	GC
<i>clobetasol scalp solution 0.05 %</i>	2	GC
<i>clobetasol topical cream 0.05 %</i>	2	GC
<i>clobetasol-emollient topical cream 0.05 %</i>	2	GC
<i>desoximetasone topical cream 0.25 %</i> (Topicort)	2	GC; QL (120 per 30 days)
<b>EUCRISA TOPICAL OINTMENT 2 %</b>	3	
<i>fluocinolone topical cream 0.01 %</i>	2	GC
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	2	GC
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	2	GC
<i>fluocinonide topical cream 0.05 %</i>	2	GC
<i>fluocinonide topical solution 0.05 %</i>	2	GC
<i>fluocinonide-emollient topical cream 0.05 %</i> (Fluocinonide-E)	4	
<i>fluticasone propionate topical cream 0.05 %</i>	2	GC
<i>fluticasone propionate topical ointment 0.005 %</i>	2	GC
<i>halobetasol propionate topical cream 0.05 %</i>	2	GC
<i>halobetasol propionate topical ointment 0.05 %</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>hydrocortisone 2.5% cream 2.5 %</i>	1	GC
<i>hydrocortisone topical cream 1 % (Ala-Cort)</i>	1	GC
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i>	1	GC
<i>hydrocortisone topical lotion 2.5 %</i>	2	GC
<i>hydrocortisone topical ointment 1 % (Anti-Itch (HC))</i>	1	GC
<i>hydrocortisone topical ointment 2.5 %</i>	1	GC
<i>mometasone topical cream 0.1 %</i>	2	GC
<i>mometasone topical ointment 0.1 %</i>	2	GC
<i>mometasone topical solution 0.1 %</i>	2	GC
<i>pimecrolimus topical cream 1 % (Elidel)</i>	4	QL (100 per 30 days)
<i>prednicarbate topical ointment 0.1 %</i>	2	GC
<i>procto-med hc topical cream with perineal applicator 2.5 % (hydrocortisone)</i>	2	GC
<i>proctosol hc topical cream with perineal applicator 2.5 % (hydrocortisone)</i>	2	GC
<i>protozone-hc topical cream with perineal applicator 2.5 % (hydrocortisone)</i>	2	GC
<i>tacrolimus topical ointment 0.03 %, 0.1 % (Protopic)</i>	4	QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	GC
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 % (Triderm)</i>	1	GC
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	2	GC
<i>triamcinolone acetonide topical ointment 0.025 %</i>	1	GC
<i>triamcinolone acetonide topical ointment 0.1 %, 0.5 %</i>	2	GC
<b>Dermatological Retinoids</b>		
<i>adapalene topical cream 0.1 % (Differin)</i>	4	
<i>ALTRENO TOPICAL LOTION 0.05 %</i>	4	PA
<i>tazarotene topical cream 0.1 % (Tazorac)</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
TAZORAC TOPICAL CREAM 0.05 %	4		
<i>tretinoin topical cream 0.025 %</i> (Avita)	4	PA	
<i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)	4	PA	
<i>tretinoin topical gel 0.01 %</i> (Retin-A)	4	PA	
<i>tretinoin topical gel 0.025 %</i> (Avita)	4	PA	
<i>tretinoin topical gel 0.05 %</i> (Atralin)	4	PA	
<b>Scabicides And Pediculicides</b>			
<i>malathion topical lotion 0.5 %</i> (Ovide)	4		
<i>permethrin topical cream 5 %</i> (Elimite)	2	GC	
<b>Devices</b>			
<b>Devices</b>			
1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE- USE,SHRT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTP 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTP 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTP 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
ABOUTTIME PEN NEEDLE 30G X 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
ABOUTTIME PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
ABOUTTIME PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
ABOUTTIME PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"		2	GC
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	2	GC
ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"	2	GC
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"	2	GC
ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic, safety)	2	GC
ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"	2	GC
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"	2	GC
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	2	GC
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"	2	GC
BD ECLIPSE 30GX1/2" SYRINGE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"	2	GC
BD INS SYRINGE 1/2 ML 6MMX31G (ONLY FOR 500 UNIT/ML INSULIN) 1/2 ML 31 GAUGE X 15/64"	2	GC
BD INS SYRN UF 1 ML 12.7MMX30G NOT FOR RETAIL SALE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
BD INSULIN SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
BD INSULIN SYR 1 ML 25GX5/8" 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	GC
BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2"		2	GC
BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8"		2	GC
BD INSULIN SYR 1 ML 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	GC
BD INSULIN SYRINGE 1 ML W/O NEEDLE 1 ML	(insulin syringe needleless)	2	GC
BD LUER-LOK SYRINGE 1 ML 1 ML	(BD Insulin Syringe Slip Tip)	2	GC
BD NANO 2 GEN PEN NDL 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
BD SAFETGLD INS 0.3 ML 13MMX29G 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
BD SAFETGLD INS 0.3 ML 8MMX31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
BD SAFETGLD INS 0.5 ML 13MMX29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
BD SAFETGLD INS 0.5 ML 8MMX30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"		2	GC
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"		2	GC
BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8"		2	GC
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"	2	GC
BD UF MICRO PEN NEEDLE (pen needle, diabetic) 6MMX32G 32 GAUGE X 1/4"	2	GC
BD UF MINI PEN NEEDLE (pen needle, diabetic) 5MMX31G 31 GAUGE X 3/16"	2	GC
BD UF NANO PEN NEEDLE (pen needle, diabetic) 4MMX32G 32 GAUGE X 5/32"	2	GC
BD UF ORIG PEN NDL (pen needle, diabetic) 12.7MMX29G 29 GAUGE X 1/2"	2	GC
BD UF SHORT PEN NEEDLE (pen needle, diabetic) 8MMX31G 31 GAUGE X 5/16"	2	GC
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	2	GC
BD VEO INS SYRING 1 ML (insulin syringe-needle 6MMX31G 1 ML 31 GAUGE X u-100) 15/64"	2	GC
BD VEO INS SYRN 0.3 ML (insulin syringe-needle 6MMX31G 0.3 ML 31 GAUGE X u-100) 15/64"	2	GC
BD VEO INS SYRN 0.5 ML (insulin syringe-needle 6MMX31G 1/2 ML 31 GAUGE X u-100) 15/64"	2	GC
BORDERED GAUZE 2"X2" 2 X (gauze bandage) 2 "	1	GC
CAREFINE PEN NEEDLE (pen needle, diabetic) 12.7MM 29G 29 GAUGE X 1/2"	2	GC
CAREFINE PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	GC
CAREFINE PEN NEEDLE 5MM (pen needle, diabetic) 32G 32 GAUGE X 3/16"	2	GC
CAREFINE PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	2	GC
CAREFINE PEN NEEDLE 8MM (pen needle, diabetic) 30G 30 GAUGE X 5/16"	2	GC
CAREFINE PEN NEEDLES (pen needle, diabetic) 6MM 32G 32 GAUGE X 1/4"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
CAREFINE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
CAREONE SYR 0.3 ML 31GX5/16" SHORT, HRI 0.3 ML 31 GAUGE X 5/16"	(Advocate Syringes)	2	GC
CARETOUCH PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
CARETOUCH PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
CARETOUCH PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
CARETOUCH SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
CARETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
CARETOUCH SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"		2	GC
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16		2	GC
CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
CLICKFINE 31G X 5/16" NEEDLES 8MM, UNIVERSAL 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
CLICKFINE UNIVERSAL 31G X 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
COMFORT EZ INS 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 5MM 33G 33 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
COMFORT EZ PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 6MM 33G 33 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 8MM 31G SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 8MM 32G 32 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"		2	GC
COMFORT EZ SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"		2	GC
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
COMFORT TOUCH PEN NDL 31G 4MM 31 GAUGE X 5/32"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 31G 5MM 31 GAUGE X 3/16"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 31G 6MM 31 GAUGE X 1/4"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 31G 8MM 31 GAUGE X 5/16"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 4MM 32 GAUGE X 5/32"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 5MM 32 GAUGE X 3/16"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 6MM 32 GAUGE X 1/4"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 8MM 32 GAUGE X 5/16"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33G 6MM 33 GAUGE X 1/4"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33GX4MM 33 GAUGE X 5/32"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33GX5MM 33 GAUGE X 3/16"	2	GC
CURAD GAUZE PADS 2" X 2" 2 (gauze bandage) X 2 "	1	GC
CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 "	1	GC
CURITY GUAZE PADS 1'S(12 (gauze bandage) PLY) 2 X 2 "	1	GC
DERMACEA 2"X2" GAUZE 12 (gauze bandage) PLY, USP TYPE VII 2 X 2 "	1	GC
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "	1	GC
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "	1	GC
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
DROPLET INS 0.3 ML 29GX12.5MM 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
DROPLET INS 0.3 ML 30GX12.5MM 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"		2	GC
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"		2	GC
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"		2	GC
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"		2	GC
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"		2	GC
DROPLET INS SYR 0.3 ML 30GX8MM 0.3 ML 30 GAUGE X u-100 5/16"	(insulin syringe-needle u-100)	2	GC
DROPLET INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X u-100 15/64"	(insulin syringe-needle u-100)	2	GC
DROPLET INS SYR 0.3 ML 31GX8MM 0.3 ML 31 GAUGE X u-100 5/16"	(insulin syringe-needle u-100)	2	GC
DROPLET INS SYR 1 ML 29GX12.5MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
DROPLET INS SYR 1 ML 30GX12.5MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64"		2	GC
DROPLET INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
DROPLET INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	GC
DROPLET INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"		2	GC
DROPLET PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
DROPLET PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"		2	GC
DROPLET PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
DROPLET PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
DROPLET PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
DROPLET PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
DROPLET PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
DROPLET PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
DROPLET PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
DROPLET PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"		2	GC
DROPSAFE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"		2	GC
DRUG MART ULTRA COMFORT SYR 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
EASY COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"		2	GC
EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"		2	GC
EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	GC
EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	GC
EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	GC
EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"		2	GC
EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"		2	GC
EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	GC
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	GC
EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"	2	GC
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"	2	GC
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"	2	GC
EASY TOUCH INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
EASY TOUCH INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
EASY TOUCH INSULIN SYR 1 ML 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	GC
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	GC
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	2	GC
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	2	GC
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	(insulin syringe needleless)	2	GC
EASY TOUCH LUER LOK INSUL 1 ML 1 ML	(pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"		2	GC
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"		2	GC
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"		2	GC
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"		2	GC
EASY TOUCH SYR 0.5 ML 28G 12.7MM 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
EASY TOUCH SYR 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"		2	GC
EASY TOUCH SYR 1 ML 28G 12.7MM 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY TOUCH SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
EASY TOUCH UNI-SLIP SYR 1 ML 1 ML	(insulin syringe needleless)	2	GC
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"		2	GC
EQL INSULIN 0.3 ML SYRINGE SHORT NEEDLE 0.3 ML 30	(Ultra Comfort Insulin Syringe)	2	GC
EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE 1/2 ML 30 GAUGE	(Lite Touch Insulin Syringe)	2	GC
EQL INSULIN 1 ML SYRINGE SHORT NEEDLE 1 ML 30 GAUGE X 7/16"	(Lite Touch Insulin Syringe)	2	GC
EXEL INSULIN SYRINGE 27G- 1 ML 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
FIFTY50 INS 0.5 ML 31GX5/16" SHORT NEEDLE 0.5 ML 31 GAUGE X 5/16"	(Advocate Syringes)	2	GC
FIFTY50 INS SYR 1 ML 31GX5/16" SHORT NEEDLE 1 ML 31 GAUGE X 5/16	(Advocate Syringes)	2	GC
FIFTY50 PEN 31G X 3/16" NEEDLE (OTC) 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE	(Lite Touch Insulin Syringe)	2	GC
FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	(gauze bandage)	1	GC
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"		2	GC
GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	2	GC
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	2	GC
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE		2	GC
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30	(insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
HEALTHY ACCENTS PENTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
HEALTHY ACCENTS PENTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
HEALTHY ACCENTS PENTIP 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
HEALTHY ACCENTS PENTP 12MM 29G 29 GAUGE X 1/2"		2	GC
INCONTROL PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
INCONTROL PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
INCONTROL PEN NEEDLE 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
INCONTROL PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
INCONTROL PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
INSULIN SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(Advocate Syringes)	2	GC
INSULIN SYR 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(UltiCare Insulin Syr(half unit))	2	GC
INSULIN SYRIN 0.3 ML 30GX1/2" SHORT NEEDLE 0.3 ML 30 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	GC
INSULIN SYRIN 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	GC
INSULIN SYRIN 0.5 ML 30GX1/2" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	GC
INSULIN SYRIN 0.5 ML 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16"	(Advocate Syringes)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
INSULIN SYRING 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(Easy Touch Insulin Syringe)	2	GC
INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE	(insulin syringe-needle u-100)	2	GC
INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	2	GC
INSULIN SYRINGE 0.5 ML 1/2 ML 29	(insulin syringe-needle u-100)	2	GC
INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	2	GC
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE		2	GC
INSULIN SYRINGE 1 ML 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2"	(BD Eclipse Luer-Lok)	2	GC
INSULIN SYRINGE 1 ML 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16	(Advocate Syringes)	2	GC
INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	2	GC
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE	(Ultilet Insulin Syringe)	2	GC
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2"	(Advocate Syringes)	2	GC
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE	(Lite Touch Insulin Syringe)	2	GC
INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
INSUPEN 32G 6MM PEN NEEDLE 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
INSUPEN PEN NEEDLE 29GX12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
INSUPEN PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
INSUPEN PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
INSUPEN PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
LISCO SPONGES 100/BAG 2 X 2 "		1	GC
LITE TOUCH 31GX1/4" PEN NEEDLE 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
LITE TOUCH INSULIN 0.5 ML SYR 1/2 ML 28 GAUGE, 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	2	GC
LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	2	GC
LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE		2	GC
LITE TOUCH INSULIN SYR 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
LITE TOUCH PEN NEEDLE 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
LITE TOUCH PEN NEEDLE 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
LITETOUGH INS 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
LITETOUGH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
LITETOUGH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
LITETOUCH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
LITETOUCH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
LITETOUCH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
LITETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"		2	GC
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"		2	GC
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 X 1/2"		2	GC
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"		2	GC
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"		2	GC
MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"		2	GC
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"		2	GC
MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
MINI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(1st Tier Unifine Pentips)	2	GC
MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"	(CareFine Pen Needle)	2	GC
MINI PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(BD Ultra-Fine Micro Pen Needle)	2	GC
MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"	(Comfort EZ Pen Needles)	2	GC
MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(Advocate Pen Needle)	2	GC
MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16"	(Comfort EZ Pen Needles)	2	GC
MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4"	(Comfort EZ Pen Needles)	2	GC
MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	2	GC
MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC) 1 ML	(insulin syringes (disposable))	2	GC
MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR U- 100 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR U- 100 29 GAUGE X 1/2"		2	GC
MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
NOVOFINE 30 NEEDLE		2	GC
NOVOFINE 32G NEEDLES 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"		2	GC
NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5"		2	GC
PC UNIFINE PENTIPS 8MM NEEDLE SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
PEN NEEDLE 30G X 5/16" 30 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
PEN NEEDLE 30G X 8MM 30 GAUGE X 5/16"	(AboutTime Pen Needle)	2	GC
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"	(1st Tier Unifine Pentips Plus)	2	GC
PEN NEEDLES 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
PEN NEEDLES 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
PEN NEEDLES 6MM 31G 31GX6MM, STRL 31 GAUGE X 1/4"	(1st Tier Unifine Pentips)	2	GC
PEN NEEDLES 8MM 31G 31GX8MM, STRL, SHORT (OTC) 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
PENTIPS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
PENTIPS PEN NEEDLE 32GX5/32" 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PENTIPS PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	2	GC
PIP PEN NEEDLE 31G X 5MM (pen needle, diabetic) 31 GAUGE X 3/16"	2	GC
PIP PEN NEEDLE 32G X 4MM (pen needle, diabetic) 32 GAUGE X 5/32"	2	GC
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	GC
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	GC
PRO COMFORT 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X u-100) 1/2"	2	GC
PRO COMFORT 0.5 ML (insulin syringe-needle 30GX5/16" 0.5 ML 30 GAUGE X u-100) 5/16"	2	GC
PRO COMFORT 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	GC
PRO COMFORT 1 ML 30GX1/2" (insulin syringe-needle 1 ML 30 GAUGE X 1/2") u-100)	2	GC
PRO COMFORT 1 ML (insulin syringe-needle 30GX5/16" 1 ML 30 GAUGE X u-100) 5/16	2	GC
PRO COMFORT 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16	2	GC
PRO COMFORT PEN NDL (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	2	GC
PRO COMFORT PEN NDL 32G (pen needle, diabetic) X 1/4" 32 GAUGE X 1/4"	2	GC
PRO COMFORT PEN NDL (pen needle, diabetic) 4MM 32G 32 GAUGE X 5/32"	2	GC
PRO COMFORT PEN NDL (pen needle, diabetic) 5MM 32G 32 GAUGE X 3/16"	2	GC
PRODIGY INS SYR 1 ML (insulin syringe-needle 28GX1/2" 1 ML 28 GAUGE X u-100) 1/2"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
PRODIGY SYRNG 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
RELI ON 31G X 1/4" NEEDLES 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(BD Veo Insulin Syringe UF)	2	GC
RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(BD Veo Insulin Syringe UF)	2	GC
RELION INS SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	(BD Veo Insulin Syringe UF)	2	GC
RELI-ON INSULIN 0.5 ML SYR 1/2 ML 29	(Lite Touch Insulin Syringe)	2	GC
RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"		2	GC
RELION MINI PEN 31G X 1/4" NDL 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
RELION PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"		2	GC
RELION PEN NEEDLES 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"	2	GC
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"	2	GC
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"	2	GC
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"	2	GC
SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	2	GC
SAFETY PEN NEEDLE 5MM X (pen needle, diabetic, 31G 31 GAUGE X 3/16" safety)	2	GC
SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"	2	GC
SM STERILE PADS 2" X 2" (gauze bandage) 2"X2", STERILE 2 X 2 "	1	GC
SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"	2	GC
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	GC
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	GC
NEEDLES, INSULIN DISP., SAFETY (insulin syringe-needle u-100)	2	GC
SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
SURE COMFORT 31G PEN NEEDLE 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	GC
SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	GC
SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	GC
SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
SURE COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
SURE COMFORT PEN NDL 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
SURE COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"		2	GC
TECHLITE 0.3 ML 30GX12MM (1/2) 0.3 ML 30 GAUGE X 1/2"		2	GC
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"		2	GC
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"		2	GC
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"		2	GC
TECHLITE 0.5 ML 29GX12MM (1/2) 0.5 ML 29 GAUGE X 1/2"		2	GC
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"		2	GC
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"		2	GC
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"		2	GC
TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
TECHLITE INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	GC
TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"		2	GC
TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
TERUMO INS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(Advocate Syringes)	2	GC
TERUMO INS SYRINGE U100-1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
TERUMO INS SYRINGE U100-1 ML 1 ML 30 GAUGE X 3/8"	(Thinpro Insulin Syringe)	2	GC
TERUMO INS SYRINGE U100- 1/2 ML 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
TERUMO INS SYRINGE U100-1/3 ML 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	GC
TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	GC
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"		2	GC
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	GC
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"		2	GC
THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8"	(insulin syringe-needle u-100)	2	GC
THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"		2	GC
TOPCARE CLICKFINE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
TOPCARE CLICKFINE 31G X 5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 31 GAUGE X 5/16", 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
TRUE CMFRT PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRUE CMFRT PRO 0.5 ML 31G (insulin syringe-needle 5/16" 0.5 ML 31 GAUGE X 5/16" u-100)	2	GC
TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"	2	GC
TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
TRUE COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
TRUE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
TRUE COMFORT PEN NDL 31GX5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
TRUE COMFORT PEN NDL 31GX6MM 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
TRUE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16" (pen needle, diabetic)	2	GC
TRUE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)	2	GC
TRUE COMFORT PEN NDL 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
TRUE COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic)	2	GC
TRUE COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16" (pen needle, diabetic)	2	GC
TRUE COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4" (pen needle, diabetic)	2	GC
TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRUE COMFRT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
TRUEPLUS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
TRUEPLUS PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
TRUEPLUS PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
ULT CFT 0.3 ML 30GX5/16" (1/2) 1/2 UNIT 0.3 ML 30 GAUGE X 5/16"		2	GC
ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(insulin syr/ndl u100 half mark)	2	GC
ULTICARE INS 0.3 ML 31GX1/4" 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	GC
ULTICARE INS 0.5 ML 31GX1/4" 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	GC
ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	GC
ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"		2	GC
ULTICARE SAFE PEN NDL 8MM 30G 30 GAUGE X 5/16"		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTICARE SAFETY 0.5 ML 29GX1/2 (RX) 0.5 ML 29 GAUGE X 1/2"	(Advocate Syringes)	2	GC
ULTICARE SYR 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTICARE SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTICARE SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"		2	GC
ULTIGUARD SAFE PACK 29G 12.7MM 29 GAUGE X 1/2"		2	GC
ULTIGUARD SAFE PACK 32G 4MM 32 GAUGE X 5/32"		2	GC
ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"		2	GC
ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"		2	GC
ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"		2	GC
ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16"		2	GC
ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4"		2	GC
ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16"		2	GC
ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4"		2	GC
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"		2	GC
ULTILET INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTILET INSULIN SYRINGE 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTILET INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
ULTILET PEN NEEDLE 29 GAUGE		2	GC
ULTILET PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	2	GC
ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"		2	GC
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"	2	GC
ULTRA FLO PEN NEEDLE 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	GC
ULTRA FLO PEN NEEDLE 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	GC
ULTRA FLO PEN NEEDLE 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	GC
ULTRA FLO PEN NEEDLE 33G (pen needle, diabetic) 4MM 33 GAUGE X 5/32"	2	GC
ULTRA FLO PEN NEEDLES (pen needle, diabetic) 12MM 29G 29 GAUGE X 1/2"	2	GC
ULTRA FLO SYR 0.3 ML (insulin syringe-needle 29GX1/2" 0.3 ML 29 GAUGE X u-100) 1/2"	2	GC
ULTRA FLO SYR 0.3 ML 30G (insulin syringe-needle 5/16" 0.3 ML 30 GAUGE X 5/16" u-100)	2	GC
ULTRA FLO SYR 0.3 ML 31G (insulin syringe-needle 5/16" 0.3 ML 31 GAUGE X 5/16" u-100)	2	GC
ULTRA FLO SYR 0.5 ML 29G (insulin syringe-needle 1/2" 0.5 ML 29 GAUGE X 1/2" u-100)	2	GC
ULTRA THIN PEN NDL 32G X (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	GC
ULTRACARE INS 0.3 ML (insulin syringe-needle 30GX5/16" 0.3 ML 30 GAUGE X u-100) 5/16"	2	GC
ULTRACARE INS 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16"	2	GC
ULTRACARE INS 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X u-100) 1/2"	2	GC
ULTRACARE INS 0.5 ML (insulin syringe-needle 30GX5/16" 0.5 ML 30 GAUGE X u-100) 5/16"	2	GC
ULTRACARE INS 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
UNIFINE PENTIPS 31GX3/16" 31GX5MM,STRL,MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
UNIFINE PENTIPS 32GX5/32" 32GX4MM, STRL, NANO 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
UNIFINE PENTIPS 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
UNIFINE PENTIPS 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
UNIFINE PENTIPS MAX 30GX3/16" 30 GAUGE X 3/16"		2	GC
UNIFINE PENTIPS NEEDLES 29G 29 GAUGE		2	GC
UNIFINE PENTIPS PLUS 29GX1/2" 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
UNIFINE PENTIPS PLUS 30GX3/16" 30 GAUGE X 3/16"		2	GC
UNIFINE PENTIPS PLUS 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
UNIFINE PENTIPS PLUS 31GX3/16" MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
UNIFINE PENTIPS PLUS 31GX5/16" SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
UNIFINE PENTIPS PLUS 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
UNIFINE PENTIPS PLUS 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
UNIFINE SAFECONTROL 30GX3/16" 30 GAUGE X 3/16"		2	GC
UNIFINE SAFECONTROL 30GX5/16" 30 GAUGE X 5/16"		2	GC
UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32"		2	GC
UNIFINE ULTRA PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
UNIFINE ULTRA PEN NDL 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
UNIFINE ULTRA PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
UNIFINE ULTRA PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
VANISHPOINT 0.5 ML 30GX1/2" SY OUTER 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"		2	GC
VANISHPOINT U-100 29X1/2 SYR 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
VERIFINE PEN NEEDLE 31G X 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
VERIFINE PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
VERIFINE PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
VERIFINE PEN NEEDLE 32G X 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Enzyme Replacement/Modifiers</b>		
<b>Enzyme Replacement/Modifiers</b>		
CERDELGA ORAL CAPSULE 84 MG	5	PA; NM; NDS
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	
GALAFOLD ORAL CAPSULE 123 MG	5	PA; NM; NDS; QL (14 per 28 days)
<i>miglustat oral capsule 100 mg</i> (Zavesca)	5	PA; NM; NDS; QL (90 per 30 days)
<i>nitisinone oral capsule 10 mg, 2 mg, 5 mg</i> (Orfadin)	5	PA; NM; NDS
NITYR ORAL TABLET 10 MG, 2 MG, 5 MG	5	PA; NM; NDS
ORFADIN ORAL CAPSULE 20 MG	5	PA; NM; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	5	PA; NM; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NM; NDS
<i>sapropterin oral tablet,soluble 100 mg</i> (Kuvan)	5	NM; NDS
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Eye, Ear, Nose, Throat Agents</b>		
<b>Eye, Ear, Nose, Throat Agents, Miscellaneous</b>		
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	2	GC
<i>atropine ophthalmic (eye) drops 1 % (Isopto Atropine)</i>	4	
<i>azelastine nasal aerosol,spray 137 mcg (0.1 %)</i>	2	GC; QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	2	GC
<i>cromolyn ophthalmic (eye) drops 4 %</i>	2	GC
<b>CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %</b>	5	PA; NM; NDS; QL (60 per 28 days)
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	2	GC
<i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i>	2	GC; QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	2	GC; QL (15 per 10 days)
<i>olopatadine ophthalmic (eye) drops 0.1 % (Eye Allergy Itch-Redness Rlf)</i>	2	GC
<i>olopatadine ophthalmic (eye) drops 0.2 % (Eye Allergy Itch Relief)</i>	4	
<b>Eye, Ear, Nose, Throat Anti-Infectives Agents</b>		
<i>acetic acid otic (ear) solution 2 %</i>	2	GC
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	4	
<i>bacitracin-polymyxin b ophthalmic (AK-Poly-Bac) (eye) ointment 500-10,000 unit/gram</i>	2	GC
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 % (Ciloxan)</i>	2	GC
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 % (Ciprodex)</i>	3	QL (7.5 per 7 days)
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	2	GC; QL (3.5 per 4 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>gentak ophthalmic (eye) ointment</i> (gentamicin) 0.3 % (3 mg/gram)	2	GC
<i>gentamicin ophthalmic (eye) drops</i> 0.3 %	1	GC
<i>levofloxacin ophthalmic (eye) drops</i> 0.5 %	4	
<i>moxifloxacin ophthalmic (eye)</i> (Vigamox) <i>drops 0.5 %</i>	2	GC
<b>NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %</b>	4	
<i>neomycin-bacitracin-poly-hc</i> (Neo-Polycin HC) <i>ophthalmic (eye) ointment 3.5-400-</i> <i>10,000 mg-unit/g-1%</i>	2	GC
<i>neomycin-bacitracin-polymyxin</i> (Neo-Polycin) <i>ophthalmic (eye) ointment 3.5-400-</i> <i>10,000 mg-unit-unit/g</i>	2	GC
<i>neomycin-polymyxin b-dexameth</i> (Maxitrol) <i>ophthalmic (eye) drops,suspension</i> <i>3.5mg/ml-10,000 unit/ml-0.1 %</i>	2	GC
<i>neomycin-polymyxin b-dexameth</i> (Maxitrol) <i>ophthalmic (eye) ointment 3.5</i> <i>mg/g-10,000 unit/g-0.1 %</i>	2	GC
<i>neomycin-polymyxin-gramicidin</i> <i>ophthalmic (eye) drops 1.75 mg-</i> <i>10,000 unit-0.025mg/ml</i>	2	GC
<i>neomycin-polymyxin-hc ophthalmic</i> <i>(eye) drops,suspension 3.5-10,000-</i> <i>10 mg-unit-mg/ml</i>	4	
<i>neomycin-polymyxin-hc otic (ear)</i> <i>drops,suspension 3.5-10,000-1</i> <i>mg/ml-unit/ml-%</i>	2	GC
<i>neomycin-polymyxin-hc otic (ear)</i> <i>solution 3.5-10,000-1 mg/ml-unit/ml-</i> <i>%</i>	2	GC
<i>ofloxacin ophthalmic (eye) drops</i> (Ocuflax) 0.3 %	2	GC
<i>ofloxacin otic (ear) drops 0.3 %</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>polymyxin b sulf-trimethoprim</i> (Polytrim) <i>ophthalmic (eye) drops 10,000 unit-1 mg/ml</i>	1	GC
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>	2	GC
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	2	GC
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	2	GC
<i>tobramycin ophthalmic (eye) drops 0.3 %</i> (Tobrex)	2	GC
<i>tobramycin-dexamethasone</i> (TobraDex) <i>ophthalmic (eye) drops,suspension 0.3-0.1 %</i>	2	GC
<i>trifluridine ophthalmic (eye) drops 1 %</i>	3	
<b>ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %</b>	4	
<b>ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %</b>	3	
<b>Eye, Ear, Nose, Throat Anti-Inflammatory Agents</b>		
<i>ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %</i>	3	ST
<b>BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %</b>	3	
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	2	GC
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	2	GC
<i>difluprednate ophthalmic (eye) drops 0.05 %</i> (Durezol)	3	
<b>EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %</b>	3	QL (8.3 per 14 days)
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	2	GC; QL (50 per 25 days)
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> (FML Liquifilm)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	2	GC
<i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i> (24 Hour Allergy Relief)	1	GC; QL (16 per 30 days)
<b>ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %</b>	3	
<b>INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %</b>	3	
<i>ketorolac ophthalmic (eye) drops (Acular) 0.5 %</i>	2	GC; QL (10 per 25 days)
<b>LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %</b>	3	
<b>LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %</b>	3	
<i>loteprednol etabonate ophthalmic (Lotemax) (eye) drops,gel 0.5 %</i>	4	
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i>	4	QL (34 per 30 days)
<i>prednisolone acetate ophthalmic (Pred Forte) (eye) drops,suspension 1 %</i>	4	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	2	GC
<b>PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %</b>	3	
<b>RESTASIS MULTIDOSE OPHTHALMIC (EYE) DROPS 0.05 %</b>	3	QL (60 per 30 days)
<b>RESTASIS OPHTHALMIC (cyclosporine) (EYE) DROPPERETTE 0.05 %</b>	3	QL (60 per 30 days)
<b>XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION</b>	3	ST; QL (32 per 30 days)
<b>XiIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %</b>	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
<b>Gastrointestinal Agents</b>			
<b>Antiulcer Agents And Acid Suppressants</b>			
cimetidine hcl oral solution 300 mg/5 ml	2	GC	
esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg	2	GC; QL (30 per 30 days)	
esomeprazole magnesium oral capsule,delayed release(dr/ec) 40 mg	2	GC; QL (60 per 30 days)	
famotidine oral tablet 20 mg	(Acid Controller)	1	GC
famotidine oral tablet 40 mg	(Pepcid)	1	GC
lansoprazole oral capsule,delayed release(dr/ec) 15 mg	(Prevacid 24Hr)	4	QL (30 per 30 days)
lansoprazole oral capsule,delayed release(dr/ec) 30 mg	(Prevacid)	4	QL (60 per 30 days)
misoprostol oral tablet 100 mcg, 200 mcg	(Cytotec)	2	GC
nizatidine oral capsule 150 mg, 300 mg		2	GC
omeprazole oral capsule,delayed release(dr/ec) 10 mg, 20 mg, 40 mg		1	GC
omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram	(Zegerid)	4	ST; QL (30 per 30 days)
pantoprazole oral tablet,delayed release (dr/ec) 20 mg	(Protonix)	1	GC; QL (30 per 30 days)
pantoprazole oral tablet,delayed release (dr/ec) 40 mg	(Protonix)	1	GC; QL (60 per 30 days)
rabeprazole oral tablet,delayed release (dr/ec) 20 mg	(AcipHex)	2	GC; QL (30 per 30 days)
sucralfate oral tablet 1 gram	(Carafate)	2	GC
<b>Gastrointestinal Agents, Other</b>			
carglumic acid oral tablet, dispersible 200 mg	(Carbaglu)	5	NM; NDS
constulose oral solution 10 gram/15 ml	(lactulose)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
cromolyn oral concentrate 100 mg/5 ml (Gastrocrom)	4	
dicyclomine oral capsule 10 mg	2	GC
dicyclomine oral solution 10 mg/5 ml	4	
dicyclomine oral tablet 20 mg	2	GC
diphenoxylate-atropine oral tablet 2.5-0.025 mg (Lomotil)	4	
enulose oral solution 10 gram/15 ml (lactulose)	2	GC
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	5	PA; NM; NDS
generlac oral solution 10 gram/15 ml (lactulose)	2	GC
glycopyrrolate oral tablet 1 mg (Robinul)	2	GC
glycopyrrolate oral tablet 2 mg (Robinul Forte)	2	GC
lactulose oral solution 10 gram/15 ml (Constulose)	2	GC
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM	3	QL (34 per 30 days)
LOKELMA ORAL POWDER IN PACKET 5 GRAM	3	QL (30 per 30 days)
loperamide oral capsule 2 mg (Anti-Diarrheal (loperamide))	2	GC
lubiprostone oral capsule 24 mcg, 8 mcg (Amitiza)	3	QL (60 per 30 days)
methscopolamine oral tablet 2.5 mg, 5 mg	4	
metoclopramide hcl oral solution 5 mg/5 ml	2	GC
metoclopramide hcl oral tablet 10 mg, 5 mg (Reglan)	1	GC
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
OCALIVA ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
sodium phenylbutyrate oral tablet (Buphenyl) 500 mg	5	NM; NDS
sodium polystyrene sulfonate oral powder	2	GC
sps (with sorbitol) oral suspension 15-20 gram/60 ml	2	GC
ursodiol oral capsule 300 mg	2	GC
ursodiol oral tablet 250 mg (URSO 250)	2	GC
ursodiol oral tablet 500 mg (URSO Forte)	2	GC
XERMELO ORAL TABLET 250 MG	5	PA; NM; NDS; QL (90 per 30 days)
<b>Laxatives</b>		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML	3	
gavilyte-c oral recon soln 240-22.72- 6.72 -5.84 gram	2	GC
gavilyte-g oral recon soln 236-22.74- (peg 3350-electrolytes) 6.74 -5.86 gram	2	GC
peg 3350-electrolytes oral recon soln (GaviLyte-G) 236-22.74-6.74 -5.86 gram	2	GC
peg-electrolyte soln oral recon soln (GaviLyte-N) 420 gram	2	GC
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13- 1.6 GRAM (sodium,potassium,ma g sulfates)	3	
SUTAB ORAL TABLET 1.479- 0.188- 0.225 GRAM	3	
<b>Phosphate Binders</b>		
calcium acetate(phosphat bind) oral capsule 667 mg	2	GC
calcium acetate(phosphat bind) oral tablet 667 mg	2	GC
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	4	
sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram (Renvela)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sevelamer carbonate oral tablet 800 mg (Renvela)</i>	4	
<i>sevelamer hcl oral tablet 400 mg</i>	3	
<b>VELPHORO ORAL TABLET,CHEWABLE 500 MG</b>	3	
<b>Genitourinary Agents</b>		
<b>Antispasmodics, Urinary</b>		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	2	GC
<b>MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG</b>	3	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	2	GC
<i>oxybutynin chloride oral tablet 5 mg</i>	2	GC
<i>oxybutynin chloride oral tablet (Ditropan XL) extended release 24hr 10 mg, 5 mg</i>	2	GC
<i>oxybutynin chloride oral tablet extended release 24hr 15 mg</i>	2	GC
<i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i> (Detrol LA)	2	GC
<i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol)	2	GC
<i>trospium oral tablet 20 mg</i>	4	
<b>Genitourinary Agents, Miscellaneous</b>		
<i>alfuzosin oral tablet extended release 24 hr 10 mg (Uroxatral)</i>	1	GC; QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg (Avodart)</i>	2	GC
<i>finasteride oral tablet 5 mg (Proscar)</i>	1	GC
<i>tamsulosin oral capsule 0.4 mg (Flomax)</i>	1	GC
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	GC
<b>THIOLA EC ORAL TABLET,DELAYED RELEASE (DR/EC) 100 MG, 300 MG</b>	5	PA; NM; NDS
<i>tiopronin oral tablet 100 mg (Thiola)</i>	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
<b>Heavy Metal Antagonists</b>			
<b>Heavy Metal Antagonists</b>			
deferasirox oral granules in packet 180 mg, 360 mg, 90 mg	(Jadenu Sprinkle)	5	PA; NM; NDS
deferasirox oral tablet 180 mg, 360 mg	(Jadenu)	5	PA; NM; NDS
deferasirox oral tablet 90 mg	(Jadenu)	3	PA
deferasirox oral tablet, dispersible 125 mg	(Exjade)	2	PA; GC
deferasirox oral tablet, dispersible 250 mg, 500 mg	(Exjade)	5	PA; NM; NDS
deferiprone oral tablet 1,000 mg, 500 mg	(Ferriprox)	5	PA; NM; NDS
FERRIPROX ORAL SOLUTION 100 MG/ML		5	PA; NM; NDS
penicillamine oral capsule 250 mg	(Cuprimine)	5	PA; NM; NDS
penicillamine oral tablet 250 mg	(Depen Titratabs)	5	PA; NM; NDS
trientine oral capsule 250 mg	(Syprine)	5	PA; NM; NDS; QL (240 per 30 days)
<b>Hormonal Agents, Stimulant/Replacement/Modifying</b>			
<b>Androgens</b>			
danazol oral capsule 100 mg, 200 mg, 50 mg		3	
oxandrolone oral tablet 10 mg	(Oxandrin)	2	GC
oxandrolone oral tablet 2.5 mg	(Oxandrin)	4	
testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml	(Depo-Testosterone)	2	PA; GC
testosterone cypionate intramuscular oil 200 mg/ml (1 ml)		2	PA; GC
testosterone enanthate intramuscular oil 200 mg/ml		2	PA; GC; QL (5 per 28 days)
testosterone transdermal gel in metered-dose pump 12.5 mg/1.25 gram (1 %)	(Vogelxo)	3	PA; QL (300 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i>	(AndroGel)	2	PA; GC; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i>	(AndroGel)	4	PA; QL (300 per 30 days)
<i>testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)</i>		4	PA; QL (180 per 30 days)
<b>XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML</b>		3	PA; QL (2 per 28 days)
<b>Estrogens And Antiestrogens</b>			
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	(estradiol-norethindrone acet)	2	GC
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(estradiol)	2	GC; QL (8 per 28 days)
<b>DUAVEE ORAL TABLET 0.45-20 MG</b>		3	
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>	(Estrace)	1	GC
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(Dotti)	2	GC; QL (8 per 28 days)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(Climara)	2	GC; QL (4 per 28 days)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i>	(Estrace)	2	GC
<i>estradiol vaginal tablet 10 mcg</i>	(Yuvafem)	2	GC; QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i>	(Delestrogen)	2	GC
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i>	(Amabelz)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR		4	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (norethindrone ac-eth estradiol)		2	GC
<i>jinteli oral tablet 1-5 mg-mcg</i> (norethindrone ac-eth estradiol)		2	GC
<i>lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (estradiol)		2	GC; QL (8 per 28 days)
<i>mimvey oral tablet 1-0.5 mg</i> (estradiol-norethindrone acet)		2	GC
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (Fyavolv)		2	GC
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG		3	
PREMARIN ORAL TABLET 0.625 MG, 1.25 MG (conjugated estrogens)		3	
PREMARIN VAGINAL CREAM 0.625 MG/GRAM		3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)		3	
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG		3	
<i>raloxifene oral tablet 60 mg</i> (Evista)		2	GC
<i>yuvafem vaginal tablet 10 mcg</i> (estradiol)		2	GC; QL (18 per 28 days)
<b>Glucocorticoids/Mineralocorticoids</b>			
<i>dexamethasone oral solution 0.5 mg/5 ml</i>		2	GC
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 4 mg, 6 mg</i> (Decadron)		2	GC
<i>dexamethasone oral tablet 1 mg, 1.5 mg, 2 mg</i>		2	GC
EMFLAZA ORAL SUSPENSION 22.75 MG/ML		5	PA; NM; NDS; QL (91 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
EMFLAZA ORAL TABLET 18 MG	5	PA; NM; NDS; QL (30 per 30 days)
EMFLAZA ORAL TABLET 30 MG, 36 MG, 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>fludrocortisone oral tablet 0.1 mg</i>	2	GC
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i>	2	GC
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>	2	GC
<i>methylprednisolone oral tablets, dose pack 4 mg</i>	2	GC
<i>prednisolone 15 mg/5 ml soln dl/5 mg/5 ml (3 mg/ml)</i>	2	PA BvD; GC
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD; GC
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	3	PA BvD
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i>	3	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	3	PA BvD
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD; GC
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	GC
<b>Pituitary</b>		
ACTHAR INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)
CORTROPHIN GEL INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)
<i>desmopressin nasal spray with pump 10 mcg/spray (0.1 ml)</i>	4	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i>	2	GC
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	5	PA; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	5	NM; NDS
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NM; NDS
<i>octreotide acetate injection solution</i> 1,000 mcg/ml, 200 mcg/ml	3	
<i>octreotide acetate injection solution</i> (Sandostatin) 100 mcg/ml, 50 mcg/ml, 500 mcg/ml	3	
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NM; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NM; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NM; NDS; QL (56 per 28 days)
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NM; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NM; NDS; QL (60 per 30 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Progestins</b>		
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)	2	GC; QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)	2	GC; QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	GC
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	2	GC
<i>norethindrone acetate oral tablet 5 mg</i> (Aygestin)	2	GC
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	2	GC
<b>Thyroid And Antithyroid Agents</b>		
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox)	1	GC
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	1	GC
<i>liothyronine oral tablet 25 mcg, 50 mcg</i> (Cytomel)	2	GC
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	GC
<i>propylthiouracil oral tablet 50 mg</i>	2	GC
<b>Immunological Agents</b>		
<b>Immunological Agents</b>		
<i>ARCALYST SUBCUTANEOUS RECON SOLN 220 MG</i>	5	NM; NDS
<i>azathioprine oral tablet 50 mg</i> (Imuran)	2	PA BvD; GC
<i>BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML</i>	5	PA; NM; NDS; QL (8 per 28 days)
<i>BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML</i>	5	PA; NM; NDS; QL (8 per 28 days)
<i>BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML</i>	5	PA NSO; NM; NDS; QL (2 per 28 days)
<i>COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML</i>	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; NM; NDS
<i>cyclosporine modified oral capsule</i> (Gengraf) 100 mg, 25 mg	2	PA BvD; GC
<i>cyclosporine modified oral capsule</i> 50 mg	2	PA BvD; GC
<i>cyclosporine modified oral solution</i> (Gengraf) 100 mg/ml	3	PA BvD
<i>cyclosporine oral capsule</i> 100 mg, 25 mg (Sandimmune)	3	PA BvD
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NM; NDS
<i>everolimus (immunosuppressive)</i> (Zortress) oral tablet 0.25 mg	4	PA BvD
<i>everolimus (immunosuppressive)</i> (Zortress) oral tablet 0.5 mg, 0.75 mg, 1 mg	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %	5	PA BvD; NM; NDS
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA BvD; NM; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NM; NDS
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	5	PA BvD; NM; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NM; NDS
<i>gengraf oral capsule 100 mg, 25 mg</i> (cyclosporine modified)	2	PA BvD; GC
<i>gengraf oral solution 100 mg/ml</i> (cyclosporine modified)	3	PA BvD
HUMIRA PEN CROHNS-UC- HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA PEN PSOR-UVEITS- ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA PEN SUBCUTANEOUS PEN Injector Kit 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA(CF) PEN CROHNS- UC-HS SUBCUTANEOUS PEN Injector Kit 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN Injector Kit 80 MG/0.8 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NM; NDS
<i>leflunomide oral tablet 10 mg, 20 mg (Arava)</i>	2	GC
<i>mycophenolate mofetil oral capsule (CellCept) 250 mg</i>	2	PA BvD; GC
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml (CellCept)</i>	5	PA BvD; NM; NDS
<i>mycophenolate mofetil oral tablet (CellCept) 500 mg</i>	2	PA BvD; GC
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NM; NDS
PRIVIGEN INTRAVENOUS SOLUTION 10 %	5	PA BvD; NM; NDS
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD; ST
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	3	
REZUROCK ORAL TABLET 200 MG	5	PA NSO; NM; NDS
RIDAURA ORAL CAPSULE 3 MG	5	NM; NDS
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sirolimus oral solution 1 mg/ml</i> (Rapamune)	5	PA; BvD; NM; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg</i> (Rapamune)	4	PA; BvD
<i>sirolimus oral tablet 2 mg</i> (Rapamune)	5	PA; BvD; NM; NDS
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; ST; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NM; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NM; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg</i> (Prograf)	2	PA; BvD; GC
<i>tacrolimus oral capsule 5 mg</i> (Prograf)	3	PA; BvD
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; NM; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NM; NDS
<b>Vaccines</b>		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG- LF/0.5ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	3	
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML	3	
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	3	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	3	PA BvD
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	3	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	3	QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	3	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	3	
IPOV INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	3	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	3	
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	3	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	3	
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	3	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	3	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	3	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	3	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	3	
PENTACEL (PF) INTRAMUSCULAR KIT 15LF- 48MCG-62DU -10 MCG/0.5ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PREHEVBRIOPF) INTRAMUSCULAR SUSPENSION 10 MCG/ML	3	PA BvD
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3- 4.3-3- 3.99 TCID50/0.5	3	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	3	
ROTAQE VACCINE ORAL SOLUTION 2 ML	3	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	3	QL (2 per 365 days)
TDVAX INTRAMUSCULAR (tetanus-diphtheria SUSPENSION 2-2 LF UNIT/0.5 toxoids-td) ML	3	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TETANUS,DIPHTHERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	3	
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML, 2.4 MCG/0.5 ML	3	QL (1.5 per 365 days)
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	3	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	3	
TYPHIM VI (typhoid vi polysacch INTRAMUSCULAR SYRINGE vaccine) 25 MCG/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	3	QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	3	
<b>Inflammatory Bowel Disease Agents</b>		
<b>Inflammatory Bowel Disease Agents</b>		
alosetron oral tablet 0.5 mg (Lotronex)	3	
alosetron oral tablet 1 mg (Lotronex)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>balsalazide oral capsule 750 mg</i>	(Colazal)	2	GC
<i>budesonide oral capsule,delayed,extend.release 3 mg</i>		4	
DIPENTUM ORAL CAPSULE 250 MG		5	ST; NM; NDS
<i>hydrocortisone rectal enema 100 mg/60 ml</i>	(Cortenema)	4	
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i>	(Delzicol)	4	
<i>mesalamine oral capsule,extended release 24hr 0.375 gram</i>	(Apriso)	4	
<i>mesalamine oral tablet,delayed release (drlec) 1.2 gram</i>	(Lialda)	4	
<i>mesalamine oral tablet,delayed release (drlec) 800 mg</i>	(Asacol HD)	4	
<i>mesalamine rectal suppository 1,000 mg</i>	(Canasa)	3	
<i>sulfasalazine oral tablet 500 mg</i>	(Azulfidine)	2	GC
<i>sulfasalazine oral tablet,delayed release (drlec) 500 mg</i>	(Azulfidine EN-tabs)	4	
UCERIS RECTAL FOAM 2 MG/ACTUATION		3	
<b>Metabolic Bone Disease Agents</b>			
<b>Metabolic Bone Disease Agents</b>			
<i>alendronate oral tablet 10 mg</i>		1	GC; QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>		1	GC; QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i>	(Fosamax)	1	GC; QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray,non-aerosol 200 unit/actuation</i>		2	GC; QL (3.7 per 28 days)
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>	(Rocaltrol)	2	GC
<i>calcitriol oral solution 1 mcg/ml</i>	(Rocaltrol)	4	
<i>cinacalcet oral tablet 30 mg</i>	(Sensipar)	3	QL (60 per 30 days)
<i>cinacalcet oral tablet 60 mg</i>	(Sensipar)	5	NM; NDS; QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i>	(Sensipar)	5	NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
EVENITY SUBCUTANEOUS SYRINGE 210MG/2.34ML (105MG/1.17MLX2)	5	PA; NM; NDS; QL (2.34 per 30 days)
<i>ibandronate oral tablet 150 mg</i> (Boniva)	2	GC; QL (1 per 28 days)
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	5	PA; NM; NDS; QL (2 per 28 days)
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	4	
<i>paricalcitol oral capsule 4 mcg</i>	4	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	3	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE, EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)
<i>risedronate oral tablet 150 mg</i> (Actonel)	4	QL (1 per 28 days)
<i>risedronate oral tablet 30 mg, 5 mg</i>	4	QL (30 per 30 days)
<i>risedronate oral tablet 35 mg</i> (Actonel)	4	QL (4 per 28 days)
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>	4	QL (4 per 28 days)
<i>risedronate oral tablet, delayed release (drlec) 35 mg</i> (Atelvia)	4	QL (4 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	3	PA; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NM; NDS
<b>Miscellaneous Therapeutic Agents</b>		
<b>Miscellaneous Therapeutic Agents</b>		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	PA; NM; NDS
<i>betaine oral powder 1 gram/scoop</i> (Cystadane)	5	NM; NDS
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	2	GC
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ELMIRON ORAL CAPSULE 100 MG	4	QL (90 per 30 days)
ENDARI ORAL POWDER IN PACKET 5 GRAM	5	PA; NM; NDS; QL (180 per 30 days)
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	5	PA; NM; NDS
GVOKE HYPOOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
<i>hydroxyzine pamoate oral capsule 100 mg</i>	2	GC
<i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i> (Vistaril)	1	GC
KEVEYIS ORAL TABLET 50 MG	5	PA; NM; NDS; QL (120 per 30 days)
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 5 mg</i>	2	GC
<i>leucovorin calcium oral tablet 25 mg</i>	3	
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i> (Carnitor)	2	GC
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	4	
MESNEX ORAL TABLET 400 MG	5	NM; NDS
<i>pyridostigmine bromide oral syrup 60 mg/5 ml</i> (Mestinon)	4	
<i>pyridostigmine bromide oral tablet 30 mg</i>	4	
<i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)	2	GC
RECTIV RECTAL OINTMENT 0.4 % (W/W)	4	QL (30 per 30 days)
TAKHYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS; QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TYBOST ORAL TABLET 150 MG	4	QL (30 per 30 days)
XURIDEN ORAL GRANULES IN PACKET 2 GRAM	5	PA; NM; NDS; QL (120 per 30 days)
<b>Ophthalmic Agents</b>		
<b>Antiglaucoma Agents</b>		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	GC
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	GC
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	3	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	GC
<i>brimonidine-timolol ophthalmic (Combigan) (eye) drops 0.2-0.5 %</i>	3	
<i>brinzolamide ophthalmic (eye) drops, suspension 1 %</i>	2	GC
<i>carteolol ophthalmic (eye) drops 1 %</i>	2	GC
COMBIGAN OPHTHALMIC (brimonidine-timolol) (EYE) DROPS 0.2-0.5 %	3	
<i>dorzolamide ophthalmic (eye) drops (Trusopt) 2 %</i>	2	GC
<i>dorzolamide-timolol ophthalmic (Cosopt) (eye) drops 22.3-6.8 mg/ml</i>	2	GC
<i>latanoprost ophthalmic (eye) drops (Xalatan) 0.005 %</i>	1	GC; QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	GC
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 4 %</i>	2	GC
<i>pilocarpine hcl ophthalmic (eye) (Isopto Carpine) drops 2 %</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i> (Timoptic)	1	GC
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i> (Timoptic-XE)	4	
<i>travoprost ophthalmic (eye) drops 0.004 %</i> (Travatan Z)	4	QL (2.5 per 25 days)
<b>Replacement Preparations</b>		
<b>Replacement Preparations</b>		
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	4	
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	4	
ISOLYTE S IV SOLUTION-EXCEL SINGLE USE	4	
ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i> (potassium chloride)	2	GC
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i> (potassium chloride)	2	GC
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i> (potassium chloride)	2	GC
<i>magnesium sulfate injection syringe 4 meq/ml</i>	2	PA BvD; GC
PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	4	
<i>potassium chloride intravenous solution 2 meq/ml</i>	1	PA BvD; GC
<i>potassium chloride intravenous solution 2 meq/ml (20 ml)</i>	2	PA BvD; GC
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	2	GC
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	4	
<i>potassium chloride oral tablet (K-Tab) extended release 10 meq, 20 meq</i>	2	GC
<i>potassium chloride oral tablet (Klor-Con 8) extended release 8 meq</i>	2	GC
<i>potassium chloride oral tablet,er particles/crystals 10 meq</i>	2	GC
<i>potassium chloride oral tablet,er particles/crystals 15 meq</i>	2	GC
<i>potassium chloride oral tablet,er particles/crystals 20 meq</i>	2	GC
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	2	GC
<i>potassium citrate oral tablet (Urocit-K 10) extended release 10 meq (1,080 mg)</i>	2	GC
<i>potassium citrate oral tablet (Urocit-K 15) extended release 15 meq</i>	2	GC
<i>potassium citrate oral tablet (Urocit-K 5) extended release 5 meq (540 mg)</i>	2	GC
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	2	GC
<i>sodium chloride 0.9 % injection solution</i>	2	GC
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	2	GC
<i>sodium chloride 0.9 % intravenous piggyback</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
<b>Respiratory Tract Agents</b>			
<b>Anti-Inflammatories, Inhaled Corticosteroids</b>			
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE	(fluticasone propion- salmeterol)	2	GC; QL (60 per 30 days)
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115- 21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION		3	QL (12 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION		3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	(fluticasone furoate- vilanterol)	3	QL (60 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i>	(Pulmicort)	3	PA BvD; QL (120 per 30 days)
<i>budesonide inhalation suspension for nebulization 1 mg/2 ml</i>	(Pulmicort)	3	PA BvD; QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION		3	QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION		3	QL (120 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION	(fluticasone propionate)	3	QL (12 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION	(fluticasone propionate)	3	QL (24 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION	(fluticasone propionate)	3	QL (21.2 per 30 days)
SYMBICORT INHALATION HFA AEROSOL INHALER 160- 4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION	(budesonide-formoterol)	3	QL (30.6 per 30 days)
<b>Antileukotrienes</b>			
montelukast oral tablet 10 mg	(Singulair)	1	GC
montelukast oral tablet, chewable 4 mg, 5 mg	(Singulair)	1	GC
zafirlukast oral tablet 10 mg, 20 mg	(Accolate)	4	
<b>Bronchodilators</b>			
albuterol 5 mg/ml solution 5 mg/ml		2	PA BvD; GC; QL (120 per 30 days)
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation	(ProAir HFA)	2	GC; QL (17 per 30 days)
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)		2	GC; QL (13.4 per 30 days)
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)		2	GC; QL (36 per 30 days)
albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %)		2	PA BvD; GC; QL (360 per 30 days)
albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml		2	PA BvD; GC; QL (120 per 30 days)
albuterol sulfate oral syrup 2 mg/5 ml		2	GC
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION		3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	4	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	QL (10.7 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD; GC; QL (312.5 per 30 days)
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg (2.5 mg base)/3 ml</i>	2	PA BvD; GC; QL (540 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	3	QL (4 per 30 days)
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	3	QL (30 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	4	
<i>theophylline oral solution 80 mg/15 ml</i>	4	
<i>theophylline oral tablet extended release 12 hr 300 mg, 450 mg</i>	4	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200- 62.5-25 MCG	3	QL (60 per 30 days)
<b>Respiratory Tract Agents, Other</b>		
acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)	2	PA BvD; GC
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	5	NM; NDS; QL (560 per 28 days)
cromolyn inhalation solution for nebulization 20 mg/2 ml	2	PA BvD; GC
DALIRESP ORAL TABLET 250 MCG	3	QL (28 per 28 days)
DALIRESP ORAL TABLET 500 MCG	3	QL (30 per 30 days)
ESBRIET ORAL CAPSULE 267 MG	5	PA; NM; NDS; QL (270 per 30 days)
FASENRA PEN SUBCUTANEOUS AUTO- INJECTOR 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG	5	PA; NM; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NM; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML, 40 MG/0.4 ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150- 188 MG	5	PA; NM; NDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NM; NDS; QL (120 per 30 days)
<i>pirfenidone oral tablet 267 mg</i> (Esbriet)	5	PA; NM; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 801 mg</i> (Esbriet)	5	PA; NM; NDS; QL (90 per 30 days)
PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,SUV 1,000 MG (+/-)/20 ML	5	PA BvD; NM; NDS
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	5	PA BvD; NM; NDS
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	5	PA; NM; NDS; QL (56 per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	5	PA; NM; NDS; QL (84 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NM; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML	5	PA; NM; NDS
<b>Skeletal Muscle Relaxants</b>		
<b>Skeletal Muscle Relaxants</b>		
<i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>	2	GC
<i>chlorzoxazone oral tablet 500 mg</i>	2	GC
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	GC
<i>dantrolene oral capsule 100 mg, 50 mg</i>	2	GC
<i>dantrolene oral capsule 25 mg</i> (Dantrium)	2	GC
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	2	GC
<i>tizanidine oral tablet 2 mg</i>	2	GC
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Sleep Disorder Agents</b>		
<b>Sleep Disorder Agents</b>		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	2	PA; GC; QL (30 per 30 days)
<b>BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG</b>	3	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	4	QL (30 per 30 days)
<b>HETLIOZ LQ ORAL SUSPENSION 4 MG/ML</b>	5	PA; NM; NDS; QL (150 per 30 days)
<b>HETLIOZ ORAL CAPSULE 20 MG</b>	5	PA; NM; NDS; QL (30 per 30 days)
<b>SUNOSI ORAL TABLET 150 MG, 75 MG</b>	4	PA; QL (30 per 30 days)
<b>XYREM ORAL SOLUTION 500 MG/ML</b>	5	PA; NM; LA; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	4	QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	GC; QL (30 per 30 days)
<b>Vasodilating Agents</b>		
<b>Vasodilating Agents</b>		
<b>ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG</b>	5	PA; NM; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i> (tadalafil (pulm. hypertension))	3	PA; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis)	5	PA; NM; NDS; QL (30 per 30 days)
<b>OPSUMIT ORAL TABLET 10 MG</b>	5	PA; NM; NDS; QL (30 per 30 days)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)	2	PA; GC; QL (90 per 30 days)
<i>sildenafil oral tablet 100 mg, 25 mg, 50 mg</i> (Viagra)	1	GC; EX
<i>tadalafil (pulm. hypertension) oral tablet 20 mg</i> (Alyq)	3	PA; QL (60 per 30 days)
<b>TRACLEER ORAL TABLET 125 MG, 62.5 MG</b> (bosentan)	5	PA; NM; LA; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	5	PA; NM; NDS; QL (112 per 28 days)
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NM; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

## INDEX

1ST TIER UNIFINE PENTIPS.....	87	<i>ala-cort</i> .....	84	<i>amoxicillin-pot clavulanate</i> .....	13, 14
1ST TIER UNIFINE PENTIPS PLUS.....	87	<i>albendazole</i> .....	44	<i>amphotericin b</i> .....	39
<i>abacavir</i> .....	52	<i>albuterol sulfate</i> .....	157	<i>ampicillin</i> .....	14
<i>abacavir-lamivudine</i> .....	52	<i>alclometasone</i> .....	84	<i>ampicillin sodium</i> .....	14
<i>ABELCET</i> .....	39	<i>ALCOHOL PADS</i> .....	82	<i>ampicillin-sulbactam</i> .....	14
<i>abiraterone</i> .....	16	<i>ALCOHOL PREP PADS</i> .....	83	<i>anagrelide</i> .....	60
<b>ABOUTTIME PEN NEEDLE</b> .....	87	<i>ALCOHOL PREP SWABS</i> ....	82	<i>anastrozole</i> .....	16
<i>acamprosate</i> .....	7	<i>ALCOHOL SWABS</i> .....	82	<b>ANORO ELLIPTA</b> .....	157
<i>acarbose</i> .....	34	<i>ALCOHOL WIPES</i> .....	83	<i>apomorphine</i> .....	45
<i>accutane</i> .....	82	<i>ALECENSA</i> .....	16	<i>apraclonidine</i> .....	128
<i>acebutolol</i> .....	65	<i>alendronate</i> .....	150	<i>aprepitant</i> .....	43, 44
<i>acetaminophen-codeine</i> .....	3	<i>alfuzosin</i> .....	135	<i>apri</i> .....	75
<i>acetazolamide</i> .....	153	<i>aliskiren</i> .....	71	<b>APTIOM</b> .....	26
<i>acetic acid</i> .....	128	<i>allopurinol</i> .....	41	<b>APTIVUS</b> .....	52
<i>acetylcysteine</i> .....	159	<i>alosetron</i> .....	149	<i>aranelle (28)</i> .....	75
<i>acitretin</i> .....	82	<b>ALPHAGAN P</b> .....	153	<b>ARCALYST</b> .....	141
<i>ACTHAR</i> .....	139	<i>alprazolam</i> .....	8	<i>ariPIPRAZOLE</i> .....	47
<i>ACTHIB (PF)</i> .....	145	<b>ALREX</b> .....	130	<b>ARISTADA</b> .....	47, 48
<i>ACTIMMUNE</i> .....	151	<i>altavera (28)</i> .....	75	<b>ARISTADA INITIO</b> .....	47
<i>acyclovir</i> .....	57, 82	<b>ALTRENO</b> .....	86	<i>armodafinil</i> .....	161
<i>acyclovir sodium</i> .....	57	<b>ALUNBRIG</b> .....	16	<b>ARNUITY ELLIPTA</b> .....	156
<b>ADACEL(TDAP ADOLESN/ADULT)(PF)</b> .....	145, 146	<i>alyacen 1/35 (28)</i> .....	75	<i>asenapine maleate</i> .....	48
<i>adapalene</i> .....	86	<i>alyq</i> .....	161	<i>ashlyna</i> .....	76
<i>adefovir</i> .....	57	<i>amabelz</i> .....	137	<i>aspirin-dipyridamole</i> .....	60
<i>ADEMPAS</i> .....	161	<i>amantadine hcl</i> .....	45	<b>ASSURE ID DUO-SHIELD</b> ..	88
<i>ADVAIR DISKUS</i> .....	156	<b>AMBISOME</b> .....	39	<b>ASSURE ID INSULIN SAFETY</b> .....	89
<i>ADVAIR HFA</i> .....	156	<i>ambrisentan</i> .....	161	<b>ASSURE ID PEN NEEDLE</b> ..	89
<i>ADVOCATE PEN NEEDLE</i> .....	88	<i>amethia</i> .....	75	<i>atazanavir</i> .....	52
<i>ADVOCATE SYRINGES</i> .....	88	<i>amiloride</i> .....	68	<i>atenolol</i> .....	65
<i>AIMOVIG</i> .....		<i>amiloride-hydrochlorothiazide</i> ..	68	<i>atenolol-chlorthalidone</i> .....	65
<i>AUTOINJECTOR</i> .....	42	<i>amiodarone</i> .....	64	<i>atomoxetine</i> .....	72
<i>AJOVY AUTOINJECTOR</i> ....	42	<i>amitriptyline</i> .....	31	<i>atorvastatin</i> .....	69
<i>AJOVY SYRINGE</i> .....	42	<i>amlodipine</i> .....	68	<i>atovaquone</i> .....	44
		<i>amlodipine-benazepril</i> .....	68	<i>atovaquone-proguanil</i> .....	44, 45
		<i>amlodipine-valsartan</i> .....	68	<i>atropine</i> .....	128
		<i>ammonium lactate</i> .....	82	<b>ATROVENT HFA</b> .....	158
		<i>amoxapine</i> .....	31	<b>AUBAGIO</b> .....	72
		<i>amoxicillin</i> .....	13		

<i>aubra eq</i> .....	76	BD ULTRA-FINE NANO	BRILINTA .....	60
AUSTEDO.....	72	PEN NEEDLE .....	<i>brimonidine</i> .....	153
<i>aviane</i> .....	76	BD ULTRA-FINE ORIG	<i>brimonidine-timolol</i> .....	153
AVONEX.....	72	PEN NEEDLE .....	<i>brinzolamide</i> .....	153
AYVAKIT.....	16	BD ULTRA-FINE SHORT	BRIVIACT .....	26
<i>azathioprine</i> .....	141	PEN NEEDLE .....	<i>bromocriptine</i> .....	45
<i>azelastine</i> .....	128	BD VEO INSULIN SYR	BROMSITE .....	130
<i>azithromycin</i> .....	12	(HALF UNIT).....	BRONCHITOL.....	159
<i>aztreonam</i> .....	13	BD VEO INSULIN	BRUKINSA .....	17
<i>bacitracin</i> .....	128	SYRINGE UF .....	<i>budesonide</i> .....	150, 156
<i>bacitracin-polymyxin b</i> .....	128	BELSOMRA .....	<i>bumetanide</i> .....	68
<i>baclofen</i> .....	160	benazepril .....	<i>buprenorphine hcl</i> .....	7
<i>balsalazide</i> .....	150	benazepril-hydrochlorothiazide	<i>buprenorphine-naloxone</i> .....	7
BALVERSA.....	16	BENLYSTA .....	<i>bupropion hcl</i> .....	31
<i>balziva (28)</i> .....	76	benztropine .....	<i>bupropion hcl (smoking deter)</i> .....	7
BAXDELA.....	15	BESREMI .....	<i>buspirone</i> .....	151
BCG VACCINE, LIVE (PF)	146	betaine .....	<i>butalbital-acetaminophen-caff</i> .....	3
BD ALCOHOL SWABS.....	82	betamethasone dipropionate	<i>butalbital-aspirin-caffeine</i> .....	3
BD AUTOSHIELD DUO		betamethasone valerate .....	<i>cabergoline</i> .....	45
PEN NEEDLE.....	89	betamethasone, augmented .....	CABLIVI .....	60
BD ECLIPSE LUER-LOK .....	89	BETASERON .....	CABOMETYX .....	17
BD INSULIN SYRINGE ..	89, 90	betaxolol .....	<i>calcipotriene</i> .....	82
BD INSULIN SYRINGE		bethanechol chloride .....	<i>calcitonin (salmon)</i> .....	150
(HALF UNIT).....	89	bexarotene .....	<i>calcitriol</i> .....	150
BD INSULIN SYRINGE		BEXSERO .....	<i>calcium acetate(phosphat</i>	
SLIP TIP .....	90	bicalutamide .....	<i>bind)</i> .....	134
BD INSULIN SYRINGE U-		BICILLIN L-A .....	CALQUENCE .....	17
500 .....	89	BIDIL .....	<i>camila</i> .....	76
BD INSULIN SYRINGE		BIKTARVY .....	<i>candesartan</i> .....	63
ULTRA-FINE .....	89	bisoprolol fumarate .....	CAPLYTA .....	48
BD NANO 2ND GEN PEN		bisoprolol-hydrochlorothiazide	CAPRELSA .....	17
NEEDLE .....	90	blisovi 24 fe .....	<i>captopril</i> .....	64
BD SAFETYGLIDE		blisovi fe 1.5/30 (28) .....	<i>carbamazepine</i> .....	26
INSULIN SYRINGE ..	89, 90, 91	BOOSTRIX TDAP .....	<i>carbidopa-levodopa</i> .....	46
BD SAFETYGLIDE		BORDERED GAUZE .....	<i>carbidopa-levodopa-</i>	
SYRINGE .....	90	BOSULIF .....	<i>entacapone</i> .....	46
BD ULTRA-FINE MICRO		BRAFTOVI .....	CAREFINE PEN NEEDLE	
PEN NEEDLE .....	91	BREO ELLIPTA .....	.....	91, 92
BD ULTRA-FINE MINI		BREZTRI AEROSPHERE..	CARETOUCH ALCOHOL	
PEN NEEDLE .....	91	brielllyn .....	PREP PAD .....	82

CARETOUCH INSULIN SYRINGE	92	<i>cholestyramine (with sugar)</i> ..... 70
CARETOUCH PEN NEEDLE	92	<i>cholestyramine light</i> ..... 70
<i>carglumic acid</i>	132	<i>ciclopirox</i> ..... 39
<i>carteolol</i>	153	<i>cilostazol</i> ..... 60
<i>cartia xt</i>	66	<i>CIMDUO</i> ..... 53
<i>carvedilol</i>	65	<i>cimetidine hcl</i> ..... 132
<i>caspofungin</i>	39	<i>cinacalcet</i> ..... 150
CAYSTON	13	<i>CINRYZE</i> ..... 59
<i>caziant (28)</i>	76	<i>ciprofloxacin hcl</i> ..... 15, 128
<i>cefaclor</i>	11	<i>ciprofloxacin in 5 % dextrose</i> ... 15
<i>cefadroxil</i>	11	<i>ciprofloxacin-dexamethasone</i> . 128
<i>cefazolin</i>	11	<i>citalopram</i> ..... 31
<i>cefdinir</i>	11	<i>clarithromycin</i> ..... 12
<i>cefepime</i>	11	<i>CLENPIQ</i> ..... 134
<i>cefixime</i>	11	<b>CLICKFINE PEN NEEDLE</b>
<i>cefoxitin</i>	11	..... 92, 93
<i>cefoperazone</i>	11	<i>clindamycin hcl</i> ..... 9
<i>cefprozil</i>	11	<i>clindamycin in 5 % dextrose</i> ..... 9
<i>ceftazidime</i>	11	<i>clindamycin phosphate</i> .. 10, 41, 84
CEFTAZIDIME	11	<b>CLINIMIX 5%/D15W</b>
CEFTAZIDIME IN D5W	11	<b>SULFITE FREE</b> ..... 61
<i>ceftriaxone</i>	12	<b>CLINIMIX 4.25%/D10W</b>
<i>cefuroxime axetil</i>	12	<b>SULF FREE</b> ..... 61
<i>cefuroxime sodium</i>	12	<b>CLINIMIX 4.25%/D5W</b>
<i>celecoxib</i>	5	<b>SULFIT FREE</b> ..... 61
CELONTIN	26	<b>CLINIMIX 5%-</b>
<i>cephalexin</i>	12	D20W(SULFITE-FREE)..... 61
CERDELGA	127	<b>CLINIMIX E 2.75%/D5W</b>
CHANTIX CONTINUING MONTH BOX	7	<b>SULF FREE</b> ..... 61
CHANTIX STARTING MONTH BOX	7	<b>CLINIMIX E 4.25%/D10W</b>
<i>chlordiazepoxide hcl</i>	8	<b>SULF FREE</b> ..... 61
<i>chlorhexidine gluconate</i>	81	<b>CLINIMIX E 4.25%/D5W</b>
<i>chloroquine phosphate</i>	45	<b>SULFIT FREE</b> ..... 61
<i>chlorpromazine</i>	48	<b>CLINIMIX E 5%/D20W</b>
<i>chlorthalidone</i>	68	<b>SULFIT FREE</b> ..... 61
<i>chlorzoxazone</i>	160	<i>clobazam</i> ..... 26
		<i>clobetasol</i> ..... 85
		<i>clobetasol-emollient</i> ..... 85
		<i>clomipramine</i> ..... 32
		<i>clonazepam</i> ..... 8
		<i>clonidine</i> ..... 62
		<i>clonidine hcl</i> ..... 62
		<i>clopidogrel</i> ..... 60
		<i>clorazepate dipotassium</i> ..... 9
		<i>clotrimazole</i> ..... 39
		<i>clotrimazole-betamethasone</i> ..... 39
		<i>clozapine</i> ..... 48
		<b>COARTEM</b> ..... 45
		<i>codeine sulfate</i> ..... 3
		<i>colchicine</i> ..... 41
		<i>colesevelam</i> ..... 70
		<i>colestipol</i> ..... 70
		<i>colistin (colistimethate na)</i> ..... 10
		<b>COMBIGAN</b> ..... 153
		<b>COMBIVENT RESPIMAT</b> ..158
		<b>COMETRIQ</b> ..... 17
		<b>COMFORT EZ INSULIN SYRINGE</b> ..... 93, 94
		<b>COMFORT EZ PEN NEEDLES</b> ..... 93, 94
		<b>COMFORT TOUCH PEN NEEDLE</b> ..... 95
		<b>COMPLERA</b> ..... 53
		<i>compro</i> ..... 44
		<i>constulose</i> ..... 132
		<b>COPAXONE</b> ..... 72
		<b>COPIKTRA</b> ..... 17
		<b>CORLANOR</b> ..... 67
		<b>CORTROPHIN GEL</b> ..... 139
		<b>COSENTYX</b> ..... 142
		<b>COSENTYX (2 SYRINGES)</b> ..... 141
		<b>COSENTYX PEN (2 PENS)</b> 142
		<b>COTELLIC</b> ..... 17
		<b>CREON</b> ..... 127
		<i>cromolyn</i> ..... 128, 133, 159
		<i>cryselle (28)</i> ..... 76
		<b>CURAD GAUZE PAD</b> ..... 95

CURITY ALCOHOL	
SWABS.....	82
CURITY GAUZE.....	95
cyclobenzaprine.....	160
CYCLOPHOSPHAMIDE.....	17
cyclophosphamide.....	17
cyclosporine.....	142
cyclosporine modified.....	142
cyproheptadine.....	41
cyred eq.....	76
CYSTARAN.....	128
d5 % and 0.9 % sodium chloride.....	154
d5 %-0.45 % sodium chloride ..	154
dalfampridine.....	72
DALIRESP.....	159
danazol.....	136
dantrolene.....	160
dapsone.....	43
DAPTACEL (DTAP PEDIATRIC) (PF).....	146
daptomycin.....	10
DAURISMO.....	17, 18
deblitane.....	76
deferasirox.....	136
deferiprone.....	136
DELSTRIGO.....	53
DERMACEA.....	95
DERMACEA NON-WOVEN.....	95
DESCOZY.....	53
desipramine.....	32
desmopressin.....	139
desog-e.estriadiolle.estriadiol....	76
desogestrel-ethinyl estradiol....	76
desoximetasone.....	85
desvenlafaxine succinate.....	32
dexamethasone.....	138
dexamethasone sodium phosphate.....	130
dexmethylphenidate.....	73
dextroamphetamine sulfate.....	73
dextroamphetamine-amphetamine.....	73
dextrose 10 % in water (d10w) ..	62
dextrose 5 % in water (d5w) ...	62
DIACOMIT.....	26, 27
diazepam.....	9, 27
diazepam intensol.....	9
diazoxide.....	151
diclofenac epolamine.....	5
diclofenac potassium.....	5
diclofenac sodium.....	5, 6, 130
dicloxacillin.....	14
dicyclomine.....	133
DIFICID.....	12
difluprednate.....	130
digitek.....	67
digox.....	67
digoxin.....	67
dihydroergotamine.....	42
diltiazem hcl.....	66
dilt-xr .....	67
dimethyl fumarate .....	73
DIPENTUM.....	150
diphenoxylate-atropine.....	133
dipyridamole.....	61
disopyramide phosphate .....	65
disulfiram.....	7
divalproex.....	27
dofetilide.....	65
donepezil.....	30
DOPTELET (10 TAB PACK) .....	59
DOPTELET (15 TAB PACK) .....	59
DOPTELET (30 TAB PACK) .....	59
dorzolamide.....	153
dorzolamide-timolol.....	153
dotti.....	137
DOVATO.....	53
doxazosin.....	62
doxepin.....	32
doxy-100.....	15
doxycycline hyclate .....	15
doxycycline monohydrate... ..	15, 16
DRIZALMA SPRINKLE.....	32
dronabinol.....	44
DROPLET INSULIN SYR(HALF UNIT).....	95, 96
DROPLET INSULIN SYRINGE.....	96, 97
DROPLET MICRON PEN NEEDLE.....	97
DROPLET PEN NEEDLE.....	97
DROPSAFE ALCOHOL PREP PADS.....	82
DROPSAFE PEN NEEDLE .....	97, 98
drospirenone-ethinyl estradiol... ..	76
DROXIA.....	60
droxidopa.....	62
DUAVEE.....	137
duloxetine.....	32
DUPIXENT PEN.....	142
DUPIXENT SYRINGE.....	142
dutasteride.....	135
EASY COMFORT ALCOHOL PAD.....	82
EASY COMFORT INSULIN SYRINGE .....	98, 99
EASY COMFORT PEN NEEDLES .....	98, 99
EASY GLIDE INSULIN SYRINGE .....	99
EASY GLIDE PEN NEEDLE .....	99
EASY TOUCH .....	101
EASY TOUCH ALCOHOL PREP PADS .....	82
EASY TOUCH FLIPLOCK INSULIN .....	100

EASY TOUCH FLIPLOCK SYRINGE.....	100
EASY TOUCH INSULIN SAFETY SYR.....	99, 100
EASY TOUCH INSULIN SYRINGE.....	99, 100, 101, 102
EASY TOUCH LUER LOCK INSULIN.....	101
EASY TOUCH PEN NEEDLE.....	101
EASY TOUCH SAFETY PEN NEEDLE.....	101, 102
EASY TOUCH SHEATHLOCK INSULIN .....	100, 101
EASY TOUCH UNI-SLIP... .....	102
<i>ec-naproxen</i> .....	6
<i>econazole</i> .....	39
EDARBI.....	63
EDARBYCLOR.....	63
EDURANT.....	53
<i>efavirenz</i> .....	53
<i>efavirenz-emtricitabin-tenofovir</i> ..	53
<i>efavirenz-lamivu-tenofovir disop.</i> ..	53
EGRIFTA SV.....	139
ELIGARD.....	18
ELIGARD (3 MONTH).....	18
ELIGARD (4 MONTH).....	18
ELIGARD (6 MONTH).....	18
ELIQUIS.....	58
ELIQUIS DVT-PE TREAT 30D START.....	58
ELMIRON.....	152
<i>eluryng</i> .....	76
EMCYT.....	18
EMEND.....	44
EMFLAZA.....	138, 139
EMGALITY PEN.....	42
EMGALITY SYRINGE.....	42
EMSAM.....	32
<i>emtricitabine</i> .....	53
<i>emtricitabine-tenofovir (tdf)</i> .....	53
EMTRIVA.....	53
<i>enalapril maleate</i> .....	64
<i>enalapril-hydrochlorothiazide</i> ...	64
ENBREL.....	142
ENBREL MINI.....	142
ENBREL SURECLICK.....	142
ENDARI.....	152
<i>endocet</i> .....	3
ENGERIX-B (PF).....	146
ENGERIX-B PEDIATRIC (PF).....	146
<i>enoxaparin</i> .....	58
<i>enpresse</i> .....	76
<i>enskyce</i> .....	76
<i>entacapone</i> .....	46
<i>entecavir</i> .....	57
ENTRESTO.....	63
<i>enulose</i> .....	133
EPCLUSA.....	56, 57
EPIDIOLEX.....	27
<i>epinastine</i> .....	128
<i>epinephrine</i> .....	67
<i>epitol</i> .....	27
EPIVIR HBV.....	53
<i>eplerenone</i> .....	71
EPRONTIA.....	27
<i>ergoloid</i> .....	30
ERIVEDGE.....	18
ERLEADA.....	18
<i>erlotinib</i> .....	18
<i>errin</i> .....	77
<i>ertapenem</i> .....	13
<i>ery pads</i> .....	84
<i>erythromycin</i> .....	13, 128
<i>erythromycin ethylsuccinate</i> ....	13
<i>erythromycin with ethanol</i> .....	84
ESBRIET .....	159
<i>escitalopram oxalate</i> .....	32
<i>esomeprazole magnesium</i> .....	132
<i>estarrylla</i> .....	77
<i>estradiol</i> .....	137
<i>estradiol valerate</i> .....	137
<i>estradiol-norethindrone acet</i> ...	137
<i>eszopiclone</i> .....	161
<i>ethambutol</i> .....	43
<i>ethosuximide</i> .....	27
<i>ethynodiol diac-eth estradiol</i> ....	77
<i>etodolac</i> .....	6
<i>etongestrel-ethinyl estradiol</i> ....	77
<i>etravirine</i> .....	53
EUCRISA.....	85
EVENITY .....	151
<i>everolimus (antineoplastic)</i> .....	18
<i>everolimus</i> (immunosuppressive) .....	142
EVOTAZ.....	53
EVRYSDI.....	152
EXEL INSULIN.....	102
<i>exemestane</i> .....	18
EXKIVITY .....	18
EYSUVIS.....	130
<i>ezetimibe</i> .....	70
<i>falmina (28)</i> .....	77
<i>famciclovir</i> .....	57
<i>famotidine</i> .....	132
FANAPT.....	48
FARXIGA.....	34
FASENRA.....	159
FASENRA PEN.....	159
<i>febuxostat</i> .....	41
<i>felbamate</i> .....	27
FEMRING.....	138
<i>femynor</i> .....	77
<i>fenofibrate</i> .....	70
<i>fenofibrate micronized</i> .....	70
<i>fenofibrate nanocrystallized</i> ....	70
<i>fentanyl</i> .....	3
<i>fentanyl citrate</i> .....	3

FERRIPROX.....	136	<i>fyavolv</i> .....	138	GVOKE PFS 1-PACK	
FETZIMA.....	32	FYCOMPA.....	27	SYRINGE.....	152
FIASP FLEXTOUCH U-100		<i>gabapentin</i> .....	28	HAEGARDA.....	59
INSULIN.....	36	GALAFOLD.....	127	<i>hailey 24 fe</i> .....	77
FIASP PENFILL U-100		<i>galantamine</i> .....	31	<i>halobetasol propionate</i> .....	85
INSULIN.....	36	GAMMAGARD LIQUID...	143	<i>haloperidol</i> .....	49
FIASP U-100 INSULIN.....	36	GAMMAGARD S-D (IGA < 1 MCG/ML).....	143	<i>haloperidol decanoate</i> .....	49
<i>finasteride</i> .....	135	GAMMAPLEX.....	143	<i>haloperidol lactate</i> .....	49
FINTEPLA.....	27	GAMMAPLEX (WITH SORBITOL).....	143	HARVONI.....	57
FIRVANQ.....	10	GARDASIL 9 (PF).....	146	HAVRIX (PF).....	146
FLEBOGAMMA DIF.....	143	GATTEX 30-VIAL.....	133	HEALTHWISE INSULIN SYRINGE.....	103
<i>flecainide</i> .....	65	GAUZE PAD.....	103	HEALTHWISE PEN NEEDLE.....	103
FLOVENT DISKUS.....	156	<i>gavilyte-c</i> .....	134	HEALTHY ACCENTS UNIFINE PENTIP.....	104
FLOVENT HFA.....	156, 157	<i>gavilyte-g</i> .....	134	<i>heparin (porcine)</i> .....	58
<i>fluconazole</i> .....	39	GAVRETO.....	18	HETLIOZ.....	161
<i>fluconazole in nacl (iso-osm)</i> ...	39	<i>gemfibrozil</i> .....	70	HETLIOZ LQ.....	161
<i>flucytosine</i> .....	40	<i>generlac</i> .....	133	HIBERIX (PF).....	147
<i>fludrocortisone</i> .....	139	<i>gengraf</i> .....	143	HUMIRA.....	143
<i>flunisolide</i> .....	130	<i>gentak</i> .....	129	HUMIRA PEN.....	143
<i>fluocinolone</i> .....	85	<i>gentamicin</i> .....	9, 84, 129	HUMIRA PEN CROHNS- UC-HS START.....	143
<i>fluocinonide</i> .....	85	GENVOYA.....	53	HUMIRA PEN PSOR- UVEITS-ADOL HS.....	143
<i>fluocinonide-emollient</i> .....	85	GILENYA.....	73	HUMIRA(CF).....	144
<i>fluorometholone</i> .....	130	GIOTRIF.....	19	HUMIRA(CF) PEDI CROHNS STARTER.....	143
<i>fluorouracil</i> .....	82, 83	<i>glatiramer</i> .....	73	HUMIRA(CF) PEN.....	144
<i>fluoxetine</i> .....	32	<i>glatopa</i> .....	73	HUMIRA(CF) PEN CROHNS-UC-HS.....	143
<i>fluphenazine decanoate</i> .....	48	<i>glimepiride</i> .....	38	HUMIRA(CF) PEN HUMIRA(CF) PEN	
<i>fluphenazine hcl</i> .....	48, 49	<i>glipizide</i> .....	38	CROHNS-UC-HS.....	143
<i>flurbiprofen</i> .....	6	<i>glipizide-metformin</i> .....	38, 39	HUMIRA(CF) PEN HUMIRA(CF) PEN	
<i>flurbiprofen sodium</i> .....	131	<i>glyburide</i> .....	39	PEDIATRIC UC.....	143
<i>flutamide</i> .....	18	<i>glyburide micronized</i> .....	39	HUMIRA(CF) PEN PSOR- UV-ADOL HS.....	144
<i>fluticasone propionate</i> .....	85, 131	<i>glyburide-metformin</i> .....	39	HUMULIN R U-500 (CONC) INSULIN.....	37
<i>fluvoxamine</i> .....	33	<i>glycopyrrrolate</i> .....	133	HUMULIN R U-500 (CONC) KWIKPEN.....	37
<i>fondaparinux</i> .....	58	GLYXAMBI.....	34		
<i>fosamprenavir</i> .....	53	<i>granisetron hcl</i> .....	44		
<i>fosinopril</i> .....	64	<i>griseofulvin microsize</i> .....	40		
FOTIVDA.....	18	<i>guanfacine</i> .....	62, 73		
FREESTYLE PRECISION..	102	GVOKE HYPOOPEN 2- PACK.....	152		
FULPHILA.....	59				
<i>furosemide</i> .....	69				
FUZEON.....	53				

hydralazine	67	INREBIC	19	JAKAFI	19
hydrochlorothiazide	69	INSULIN SYR/NDL U100		jantoven	58
hydrocodone-acetaminophen	3	HALF MARK	104	JANUMET	34
hydrocodone-ibuprofen	3	INSULIN SYRINGE	90	JANUMET XR	34
hydrocortisone	86, 139, 150	INSULIN SYRINGE		JANUVIA	34
hydromorphone	4	MICROFINE	90	JARDIANC	34
hydromorphone (pf)	4	INSULIN SYRINGE		jasmiel (28)	77
hydroxychloroquine	45	NEEDLELESS	90	JENTADUETO	34
hydroxyurea	19	INSULIN SYRINGE-		JENTADUETO XR	34, 35
hydroxyzine hcl	41	NEEDLE U-100		jinteli	138
hydroxyzine pamoate	152	90, 92, 102, 104, 105, 112, 116,		juleber	77
ibandronate	151	121		JULUCA	54
IBRANCE	19	INSUPEN	105, 106	junel 1.5/30 (21)	77
ibu	6	INTELENCE	54	junel 1/20 (21)	77
ibuprofen	6	INTRALIPID	62	junel fe 1.5/30 (28)	77
icatibant	67	INTRON A	57	junel fe 1/20 (28)	77
iclevia	77	INVEGA HAFYERA	49	junel fe 24	77
ICLUSIG	19	INVEGA SUSTENNA	49	JUXTAPID	70
IDHIFA	19	INVEGA TRINZA	49, 50	JYNARQUE	69
ILEVRO	131	INVELTYS	131	KALYDECO	159
imatinib	19	IPOL	147	kariva (28)	77
IMBRUVICA	19	ipratropium bromide	128, 158	kelnor 1/35 (28)	78
imipenem-cilastatin	13	ipratropium-albuterol	158	kelnor 1-50 (28)	78
imipramine hcl	33	irbesartan	63	KERENDIA	71
imiquimod	83	irbesartan-hydrochlorothiazide	63	KESIMPTA PEN	74
IMOVAX RABIES		IRESSA	19	ketoconazole	40
VACCINE (PF)	147	ISENTRESS	54	ketorolac	6, 131
IMPAVIDO	45	ISENTRESS HD	54	KEVEYIS	152
INBRIJA	46	isibloom	77	KINRIX (PF)	147
incassia	77	ISOLYTE S PH 7.4	154	KISQALI	20
INCONTROL ALCOHOL		ISOLYTE-P IN 5 %		KISQALI FEMARA CO-	
PADS	83	DEXTROSE	154	PACK	19, 20
INCONTROL PEN		ISOLYTE-S	154	klor-con m10	154
NEEDLE	104	isoniazid	43	klor-con m15	154
INCRELEX	140	isosorbide dinitrate	72	klor-con m20	154
indapamide	69	isosorbide mononitrate	72	KLOXXADO	8
indomethacin	6	itraconazole	40	KORLYM	35
INFANRIX (DTAP) (PF)	147	IV PREP WIPES	83	KOSELUGO	20
INLYTA	19	ivermectin	45	KRINTAFEL	45
INQOVI	19	IXIARO (PF)	147	kurvelo (28)	78

KYNMOBI	46	levora-28	78	LUPRON DEPOT (3	
<i>l norgest/e.estradiol-e.estrad</i>	78	levothyroxine	141	MONTH)	21, 140
labetalol	65	LEXIVA	54	LUPRON DEPOT (4	
lacosamide	28	lidocaine	7	MONTH)	21
lactulose	133	lidocaine hcl	7	LUPRON DEPOT (6	
lamivudine	54	lidocaine viscous	7	MONTH)	21
lamivudine-zidovudine	54	lidocaine-prilocaine	7	lulera (28)	79
lamotrigine	28	linezolid	10	LYBALVI	50
lansoprazole	132	linezolid in dextrose 5%	10	lyeq	79
LANTUS SOLOSTAR U-100		LINZESS	133	lyllana	138
INSULIN	37	liothyronine	141	LYNPARZA	21
LANTUS U-100 INSULIN	37	LISCO	106	LYSODREN	21
lapatinib	20	lisinopril	64	lyza	79
larin 1.5/30 (21)	78	lisinopril-hydrochlorothiazide	64	MAGELLAN INSULIN	
larin 1/20 (21)	78	LITE TOUCH INSULIN		SAFETY SYRNG	107
larin fe 1.5/30 (28)	78	PEN NEEDLES	106	MAGELLAN SYRINGE	107
larin fe 1/20 (28)	78	LITE TOUCH INSULIN		magnesium sulfate	154
larissa	78	SYRINGE	106, 107	malathion	87
latanoprost	153	lithium carbonate	74	maraviroc	54
LATUDA	50	LIVALO	70	marlissa (28)	79
LAZANDA	4	LOKELMA	133	MARPLAN	33
leflunomide	144	LONSURF	20	MATULANE	21
lenalidomide	20	loperamide	133	MAVENCLAD (10 TABLET	
LENVIMA	20	lopinavir-ritonavir	54	PACK)	74
lessina	78	lorazepam	9	MAVENCLAD (4 TABLET	
letrozole	20	LORBRENA	20, 21	PACK)	74
leucovorin calcium	152	loryna (28)	79	MAVENCLAD (5 TABLET	
LEUKERAN	20	losartan	63	PACK)	74
LEUKINE	59	losartan-hydrochlorothiazide	63	MAVENCLAD (6 TABLET	
leuprolide	20	LOTEMAX	131	PACK)	74
levetiracetam	28	LOTEMAX SM	131	MAVENCLAD (7 TABLET	
levobunolol	153	loteprednol etabonate	131	PACK)	74
levocarnitine	152	lovastatin	70	MAVENCLAD (8 TABLET	
levocarnitine (with sugar)	152	low-ogestrel (28)	79	PACK)	74
levocetirizine	41	loxapine succinate	50	MAVENCLAD (9 TABLET	
levofloxacin	15, 129	lubiprostone	133	PACK)	74
levofloxacin in d5w	15	LUCEMYRA	8	MAXICOMFORT II PEN	
levonest (28)	78	LUMAKRAS	21	NEEDLE	107
levonorgestrel-ethinyl estrad	78	LUMIGAN	153	MAXICOMFORT INSULIN	
levonorg-eth estrad triphasic	78	LUPRON DEPOT	140	SYRINGE	107, 108

MAXI-COMFORT	
INSULIN SYRINGE .....	108
MAXICOMFORT SAFETY	
PEN NEEDLE.....	108
MAYZENT .....	74
MAYZENT	
STARTER(FOR 2MG MAINT).....	74
meclizine .....	44
medroxyprogesterone .....	141
mefenamic acid.....	6
mefloquine .....	45
megestrol.....	21, 141
MEKINIST .....	21
MEKTOVI .....	21
meloxicam .....	6
memantine .....	31
MENACTRA (PF).....	147
MENQUADFI (PF).....	147
MENVEO A-C-Y-W-135-DIP (PF).....	147
mercaptopurine .....	21
meropenem .....	13
mesalamine .....	150
MESNEX .....	152
metformin .....	35
methadone .....	4
methenamine hippurate .....	10
methimazole .....	141
methocarbamol.....	160
methotrexate sodium .....	21
methotrexate sodium (pf) .....	21
methoxsalen .....	83
methscopolamine .....	133
methyldopa .....	62
methylphenidate hcl .....	74, 75
methylprednisolone .....	139
metoclopramide hcl .....	133
metolazone .....	69
metoprolol succinate .....	65
metoprolol ta-hydrochlorothiaz	66
metoprolol tartrate .....	66
metronidazole .....	10, 41, 84
metronidazole in nacl (iso-os) ..	10
metyrosine .....	68
mexiletine .....	65
miconazole-3 .....	40
MICRODOT INSULIN PEN NEEDLE.....	108
microgestin fe 1/20 (28) .....	79
midodrine .....	63
miglustat .....	127
milri .....	79
mimvey .....	138
MINI ULTRA-THIN II.....	108
minocycline .....	16
minoxidil .....	72
mirtazapine .....	33
misoprostol .....	132
MITIGARE .....	41
M-M-R II (PF).....	147
molindone .....	50
mometasone .....	86, 131
MONOJECT INSULIN SAFETY SYRING.....	109
MONOJECT INSULIN SYRINGE.....	108
MONOJECT ULTRA COMFORT INSULIN .....	122
montelukast .....	157
morphine .....	4
MORPHINE .....	4
morphine concentrate .....	4
MOVANTIK .....	133
moxifloxacin .....	15, 129
MULPLETA .....	59
MULTAQ .....	65
mupirocin .....	84
mycophenolate mofetil .....	144
MYRBETRIQ .....	135
nabumetone .....	6
nafcillin .....	14
nafcillin in dextrose iso-osm .....	14
naloxone .....	8
naltrexone .....	8
NAMZARIC .....	31
naproxen .....	6
NARCAN .....	8
NATACYN .....	129
NATPARA .....	151
NAYZILAM .....	28
nebivolol .....	66
necon 0.5/35 (28) .....	79
nefazodone .....	33
neomycin .....	9
neomycin-bacitracin-poly-hc ..	129
neomycin-bacitracin-polymyxin ..	129
neomycin-polymyxin b-dexameth .....	129
neomycin-polymyxin-gramicidin .....	129
neomycin-polymyxin-hc .....	129
NERLYNX .....	21
NEULASTA .....	59
NEUPRO .....	46
nevirapine .....	54
NEXLETOL .....	70
NEXLIZET .....	70
niacin .....	70
nicardipine .....	68
NICOTROL .....	8
nifedipine .....	68
nikki (28) .....	79
nilutamide .....	21
NINLARO .....	21
nitazoxanide .....	45
nitisinone .....	127
nitrofurantoin macrocrystal .....	10

<i>nitrofurantoin monohyd/m-cryst</i>	10	NOVOLOG PENFILL U-100	140
<i>nitroglycerin</i>	72	INSULIN	38
NITYR	127	NOVOLOG U-100 INSULIN	38
NIVESTYM	59	ASPART	38
<i>nizatidine</i>	132	NOVOTWIST	110
NORDITROPIN FLEXPRO	140	NOXAFILE	40
<i>norethindrone (contraceptive)</i>	79	NUBEQA	22
<i>norethindrone acetate</i>	141	NUCALA	159
<i>norethindrone ac-eth estradiol</i>	79, 138	NUPLAZID	50
<i>norethindrone-e.estradiol-iron..</i>	79	NURTEC ODT	42
<i>norgestimate-ethynodiol estradiol..</i>	79	NUTRILIPID	62
<i>nortrel 0.5/35 (28)</i>	79	<i>nyamyc</i>	40
<i>nortrel 1/35 (21)</i>	80	<i>nylia 1/35 (28)</i>	80
<i>nortrel 1/35 (28)</i>	80	<i>nylia 7/7/7 (28)</i>	80
<i>nortrel 7/7/7 (28)</i>	80	<i>nymyo</i>	80
<i>nortriptyline</i>	33	<i>nystatin</i>	40
NORVIR	54	<i>nystop</i>	40
NOVOFINE 30	110	NYVEPRIA	59
NOVOFINE 32	110	OCALIVA	133
NOVOFINE PLUS	110	OCTAGAM	144
NOVOLIN 70/30 U-100		<i>octreotide acetate</i>	140
INSULIN	37	ODEFSEY	55
NOVOLIN 70-30 FLEXPEN		ODOMZO	22
U-100	37	OFEV	159
NOVOLIN N FLEXPEN	37	<i>ofloxacin</i>	129
NOVOLIN N NPH U-100		<i>olanzapine</i>	50
INSULIN	37	<i>olmesartan</i>	63
NOVOLIN R FLEXPEN	37	<i>olmesartan-hydrochlorothiazide</i>	63
NOVOLIN R REGULAR U-100		<i>olopatadine</i>	128
INSULN	37	<i>omega-3 acid ethyl esters</i>	71
NOVOLOG FLEXPEN U-100		<i>omeprazole</i>	132
INSULIN	37	<i>omeprazole-sodium bicarbonate</i>	132
NOVOLOG MIX 70-30 U-100		<i>ondansetron</i>	44
INSULN	37	<i>ondansetron hcl</i>	44
NOVOLOG MIX 70-30FLEXPEN U-100	38	ONUREG	22
		OPSUMIT	161
		ORFADIN	127
		ORGOVYX	140
		ORILISSA	140
		ORKAMBI	159, 160
		ORLADEYO	59
		<i>orsythia</i>	80
		<i>oseltamivir</i>	56
		OSMOLEX ER	46
		<i>oxandrolone</i>	136
		<i>oxcarbazepine</i>	28
		OXTELLAR XR	28
		<i>oxybutynin chloride</i>	135
		<i>oxycodone</i>	4, 5
		<i>oxycodone-acetaminophen</i>	5
		OXYCONTIN	5
		OZEMPIC	35
		pacerone	65
		paliperidone	50
		PALYNZIQ	127
		PANRETIN	83
		<i>pantoprazole</i>	132
		<i>paricalcitol</i>	151
		<i>paramomycin</i>	45
		<i>paroxetine hcl</i>	33
		PEDIARIX (PF)	147
		PEDVAX HIB (PF)	147
		<i>peg 3350-electrolytes</i>	134
		PEGASYS	57
		<i>peg-electrolyte soln</i>	134
		PEMAZYRE	22
		PEN NEEDLE	102, 110, 112
		PEN NEEDLE, DIABETIC	94, 108, 110, 112
		PEN NEEDLE, DIABETIC, SAFETY	113
		penicillamine	136
		penicillin g potassium	14
		penicillin g procaine	14
		penicillin v potassium	14
		PENTACEL (PF)	147
		<i>pentamidine</i>	45
		PENTIPS	110, 111

<i>pentoxifylline</i>	61	<i>prazosin</i>	63	<b>PROGRAF</b>	144
<i>perindopril erbumine</i>	64	<i>prednicarbate</i>	86	<b>PROLASTIN-C</b>	160
<i>periogard</i>	82	<i>prednisolone</i>	139	<b>PROLENSA</b>	131
<i>permethrin</i>	87	<i>prednisolone acetate</i>	131	<b>PROLIA</b>	151
<i>perphenazine</i>	51	<i>prednisolone sodium phosphate</i>	131, 139	<b>PROMACTA</b>	60
<i>perphenazine-amitriptyline</i>	33	<i>prednisone</i>	139	<i>promethazine</i>	41, 44
<b>PERSERIS</b>	51	<i>pregabalin</i>	29	<i>promethegan</i>	44
<i>phenelzine</i>	33	<b>PREHEVBARIO (PF)</b>	148	<i>propafenone</i>	65
<i>phenobarbital</i>	28, 29	<b>PREMARIN</b>	138	<i>propranolol</i>	66
<i>phenytoin</i>	29	<b>PREMPHASE</b>	138	<i>propylthiouracil</i>	141
<i>phenytoin sodium extended</i>	29	<b>PREMPRO</b>	138	<b>PROQUAD (PF)</b>	148
<b>PHOSLYRA</b>	134	<b>PRETOMANID</b>	43	<b>PROSOL 20 %</b>	62
<b>PIFELTRO</b>	55	<i>prevelite</i>	71	<i>protriptyline</i>	33
<i>pilocarpine hcl</i>	82, 153	<b>PREVENT DROPSAFE</b>		<b>PULMOZYME</b>	127
<i>pimecrolimus</i>	86	<b>PEN NEEDLE</b>	111	<b>PURE COMFORT</b>	
<i>pimozide</i>	51	<b>PREVYMIS</b>	56	<b>ALCOHOL PADS</b>	83
<i>pimtrea (28)</i>	80	<b>PREZCOBIX</b>	55	<b>PURE COMFORT PEN</b>	
<i>pioglitazone</i>	35	<b>PREZISTA</b>	55	<b>NEEDLE</b>	112
<b>PIP PEN NEEDLE</b>	111	<b>PRIFTIN</b>	43	<b>PURIXAN</b>	22
<i>piperacillin-tazobactam</i>	14	<b>PRIMAQUINE</b>	45	<i>pyrazinamide</i>	43
<b>PIQRAY</b>	22	<i>primidone</i>	29	<i>pyridostigmine bromide</i>	152
<i>pirfenidone</i>	160	<b>PRIVIGEN</b>	144	<i>pyrimethamine</i>	45
<i>pirmella</i>	80	<b>PRO COMFORT</b>		<b>QINLOCK</b>	22
<b>PLASMA-LYTE</b> 148	154	<b>ALCOHOL PADS</b>	83	<b>QUADRACEL (PF)</b>	148
<b>PLASMA-LYTE A</b>	155	<b>PRO COMFORT INSULIN</b>		<i>quetiapine</i>	51
<b>PLEGRIDY</b>	75	<b>SYRINGE</b>	111	<i>quinapril</i>	64
<i>podofilox</i>	83	<b>PRO COMFORT PEN</b>		<i>quinapril-hydrochlorothiazide</i>	64
<i>polymyxin b sulfate</i>	10	<b>NEEDLE</b>	111	<i>quinidine sulfate</i>	65
<i>polymyxin b sulf-trimethoprim</i>	130	<i>probenecid</i>	41	<i>quinine sulfate</i>	45
<b>POMALYST</b>	22	<i>probenecid-colchicine</i>	41	<b>RABAVERT (PF)</b>	148
<i>portia</i> 28	80	<b>PROCALAMINE 3%</b>	62	<i>rabeprazole</i>	132
<i>posaconazole</i>	40	<i>prochlorperazine</i>	44	<i>raloxifene</i>	138
<i>potassium chloride</i>	155	<i>prochlorperazine maleate</i>	44	<i>ramipril</i>	64
<i>potassium chloride-0.45 % nacl</i>	155	<i>procto-med hc</i>	86	<i>ranolazine</i>	68
		<i>proctosol hc</i>	86	<i>rasagiline</i>	47
<b>PRALUENT PEN</b>	71	<i>proctozone-hc</i>	86	<b>RASUVO (PF)</b>	144
<i>pramipexole</i>	47	<b>PRODIGY INSULIN</b>		<b>RAVICTI</b>	133
<i>prasugrel</i>	61	<b>SYRINGE</b>	111, 112	<b>RAYALDEE</b>	151
<i>pravastatin</i>	71	<i>progesterone micronized</i>	141	<i>reclipsen (28)</i>	80
				<b>RECOMBIVAX HB (PF)</b>	148

RECTIV	152	RYBELSUS	35	SOMAVERT	140
RELENZA DISKHALER	56	RYDAPT	22	<i>sorafenib</i>	23
RELION NEEDLES	112	SAFESNAP INSULIN		<i>sorine</i>	66
RELION PEN NEEDLES	112	SYRINGE	112, 113	<i>sotalol</i>	66
<i>repaglinide</i>	35	SAFETY PEN NEEDLE	113	<i>sotalol af</i>	66
REPATHA PUSHTRONEX	71	<i>sajazir</i>	68	SPIRIVA RESPIMAT	158
REPATHA SURECLICK	71	SANTYL	83	SPIRIVA WITH HANDIHALER	158
REPATHA SYRINGE	71	<i>sapropterin</i>	127	<i>spironolactone</i>	69
RESTASIS	131	SAVELLA	75	<i>sprintec (28)</i>	80
RESTASIS MULTIDOSE	131	SCEMBLIX	22	SPRITAM	29
RETACRIT	60	<i>scopolamine base</i>	44	SPRYCEL	23
RETEVMO	22	SECUADO	52	<i>sps (with sorbitol)</i>	134
REVLIMID	22	SECURESAFE PEN		<i>sronyx</i>	80
REXULTI	51	NEEDLE	113	<i>ssd</i>	84
REYATAZ	55	<i>selegiline hcl</i>	47	STELARA	145
REZUROCK	144	<i>selenium sulfide</i>	84	STERILE PADS	113
RHOPRESSA	154	SELZENTRY	55	STIOLTO RESPIMAT	158
<i>ribavirin</i>	57	SEREVENT DISKUS	158	STIVARGA	23
RIDAURA	144	SEROSTIM	140	<i>streptomycin</i>	9
<i>rifabutin</i>	43	<i>sertraline</i>	33	STRIBILD	55
<i>rifampin</i>	43	<i>setlakin</i>	80	STRIVERDI RESPIMAT	158
<i>riluzole</i>	75	<i>sevelamer carbonate</i>	134, 135	<i>sucralfate</i>	132
<i>rimantadine</i>	56	<i>sevelamer hcl</i>	135	<i>sulfacetamide sodium</i>	130
RINVOQ	144	<i>sharobel</i>	80	<i>sulfacetamide sodium (acne)</i>	84
<i>risedronate</i>	151	SHINGRIX (PF)	148	<i>sulfacetamide-prednisolone</i>	130
RISPERDAL CONSTA	51	SIGNIFOR	140	<i>sulfadiazine</i>	15
<i>risperidone</i>	51	<i>sildenafil</i>	161	<i>sulfamethoxazole-</i>	
<i>ritonavir</i>	55	<i>sildenafil (pulm.hypertension)</i>	161	<i>trimethoprim</i>	15
<i>rivastigmine</i>	31	<i>silver sulfadiazine</i>	84	<i>sulfasalazine</i>	150
<i>rivastigmine tartrate</i>	31	SIMBRINZA	154	<i>sulindac</i>	6
<i>rizatriptan</i>	42	<i>simvastatin</i>	71	<i>sumatriptan</i>	42
ROCKLATAN	154	<i>sirolimus</i>	145	<i>sumatriptan succinate</i>	43
<i>ropinirole</i>	47	SIRTURO	43	<i>sunitinib</i>	23
<i>rosuvastatin</i>	71	SKYRIZI	145	SUNOSI	161
ROTARIX	148	<i>sodium chloride 0.45 %</i>	155	SUPREP BOWEL PREP	
ROTATEQ VACCINE	148	<i>sodium chloride 0.9 %</i>	155	KIT	134
ROZLYTREK	22	<i>sodium phenylbutyrate</i>	134	SURE COMFORT	
RUBRACA	22	<i>sodium polystyrene sulfonate</i>	134	ALCOHOL PREP PADS	83
<i>rufinamide</i>	29	SOLIQUA 100/33	38		
RUKOPIA	55	SOLTAMOX	23		

SURE COMFORT INS.	86
SYR. U-100.....	113
SURE COMFORT	
INSULIN SYRINGE....	113, 114
SURE COMFORT PEN	
NEEDLE.....	114
SURE COMFORT SAFETY	
PEN NEEDLE.....	113
SURE-FINE PEN	
NEEDLES.....	114, 115
SURE-JECT INSULIN	
SYRINGE.....	115
SURE-PREP ALCOHOL	
PREP PADS.....	83
SUTAB.....	134
syeda.....	80
SYMBICORT.....	157
SYMDEKO.....	160
SYMLINPEN 120.....	35
SYMLINPEN 60.....	35
SYMPAZAN.....	29
SYMTUZA.....	55
SYNAREL.....	140
SYNJARDY.....	35
SYNJARDY XR.....	36
SYNRIBO.....	23
TABLOID.....	23
TABRECTA.....	23
tacrolimus.....	86, 145
tadalafil (pulm. hypertension) .....	161
TAFINLAR .....	23
TAGRISSO.....	23
TAKHZYRO.....	152
TALZENNA.....	23
tamoxifen.....	23
tamsulosin.....	135
tarina 24 fe.....	80
tarina fe 1-20 eq (28) .....	80
TASIGNA.....	23
TAVALISSE.....	60
tazarotene .....	86
TAZORAC.....	87
taztia xt.....	67
TAZVERIK.....	23
TDVAX.....	148
TECHLITE INSULIN	
SYRINGE.....	115, 116
TECHLITE INSULN	
SYR(HALF UNIT).....	115
TECHLITE PEN NEEDLE.	116
TEFLARO.....	12
telmisartan.....	63
temazepam.....	9
TENIVAC (PF).....	148
tenofovir disoproxil fumarate ...	55
TEPMETKO.....	23
terazosin.....	135
terbinafine hcl.....	40
terbutaline.....	158
terconazole.....	41
TERUMO INSULIN	
SYRINGE.....	116, 117
testosterone.....	136, 137
testosterone cypionate.....	136
testosterone enanthate.....	136
TETANUS,DIPHTHERIA	
TOX PED(PF).....	149
tetrabenazine.....	75
tetracycline .....	16
THALOMID.....	153
theophylline.....	158
THINPRO INSULIN	
SYRINGE.....	117
THIOLA EC.....	135
thioridazine.....	52
thiothixene.....	52
tiadylt er.....	67
tiagabine.....	29
TIBSOVO.....	23
TICOVAC.....	149
tigecycline .....	16
timolol maleate.....	66, 154
tiopronin.....	135
TIVICAY.....	55
TIVICAY PD.....	55
tizanidine .....	160
TOBI PODHALER.....	9
tobramycin.....	9, 130
tobramycin in 0.225 % nacl.....	9
tobramycin sulfate.....	9
tobramycin-dexamethasone ...	130
tolterodine.....	135
TOPCARE CLICKFINE....	117
TOPCARE ULTRA	
COMFORT.....	117
topiramate.....	29
toremifene .....	24
torsemide .....	69
TOUJEO MAX U-300	
SOLOSTAR.....	38
TOUJEO SOLOSTAR U-300	
INSULIN.....	38
TRACLEER.....	161, 162
TRADJENTA.....	36
tramadol.....	5
tramadol-acetaminophen .....	5
trandolapril.....	64
tranexamic acid.....	60
tranylcypromine .....	33
TRAVASOL 10 %.....	62
travoprost .....	154
trazodone .....	33
TRECATOR.....	43
TRELEGY ELLIPTA.....	159
TRELSTAR.....	24
TREMFYA.....	145
tretinoin .....	87
tretinoin (antineoplastic) .....	24
triamcinolone acetonide .....	82, 86
triamterene-hydrochlorothiazid	69

<i>trientine</i> .....	136	TURALIO.....	24	ULTRACARE PEN	
<i>tri-estarrylla</i> .....	80	TWINRIX (PF).....	149	NEEDLE.....	124
<i>trifluoperazine</i> .....	52	TYBOST.....	153	ULTRA-THIN II (SHORT)	
<i>trifluridine</i> .....	130	TYMLOS.....	151	INS SYR.....	124
<i>trihexyphenidyl</i> .....	47	TYPHIM VI.....	149	ULTRA-THIN II (SHORT)	
TRIJARDY XR.....	36	UBRELVY.....	43	PEN NDL.....	125
TRIKAFTA.....	160	UCERIS.....	150	ULTRA-THIN II INS PEN	
<i>tri-legest fe</i> .....	81	UDENYCA.....	60	NEEDLES.....	125
<i>tri-lo-estarrylla</i> .....	81	ULTICARE.....	120, 121	ULTRA-THIN II INSULIN	
<i>tri-lo-sprintec</i> .....	81	ULTICARE INSULIN		SYRINGE.....	124
<i>trimethoprim</i> .....	10	SYRINGE.....	120	UNIFINE PEN NEEDLE....	125
<i>tri-mili</i> .....	81	ULTICARE INSULN		UNIFINE PENTIPS....	110, 125
<i>trimipramine</i> .....	33	SYR(HALF UNIT).....	120	UNIFINE PENTIPS	
TRINTELLIX.....	33	ULTICARE PEN NEEDLE	120	MAXFLOW .....	125
<i>tri-nymyo</i> .....	81	ULTICARE SAFETY PEN		UNIFINE PENTIPS PLUS	
<i>tri-sprintec (28)</i> .....	81	NEEDLE.....	120	.....	125, 126
TRIUMEQ.....	55	ULTIGUARD SAFEPACK-		UNIFINE PENTIPS PLUS	
TRIUMEQ PD.....	56	INSULIN SYR.....	121, 122	MAXFLOW .....	125
<i>trivora (28)</i> .....	81	ULTIGUARD SAFEPACK-		UNIFINE SAFECONTROL	126
<i>tri-vylibra</i> .....	81	PEN NEEDLE.....	121	UNIFINE ULTRA PEN	
<i>tri-vylibra lo</i> .....	81	ULTILET ALCOHOL		NEEDLE.....	126
TRIZIVIR.....	56	SWAB.....	83	UPTRAVI.....	162
TROPHAMINE 10 %.....	62	ULTILET INSULIN		<i>ursodiol</i> .....	134
<i>trospium</i> .....	135	SYRINGE.....	105, 122	<i>valacyclovir</i> .....	57
TRUE COMFORT		ULTILET PEN NEEDLE....	122	VALCHLOR.....	83
ALCOHOL PADS.....	83	ULTRA CMFT INS SYR		<i>valganciclovir</i> .....	57
TRUE COMFORT		(HALF UNIT).....	103, 113, 120	<i>valproic acid</i> .....	29
INSULIN SYRINGE .....	118	ULTRA COMFORT		<i>valproic acid (as sodium salt)</i> .....	29
TRUE COMFORT PEN		INSULIN SYRINGE		<i>valsartan</i> .....	63
NEEDLE.....	118	.....	98, 103, 122	<i>valsartan-hydrochlorothiazide</i> ..	63
TRUE COMFORT PRO		ULTRA FLO INSUL		VALTOCO.....	30
ALCOHOL PADS.....	83	SYR(HALF UNIT).....	122, 123	<i>vancomycin</i> .....	10
TRUE COMFORT PRO INS		ULTRA FLO INSULIN		VANISHPOINT INSULIN	
SYRINGE.....	117, 118, 119	SYRINGE.....	123	SYRINGE.....	126
TRUEPLUS INSULIN.	119, 120	ULTRA FLO PEN NEEDLE		VANISHPOINT SYRINGE.	126
TRUEPLUS PEN NEEDLE	119	.....	123	VAQTA (PF).....	149
TRULICITY .....	36	ULTRA THIN PEN		<i>varenicline</i> .....	8
TRUMENBA.....	149	NEEDLE.....	123	VARIVAX (PF).....	149
TRUSELTIQ.....	24	ULTRACARE INSULIN		VASCEPA .....	71
TUKYSA.....	24	SYRINGE.....	123, 124	<i>velivet triphasic regimen (28)</i> ...	81

VELPHORO	135	XCOPRI	30	zonisamide	30
VEMLIDY	56	XCOPRI MAINTENANCE		zovia 1-35 (28)	81
VENCLEXTA	24	PACK	30	ZTLIDO	7
VENCLEXTA STARTING PACK	24	XCOPRI TITRATION PACK	30	ZYDELIG	26
<i>venlafaxine</i>	34	XELJANZ	145	ZYKADIA	26
<i>verapamil</i>	67	XELJANZ XR	145	ZYLET	130
VERIFINE PEN NEEDLE	126	XERMELO	134	ZYPREXA RELPREVV	52
VERSACLOZ	52	XGEVA	151		
VERSALON	126	XHANCE	131		
VERZENIO	24	XIFAXAN	10, 11		
<i>vestura</i> (28)	81	XIGDUO XR	36		
VICTOZA	36	XIIDRA	131		
<i>vienna</i>	81	XOFLUZA	56		
<i>vigabatrin</i>	30	XOLAIR	160		
<i>vigadron</i>	30	XOSPATA	25		
VIIBRYD	34	XPOVIO	25		
VIMPAT	30	XTANDI	25		
VIRACEPT	56	<i>xulane</i>	81		
VIREAD	56	XULTOPHY 100/3.6	38		
VITRAKVI	24, 25	XURIDEN	153		
VIZIMPRO	25	XYOSTED	137		
VONJO	25	XYREM	161		
<i>voriconazole</i>	40	YF-VAX (PF)	149		
VOSEVI	57	YONSA	25		
VOTRIENT	25	<i>yuvafem</i>	138		
VRAYLAR	52	<i>zafemy</i>	81		
VUMERTY	75	<i>zafirlukast</i>	157		
<i>vyfemla</i> (28)	81	<i>zaleplon</i>	161		
<i>vylibra</i>	81	ZARXIO	60		
VYNDAMAX	68	ZEJULA	25		
VYNDAQEL	68	ZELBORAF	26		
<i>warfarin</i>	58	<i>zenatane</i>	83		
WEBCOL	83	ZENPEP	127		
WELIREG	25	<i>zidovudine</i>	56		
XALKORI	25	<i>ziprasidone hcl</i>	52		
XARELTO	59	<i>ziprasidone mesylate</i>	52		
XARELTO DVT-PE TREAT 30D START	59	ZIRGAN	130		
XATMEP	25	ZOLINZA	26		
		<i>zolpidem</i>	161		

This formulary was updated on 8/22/2022. For more recent information or other questions, please contact Prominence Health Plan Customer Service, at **833-775-MEDS (6337)** or, for TTY users, **711**, 8 am to 8 pm, 7 days a week from October 1 – March 31 and 8 am to 8 pm, Monday – Friday from April 1 – September 30 or visit **ProminenceMedicare.com**.

Changes to our pharmacy network may occur during the benefit year. An updated Pharmacy Directory is located on our website at [ProminenceMedicare.com](#). You may also call Member Services at 833-775-MEDS (6337) (TTY/TDD users should call 711) for updated information.

This information is available for free in other languages. Please contact our Member Services number at 1-855-969-5882 for additional information. This document may be available in an alternate format such as large print or Spanish.

Prominence Health Plan is an HMO and HMO SNP plan with a Medicare contract and a contract with the Medicaid programs in Florida and Texas. Enrollment in Prominence Health Plan depends on contract renewal.

