



Prominence Dual (HMO D-SNP)

PROMINENCE HEALTH PLAN[®]

2024 Formulary (List of Covered Drugs)

PLEASE READ:

*This document contains information about the drugs we cover in this plan.
HPMS Approved Formulary File Submission ID: 24537, Version Number 13*

This formulary was updated on 03/19/2024. For more recent information or other questions, please contact Prominence Health Plan Member Services, at **833-775-MEDS (6337)** or, for TTY users, **711**, 8 am to 8 pm, 7 days a week from October 1 – March 31 and 8 am to 8 pm, Monday – Friday from April 1 – September 30 or visit **ProminenceMedicare.com**.

Changes to our pharmacy network may occur during the benefit year. An updated Pharmacy Directory is located on our website at **ProminenceMedicare.com**. You may also call Member Services at **833-775-MEDS (6337)** (TTY/TDD users should call 711) for updated information.

Prominence Health Plan

2024 Formulary

PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION ABOUT THE DRUGS WE COVER IN THIS PLAN

HPMS Approved Formulary File Submission ID, 24537, Version 13

This formulary was updated on 03/19/2024. For more recent information or other questions, please contact Prominence Health Plan Member Service at 833-775-MEDS (6337) or, for TTY users, 711, 8 am to 8 pm, 7 days a week from October 1 – March 31 and 8 am to 8 pm, Monday – Friday from April 1 – September 30 or visit [ProminenceMedicare.com](https://www.ProminenceMedicare.com).

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us”, or “our,” it means Prominence Health Plan. When it refers to “plan” or “our plan,” it means Prominence Medicare Advantage Plans.

This document includes list of the drugs (formulary) for our plan which is current as of 03/19/2024. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2024, and from time to time during the year.

What is the Prominence Health Plan Formulary?

A formulary is a list of covered drugs selected by Prominence Health Plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Prominence Health Plan will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Prominence Health Plan network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

For a complete listing of all prescription drugs covered by Prominence Health Plan, please visit our website or call us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand-name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand-name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand-name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
 - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can find information in the section below titled “How do I request an exception to the Prominence Health Plan’s Formulary?”

Drugs removed from the market. If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.

- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to the market to replace a brand-name drug currently on the formulary or add new restrictions to the brand-name drug or move it to a different cost-sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, [or] add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.
 - If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Prominence Health Plan’s Formulary?”

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2024 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2024 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new

restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of 03/19/2024. To get updated information about the drugs covered by Prominence Health Plan please contact us. Our contact information appears on the front and back cover pages. If there is a mid-year, non-maintenance change to the formulary, we will update printed formularies with an errata sheet.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 3. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, Cardiovascular Agents. If you know what your drug is used for, look for the category name in the list that begins on 1. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

Prominence Health Plan covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Prominence Health Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from

Prominence Health Plan before you fill your prescriptions. If you don't get approval, Prominence Health Plan may not cover the drug.

- **Quantity Limits:** For certain drugs, Prominence Health Plan limits the amount of the drug that Prominence Health Plan will cover. For example, Prominence Health Plan provides 60 tablets per prescription for Eliquis. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, Prominence Health Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Prominence Health Plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, Prominence Health Plan will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 3. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Prominence Health Plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Prominence Health Plan's formulary?" on page 5 for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered. For more information, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you learn that Prominence Health Plan does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by Prominence Health Plan. When you receive the list, show it to your doctor and ask them to prescribe a similar drug that is covered by Prominence Health Plan.
- You can ask Prominence Health Plan to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the Prominence Health Plan's Formulary?

You can ask Prominence Health Plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at lower cost-sharing level unless the drug is on the specialty tier. If approved, this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, Prominence Health Plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Prominence Health Plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, or utilization restriction exception. **When you request a formulary, tier, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

Members who have a change in level of care (setting) will be allowed up to a one-time 31-day transition supply per drug. For example, members who:

- Enter long-term care (LTC) facilities from hospitals are sometimes accompanied by a discharge list of medications from the hospital formulary, with very short-term planning taken into account (often under 8 hours).
- Are discharged from a hospital to a home.
- End their skilled nursing facility Medicare Part A stay (where payments include all pharmacy charges) and who need to revert to their Part D plan formulary.
- End a long-term care facility stay and return to the community. If a member has more than one change in level of care in a month, the pharmacy will have to call us to request an extension of the transition policy.

For more detailed information about your Prominence Health Plan prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Prominence Health Plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

Prominence Health Plan Formulary

The formulary below that begins on the next page provides coverage information about the drugs covered by Prominence Health Plan. If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., COUMADIN) and generic drugs are listed in lower-case italics (e.g., *warfarin*).

The information in the Requirements/Limits column tells you if Prominence Health Plan has any special requirements for coverage of your drug.

- **PA BvD: Prior Authorization Restriction for Part B vs Part D Determination.** This prescription drug has a Part B versus D administrative prior authorization requirement. This drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.
- **QL: Quantity Limit:** For certain drugs, Prominence Health Plan limits the amount of the drug that we will cover. For example, Prominence Health Plan provides twelve tablets per prescription for Sumatriptan Succinate. This may be in addition to a standard one-month or three-month supply.

- **ST: Step Therapy:** In some cases, Prominence Health Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.
- **PA: Prior Authorization:** Prominence Health Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from us before you fill your prescriptions. If you don't get approval, we may not cover the drug.
- **PA NSO: Prior Authorization Restriction for New Starts Only:** If there is no evidence that you have taken this drug before, you (or your physician) are required to get prior authorization from our plan before you fill your prescription for this drug. Without prior approval, our plan may not cover this drug.
- **NDS: Non-Extended Days' Supply:** Drugs not available for an extended days' supply (i.e. more than a one-month supply) are noted with "NDS" in the Requirements/Limits column of your formulary.
- **GC: Gap Coverage:** We provide coverage of this prescription drug in the coverage gap, if your plan provides gap coverage. Please refer to our Evidence of Coverage for more information about this coverage.
- **LA: Limited Availability:** This prescription may be available only at certain pharmacies. For more information, consult your Provider and Pharmacy Directory or call Member Services at 1-844-587-7389, 8 am to 8 pm, 7 days a week from October 1- March 31 and 8am to 8pm, Monday - Friday from April 1 -September 30. TTY users should call 711.
- **EX;CB: Excluded Part D Capped Benefit:** Drugs covered by the plan that are excluded by Medicare law that are covered by your plan as a supplemental or bonus drug but do not count toward TrOOP.
- **NM: Not Available by Mail Order:** These are typically medications that need to be ordered from a specialty pharmacy and are listed as TIER 5 medications and are restricted to a 30day supply.
- **TrOOP** = True Out of Pocket. This is the amount the member has paid for their medications during the calendar year.
- **TDS** = Total Drug Spend. This is the amount the health plan AND the member has paid for medications for the calendar year.

Table of Contents

| | |
|---|-----|
| Analgesics..... | 3 |
| Anesthetics..... | 6 |
| Anti-Addiction/Substance Abuse Treatment Agents..... | 7 |
| Antianxiety Agents..... | 8 |
| Antibacterials..... | 9 |
| Anticancer Agents..... | 17 |
| Anticonvulsants..... | 29 |
| Antidementia Agents..... | 34 |
| Antidepressants..... | 34 |
| Antidiabetic Agents..... | 37 |
| Antifungals..... | 43 |
| Antigout Agents..... | 45 |
| Antihistamines..... | 45 |
| Anti-Infectives (Skin And Mucous Membrane)..... | 46 |
| Antimigraine Agents..... | 46 |
| Antimycobacterials..... | 47 |
| Antinausea Agents..... | 48 |
| Antiparasite Agents..... | 49 |
| Antiparkinsonian Agents..... | 50 |
| Antipsychotic Agents..... | 51 |
| Antivirals (Systemic)..... | 57 |
| Blood Products/Modifiers/Volume Expanders..... | 63 |
| Caloric Agents..... | 67 |
| Cardiovascular Agents..... | 68 |
| Central Nervous System Agents..... | 78 |
| Contraceptives..... | 82 |
| Dental And Oral Agents..... | 91 |
| Dermatological Agents..... | 91 |
| Devices..... | 97 |
| Enzyme Replacement/Modifiers..... | 142 |
| Eye, Ear, Nose, Throat Agents..... | 143 |
| Gastrointestinal Agents..... | 147 |
| Genitourinary Agents..... | 151 |
| Heavy Metal Antagonists..... | 152 |
| Hormonal Agents, Stimulant/Replacement/Modifying..... | 152 |
| Immunological Agents..... | 158 |

| | |
|--|-----|
| Inflammatory Bowel Disease Agents..... | 169 |
| Metabolic Bone Disease Agents..... | 170 |
| Miscellaneous Therapeutic Agents..... | 171 |
| Ophthalmic Agents..... | 173 |
| Replacement Preparations..... | 174 |
| Respiratory Tract Agents..... | 176 |
| Skeletal Muscle Relaxants..... | 181 |
| Sleep Disorder Agents..... | 181 |
| Vasodilating Agents..... | 182 |

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------------|
| Analgesics | | |
| Analgesics, Miscellaneous | | |
| <i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i> | 1 | NDS; QL (4500 per 30 days) |
| <i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i> | 2 | NDS; QL (360 per 30 days) |
| <i>acetaminophen-codeine oral tablet 300-60 mg</i> | 2 | NDS; QL (180 per 30 days) |
| <i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i> (Esgic) | 2 | QL (180 per 30 days) |
| <i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i> | 4 | QL (180 per 30 days) |
| <i>codeine sulfate oral tablet 30 mg, 60 mg</i> | 2 | NDS; QL (180 per 30 days) |
| <i>endocet oral tablet 10-325 mg</i> (oxycodone-acetaminophen) | 2 | NDS; QL (180 per 30 days) |
| <i>endocet oral tablet 2.5-325 mg, 5-325 mg</i> (oxycodone-acetaminophen) | 2 | NDS; QL (360 per 30 days) |
| <i>endocet oral tablet 7.5-325 mg</i> (oxycodone-acetaminophen) | 2 | NDS; QL (240 per 30 days) |
| <i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg</i> | 5 | PA; NM; NDS; QL (120 per 30 days) |
| <i>fentanyl citrate buccal lozenge on a handle 200 mcg</i> | 3 | PA; NDS; QL (120 per 30 days) |
| <i>fentanyl transdermal patch 72 hour 100 mcg/hr</i> | 3 | NDS; QL (10 per 30 days) |
| <i>fentanyl transdermal patch 72 hour 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i> | 2 | NDS; QL (10 per 30 days) |
| <i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i> | 4 | NDS; QL (2700 per 30 days) |
| <i>hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg</i> | 2 | NDS; QL (180 per 30 days) |
| <i>hydrocodone-acetaminophen oral tablet 5-325 mg</i> | 2 | NDS; QL (240 per 30 days) |
| <i>hydrocodone-ibuprofen oral tablet 7.5-200 mg</i> | 2 | NDS; QL (150 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------|
| <i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i> | 2 | |
| <i>hydromorphone oral liquid 1 mg/ml</i> (Dilaudid) | 2 | NDS; QL (1200 per 30 days) |
| <i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i> (Dilaudid) | 2 | NDS; QL (180 per 30 days) |
| <i>methadone oral solution 10 mg/5 ml</i> | 2 | NDS; QL (600 per 30 days) |
| <i>methadone oral solution 5 mg/5 ml</i> | 2 | NDS; QL (1200 per 30 days) |
| <i>methadone oral tablet 10 mg</i> | 2 | NDS; QL (120 per 30 days) |
| <i>methadone oral tablet 5 mg</i> | 2 | NDS; QL (180 per 30 days) |
| <i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i> | 2 | PA; NDS; QL (180 per 30 days) |
| <i>morphine oral solution 10 mg/5 ml</i> | 2 | NDS; QL (700 per 30 days) |
| <i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i> | 2 | NDS; QL (300 per 30 days) |
| MORPHINE ORAL TABLET 15 MG | 4 | NDS; QL (180 per 30 days) |
| MORPHINE ORAL TABLET 30 MG | 4 | NDS; QL (120 per 30 days) |
| <i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i> (MS Contin) | 2 | NDS; QL (60 per 30 days) |
| <i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin) | 2 | NDS; QL (90 per 30 days) |
| <i>oxycodone oral solution 5 mg/5 ml</i> | 4 | NDS; QL (1300 per 30 days) |
| <i>oxycodone oral tablet 10 mg, 5 mg</i> | 2 | NDS; QL (180 per 30 days) |
| <i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone) | 2 | NDS; QL (120 per 30 days) |
| <i>oxycodone oral tablet 20 mg</i> | 2 | NDS; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 20 mg, 40 mg, 80 mg</i> (OxyContin) | 3 | NDS; QL (60 per 30 days) |
| <i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet) | 2 | NDS; QL (180 per 30 days) |
| <i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet) | 2 | NDS; QL (360 per 30 days) |
| <i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Endocet) | 2 | NDS; QL (240 per 30 days) |
| OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG (oxycodone) | 3 | NDS; QL (60 per 30 days) |
| <i>tramadol oral tablet 50 mg</i> | 1 | NDS; QL (240 per 30 days) |
| <i>tramadol-acetaminophen oral tablet 37.5-325 mg</i> | 2 | NDS; QL (300 per 30 days) |
| Nonsteroidal Anti-Inflammatory Agents | | |
| <i>celecoxib oral capsule 100 mg, 200 mg, 50 mg</i> (Celebrex) | 2 | QL (60 per 30 days) |
| <i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i> (Flector) | 4 | PA; QL (60 per 30 days) |
| <i>diclofenac potassium oral tablet 50 mg</i> | 2 | QL (120 per 30 days) |
| <i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i> | 2 | QL (60 per 30 days) |
| <i>diclofenac sodium oral tablet,delayed release (drlec) 25 mg</i> | 2 | QL (150 per 30 days) |
| <i>diclofenac sodium oral tablet,delayed release (drlec) 50 mg</i> | 2 | QL (120 per 30 days) |
| <i>diclofenac sodium oral tablet,delayed release (drlec) 75 mg</i> | 2 | QL (60 per 30 days) |
| <i>diclofenac sodium topical drops 1.5 %</i> | 2 | QL (300 per 30 days) |
| <i>diclofenac sodium topical gel 1 %</i> (Aleve (diclofenac)) | 2 | QL (1000 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| <i>diclofenac sodium topical gel 3 %</i> | 4 | PA; QL (100 per 28 days) |
| <i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram lactuation(2 %)</i> (Pennsaid) | 5 | PA; NM; NDS; QL (224 per 28 days) |
| <i>ec-naproxen dr 500 mg tablet</i> (naproxen) | 2 | |
| <i>etodolac oral capsule 200 mg, 300 mg</i> | 4 | |
| <i>etodolac oral tablet 400 mg</i> (Lodine) | 4 | |
| <i>etodolac oral tablet 500 mg</i> | 4 | |
| <i>flurbiprofen oral tablet 100 mg</i> | 2 | |
| <i>ibu oral tablet 400 mg, 600 mg, 800 mg</i> (ibuprofen) | 1 | |
| <i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil) | 2 | |
| <i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> (IBU) | 1 | |
| <i>indomethacin oral capsule 25 mg</i> | 1 | QL (240 per 30 days) |
| <i>indomethacin oral capsule 50 mg</i> | 1 | QL (120 per 30 days) |
| <i>ketorolac oral tablet 10 mg</i> | 2 | QL (20 per 30 days) |
| <i>mefenamic acid oral capsule 250 mg</i> | 4 | |
| <i>meloxicam oral tablet 15 mg, 7.5 mg</i> | 1 | |
| <i>nabumetone oral tablet 500 mg, 750 mg</i> | 2 | |
| <i>naproxen oral tablet 250 mg, 375 mg</i> | 1 | |
| <i>naproxen oral tablet 500 mg</i> (Naprosyn) | 1 | |
| <i>naproxen oral tablet, delayed release (drlec) 375 mg</i> (EC-Naprosyn) | 2 | |
| <i>naproxen oral tablet, delayed release (drlec) 500 mg</i> (EC-Naproxen) | 2 | |
| <i>sulindac oral tablet 150 mg, 200 mg</i> | 2 | |
| Anesthetics | | |
| Local Anesthetics | | |
| <i>glydo mucous membrane jelly in applicator 2 %</i> (lidocaine hcl) | 2 | QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>lidocaine (pf) injection solution 20 mg/ml (2%)</i> (Xylocaine-MPF) | 1 | |
| <i>lidocaine hcl injection solution 10 mg/ml (1%)</i> (Xylocaine) | 1 | |
| <i>lidocaine hcl mucous membrane jelly in applicator 2%</i> (Glydo) | 2 | |
| <i>lidocaine hcl mucous membrane solution 4% (40 mg/ml)</i> | 2 | PA |
| <i>lidocaine topical adhesive patch, medicated 5%</i> (DermacinRx Lidocan) | 2 | PA; QL (90 per 30 days) |
| <i>lidocaine topical ointment 5%</i> | 4 | PA; QL (90 per 30 days) |
| <i>lidocaine viscous mucous membrane solution 2%</i> (lidocaine hcl) | 2 | |
| <i>lidocaine-prilocaine topical cream 2.5-2.5%</i> | 4 | PA; QL (30 per 30 days) |
| ZTLIDO TOPICAL ADHESIVE PATCH, MEDICATED 1.8% | 3 | PA; QL (90 per 30 days) |
| Anti-Addiction/Substance Abuse Treatment Agents | | |
| Anti-Addiction/Substance Abuse Treatment Agents | | |
| <i>acamprosate oral tablet, delayed release (drlec) 333 mg</i> | 3 | |
| <i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i> | 2 | QL (90 per 30 days) |
| <i>buprenorphine-naloxone sublingual film 12-3 mg</i> (Suboxone) | 4 | QL (60 per 30 days) |
| <i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i> (Suboxone) | 4 | QL (90 per 30 days) |
| <i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i> | 2 | QL (90 per 30 days) |
| <i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i> | 2 | |
| <i>disulfiram oral tablet 250 mg, 500 mg</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------------|
| KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION | 3 | QL (4 per 30 days) |
| LUCEMYRA ORAL TABLET 0.18 MG | 5 | NM; NDS; QL (228 per 14 days) |
| <i>naloxone injection solution 0.4 mg/ml</i> | 2 | |
| <i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i> | 2 | |
| <i>naloxone nasal spray, non-aerosol 4 mg/actuation</i> (Narcan) | 3 | QL (4 per 30 days) |
| <i>naltrexone oral tablet 50 mg</i> | 2 | |
| NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION (naloxone) | 3 | QL (4 per 30 days) |
| NICOTROL INHALATION CARTRIDGE 10 MG | 4 | QL (1008 per 90 days) |
| <i>varenicline oral tablet 0.5 mg</i> | 2 | QL (336 per 365 days) |
| <i>varenicline oral tablet 1 mg</i> (Chantix) | 2 | QL (336 per 365 days) |
| <i>varenicline oral tablets, dose pack 0.5 mg (11)- 1 mg (42)</i> (Chantix Starting Month Box) | 2 | |
| Antianxiety Agents | | |
| Benzodiazepines | | |
| <i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax) | 1 | QL (120 per 30 days) |
| <i>alprazolam oral tablet 2 mg</i> (Xanax) | 1 | QL (150 per 30 days) |
| <i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i> | 1 | QL (120 per 30 days) |
| <i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin) | 1 | QL (90 per 30 days) |
| <i>clonazepam oral tablet 2 mg</i> (Klonopin) | 1 | QL (300 per 30 days) |
| <i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i> | 4 | QL (90 per 30 days) |
| <i>clonazepam oral tablet, disintegrating 2 mg</i> | 4 | QL (300 per 30 days) |
| <i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i> | 2 | QL (180 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------|
| <i>diazepam intensol oral concentrate 5 (diazepam) mg/ml</i> | 4 | QL (1200 per 30 days) |
| <i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i> | 4 | QL (1200 per 30 days) |
| <i>diazepam oral tablet 10 mg, 2 mg, 5 mg (Valium)</i> | 1 | QL (120 per 30 days) |
| <i>flurazepam oral capsule 15 mg, 30 mg</i> | 2 | |
| <i>lorazepam oral tablet 0.5 mg, 1 mg (Ativan)</i> | 1 | QL (90 per 30 days) |
| <i>lorazepam oral tablet 2 mg (Ativan)</i> | 1 | QL (150 per 30 days) |
| <i>temazepam oral capsule 15 mg, 30 mg (Restoril)</i> | 1 | QL (30 per 30 days) |
| Antibacterials | | |
| Aminoglycosides | | |
| <i>gentamicin injection solution 40 mg/ml</i> | 2 | |
| <i>neomycin oral tablet 500 mg</i> | 2 | |
| <i>streptomycin intramuscular recon soln 1 gram</i> | 5 | NM; NDS |
| TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG | 5 | NM; NDS; QL (224 per 28 days) |
| <i>tobramycin in 0.225 % nacl (Tobi) inhalation solution for nebulization 300 mg/5 ml</i> | 5 | PA BvD; NM; NDS |
| <i>tobramycin inhalation solution for nebulization 300 mg/4 ml (Bethkis)</i> | 5 | PA BvD; NM; NDS |
| <i>tobramycin sulfate injection solution 40 mg/ml</i> | 4 | |
| Antibacterials, Miscellaneous | | |
| <i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg (Cleocin HCl)</i> | 1 | |
| <i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml</i> | 2 | |
| <i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin) | 2 | |
| <i>clindamycin phosphate intravenous solution 600 mg/4 ml</i> | 2 | |
| <i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral) | 5 | PA BvD; NM; NDS |
| DAPTOMYCIN IN 0.9 % SOD CHLOR INTRAVENOUS PIGGYBACK 1,000 MG/100 ML, 700 MG/100 ML | 5 | NM; NDS |
| <i>daptomycin in 0.9 % sod chlor intravenous piggyback 350 mg/50 ml, 500 mg/50 ml</i> | 5 | NM; NDS |
| <i>daptomycin intravenous recon soln 500 mg</i> (Cubicin RF) | 5 | NM; NDS |
| FIRVANQ ORAL RECON SOLN 25 MG/ML (vancomycin) | 4 | |
| <i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox) | 3 | |
| <i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> (Zyvox) | 5 | NM; NDS |
| <i>linezolid oral tablet 600 mg</i> (Zyvox) | 2 | |
| <i>methenamine hippurate oral tablet 1 gram</i> (Hiprex) | 2 | |
| <i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.) | 2 | |
| <i>metronidazole oral tablet 250 mg, 500 mg</i> | 1 | |
| <i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i> (Macrochantin) | 2 | QL (120 per 30 days) |
| <i>nitrofurantoin macrocrystal oral capsule 25 mg</i> (Macrochantin) | 4 | QL (120 per 30 days) |
| <i>nitrofurantoin monohydlm-cryst oral capsule 100 mg</i> (Macrobid) | 2 | QL (60 per 30 days) |
| <i>polymyxin b sulfate injection recon soln 500,000 unit</i> | 2 | |
| <i>trimethoprim oral tablet 100 mg</i> | 1 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------------|
| <i>vancomycin intravenous recon soln</i> 1,000 mg, 10 gram, 500 mg, 750 mg | 2 | |
| <i>vancomycin oral capsule 125 mg</i> (Vancocin) | 4 | QL (56 per 14 days) |
| <i>vancomycin oral capsule 250 mg</i> (Vancocin) | 4 | QL (112 per 14 days) |
| <i>vancomycin oral recon soln 25</i> (Firvanq) <i>mg/ml</i> | 4 | |
| XIFAXAN ORAL TABLET 200 MG | 4 | PA; QL (9 per 30 days) |
| XIFAXAN ORAL TABLET 550 MG | 5 | PA; NM; NDS; QL (90 per 30 days) |
| Cephalosporins | | |
| <i>cefactor oral capsule 250 mg, 500</i> <i>mg</i> | 2 | |
| <i>cefactor oral suspension for</i> <i>reconstitution 125 mg/5 ml, 250</i> <i>mg/5 ml, 375 mg/5 ml</i> | 4 | |
| <i>cefadroxil oral capsule 500 mg</i> | 2 | |
| <i>cefadroxil oral suspension for</i> <i>reconstitution 250 mg/5 ml, 500</i> <i>mg/5 ml</i> | 2 | |
| <i>cefazolin injection recon soln 1</i> <i>gram, 10 gram, 500 mg</i> | 2 | |
| <i>cefazolin intravenous recon soln 3</i> <i>gram</i> | 2 | |
| <i>cefdinir oral capsule 300 mg</i> | 2 | |
| <i>cefdinir oral suspension for</i> <i>reconstitution 125 mg/5 ml, 250</i> <i>mg/5 ml</i> | 4 | |
| <i>cefepime injection recon soln 1</i> <i>gram, 2 gram</i> | 3 | |
| <i>cefixime oral capsule 400 mg</i> | 4 | |
| <i>cefoxitin intravenous recon soln 1</i> <i>gram, 10 gram, 2 gram</i> | 4 | |
| <i>cefpodoxime oral suspension for</i> <i>reconstitution 100 mg/5 ml, 50 mg/5</i> <i>ml</i> | 4 | |
| <i>cefpodoxime oral tablet 100 mg, 200</i> <i>mg</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | 2 | |
| <i>cefprozil oral tablet 250 mg, 500 mg</i> | 2 | |
| <i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i> (Tazicef) | 2 | |
| <i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i> | 2 | |
| <i>cefuroxime axetil oral tablet 250 mg, 500 mg</i> | 2 | |
| <i>cefuroxime sodium injection recon soln 750 mg</i> | 2 | |
| <i>cefuroxime sodium intravenous recon soln 1.5 gram</i> | 2 | |
| <i>cephalexin oral capsule 250 mg, 500 mg</i> | 1 | |
| <i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | 2 | |
| TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG | 5 | NM; NDS |
| Macrolides | | |
| <i>azithromycin intravenous recon soln 500 mg</i> (Zithromax) | 2 | |
| <i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax) | 4 | |
| <i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack)</i> | 1 | |
| <i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax) | 1 | |
| <i>azithromycin oral tablet 600 mg</i> | 2 | |
| <i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | 4 | |
| <i>clarithromycin oral tablet 250 mg, 500 mg</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------|
| DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML | 5 | NM; NDS; QL (136 per 10 days) |
| DIFICID ORAL TABLET 200 MG | 5 | NM; NDS; QL (20 per 10 days) |
| <i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules) | 4 | |
| <i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400) | 4 | |
| <i>erythromycin oral tablet 250 mg, 500 mg</i> | 4 | |
| Miscellaneous B-Lactam Antibiotics | | |
| <i>aztreonam injection recon soln 1 gram</i> (Azactam) | 3 | |
| CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML | 5 | PA; NM; LA; NDS |
| <i>ertapenem injection recon soln 1 gram</i> | 4 | |
| <i>imipenem-cilastatin intravenous recon soln 250 mg</i> | 3 | |
| <i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV) | 3 | |
| <i>meropenem intravenous recon soln 1 gram, 500 mg</i> | 4 | |
| Penicillins | | |
| <i>amoxicillin oral capsule 250 mg, 500 mg</i> | 1 | |
| <i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i> | 1 | |
| <i>amoxicillin oral tablet 500 mg, 875 mg</i> | 1 | |
| <i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i> | 4 | |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600) | 4 | |
| <i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin) | 1 | |
| <i>amoxicillin-pot clavulanate oral tablet 875-125 mg</i> | 1 | |
| <i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i> | 4 | |
| <i>ampicillin oral capsule 500 mg</i> | 2 | |
| <i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg</i> | 3 | |
| <i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn) | 3 | |
| BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML | 4 | |
| <i>dicloxacillin oral capsule 250 mg, 500 mg</i> | 2 | |
| EXTENCILLINE INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT, 2.4 MILLION UNIT | 4 | |
| <i>nafcillin 1 gml 50 ml inj 1 gram/50 ml</i> | 2 | |
| <i>nafcillin injection recon soln 1 gram</i> | 2 | |
| <i>nafcillin injection recon soln 10 gram</i> | 5 | NM; NDS |
| <i>nafcillin injection recon soln 2 gram</i> | 2 | |
| <i>penicillin g potassium injection recon soln 20 million unit</i> (Pfizerpen-G) | 4 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------------|
| <i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i> | 2 | |
| <i>penicillin v potassium oral tablet 250 mg, 500 mg</i> | 1 | |
| <i>pfizerpen-g injection recon soln 20 million unit</i> (penicillin g potassium) | 4 | |
| <i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram</i> | 3 | |
| <i>piperacillin-tazobactam intravenous recon soln 40.5 gram</i> | 4 | |
| Quinolones | | |
| BAXDELA ORAL TABLET 450 MG | 5 | PA; NM; NDS; QL (28 per 14 days) |
| <i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro) | 1 | |
| <i>ciprofloxacin hcl oral tablet 750 mg</i> | 1 | |
| <i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml</i> | 2 | |
| <i>levofloxacin in d5w intravenous piggyback 500 mg/100 ml, 750 mg/150 ml</i> | 2 | |
| <i>levofloxacin intravenous solution 25 mg/ml</i> | 4 | |
| <i>levofloxacin oral solution 250 mg/10 ml</i> | 4 | |
| <i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i> | 1 | |
| <i>moxifloxacin 400 mg/250 ml bag</i> | 2 | |
| <i>moxifloxacin oral tablet 400 mg</i> | 4 | |
| <i>moxifloxacin-sod. chloride (iso) intravenous piggyback 400 mg/250 ml</i> (Avelox in NaCl (iso- osmotic)) | 2 | |
| Sulfonamides | | |
| <i>sulfadiazine oral tablet 500 mg</i> | 3 | |
| <i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim) | 4 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim) | 1 | |
| <i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS) | 1 | |
| <i>sulfatrim oral suspension 200-40 mg/5 ml</i> (sulfamethoxazole-trimethoprim) | 4 | |
| Tetracyclines | | |
| <i>doxy-100 intravenous recon soln 100 mg</i> (doxycycline hyclate) | 3 | |
| <i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100) | 3 | |
| <i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> (Morgidox) | 2 | |
| <i>doxycycline hyclate oral tablet 100 mg</i> (LymePak) | 2 | |
| <i>doxycycline hyclate oral tablet 20 mg</i> | 2 | |
| <i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxyne NL) | 2 | |
| <i>doxycycline monohydrate oral capsule 50 mg</i> (Monodox) | 2 | |
| <i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i> | 2 | |
| <i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy) | 2 | |
| <i>doxycycline monohydrate oral tablet 50 mg</i> | 2 | |
| <i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i> | 2 | |
| <i>mondoxyne nl oral capsule 100 mg</i> (doxycycline monohydrate) | 2 | QL (60 per 30 days) |
| <i>tetracycline oral capsule 250 mg, 500 mg</i> | 4 | |
| <i>tetracycline oral tablet 250 mg, 500 mg</i> | 4 | |
| <i>tigecycline intravenous recon soln 50 mg</i> (Tygacil) | 5 | NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------------------------|
| Anticancer Agents | | |
| Anticancer Agents | | |
| <i>abiraterone oral tablet 250 mg</i> (Zytiga) | 4 | PA NSO; QL (120 per 30 days) |
| <i>abiraterone oral tablet 500 mg</i> (Zytiga) | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| AKEEGA ORAL TABLET 100-500 MG, 50-500 MG | 5 | PA NSO; NM; NDS |
| ALECENSA ORAL CAPSULE 150 MG | 5 | PA NSO; NM; NDS; QL (240 per 30 days) |
| ALUNBRIG ORAL TABLET 180 MG, 90 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| ALUNBRIG ORAL TABLET 30 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23) | 5 | PA NSO; NM; NDS |
| <i>anastrozole oral tablet 1 mg</i> (Arimidex) | 1 | |
| AUGTYRO ORAL CAPSULE 40 MG | 5 | PA NSO; NM; NDS |
| AVASTIN INTRAVENOUS SOLUTION 25 MG/ML | 5 | PA NSO; NM; NDS |
| AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| BALVERSA ORAL TABLET 3 MG | 5 | PA NSO; NM; NDS; QL (84 per 28 days) |
| BALVERSA ORAL TABLET 4 MG | 5 | PA NSO; NM; NDS; QL (56 per 28 days) |
| BALVERSA ORAL TABLET 5 MG | 5 | PA NSO; NM; NDS; QL (28 per 28 days) |
| <i>bexarotene oral capsule 75 mg</i> (Targretin) | 5 | PA NSO; NM; NDS |
| <i>bexarotene topical gel 1%</i> (Targretin) | 5 | PA NSO; NM; NDS |
| <i>bicalutamide oral tablet 50 mg</i> (Casodex) | 2 | |
| BOSULIF ORAL CAPSULE 100 MG, 50 MG | 5 | PA NSO; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--|
| BOSULIF ORAL TABLET 100 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| BOSULIF ORAL TABLET 400 MG, 500 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| BRAFTOVI ORAL CAPSULE 75 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| BRUKINSA ORAL CAPSULE 80 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| CABOMETYX ORAL TABLET 20 MG, 60 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| CABOMETYX ORAL TABLET 40 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| CAELYX INTRAVENOUS SUSPENSION 2 MG/ML (doxorubicin, peg-liposomal) | 5 | NM; NDS |
| CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| CAPRELSA ORAL TABLET 100 MG (vandetanib) | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| CAPRELSA ORAL TABLET 300 MG (vandetanib) | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY) | 5 | PA NSO; NM; NDS; QL (112 per 28 days) |
| COPIKTRA ORAL CAPSULE 15 MG, 25 MG | 5 | PA NSO; NM; NDS; QL (56 per 28 days) |
| COTELLIC ORAL TABLET 20 MG | 5 | PA NSO; NM; LA; NDS; QL (63 per 28 days) |
| <i>cyclophosphamide oral capsule 25 mg, 50 mg</i> | 4 | PA BvD; ST |
| <i>cyclophosphamide oral tablet 25 mg, 50 mg</i> | 3 | PA BvD; ST |
| DAURISMO ORAL TABLET 100 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------------|
| DAURISMO ORAL TABLET 25 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG | 4 | |
| ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG | 4 | |
| ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG | 4 | |
| ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH) | 4 | |
| EMCYT ORAL CAPSULE 140 MG | 5 | NM; NDS |
| ERIVEDGE ORAL CAPSULE 150 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| ERLEADA ORAL TABLET 240 MG, 60 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| <i>erlotinib oral tablet 100 mg, 25 mg</i> (Tarceva) | 4 | PA NSO; QL (60 per 30 days) |
| <i>erlotinib oral tablet 150 mg</i> (Tarceva) | 4 | PA NSO; QL (90 per 30 days) |
| <i>everolimus (antineoplastic) oral tablet 10 mg</i> (Afinitor) | 5 | PA NSO; NM; NDS; QL (56 per 28 days) |
| <i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Afinitor) | 5 | PA NSO; NM; NDS; QL (28 per 28 days) |
| <i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz) | 5 | PA NSO; NM; NDS; QL (112 per 28 days) |
| <i>exemestane oral tablet 25 mg</i> (Aromasin) | 4 | |
| EXKIVITY ORAL CAPSULE 40 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG | 5 | PA NSO; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------------|
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG | 4 | PA NSO |
| FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG | 5 | PA NSO; NM; NDS; QL (21 per 28 days) |
| FRUZAQLA ORAL CAPSULE 1 MG | 5 | PA NSO; NM; NDS; QL (84 per 28 days) |
| FRUZAQLA ORAL CAPSULE 5 MG | 5 | PA NSO; NM; NDS; QL (21 per 28 days) |
| FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG | 5 | PA NSO; NM; NDS |
| GAVRETO ORAL CAPSULE 100 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| <i>gefitinib oral tablet 250 mg</i> (Iressa) | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| GLEOSTINE ORAL CAPSULE (lomustine) 10 MG, 100 MG, 40 MG | 4 | PA NSO |
| <i>hydroxyurea oral capsule 500 mg</i> (Hydrea) | 2 | |
| IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG | 5 | PA NSO; NM; NDS; QL (21 per 28 days) |
| IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG | 5 | PA NSO; NM; NDS; QL (21 per 28 days) |
| ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| IDHIFA ORAL TABLET 100 MG, 50 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| <i>imatinib oral tablet 100 mg</i> (Gleevec) | 3 | PA NSO; QL (180 per 30 days) |
| <i>imatinib oral tablet 400 mg</i> (Gleevec) | 3 | PA NSO; QL (60 per 30 days) |
| IMBRUVICA ORAL CAPSULE 140 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| IMBRUVICA ORAL CAPSULE 70 MG | 5 | PA NSO; NM; NDS; QL (28 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| IMBRUVICA ORAL SUSPENSION 70 MG/ML | 5 | PA NSO; NM; NDS; QL (240 per 30 days) |
| IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG | 5 | PA NSO; NM; NDS; QL (28 per 28 days) |
| IMJUDO INTRAVENOUS SOLUTION 20 MG/ML | 5 | PA NSO; NM; NDS |
| INLYTA ORAL TABLET 1 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| INLYTA ORAL TABLET 5 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| INQOVI ORAL TABLET 35-100 MG | 5 | PA NSO; NM; NDS; QL (5 per 28 days) |
| INREBIC ORAL CAPSULE 100 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| IRESSA ORAL TABLET 250 MG (gefitinib) | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| IWILFIN ORAL TABLET 192 MG | 5 | PA NSO; NM; NDS |
| JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| JAYPIRCA ORAL TABLET 100 MG, 50 MG | 5 | PA NSO; NM; NDS |
| KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML | 5 | PA NSO; NM; NDS; QL (8 per 21 days) |
| KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG | 5 | PA NSO; NM; NDS; QL (49 per 28 days) |
| KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG | 5 | PA NSO; NM; NDS; QL (70 per 28 days) |
| KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG | 5 | PA NSO; NM; NDS; QL (91 per 28 days) |
| KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1) | 5 | PA NSO; NM; NDS; QL (21 per 28 days) |
| KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2) | 5 | PA NSO; NM; NDS; QL (42 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3) | 5 | PA NSO; NM; NDS; QL (63 per 28 days) |
| KOSELUGO ORAL CAPSULE 10 MG | 5 | PA NSO; NM; NDS; QL (300 per 30 days) |
| KOSELUGO ORAL CAPSULE 25 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| KRAZATI ORAL TABLET 200 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>lapatinib oral tablet 250 mg</i> (Tykerb) | 5 | PA NSO; NM; NDS |
| <i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid) | 5 | PA NSO; NM; LA; NDS; QL (28 per 28 days) |
| LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X 2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2) | 5 | PA NSO; NM; NDS |
| <i>letrozole oral tablet 2.5 mg</i> (Femara) | 1 | |
| LEUKERAN ORAL TABLET 2 MG | 5 | NM; NDS |
| <i>leuprolide (3 month) intramuscular suspension for reconstitution 22.5 mg</i> | 5 | NM; NDS |
| <i>leuprolide subcutaneous kit 1 mg/0.2 ml</i> | 5 | NM; NDS |
| LONSURF ORAL TABLET 15-6.14 MG | 5 | PA NSO; NM; NDS; QL (100 per 28 days) |
| LONSURF ORAL TABLET 20-8.19 MG | 5 | PA NSO; NM; NDS; QL (80 per 28 days) |
| LORBRENA ORAL TABLET 100 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| LORBRENA ORAL TABLET 25 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| LUMAKRAS ORAL TABLET 120 MG, 320 MG | 5 | PA NSO; NM; NDS; QL (240 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------------|
| LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML | 5 | PA NSO; NM; NDS |
| LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG | 5 | NM; NDS |
| LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG | 5 | NM; NDS |
| LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG | 5 | NM; NDS |
| LYNPARZA ORAL TABLET 100 MG, 150 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| LYSODREN ORAL TABLET 500 MG | 5 | NM; NDS |
| LYTGOBI ORAL TABLET 4 MG, 4 MG (4X 4 MG TB), 4 MG (5X 4 MG TB) | 5 | PA NSO; NM; NDS |
| MATULANE ORAL CAPSULE 50 MG | 5 | NM; NDS |
| <i>megestrol oral tablet 20 mg, 40 mg</i> | 2 | |
| MEKINIST ORAL RECON SOLN 0.05 MG/ML | 5 | PA NSO; NM; NDS |
| MEKINIST ORAL TABLET 0.5 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| MEKINIST ORAL TABLET 2 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| MEKTOVI ORAL TABLET 15 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>mercaptopurine oral tablet 50 mg</i> | 2 | |
| <i>methotrexate sodium (pf) injection solution 25 mg/ml</i> | 2 | |
| <i>methotrexate sodium injection solution 25 mg/ml</i> | 2 | |
| <i>methotrexate sodium oral tablet 2.5 mg</i> | 2 | PA BvD; ST |
| MVASI INTRAVENOUS SOLUTION 25 MG/ML | 5 | PA NSO; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------------|
| NERLYNX ORAL TABLET 40 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>nilutamide oral tablet 150 mg</i> (Nilandron) | 5 | NM; NDS |
| NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG | 5 | PA NSO; NM; NDS; QL (3 per 28 days) |
| NUBEQA ORAL TABLET 300 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| ODOMZO ORAL CAPSULE 200 MG | 5 | PA NSO; NM; LA; NDS |
| OGSIVEO ORAL TABLET 50 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG | 5 | PA NSO; NM; NDS |
| ONUREG ORAL TABLET 200 MG, 300 MG | 5 | PA NSO; NM; NDS; QL (14 per 28 days) |
| ORSERDU ORAL TABLET 345 MG, 86 MG | 5 | PA NSO; NM; NDS |
| <i>pazopanib oral tablet 200 mg</i> (Votrient) | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG | 5 | PA NSO; NM; NDS; QL (14 per 21 days) |
| PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1) | 5 | PA NSO; NM; NDS; QL (28 per 28 days) |
| PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2) | 5 | PA NSO; NM; NDS; QL (56 per 28 days) |
| POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG | 5 | PA NSO; NM; NDS; QL (21 per 28 days) |
| PURIXAN ORAL SUSPENSION 20 MG/ML | 5 | NM; NDS |
| QINLOCK ORAL TABLET 50 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| RETEVMO ORAL CAPSULE 40 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| RETEVMO ORAL CAPSULE 80 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| REVLIMID ORAL CAPSULE 10 (lenalidomide) MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG | 5 | PA NSO; NM; LA; NDS; QL (28 per 28 days) |
| REZLIDHIA ORAL CAPSULE 150 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| ROZLYTREK ORAL CAPSULE 100 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| ROZLYTREK ORAL CAPSULE 200 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| RYDAPT ORAL CAPSULE 25 MG | 5 | PA NSO; NM; NDS; QL (224 per 28 days) |
| SCSEMBLIX ORAL TABLET 20 MG, 40 MG | 5 | PA NSO; NM; NDS |
| SOLTAMOX ORAL SOLUTION 20 MG/10 ML | 5 | NM; NDS |
| <i>sorafenib oral tablet 200 mg</i> (Nexavar) | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| SPRYCEL ORAL TABLET 20 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| STIVARGA ORAL TABLET 40 MG | 5 | PA NSO; NM; NDS; QL (84 per 28 days) |
| <i>sunitinib malate oral capsule 12.5</i> (Sutent) <i>mg, 25 mg, 37.5 mg, 50 mg</i> | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG | 5 | PA NSO; NM; NDS |
| TABLOID ORAL TABLET 40 (thioguanine) MG | 4 | |
| TABRECTA ORAL TABLET 150 MG, 200 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| TAFINLAR ORAL CAPSULE 50 MG, 75 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG | 5 | PA NSO; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--|
| TAGRISSE ORAL TABLET 40 MG, 80 MG | 5 | PA NSO; NM; LA; NDS; QL (30 per 30 days) |
| TALZENNA ORAL CAPSULE 0.1 MG, 0.35 MG, 0.75 MG, 1 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| TALZENNA ORAL CAPSULE 0.25 MG, 0.5 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| <i>tamoxifen oral tablet 10 mg, 20 mg</i> | 2 | |
| TASIGNA ORAL CAPSULE 150 MG, 200 MG | 5 | PA NSO; NM; NDS; QL (112 per 28 days) |
| TASIGNA ORAL CAPSULE 50 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| TAZVERIK ORAL TABLET 200 MG | 5 | PA NSO; NM; NDS; QL (240 per 30 days) |
| TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML | 5 | PA NSO; NM; NDS |
| TEPMETKO ORAL TABLET 225 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| TIBSOVO ORAL TABLET 250 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| <i>toremifene oral tablet 60 mg</i> (Fareston) | 5 | NM; NDS |
| TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG | 4 | QL (1 per 84 days) |
| TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG | 4 | QL (1 per 168 days) |
| TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 3.75 MG | 4 | QL (1 per 28 days) |
| <i>tretinoin (antineoplastic) oral capsule 10 mg</i> | 5 | NM; NDS |
| TRUQAP ORAL TABLET 160 MG, 200 MG | 5 | PA NSO; NM; NDS; QL (64 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---|
| TRUSELTIQ ORAL CAPSULE 100 MG/DAY (100 MG X 1), 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2), 75 MG/DAY (25 MG X 3) | 5 | PA NSO; NM; NDS |
| TUKYSA ORAL TABLET 150 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| TUKYSA ORAL TABLET 50 MG | 5 | PA NSO; NM; NDS; QL (300 per 30 days) |
| TURALIO ORAL CAPSULE 125 MG, 200 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG | 5 | PA NSO; NM; NDS |
| VENCLEXTA ORAL TABLET 10 MG | 3 | PA NSO; LA; QL (60 per 30 days) |
| VENCLEXTA ORAL TABLET 100 MG | 5 | PA NSO; NM; LA; NDS; QL (180 per 30 days) |
| VENCLEXTA ORAL TABLET 50 MG | 3 | PA NSO; LA; QL (30 per 30 days) |
| VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG | 5 | PA NSO; NM; LA; NDS |
| VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG | 5 | PA NSO; NM; NDS; QL (56 per 28 days) |
| VITRAKVI ORAL CAPSULE 100 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| VITRAKVI ORAL CAPSULE 25 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| VITRAKVI ORAL SOLUTION 20 MG/ML | 5 | PA NSO; NM; NDS; QL (300 per 30 days) |
| VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| VONJO ORAL CAPSULE 100 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| VOTRIENT ORAL TABLET 200 (pazopanib) MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------------|
| WELIREG ORAL TABLET 40 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| XALKORI ORAL CAPSULE 200 MG, 250 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| XALKORI ORAL PELLETT 150 MG, 20 MG, 50 MG | 5 | PA NSO; NM; NDS |
| XATMEP ORAL SOLUTION 2.5 MG/ML | 4 | PA BvD; ST |
| XOSPATA ORAL TABLET 40 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2) | 5 | PA NSO; NM; NDS; QL (8 per 28 days) |
| XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1) | 5 | PA NSO; NM; NDS; QL (4 per 28 days) |
| XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK) | 5 | PA NSO; NM; NDS; QL (24 per 28 days) |
| XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK) | 5 | PA NSO; NM; NDS; QL (32 per 28 days) |
| XTANDI ORAL CAPSULE 40 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| XTANDI ORAL TABLET 40 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| XTANDI ORAL TABLET 80 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| YONSA ORAL TABLET 125 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| ZEJULA ORAL CAPSULE 100 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| ZELBORAF ORAL TABLET 240 MG | 5 | PA NSO; NM; NDS; QL (240 per 30 days) |
| ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML | 5 | PA NSO; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------------------------|
| ZOLINZA ORAL CAPSULE 100 MG | 5 | NM; NDS |
| ZYDELIG ORAL TABLET 100 MG, 150 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| ZYKADIA ORAL TABLET 150 MG | 5 | PA NSO; NM; NDS; QL (84 per 28 days) |
| Anticonvulsants | | |
| Anticonvulsants | | |
| APTIOM ORAL TABLET 200 MG, 400 MG | 5 | ST; NM; NDS; QL (30 per 30 days) |
| APTIOM ORAL TABLET 600 MG, 800 MG | 5 | ST; NM; NDS; QL (60 per 30 days) |
| BRIVIACT ORAL SOLUTION 10 MG/ML | 3 | QL (600 per 30 days) |
| BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG | 3 | QL (60 per 30 days) |
| <i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol) | 4 | |
| <i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol) | 4 | |
| <i>carbamazepine oral tablet 200 mg</i> (Epilex) | 2 | |
| <i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR) | 4 | |
| <i>carbamazepine oral tablet, chewable 100 mg</i> | 2 | |
| CELONTIN ORAL CAPSULE 300 MG (methsuximide) | 4 | |
| <i>clobazam oral suspension 2.5 mg/ml</i> (Onfi) | 4 | PA NSO; QL (480 per 30 days) |
| <i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi) | 4 | PA NSO; QL (60 per 30 days) |
| DIACOMIT ORAL CAPSULE 250 MG | 5 | PA NSO; NM; NDS; QL (360 per 30 days) |
| DIACOMIT ORAL CAPSULE 500 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------------|
| DIACOMIT ORAL POWDER IN PACKET 250 MG | 5 | PA NSO; NM; NDS; QL (360 per 30 days) |
| DIACOMIT ORAL POWDER IN PACKET 500 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg</i> | 4 | |
| <i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles) | 2 | |
| <i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER) | 2 | |
| <i>divalproex oral tablet, delayed release (drlec) 125 mg, 250 mg, 500 mg</i> (Depakote) | 2 | |
| EPIDIOLEX ORAL SOLUTION 100 MG/ML | 5 | PA NSO; NM; NDS |
| <i>epitol oral tablet 200 mg</i> (carbamazepine) | 2 | |
| EPRONTIA ORAL SOLUTION 25 MG/ML | 4 | QL (480 per 30 days) |
| <i>ethosuximide oral capsule 250 mg</i> (Zarontin) | 3 | |
| <i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin) | 2 | |
| <i>felbamate oral suspension 600 mg/5 ml</i> | 4 | |
| <i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol) | 4 | |
| FINTEPLA ORAL SOLUTION 2.2 MG/ML | 5 | PA NSO; NM; NDS |
| FYCOMPA ORAL SUSPENSION 0.5 MG/ML | 5 | ST; NM; NDS; QL (720 per 30 days) |
| FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG | 5 | ST; NM; NDS; QL (30 per 30 days) |
| FYCOMPA ORAL TABLET 2 MG | 4 | ST; QL (30 per 30 days) |
| FYCOMPA ORAL TABLET 4 MG, 6 MG | 5 | ST; NM; NDS; QL (60 per 30 days) |
| <i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin) | 1 | QL (360 per 30 days) |
| <i>gabapentin oral capsule 400 mg</i> (Neurontin) | 1 | QL (270 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin) | 4 | QL (2160 per 30 days) |
| <i>gabapentin oral tablet 600 mg</i> (Neurontin) | 2 | QL (180 per 30 days) |
| <i>gabapentin oral tablet 800 mg</i> (Neurontin) | 2 | QL (120 per 30 days) |
| <i>lacosamide oral solution 10 mg/ml</i> (Vimpat) | 2 | QL (1200 per 30 days) |
| <i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat) | 3 | QL (60 per 30 days) |
| <i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Lamictal) | 1 | |
| <i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal) | 2 | |
| <i>levetiracetam oral solution 100 mg/ml</i> (Keppra) | 2 | |
| <i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra) | 2 | |
| <i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR) | 2 | |
| <i>methsuximide oral capsule 300 mg</i> (Celontin) | 2 | |
| MOTPOLY XR ORAL CAPSULE, EXTENDED RELEASE 24HR 100 MG, 150 MG, 200 MG | 3 | |
| NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML) | 4 | QL (10 per 30 days) |
| <i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal) | 4 | |
| <i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal) | 2 | |
| OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG | 4 | ST |
| OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 600 MG | 5 | ST; NM; NDS |
| <i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i> | 4 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------------|
| <i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i> | 2 | |
| <i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125) | 2 | |
| <i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs) | 2 | |
| <i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended) | 2 | |
| <i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek) | 2 | |
| <i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica) | 2 | QL (90 per 30 days) |
| <i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica) | 2 | QL (60 per 30 days) |
| <i>pregabalin oral solution 20 mg/ml</i> (Lyrica) | 4 | QL (900 per 30 days) |
| <i>primidone oral tablet 125 mg</i> | 2 | |
| <i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline) | 2 | |
| <i>rufinamide oral suspension 40 mg/ml</i> (Banzel) | 5 | ST; NM; NDS |
| <i>rufinamide oral tablet 200 mg</i> (Banzel) | 4 | ST |
| <i>rufinamide oral tablet 400 mg</i> (Banzel) | 5 | ST; NM; NDS |
| SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG | 4 | ST; QL (60 per 30 days) |
| SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG | 4 | ST; QL (120 per 30 days) |
| SYMPAZAN ORAL FILM 10 MG, 20 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| SYMPAZAN ORAL FILM 5 MG | 4 | PA NSO; QL (60 per 30 days) |
| <i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i> | 4 | |
| <i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax) | 2 | |
| <i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax) | 1 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--|
| <i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i> | 2 | |
| <i>valproic acid oral capsule 250 mg</i> | 2 | |
| VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML) | 4 | |
| <i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone) | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>vigabatrin oral tablet 500 mg</i> (Vigadrone) | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>vigadrone oral powder in packet 500 mg</i> (vigabatrin) | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>vigadrone oral tablet 500 mg</i> (vigabatrin) | 6 | |
| <i>vigpoder oral powder in packet 500 mg</i> (vigabatrin) | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1- 150MG X1) | 4 | ST; QL (56 per 28 days) |
| XCOPRI ORAL TABLET 100 MG, 50 MG | 4 | ST; QL (30 per 30 days) |
| XCOPRI ORAL TABLET 150 MG, 200 MG | 4 | ST; QL (60 per 30 days) |
| XCOPRI TITRATION PACK ORAL TABLETS, DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14) | 4 | ST |
| ZONISADE ORAL SUSPENSION 100 MG/5 ML | 4 | |
| <i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran) | 2 | |
| <i>zonisamide oral capsule 50 mg</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------|
| ZTALMY ORAL SUSPENSION 50 MG/ML | 5 | PA NSO; NM; NDS |
| Antidementia Agents | | |
| Antidementia Agents | | |
| <i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept) | 1 | QL (30 per 30 days) |
| <i>donepezil oral tablet, disintegrating 10 mg, 5 mg</i> | 2 | QL (30 per 30 days) |
| <i>ergoloid oral tablet 1 mg</i> | 4 | |
| <i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> | 2 | QL (30 per 30 days) |
| <i>galantamine oral solution 4 mg/ml</i> | 4 | QL (200 per 30 days) |
| <i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i> | 2 | QL (60 per 30 days) |
| <i>memantine oral capsule, sprinkle, er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> (Namenda XR) | 4 | ST; QL (30 per 30 days) |
| <i>memantine oral solution 2 mg/ml</i> | 4 | QL (300 per 30 days) |
| <i>memantine oral tablet 10 mg</i> | 2 | QL (60 per 30 days) |
| <i>memantine oral tablet 5 mg</i> (Namenda) | 2 | QL (60 per 30 days) |
| NAMZARIC ORAL CAP, SPRINKLE, ER 24HR DOSE PACK 7/14/21/28 MG-10 MG | 3 | ST |
| NAMZARIC ORAL CAPSULE, SPRINKLE, ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG | 3 | ST; QL (30 per 30 days) |
| <i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i> | 2 | QL (60 per 30 days) |
| <i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> (Exelon Patch) | 4 | QL (30 per 30 days) |
| Antidepressants | | |
| Antidepressants | | |
| <i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i> | 2 | |
| <i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i> | 4 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------------|
| AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG | 4 | ST |
| <i>bupropion hcl oral tablet 100 mg, 75 mg</i> | 2 | |
| <i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL) | 2 | |
| <i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR) | 2 | |
| <i>citalopram oral solution 10 mg/5 ml</i> | 4 | QL (600 per 30 days) |
| <i>citalopram oral tablet 10 mg, 20 mg, 40 mg</i> (Celexa) | 1 | QL (30 per 30 days) |
| <i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil) | 4 | |
| <i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin) | 4 | |
| <i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i> | 4 | |
| <i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq) | 4 | QL (30 per 30 days) |
| <i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i> | 2 | |
| <i>doxepin oral concentrate 10 mg/ml</i> | 1 | |
| DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG | 4 | ST; QL (60 per 30 days) |
| DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG | 4 | ST; QL (30 per 30 days) |
| <i>duloxetine oral capsule, delayed release (drlec) 20 mg, 30 mg, 60 mg</i> (Cymbalta) | 2 | QL (60 per 30 days) |
| EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR | 5 | ST; NM; NDS; QL (30 per 30 days) |
| <i>escitalopram oxalate oral solution 5 mg/5 ml</i> | 4 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro) | 1 | |
| FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26) | 4 | ST |
| FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG | 4 | ST; QL (30 per 30 days) |
| <i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac) | 1 | |
| <i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i> | 4 | |
| <i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i> | 2 | |
| <i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i> | 2 | |
| MARPLAN ORAL TABLET 10 MG | 4 | |
| <i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron) | 2 | |
| <i>mirtazapine oral tablet 45 mg, 7.5 mg</i> | 2 | |
| <i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab) | 2 | |
| <i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i> | 4 | |
| <i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor) | 1 | |
| <i>nortriptyline oral solution 10 mg/5 ml</i> | 4 | |
| <i>paroxetine hcl oral suspension 10 mg/5 ml</i> (Paxil) | 4 | |
| <i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil) | 1 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------------|
| <i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i> | 2 | |
| <i>phenelzine oral tablet 15 mg</i> (Nardil) | 2 | |
| <i>protriptyline oral tablet 10 mg, 5 mg</i> | 4 | |
| <i>sertraline oral concentrate 20 mg/ml</i> (Zoloft) | 2 | |
| <i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft) | 1 | |
| <i>tranylcypromine oral tablet 10 mg</i> (Parnate) | 4 | |
| <i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i> | 1 | |
| <i>trazodone oral tablet 300 mg</i> | 4 | |
| <i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i> | 4 | |
| TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG | 3 | QL (30 per 30 days) |
| <i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR) | 2 | QL (30 per 30 days) |
| <i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR) | 2 | QL (90 per 30 days) |
| <i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i> | 2 | |
| VIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG (vilazodone) | 3 | QL (30 per 30 days) |
| VIIBRYD ORAL TABLETS, DOSE PACK 10 MG (7)- 20 MG (23) | 3 | |
| ZURZUVAE ORAL CAPSULE 20 MG, 25 MG | 5 | PA NSO; NM; NDS; QL (28 per 365 days) |
| ZURZUVAE ORAL CAPSULE 30 MG | 5 | PA NSO; NM; NDS; QL (14 per 365 days) |
| Antidiabetic Agents | | |
| Antidiabetic Agents, Miscellaneous | | |
| <i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose) | 2 | QL (90 per 30 days) |
| FARXIGA ORAL TABLET 10 MG, 5 MG (dapagliflozin propanediol) | 3 | QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG | 3 | QL (30 per 30 days) |
| JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG | 3 | ST; QL (60 per 30 days) |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG | 3 | ST; QL (30 per 30 days) |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG | 3 | ST; QL (60 per 30 days) |
| JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG | 3 | ST; QL (30 per 30 days) |
| JARDIANCE ORAL TABLET 10 MG, 25 MG | 3 | QL (30 per 30 days) |
| JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG | 3 | ST; QL (60 per 30 days) |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG | 3 | ST; QL (60 per 30 days) |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG | 3 | ST; QL (30 per 30 days) |
| KORLYM ORAL TABLET 300 MG (mifepristone) | 5 | PA; NM; NDS; QL (112 per 28 days) |
| <i>metformin oral tablet 1,000 mg</i> | 6 | QL (75 per 30 days) |
| <i>metformin oral tablet 500 mg</i> | 6 | QL (150 per 30 days) |
| <i>metformin oral tablet 850 mg</i> | 6 | QL (90 per 30 days) |
| <i>metformin oral tablet extended release 24 hr 500 mg</i> | 6 | QL (120 per 30 days) |
| <i>metformin oral tablet extended release 24 hr 750 mg</i> | 6 | QL (60 per 30 days) |
| <i>mifepristone oral tablet 300 mg</i> (Korlym) | 5 | PA; NM; NDS; QL (112 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML | 3 | PA; QL (2 per 28 days) |
| OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 0.25 MG OR 0.5 MG(2 MG/1.5 ML), 2 MG/DOSE (8 MG/3 ML) | 3 | PA; QL (3 per 28 days) |
| OZEMPIC SUBCUTANEOUS PEN INJECTOR 1 MG/DOSE (4 MG/3 ML) | 3 | PA; QL (6 per 28 days) |
| <i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos) | 6 | QL (30 per 30 days) |
| <i>repaglinide oral tablet 0.5 mg, 1 mg</i> | 6 | QL (120 per 30 days) |
| <i>repaglinide oral tablet 2 mg</i> | 6 | QL (240 per 30 days) |
| RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG | 3 | PA; QL (30 per 30 days) |
| SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML | 5 | PA; ST; NM; NDS; QL (10.8 per 28 days) |
| SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML | 5 | PA; ST; NM; NDS; QL (10.8 per 28 days) |
| SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG | 3 | QL (60 per 30 days) |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG | 3 | QL (30 per 30 days) |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG | 3 | QL (60 per 30 days) |
| TRADJENTA ORAL TABLET 5 MG | 3 | ST; QL (30 per 30 days) |
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG | 3 | QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|------------------------|
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5- 2.5-1,000 MG, 5-2.5-1,000 MG | 3 | QL (60 per 30 days) |
| TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML | 3 | PA; QL (2 per 28 days) |
| XIGDUO XR ORAL TABLET, (dapaglifloz propaned- IR - ER, BIPHASIC 24HR 10- metformin) 1,000 MG | 3 | QL (30 per 30 days) |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-500 MG | 3 | QL (30 per 30 days) |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5- 1,000 MG, 5-500 MG | 3 | QL (60 per 30 days) |
| XIGDUO XR ORAL TABLET, (dapaglifloz propaned- IR - ER, BIPHASIC 24HR 5-1,000 metformin) MG | 3 | QL (60 per 30 days) |
| Insulins | | |
| FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 3 | QL (30 per 28 days) |
| FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML) | 3 | QL (30 per 28 days) |
| FIASP PUMPCART SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (1.6 ML) | 3 | |
| FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML | 3 | QL (40 per 28 days) |
| HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML | 3 | QL (40 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML) | 3 | QL (24 per 28 days) |
| LANTUS SOLOSTAR U-100 (insulin glargine) INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 3 | QL (30 per 28 days) |
| LANTUS U-100 INSULIN (insulin glargine) SUBCUTANEOUS SOLUTION 100 UNIT/ML | 3 | QL (40 per 28 days) |
| NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70- 30) | 3 | QL (40 per 28 days) |
| NOVOLIN 70-30 FLEXPEN U- 100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30) | 3 | QL (30 per 28 days) |
| NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 3 | QL (30 per 28 days) |
| NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML | 3 | QL (40 per 28 days) |
| NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 3 | QL (30 per 28 days) |
| NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML | 3 | QL (40 per 28 days) |
| NOVOLOG FLEXPEN U-100 (insulin aspart u-100) INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 2 | QL (30 per 28 days) |
| NOVOLOG MIX 70-30 U-100 (insulin asp prt-insulin aspart) INSULN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70- 30) | 2 | QL (40 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|----------------------------------|------------------|----------------------------|
| NOVOLOG MIX 70-30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30) | (insulin asp prt-insulin aspart) | 2 | QL (30 per 28 days) |
| NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML | (insulin aspart u-100) | 2 | QL (30 per 28 days) |
| NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML | (insulin aspart u-100) | 2 | QL (40 per 28 days) |
| SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML | | 3 | QL (30 per 30 days) |
| TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML) | (insulin glargine u-300 conc) | 3 | QL (18 per 28 days) |
| TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML) | (insulin glargine u-300 conc) | 3 | QL (13.5 per 28 days) |
| XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML) | | 3 | QL (15 per 28 days) |
| Sulfonylureas | | | |
| <i>glimepiride oral tablet 1 mg, 2 mg</i> | | 6 | QL (30 per 30 days) |
| <i>glimepiride oral tablet 4 mg</i> | | 6 | QL (60 per 30 days) |
| <i>glipizide oral tablet 10 mg</i> | | 6 | QL (120 per 30 days) |
| <i>glipizide oral tablet 2.5 mg, 5 mg</i> | | 6 | QL (60 per 30 days) |
| <i>glipizide oral tablet extended release 24hr 10 mg</i> (Glucotrol XL) | | 6 | QL (60 per 30 days) |
| <i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i> (Glucotrol XL) | | 6 | QL (30 per 30 days) |
| <i>glipizide-metformin oral tablet 2.5-250 mg</i> | | 6 | QL (240 per 30 days) |
| <i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i> | | 6 | QL (120 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-----------------------|
| <i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i> (Glynase) | 6 | |
| <i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i> | 6 | |
| <i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i> | 6 | |
| Antifungals | | |
| Antifungals | | |
| ABELCET INTRAVENOUS SUSPENSION 5 MG/ML | 4 | PA BvD |
| AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG (amphotericin b liposome) | 5 | PA BvD; NM; NDS |
| <i>amphotericin b injection recon soln 50 mg</i> | 2 | PA BvD |
| <i>casprofungin intravenous recon soln 50 mg</i> (Cancidas) | 5 | NM; NDS |
| <i>casprofungin intravenous recon soln 70 mg</i> (Cancidas) | 3 | |
| <i>ciclopirox topical cream 0.77%</i> (Ciclodan) | 2 | QL (180 per 30 days) |
| <i>ciclopirox topical solution 8%</i> (Ciclodan) | 2 | QL (19.8 per 30 days) |
| <i>clotrimazole mucous membrane troche 10 mg</i> | 2 | |
| <i>clotrimazole topical cream 1%</i> (Antifungal (clotrimazole)) | 2 | |
| <i>clotrimazole topical solution 1%</i> | 2 | |
| <i>clotrimazole-betamethasone topical cream 1-0.05%</i> | 2 | QL (90 per 30 days) |
| <i>econazole topical cream 1%</i> | 4 | QL (170 per 30 days) |
| <i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i> | 2 | PA BvD |
| <i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i> (Diflucan) | 4 | |
| <i>fluconazole oral tablet 100 mg, 200 mg</i> (Diflucan) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>fluconazole oral tablet 150 mg, 50 mg</i> | 2 | |
| <i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon) | 5 | NM; NDS |
| <i>griseofulvin microsize oral suspension 125 mg/5 ml</i> | 4 | |
| <i>griseofulvin microsize oral tablet 500 mg</i> | 4 | |
| <i>itraconazole oral capsule 100 mg</i> (Sporanox) | 2 | |
| <i>ketoconazole oral tablet 200 mg</i> | 2 | |
| <i>ketoconazole topical cream 2 %</i> | 2 | QL (180 per 30 days) |
| <i>ketoconazole topical shampoo 2 %</i> | 2 | QL (360 per 30 days) |
| <i>miconazole-3 vaginal suppository 200 mg</i> | 2 | |
| NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML) (posaconazole) | 5 | PA; NM; NDS |
| <i>nyamyc topical powder 100,000 unit/gram</i> (nystatin) | 2 | QL (60 per 30 days) |
| <i>nystatin oral suspension 100,000 unit/ml</i> | 2 | QL (900 per 30 days) |
| <i>nystatin oral tablet 500,000 unit</i> | 2 | |
| <i>nystatin topical cream 100,000 unit/gram</i> | 2 | QL (60 per 30 days) |
| <i>nystatin topical ointment 100,000 unit/gram</i> | 2 | QL (60 per 30 days) |
| <i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc) | 2 | QL (60 per 30 days) |
| <i>nystop topical powder 100,000 unit/gram</i> (nystatin) | 2 | QL (60 per 30 days) |
| <i>posaconazole oral suspension 200 mg/5 ml (40 mg/ml)</i> (Noxafil) | 5 | PA; NM; NDS |
| <i>posaconazole oral tablet, delayed release (drlec) 100 mg</i> (Noxafil) | 5 | PA; NM; NDS |
| <i>terbinafine hcl oral tablet 250 mg</i> | 1 | |
| <i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV) | 5 | PA BvD; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend) | 5 | PA; NM; NDS |
| <i>voriconazole oral tablet 200 mg, 50 mg</i> (Vfend) | 3 | |
| Antigout Agents | | |
| Antigout Agents, Other | | |
| <i>allopurinol oral tablet 100 mg</i> (Zyloprim) | 1 | |
| <i>allopurinol oral tablet 300 mg</i> | 1 | |
| <i>colchicine oral tablet 0.6 mg</i> (Colcris) | 4 | PA; QL (120 per 30 days) |
| <i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric) | 4 | ST; QL (30 per 30 days) |
| MITIGARE ORAL CAPSULE 0.6 MG (colchicine) | 2 | QL (60 per 30 days) |
| <i>probenecid oral tablet 500 mg</i> | 2 | |
| <i>probenecid-colchicine oral tablet 500-0.5 mg</i> | 2 | |
| Antihistamines | | |
| Antihistamines | | |
| <i>cyproheptadine oral syrup 2 mg/5 ml</i> | 2 | |
| <i>diphenhydramine 50 mg/ml vial outer</i> | 2 | |
| <i>diphenhydramine hcl injection solution 50 mg/ml</i> | 4 | |
| <i>hydroxyzine hcl oral solution 10 mg/5 ml</i> | 2 | |
| <i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i> | 1 | |
| <i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief) | 1 | |
| <i>promethazine oral syrup 6.25 mg/5 ml</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-----------------------------|
| Anti-Infectives (Skin And Mucous Membrane) | | |
| Anti-Infectives (Skin And Mucous Membrane) | | |
| <i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin) | 2 | |
| <i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i> (Vandazole) | 2 | |
| <i>terconazole vaginal cream 0.4 %, 0.8 %</i> | 2 | |
| <i>terconazole vaginal suppository 80 mg</i> | 4 | |
| Antimigraine Agents | | |
| Antimigraine Agents | | |
| AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML | 3 | PA; QL (1 per 30 days) |
| AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML | 3 | PA; QL (1.5 per 30 days) |
| AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML | 3 | PA; QL (1.5 per 30 days) |
| <i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal) | 5 | NM; NDS; QL (8 per 28 days) |
| EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML | 3 | PA; QL (2 per 30 days) |
| EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML | 3 | PA; QL (2 per 30 days) |
| EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3) | 3 | PA; QL (3 per 30 days) |
| NURTEC ODT ORAL TABLET, DISINTEGRATING 75 MG | 3 | PA; QL (18 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>rizatriptan oral tablet 10 mg</i> (Maxalt) | 2 | QL (12 per 30 days) |
| <i>rizatriptan oral tablet 5 mg</i> | 2 | QL (12 per 30 days) |
| <i>rizatriptan oral tablet, disintegrating 10 mg</i> (Maxalt-MLT) | 2 | QL (12 per 30 days) |
| <i>rizatriptan oral tablet, disintegrating 5 mg</i> | 2 | QL (12 per 30 days) |
| <i>sumatriptan nasal spray, non-aerosol 20 mg/lactuation</i> | 4 | QL (12 per 30 days) |
| <i>sumatriptan nasal spray, non-aerosol 5 mg/lactuation</i> | 4 | QL (18 per 30 days) |
| <i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex) | 2 | QL (9 per 30 days) |
| <i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex) | 2 | QL (18 per 30 days) |
| <i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Refill) | 4 | QL (4 per 28 days) |
| <i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Pen) | 4 | QL (4 per 28 days) |
| <i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex) | 4 | QL (4 per 28 days) |
| UBRELVY ORAL TABLET 100 MG, 50 MG | 3 | PA; QL (16 per 30 days) |
| Antimycobacterials | | |
| Antimycobacterials | | |
| <i>dapsone oral tablet 100 mg, 25 mg</i> | 2 | |
| <i>ethambutol oral tablet 100 mg</i> | 2 | |
| <i>ethambutol oral tablet 400 mg</i> (Myambutol) | 2 | |
| <i>isoniazid oral solution 50 mg/5 ml</i> | 2 | |
| <i>isoniazid oral tablet 100 mg, 300 mg</i> | 1 | |
| PRETOMANID ORAL TABLET 200 MG | 4 | QL (30 per 30 days) |
| PRIFTIN ORAL TABLET 150 MG | 4 | |
| <i>pyrazinamide oral tablet 500 mg</i> | 3 | |
| <i>rifabutin oral capsule 150 mg</i> (Mycobutin) | 4 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|----------------------------|
| <i>rifampin intravenous recon soln 600 mg</i> (Rifadin) | 4 | |
| <i>rifampin oral capsule 150 mg, 300 mg</i> | 2 | |
| SIRTURO ORAL TABLET 100 MG, 20 MG | 5 | PA; NM; NDS |
| TRECTOR ORAL TABLET 250 MG | 4 | |
| Antinausea Agents | | |
| Antinausea Agents | | |
| AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG | 4 | PA BvD |
| <i>aprepitant oral capsule 125 mg</i> | 4 | PA BvD; QL (2 per 28 days) |
| <i>aprepitant oral capsule 40 mg</i> | 4 | PA BvD; QL (1 per 28 days) |
| <i>aprepitant oral capsule 80 mg</i> (Emend) | 4 | PA BvD; QL (4 per 28 days) |
| <i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend) | 4 | PA BvD; QL (6 per 28 days) |
| <i>compro rectal suppository 25 mg</i> (prochlorperazine) | 4 | |
| <i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol) | 4 | PA; QL (60 per 30 days) |
| EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.) | 4 | PA BvD; QL (6 per 28 days) |
| <i>granisetron hcl oral tablet 1 mg</i> | 4 | PA BvD |
| <i>meclizine oral tablet 12.5 mg</i> | 2 | |
| <i>meclizine oral tablet 25 mg</i> (Dramamine (meclizine)) | 2 | |
| <i>meclizine oral tablet 50 mg</i> (Antivert) | 2 | |
| <i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i> | 2 | |
| <i>ondansetron hcl oral tablet 4 mg, 8 mg</i> | 2 | PA BvD |
| <i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i> | 2 | PA BvD |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------------|
| <i>prochlorperazine maleate oral tablet</i> (Compazine) 10 mg, 5 mg | 2 | |
| <i>prochlorperazine rectal suppository</i> (Compro) 25 mg | 4 | |
| <i>promethazine injection solution</i> 25 (Phenergan) mg/ml | 4 | |
| <i>promethazine oral tablet</i> 12.5 mg, 25 mg, 50 mg | 1 | |
| <i>promethegan rectal suppository</i> 12.5 (promethazine) mg, 25 mg | 4 | |
| <i>scopolamine base transdermal patch</i> (Transderm-Scop) 3 day 1 mg over 3 days | 2 | QL (10 per 30 days) |
| Antiparasite Agents | | |
| Antiparasite Agents | | |
| <i>albendazole oral tablet</i> 200 mg | 5 | NM; NDS |
| <i>atovaquone oral suspension</i> 750 (Mepron) mg/5 ml | 3 | |
| <i>atovaquone-proguanil oral tablet</i> (Malarone) 250-100 mg | 2 | |
| <i>atovaquone-proguanil oral tablet</i> (Malarone Pediatric) 62.5-25 mg | 2 | |
| <i>chloroquine phosphate oral tablet</i> 250 mg | 4 | QL (50 per 30 days) |
| <i>chloroquine phosphate oral tablet</i> 500 mg | 4 | QL (25 per 30 days) |
| COARTEM ORAL TABLET 20- 120 MG | 4 | |
| <i>hydroxychloroquine oral tablet</i> 200 (Plaquenil) mg | 2 | QL (90 per 30 days) |
| IMPAVIDO ORAL CAPSULE 50 MG | 5 | PA; NM; NDS; QL (84 per 28 days) |
| <i>ivermectin oral tablet</i> 3 mg (Stromectol) | 2 | |
| KRINTAFEL ORAL TABLET 150 MG | 4 | |
| <i>mefloquine oral tablet</i> 250 mg | 2 | |
| <i>nitazoxanide oral tablet</i> 500 mg (Alinia) | 5 | NM; NDS |
| <i>paromomycin oral capsule</i> 250 mg (Humatin) | 4 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|----------------------------------|
| <i>pentamidine inhalation recon soln</i> 300 mg (Nebupent) | 3 | PA BvD |
| <i>pentamidine injection recon soln</i> 300 mg (Pentam) | 4 | |
| PRIMAQUINE ORAL TABLET 26.3 MG | 4 | |
| <i>pyrimethamine oral tablet</i> 25 mg (Daraprim) | 5 | PA; NM; NDS |
| <i>quinine sulfate oral capsule</i> 324 mg (Qualaquin) | 4 | PA; QL (42 per 7 days) |
| Antiparkinsonian Agents | | |
| Antiparkinsonian Agents | | |
| <i>amantadine hcl oral capsule</i> 100 mg | 2 | |
| <i>amantadine hcl oral solution</i> 50 mg/5 ml | 1 | |
| <i>apomorphine subcutaneous cartridge</i> 10 mg/ml (APOKYN) | 5 | PA; NM; NDS; QL (60 per 30 days) |
| <i>benztropine oral tablet</i> 0.5 mg, 1 mg, 2 mg | 2 | |
| <i>bromocriptine oral capsule</i> 5 mg (Parlodel) | 4 | |
| <i>bromocriptine oral tablet</i> 2.5 mg (Parlodel) | 2 | |
| <i>cabergoline oral tablet</i> 0.5 mg | 2 | |
| <i>carbidopa-levodopa oral tablet</i> 10-100 mg (Sinemet) | 2 | |
| <i>carbidopa-levodopa oral tablet</i> 25-100 mg (Dhivy) | 2 | |
| <i>carbidopa-levodopa oral tablet</i> 25-250 mg | 2 | |
| <i>carbidopa-levodopa oral tablet extended release</i> 25-100 mg, 50-200 mg | 2 | |
| <i>carbidopa-levodopa-entacapone oral tablet</i> 12.5-50-200 mg (Stalevo 50) | 4 | |
| <i>carbidopa-levodopa-entacapone oral tablet</i> 18.75-75-200 mg (Stalevo 75) | 4 | |
| <i>carbidopa-levodopa-entacapone oral tablet</i> 25-100-200 mg (Stalevo 100) | 4 | |
| <i>carbidopa-levodopa-entacapone oral tablet</i> 31.25-125-200 mg (Stalevo 125) | 4 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| <i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg</i> (Stalevo 150) | 4 | |
| <i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg</i> (Stalevo 200) | 4 | |
| <i>entacapone oral tablet 200 mg</i> (Comtan) | 3 | |
| INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG | 5 | PA; NM; NDS; QL (300 per 30 days) |
| KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG | 5 | PA; NM; NDS; QL (150 per 30 days) |
| NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR | 3 | QL (30 per 30 days) |
| OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG | 4 | ST; QL (30 per 30 days) |
| OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1) | 4 | ST; QL (60 per 30 days) |
| <i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i> | 1 | |
| <i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect) | 4 | |
| <i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i> | 2 | |
| <i>selegiline hcl oral capsule 5 mg</i> | 2 | |
| <i>selegiline hcl oral tablet 5 mg</i> | 2 | |
| <i>trihexyphenidyl oral elixir 0.4 mg/ml</i> | 2 | |
| <i>trihexyphenidyl oral tablet 2 mg, 5 mg</i> | 1 | |
| Antipsychotic Agents | | |
| Antipsychotic Agents | | |
| <i>aripiprazole oral solution 1 mg/ml</i> | 4 | QL (900 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------------|
| <i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> (Abilify) | 4 | QL (30 per 30 days) |
| <i>aripiprazole oral tablet 2 mg</i> (Abilify) | 4 | QL (60 per 30 days) |
| <i>aripiprazole oral tablet, disintegrating 10 mg</i> | 4 | ST; QL (90 per 30 days) |
| <i>aripiprazole oral tablet, disintegrating 15 mg</i> | 5 | ST; NM; NDS; QL (60 per 30 days) |
| ARISTADA INITIO INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 675 MG/2.4 ML | 5 | NM; NDS; QL (4.8 per 365 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 1,064 MG/3.9 ML | 5 | NM; NDS; QL (3.9 per 56 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 441 MG/1.6 ML | 5 | NM; NDS; QL (1.6 per 28 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 662 MG/2.4 ML | 5 | NM; NDS; QL (2.4 per 28 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 882 MG/3.2 ML | 5 | NM; NDS; QL (3.2 per 28 days) |
| <i>asenapine maleate sublingual tablet 10 mg, 2.5 mg, 5 mg</i> (Saphris) | 2 | QL (60 per 30 days) |
| CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG | 5 | ST; NM; NDS; QL (30 per 30 days) |
| <i>chlorpromazine oral concentrate 100 mg/ml, 30 mg/ml</i> | 4 | |
| <i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i> | 4 | |
| <i>clozapine oral tablet 100 mg</i> (Clozaril) | 2 | QL (270 per 30 days) |
| <i>clozapine oral tablet 200 mg</i> (Clozaril) | 3 | QL (135 per 30 days) |
| <i>clozapine oral tablet 25 mg</i> (Clozaril) | 3 | QL (90 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| <i>clozapine oral tablet 50 mg</i> (Clozaril) | 2 | QL (90 per 30 days) |
| <i>clozapine oral tablet, disintegrating 100 mg, 12.5 mg, 25 mg</i> | 4 | ST; QL (90 per 30 days) |
| <i>clozapine oral tablet, disintegrating 150 mg</i> | 4 | ST; QL (180 per 30 days) |
| <i>clozapine oral tablet, disintegrating 200 mg</i> | 5 | ST; NM; NDS; QL (120 per 30 days) |
| FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG | 5 | ST; NM; NDS; QL (60 per 30 days) |
| FANAPT ORAL TABLETS, DOSE PACK 1MG(2)-2MG(2)-4MG(2)-6MG(2) | 4 | ST |
| <i>fluphenazine decanoate injection solution 25 mg/ml</i> | 2 | |
| <i>fluphenazine hcl injection solution 2.5 mg/ml</i> | 3 | |
| <i>fluphenazine hcl oral concentrate 5 mg/ml</i> | 4 | |
| <i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i> | 4 | |
| <i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i> | 4 | |
| <i>haloperidol decanoate intramuscular solution 100 mg/ml</i> (Haldol Decanoate) | 3 | |
| <i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml)</i> | 2 | |
| <i>haloperidol decanoate intramuscular solution 50 mg/ml</i> (Haldol Decanoate) | 2 | |
| <i>haloperidol decanoate intramuscular solution 50 mg/ml (1ml)</i> | 3 | |
| <i>haloperidol lactate injection solution 5 mg/ml</i> | 2 | |
| <i>haloperidol lactate oral concentrate 2 mg/ml</i> | 2 | |
| <i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--------------------------------|
| INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML | 5 | NM; NDS; QL (3.5 per 180 days) |
| INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML | 5 | NM; NDS; QL (5 per 180 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML | 5 | NM; NDS; QL (0.75 per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML | 5 | NM; NDS; QL (1 per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML | 5 | NM; NDS; QL (1.5 per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML | 3 | QL (0.25 per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML | 5 | NM; NDS; QL (0.5 per 28 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML | 5 | NM; NDS; QL (0.88 per 84 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML | 5 | NM; NDS; QL (1.32 per 84 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML | 5 | NM; NDS; QL (1.75 per 84 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML | 5 | NM; NDS; QL (2.63 per 84 days) |
| <i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i> | 2 | |
| <i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg, 80 mg</i> (Latuda) | 2 | QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--------------------------------------|
| LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| <i>molindone oral tablet 10 mg</i> | 2 | QL (240 per 30 days) |
| <i>molindone oral tablet 25 mg</i> | 2 | QL (270 per 30 days) |
| <i>molindone oral tablet 5 mg</i> | 2 | QL (120 per 30 days) |
| NUPLAZID ORAL CAPSULE 34 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| NUPLAZID ORAL TABLET 10 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| <i>olanzapine intramuscular recon soln (Zyprexa) 10 mg</i> | 3 | QL (30 per 30 days) |
| <i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg (Zyprexa)</i> | 2 | QL (30 per 30 days) |
| <i>olanzapine oral tablet, disintegrating (Zyprexa Zydis) 10 mg, 15 mg, 20 mg, 5 mg</i> | 4 | QL (30 per 30 days) |
| <i>paliperidone oral tablet extended release 24hr 1.5 mg</i> | 4 | QL (30 per 30 days) |
| <i>paliperidone oral tablet extended release 24hr 3 mg, 9 mg (Invega)</i> | 4 | QL (30 per 30 days) |
| <i>paliperidone oral tablet extended release 24hr 6 mg (Invega)</i> | 4 | QL (60 per 30 days) |
| <i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i> | 4 | |
| PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 120 MG, 90 MG | 5 | NM; NDS; QL (1 per 30 days) |
| <i>pimozide oral tablet 1 mg, 2 mg</i> | 3 | |
| <i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg (Seroquel)</i> | 2 | QL (90 per 30 days) |
| <i>quetiapine oral tablet 300 mg, 400 mg (Seroquel)</i> | 2 | QL (60 per 30 days) |
| REXULTI ORAL TABLET 0.25 MG | 5 | ST; NM; NDS; QL (120 per 30 days) |
| REXULTI ORAL TABLET 0.5 MG | 5 | ST; NM; NDS; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------------|
| REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG | 5 | ST; NM; NDS; QL (30 per 30 days) |
| RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML (risperidone microspheres) | 4 | QL (2 per 28 days) |
| RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML (risperidone microspheres) | 5 | NM; NDS; QL (2 per 28 days) |
| <i>risperidone microspheres intramuscular suspension, extended rel recon 12.5 mg/2 ml, 25 mg/2 ml, 37.5 mg/2 ml, 50 mg/2 ml</i> (Risperdal Consta) | 4 | QL (2 per 28 days) |
| <i>risperidone oral solution 1 mg/ml</i> (Risperdal) | 2 | QL (480 per 30 days) |
| <i>risperidone oral tablet 0.25 mg</i> | 2 | QL (60 per 30 days) |
| <i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg</i> (Risperdal) | 2 | QL (60 per 30 days) |
| <i>risperidone oral tablet 4 mg</i> (Risperdal) | 2 | QL (120 per 30 days) |
| <i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i> | 4 | QL (60 per 30 days) |
| <i>risperidone oral tablet, disintegrating 3 mg, 4 mg</i> | 4 | QL (120 per 30 days) |
| SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR | 5 | ST; NM; NDS; QL (30 per 30 days) |
| <i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i> | 2 | |
| <i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i> | 4 | |
| <i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------------|
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 100 MG/0.28 ML, 125 MG/0.35 ML, 150 MG/0.42 ML, 200 MG/0.56 ML, 250 MG/0.7 ML, 50 MG/0.14 ML, 75 MG/0.21 ML | 5 | ST; NM; NDS |
| VERSACLOZ ORAL SUSPENSION 50 MG/ML | 5 | ST; NM; NDS; QL (540 per 30 days) |
| VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG | 5 | ST; NM; NDS; QL (30 per 30 days) |
| VRAYLAR ORAL CAPSULE, DOSE PACK 1.5 MG (1)- 3 MG (6) | 4 | ST |
| <i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon) | 2 | QL (60 per 30 days) |
| <i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon) | 3 | QL (6 per 28 days) |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG | 4 | QL (2 per 28 days) |
| Antivirals (Systemic) | | |
| Antiretrovirals | | |
| <i>abacavir oral solution 20 mg/ml</i> (Ziagen) | 4 | |
| <i>abacavir oral tablet 300 mg</i> | 2 | |
| <i>abacavir-lamivudine oral tablet 600-300 mg</i> | 2 | |
| APTIVUS ORAL CAPSULE 250 MG | 5 | NM; NDS |
| <i>atazanavir oral capsule 150 mg</i> | 3 | |
| <i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz) | 3 | |
| BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG | 5 | NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML | 5 | NM; NDS |
| CIMDUO ORAL TABLET 300- 300 MG | 5 | NM; NDS |
| COMPLERA ORAL TABLET 200-25-300 MG | 5 | NM; NDS |
| <i>darunavir oral tablet 600 mg, 800 mg</i> (Prezista) | 5 | NM; NDS |
| DELSTRIGO ORAL TABLET 100-300-300 MG | 5 | NM; NDS |
| DESCOVY ORAL TABLET 120- 15 MG, 200-25 MG | 5 | NM; NDS |
| DOVATO ORAL TABLET 50- 300 MG | 5 | NM; NDS |
| EDURANT ORAL TABLET 25 MG | 5 | NM; NDS |
| <i>efavirenz oral capsule 200 mg</i> | 3 | |
| <i>efavirenz oral capsule 50 mg</i> | 2 | |
| <i>efavirenz oral tablet 600 mg</i> | 3 | |
| <i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i> (Atripla) | 4 | |
| <i>efavirenz-lamivudine-tenofovir disoproxil tablet 400-300-300 mg</i> (Symfi Lo) | 5 | NM; NDS |
| <i>efavirenz-lamivudine-tenofovir disoproxil tablet 600-300-300 mg</i> (Symfi) | 5 | NM; NDS |
| <i>emtricitabine oral capsule 200 mg</i> (Emtriva) | 3 | |
| <i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg</i> (Truvada) | 5 | NM; NDS |
| <i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i> (Truvada) | 4 | |
| EMTRIVA ORAL SOLUTION 10 MG/ML | 4 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence) | 5 | NM; NDS |
| EVOTAZ ORAL TABLET 300-150 MG | 5 | NM; NDS |
| <i>fosamprenavir oral tablet 700 mg</i> | 3 | |
| FUZEON SUBCUTANEOUS RECON SOLN 90 MG | 5 | NM; NDS |
| GENVOYA ORAL TABLET 150-150-200-10 MG | 5 | NM; NDS |
| INTELENCE ORAL TABLET 25 MG | 4 | |
| ISENTRESS HD ORAL TABLET 600 MG | 5 | NM; NDS |
| ISENTRESS ORAL POWDER IN PACKET 100 MG | 4 | |
| ISENTRESS ORAL TABLET 400 MG | 5 | NM; NDS |
| ISENTRESS ORAL TABLET,CHEWABLE 100 MG, 25 MG | 4 | |
| JULUCA ORAL TABLET 50-25 MG | 5 | NM; NDS |
| <i>lamivudine oral solution 10 mg/ml</i> (Epivir) | 4 | |
| <i>lamivudine oral tablet 100 mg</i> | 4 | |
| <i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir) | 2 | |
| <i>lamivudine-zidovudine oral tablet 150-300 mg</i> | 2 | |
| LEXIVA ORAL SUSPENSION 50 MG/ML | 4 | |
| <i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra) | 2 | QL (480 per 30 days) |
| <i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra) | 3 | QL (300 per 30 days) |
| <i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra) | 4 | QL (120 per 30 days) |
| <i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry) | 5 | NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>nevirapine oral suspension 50 mg/5 ml</i> | 4 | |
| <i>nevirapine oral tablet 200 mg</i> | 2 | |
| <i>nevirapine oral tablet extended release 24 hr 100 mg, 400 mg</i> | 4 | |
| NORVIR ORAL POWDER IN PACKET 100 MG | 4 | |
| ODEFSEY ORAL TABLET 200-25-25 MG | 5 | NM; NDS |
| PIFELTRO ORAL TABLET 100 MG | 5 | NM; NDS |
| PREZCOBIX ORAL TABLET 800-150 MG-MG | 5 | NM; NDS |
| PREZISTA ORAL SUSPENSION 100 MG/ML | 5 | NM; NDS |
| PREZISTA ORAL TABLET 150 MG | 5 | NM; NDS |
| PREZISTA ORAL TABLET 600 MG, 800 MG (darunavir) | 5 | NM; NDS |
| PREZISTA ORAL TABLET 75 MG | 4 | |
| REYATAZ ORAL POWDER IN PACKET 50 MG | 5 | NM; NDS |
| <i>ritonavir oral tablet 100 mg</i> (Norvir) | 2 | |
| RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG | 5 | NM; NDS |
| SELZENTRY ORAL SOLUTION 20 MG/ML | 4 | |
| SELZENTRY ORAL TABLET 25 MG | 3 | |
| SELZENTRY ORAL TABLET 75 MG | 5 | NM; NDS |
| STRIBILD ORAL TABLET 150-150-200-300 MG | 5 | NM; NDS |
| SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK) | 5 | NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|
| SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML | 5 | NM; NDS |
| SYMTUZA ORAL TABLET 800-150-200-10 MG | 5 | NM; NDS |
| <i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread) | 2 | |
| TIVICAY ORAL TABLET 10 MG | 4 | |
| TIVICAY ORAL TABLET 25 MG, 50 MG | 5 | NM; NDS |
| TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG | 4 | |
| TRIUMEQ ORAL TABLET 600-50-300 MG | 5 | NM; NDS |
| TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG | 5 | NM; NDS |
| TRIZIVIR ORAL TABLET 300-150-300 MG | 5 | NM; NDS |
| VEMLIDY ORAL TABLET 25 MG | 5 | NM; NDS; QL (30 per 30 days) |
| VIRACEPT ORAL TABLET 250 MG, 625 MG | 5 | NM; NDS |
| VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM) | 5 | NM; NDS |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG | 5 | NM; NDS |
| <i>zidovudine oral capsule 100 mg</i> (Retrovir) | 2 | |
| <i>zidovudine oral syrup 10 mg/ml</i> (Retrovir) | 2 | |
| <i>zidovudine oral tablet 300 mg</i> | 2 | |
| Antivirals, Miscellaneous | | |
| <i>oseltamivir oral capsule 30 mg</i> (Tamiflu) | 2 | QL (84 per 180 days) |
| <i>oseltamivir oral capsule 45 mg</i> (Tamiflu) | 2 | QL (48 per 180 days) |
| <i>oseltamivir oral capsule 75 mg</i> (Tamiflu) | 2 | QL (42 per 180 days) |
| <i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu) | 2 | QL (540 per 180 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------------|
| PAXLOVID ORAL TABLETS,DOSE PACK 150-100 MG | 4 | QL (20 per 5 days) |
| PAXLOVID ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG | 4 | QL (30 per 5 days) |
| PREVYMIS ORAL TABLET 240 MG, 480 MG | 5 | PA; NM; NDS; QL (28 per 28 days) |
| RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION | 4 | QL (60 per 180 days) |
| <i>rimantadine oral tablet 100 mg</i> (Flumadine) | 3 | |
| XOFLUZA ORAL TABLET 40 MG | 4 | QL (4 per 180 days) |
| XOFLUZA ORAL TABLET 80 MG | 4 | QL (2 per 180 days) |
| Hcv Antivirals | | |
| EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG | 5 | PA; NM; NDS; QL (28 per 28 days) |
| EPCLUSA ORAL PELLETS IN PACKET 200-50 MG | 5 | PA; NM; NDS; QL (56 per 28 days) |
| EPCLUSA ORAL TABLET 200-50 MG | 5 | PA; NM; NDS; QL (28 per 28 days) |
| EPCLUSA ORAL TABLET 400-100 MG (sofosbuvir-velpatasvir) | 5 | PA; NM; NDS; QL (28 per 28 days) |
| HARVONI ORAL PELLETS IN PACKET 33.75-150 MG | 5 | PA; NM; NDS; QL (28 per 28 days) |
| HARVONI ORAL PELLETS IN PACKET 45-200 MG | 5 | PA; NM; NDS; QL (56 per 28 days) |
| HARVONI ORAL TABLET 90-400 MG (ledipasvir-sofosbuvir) | 5 | PA; NM; NDS; QL (28 per 28 days) |
| VOSEVI ORAL TABLET 400-100-100 MG | 5 | PA; NM; NDS; QL (28 per 28 days) |
| Interferons | | |
| PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML | 5 | NM; NDS |
| PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML | 5 | NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| Nucleosides And Nucleotides | | |
| <i>acyclovir oral capsule 200 mg</i> | 2 | |
| <i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax) | 4 | |
| <i>acyclovir oral tablet 400 mg, 800 mg</i> | 2 | |
| <i>acyclovir sodium intravenous solution 50 mg/ml</i> | 3 | PA BvD |
| <i>adefovir oral tablet 10 mg</i> (Hepsera) | 3 | |
| <i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude) | 2 | |
| <i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i> | 2 | |
| <i>lagevrio (eua) oral capsule 200 mg</i> | 4 | |
| <i>ribavirin oral capsule 200 mg</i> | 2 | |
| <i>ribavirin oral tablet 200 mg</i> | 2 | |
| <i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex) | 4 | |
| <i>valganciclovir oral tablet 450 mg</i> (Valcyte) | 2 | |
| Blood Products/Modifiers/Volume Expanders | | |
| Anticoagulants | | |
| ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS) | 3 | |
| ELIQUIS ORAL TABLET 2.5 MG | 3 | QL (60 per 30 days) |
| ELIQUIS ORAL TABLET 5 MG | 3 | QL (74 per 30 days) |
| <i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> (Lovenox) | 3 | QL (60 per 30 days) |
| <i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> (Lovenox) | 3 | QL (48 per 30 days) |
| <i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i> (Lovenox) | 3 | QL (18 per 30 days) |
| <i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> (Lovenox) | 3 | QL (24 per 30 days) |
| <i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i> (Lovenox) | 3 | QL (36 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------------|
| <i>fondaparinux subcutaneous syringe</i> (Arixtra) 10 mg/0.8 ml | 5 | NM; NDS; QL (24 per 30 days) |
| <i>fondaparinux subcutaneous syringe</i> (Arixtra) 2.5 mg/0.5 ml | 3 | QL (15 per 30 days) |
| <i>fondaparinux subcutaneous syringe</i> (Arixtra) 5 mg/0.4 ml | 5 | NM; NDS; QL (12 per 30 days) |
| <i>fondaparinux subcutaneous syringe</i> (Arixtra) 7.5 mg/0.6 ml | 5 | NM; NDS; QL (18 per 30 days) |
| <i>heparin (porcine) injection solution</i> 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml | 2 | |
| <i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (warfarin) | 1 | |
| <i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Jantoven) | 1 | |
| XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9) | 3 | |
| XARELTO ORAL TABLET 10 MG, 20 MG | 3 | QL (30 per 30 days) |
| XARELTO ORAL TABLET 15 MG, 2.5 MG | 3 | QL (60 per 30 days) |
| Blood Formation Modifiers | | |
| CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML) | 5 | PA; NM; NDS; QL (20 per 30 days) |
| DOPTELET (10 TAB PACK) ORAL TABLET 20 MG | 5 | PA; NM; NDS; QL (60 per 30 days) |
| DOPTELET (15 TAB PACK) ORAL TABLET 20 MG | 5 | PA; NM; NDS; QL (60 per 30 days) |
| DOPTELET (30 TAB PACK) ORAL TABLET 20 MG | 5 | PA; NM; NDS; QL (60 per 30 days) |
| FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML | 5 | PA; NM; NDS |
| HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT | 5 | PA; NM; NDS; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT | 5 | PA; NM; NDS; QL (20 per 30 days) |
| LEUKINE INJECTION RECON SOLN 250 MCG | 5 | NM; NDS |
| MULPLETA ORAL TABLET 3 MG | 5 | PA; NM; NDS; QL (7 per 7 days) |
| NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML | 5 | PA; NM; NDS |
| NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML | 5 | PA; NM; NDS |
| NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML | 5 | PA; NM; NDS |
| NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML | 5 | PA; NM; NDS |
| ORLADEYO ORAL CAPSULE 110 MG, 150 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| PROMACTA ORAL POWDER IN PACKET 12.5 MG | 5 | PA; NM; NDS; QL (90 per 30 days) |
| PROMACTA ORAL POWDER IN PACKET 25 MG | 5 | PA; NM; NDS; QL (180 per 30 days) |
| PROMACTA ORAL TABLET 12.5 MG | 5 | PA; NM; NDS; QL (90 per 30 days) |
| PROMACTA ORAL TABLET 25 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| PROMACTA ORAL TABLET 50 MG, 75 MG | 5 | PA; NM; NDS; QL (60 per 30 days) |
| RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML | 3 | PA; QL (12 per 28 days) |
| RETACRIT INJECTION SOLUTION 40,000 UNIT/ML | 3 | PA; QL (4 per 28 days) |
| UDENYCA AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 6 MG/0.6 ML | 5 | PA; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------------|
| UDENYCA ONBODY SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML | 5 | PA; NM; NDS |
| UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML | 5 | PA; NM; NDS |
| ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML | 5 | PA; NM; NDS |
| Hematologic Agents, Miscellaneous | | |
| <i>anagrelide oral capsule 0.5 mg</i> (Agrylin) | 2 | |
| <i>anagrelide oral capsule 1 mg</i> | 2 | |
| CABLIVI INJECTION KIT 11 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG | 4 | |
| PYRUKYND ORAL TABLET 20 MG, 5 MG, 5 MG (4-WEEK PACK), 50 MG | 5 | PA; NM; NDS |
| PYRUKYND ORAL TABLETS,DOSE PACK 20 MG (7)- 5 MG (7), 50 MG (7)- 20 MG (7) | 5 | PA; NM; NDS |
| TAVALISSE ORAL TABLET 100 MG, 150 MG | 5 | PA; NM; NDS; QL (60 per 30 days) |
| <i>tranexamic acid oral tablet 650 mg</i> | 2 | |
| Platelet-Aggregation Inhibitors | | |
| <i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i> | 4 | QL (60 per 30 days) |
| BRILINTA ORAL TABLET 60 MG, 90 MG | 3 | |
| <i>cilostazol oral tablet 100 mg, 50 mg</i> | 2 | |
| <i>clopidogrel oral tablet 75 mg</i> (Plavix) | 1 | |
| <i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i> | 2 | |
| <i>pentoxifylline oral tablet extended release 400 mg</i> | 2 | |
| <i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient) | 4 | QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| Caloric Agents | | |
| Caloric Agents | | |
| CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 % | 4 | PA BvD |
| CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 % | 4 | PA BvD |
| CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 % | 4 | PA BvD |
| CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 % | 4 | PA BvD |
| CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 % | 4 | PA BvD |
| CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 % | 4 | PA BvD |
| CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 % | 4 | PA BvD |
| CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 % | 4 | PA BvD |
| CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 % | 4 | PA BvD |
| <i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i> | 2 | PA BvD |
| <i>dextrose 5 % in water (d5w) intravenous parenteral solution</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| <i>dextrose 5 % in water (d5w)</i> <i>intravenous piggyback 5 %</i> | 2 | |
| INTRALIPID INTRAVENOUS EMULSION 20 %, 30 % | 4 | PA BvD |
| NUTRILIPID INTRAVENOUS EMULSION 20 % | 4 | PA BvD |
| PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION | 4 | PA BvD |
| TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 % | 4 | PA BvD |
| TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 % | 4 | PA BvD |
| Cardiovascular Agents | | |
| Alpha-Adrenergic Agents | | |
| <i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i> | 1 | |
| <i>clonidine transdermal patch weekly (Catapres-TTS-1)</i> <i>0.1 mg/24 hr</i> | 4 | QL (4 per 28 days) |
| <i>clonidine transdermal patch weekly (Catapres-TTS-2)</i> <i>0.2 mg/24 hr</i> | 4 | QL (4 per 28 days) |
| <i>clonidine transdermal patch weekly (Catapres-TTS-3)</i> <i>0.3 mg/24 hr</i> | 4 | QL (8 per 28 days) |
| <i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura) | 2 | |
| <i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i> (Northera) | 4 | PA; QL (180 per 30 days) |
| <i>guanfacine oral tablet 1 mg, 2 mg</i> | 2 | |
| <i>methyldopa oral tablet 250 mg, 500 mg</i> | 4 | |
| <i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i> | 2 | |
| <i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> (Minipress) | 4 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|----------------------|
| Angiotensin II Receptor Antagonists | | |
| <i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand) | 4 | |
| EDARBI ORAL TABLET 40 MG, 80 MG | 3 | |
| EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG | 3 | |
| ENTRESTO ORAL TABLET 24-26 MG | 3 | QL (180 per 30 days) |
| ENTRESTO ORAL TABLET 49-51 MG, 97-103 MG | 3 | QL (60 per 30 days) |
| <i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro) | 6 | |
| <i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide) | 6 | |
| <i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar) | 6 | |
| <i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar) | 6 | |
| <i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar) | 6 | |
| <i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT) | 6 | |
| <i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis) | 6 | |
| <i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan) | 6 | |
| <i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT) | 6 | |
| Angiotensin-Converting Enzyme Inhibitors | | |
| <i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin) | 6 | |
| <i>benazepril oral tablet 5 mg</i> | 6 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT) | 6 | |
| <i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i> | 6 | |
| <i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i> | 2 | |
| <i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec) | 6 | |
| <i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic) | 6 | |
| <i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i> | 6 | |
| <i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i> | 6 | |
| <i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril) | 6 | |
| <i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic) | 6 | |
| <i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i> | 6 | |
| <i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril) | 6 | |
| <i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic) | 6 | |
| <i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace) | 6 | |
| <i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i> | 6 | |
| Antiarrhythmic Agents | | |
| <i>amiodarone oral tablet 200 mg</i> (Pacerone) | 1 | |
| <i>amiodarone oral tablet 400 mg</i> (Pacerone) | 4 | |
| <i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace) | 3 | |
| <i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn) | 4 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i> | 2 | |
| <i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i> | 2 | |
| MULTAQ ORAL TABLET 400 MG | 3 | |
| <i>pacerone oral tablet 200 mg, 400 mg</i> (amiodarone) | 4 | |
| <i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i> | 2 | |
| <i>quinidine sulfate oral tablet 200 mg</i> | 1 | |
| <i>quinidine sulfate oral tablet 300 mg</i> | 2 | |
| Beta-Adrenergic Blocking Agents | | |
| <i>acebutolol oral capsule 200 mg, 400 mg</i> | 2 | |
| <i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin) | 1 | |
| <i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100) | 2 | |
| <i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50) | 2 | |
| <i>betaxolol oral tablet 10 mg, 20 mg</i> | 2 | |
| <i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i> | 2 | |
| <i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i> | 2 | |
| <i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg) | 1 | |
| <i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i> | 2 | |
| <i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL) | 1 | |
| <i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i> | 2 | |
| <i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor) | 1 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>metoprolol tartrate oral tablet 25 mg</i> | 1 | |
| <i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Bystolic) | 2 | |
| <i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA) | 4 | |
| <i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i> | 2 | |
| <i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i> | 2 | |
| <i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (sotalol) | 2 | |
| <i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> (sotalol) | 2 | |
| <i>sotalol oral tablet 120 mg, 160 mg, 80 mg</i> (Sotalol AF) | 2 | |
| <i>sotalol oral tablet 240 mg</i> (Betapace) | 2 | |
| <i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i> | 4 | |
| Calcium-Channel Blocking Agents | | |
| <i>cartia xt oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (diltiazem hcl) | 2 | |
| <i>diltiazem hcl oral capsule, extended release 12 hr 120 mg, 60 mg, 90 mg</i> | 4 | |
| <i>diltiazem hcl oral capsule, extended release 24 hr 420 mg</i> (Tiadylt ER) | 2 | |
| <i>diltiazem hcl oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT) | 2 | |
| <i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem) | 2 | |
| <i>diltiazem hcl oral tablet 90 mg</i> | 2 | |
| <i>dilt-xr oral capsule, ext. rel 24h degradable 120 mg, 180 mg, 240 mg</i> (diltiazem hcl) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------------|
| <i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> (diltiazem hcl) | 2 | |
| <i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl) | 2 | |
| <i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> (Verelan PM) | 4 | |
| <i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i> | 2 | |
| <i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i> | 4 | |
| <i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i> | 1 | |
| <i>verapamil oral tablet extended release 120 mg</i> (Calan SR) | 2 | |
| <i>verapamil oral tablet extended release 180 mg, 240 mg</i> | 2 | |
| Cardiovascular Agents, Miscellaneous | | |
| CORLANOR ORAL SOLUTION 5 MG/5 ML | 3 | QL (600 per 30 days) |
| CORLANOR ORAL TABLET 5 MG, 7.5 MG | 3 | QL (60 per 30 days) |
| <i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (digoxin) | 2 | |
| <i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek) | 2 | |
| <i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr) | 2 | QL (4 per 30 days) |
| <i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q) | 2 | QL (4 per 30 days) |
| <i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i> | 2 | |
| <i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Sajazir) | 5 | PA; NM; NDS; QL (18 per 30 days) |
| <i>metyrosine oral capsule 250 mg</i> (Demser) | 5 | NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| <i>ranolazine oral tablet extended release 12 hr 1,000 mg</i> | 4 | QL (60 per 30 days) |
| <i>ranolazine oral tablet extended release 12 hr 500 mg</i> | 4 | QL (120 per 30 days) |
| <i>sajazir subcutaneous syringe 30 mg/3 ml</i> (icatibant) | 5 | PA; NM; NDS; QL (18 per 30 days) |
| VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG | 3 | PA |
| VYNDAMAX ORAL CAPSULE 61 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| VYNDAQEL ORAL CAPSULE 20 MG | 5 | PA; NM; NDS; QL (120 per 30 days) |
| Dihydropyridines | | |
| <i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc) | 1 | |
| <i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel) | 6 | |
| <i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i> | 6 | |
| <i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge) | 6 | |
| <i>nicardipine oral capsule 20 mg, 30 mg</i> | 4 | |
| <i>nifedipine oral capsule 10 mg, 20 mg</i> | 4 | |
| <i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> (Procardia XL) | 2 | |
| <i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i> | 2 | |
| Diuretics | | |
| <i>amiloride oral tablet 5 mg</i> | 2 | |
| <i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i> | 2 | |
| <i>bumetanide injection solution 0.25 mg/ml</i> | 4 | |
| <i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| <i>chlorthalidone oral tablet 25 mg, 50 mg</i> | 2 | |
| <i>furosemide injection solution 10 mg/ml</i> | 2 | |
| <i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i> | 2 | |
| <i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix) | 1 | |
| <i>hydrochlorothiazide oral capsule 12.5 mg</i> | 1 | |
| <i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i> | 1 | |
| <i>indapamide oral tablet 1.25 mg, 2.5 mg</i> | 1 | |
| JYNARQUE ORAL TABLET 15 MG, 30 MG | 5 | PA; NM; NDS; QL (120 per 30 days) |
| JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM) | 5 | PA; NM; NDS; QL (56 per 28 days) |
| <i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i> | 2 | |
| <i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone) | 1 | |
| <i>toremide oral tablet 10 mg, 100 mg, 5 mg</i> | 2 | |
| <i>toremide oral tablet 20 mg</i> (Soanz) | 2 | |
| <i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i> | 1 | |
| <i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg</i> (Maxzide-25mg) | 1 | |
| <i>triamterene-hydrochlorothiazid oral tablet 75-50 mg</i> (Maxzide) | 1 | |
| Dyslipidemics | | |
| <i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor) | 6 | QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------------|
| <i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran) | 2 | |
| <i>cholestyramine light oral powder in packet 4 gram</i> (cholestyramine-aspartame) | 2 | |
| <i>colesevelam oral powder in packet 3.75 gram</i> (WelChol) | 3 | |
| <i>colesevelam oral tablet 625 mg</i> (WelChol) | 2 | |
| <i>colestipol oral packet 5 gram</i> (Colestid) | 3 | |
| <i>colestipol oral tablet 1 gram</i> (Colestid) | 2 | |
| <i>ezetimibe oral tablet 10 mg</i> (Zetia) | 2 | QL (30 per 30 days) |
| <i>fenofibrate micronized oral capsule 134 mg, 200 mg, 67 mg</i> | 4 | |
| <i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor) | 2 | |
| <i>fenofibrate oral tablet 160 mg, 54 mg</i> | 2 | |
| <i>gemfibrozil oral tablet 600 mg</i> (Lopid) | 1 | |
| <i>icosapent ethyl oral capsule 0.5 gram</i> (Vascepa) | 1 | QL (240 per 30 days) |
| JUXTAPID ORAL CAPSULE 10 MG, 30 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| JUXTAPID ORAL CAPSULE 20 MG | 5 | PA; NM; NDS; QL (90 per 30 days) |
| JUXTAPID ORAL CAPSULE 5 MG | 5 | PA; NM; NDS; QL (45 per 30 days) |
| LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG (pitavastatin calcium) | 3 | QL (30 per 30 days) |
| <i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i> | 6 | |
| NEXLETOL ORAL TABLET 180 MG | 3 | PA; QL (30 per 30 days) |
| NEXLIZET ORAL TABLET 180-10 MG | 3 | PA; QL (30 per 30 days) |
| <i>niacin oral tablet extended release 24 hr 1,000 mg, 750 mg</i> | 4 | |
| <i>niacin oral tablet extended release 24 hr 500 mg</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza) | 2 | QL (120 per 30 days) |
| PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML | 3 | QL (2 per 28 days) |
| <i>pravastatin oral tablet 10 mg, 80 mg</i> | 6 | |
| <i>pravastatin oral tablet 20 mg, 40 mg</i> | 6 | QL (30 per 30 days) |
| <i>prevalite oral powder in packet 4 gram</i> (cholestyramine- aspartame) | 2 | |
| REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML | 3 | QL (7 per 28 days) |
| REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML | 3 | QL (6 per 28 days) |
| REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML | 3 | QL (6 per 28 days) |
| <i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor) | 6 | QL (30 per 30 days) |
| <i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor) | 6 | QL (30 per 30 days) |
| <i>simvastatin oral tablet 5 mg, 80 mg</i> | 6 | QL (30 per 30 days) |
| VASCEPA ORAL CAPSULE 0.5 GRAM (icosapent ethyl) | 2 | QL (240 per 30 days) |
| VASCEPA ORAL CAPSULE 1 GRAM (icosapent ethyl) | 2 | QL (120 per 30 days) |
| Renin-Angiotensin-Aldosterone System Inhibitors | | |
| <i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna) | 4 | |
| <i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspra) | 4 | |
| KERENDIA ORAL TABLET 10 MG, 20 MG | 4 | ST |
| Vasodilators | | |
| BIDIL ORAL TABLET 20-37.5 MG (isosorbide- hydralazine) | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| <i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i> | 2 | |
| <i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradose) | 2 | |
| <i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i> | 2 | |
| <i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i> | 1 | |
| <i>minoxidil oral tablet 10 mg, 2.5 mg</i> | 2 | |
| <i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat) | 2 | |
| <i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Nitro-Dur) | 2 | |
| Central Nervous System Agents | | |
| Central Nervous System Agents | | |
| <i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> (Strattera) | 3 | QL (60 per 30 days) |
| <i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> (Strattera) | 3 | QL (30 per 30 days) |
| AUSTEDO ORAL TABLET 12 MG, 9 MG | 5 | PA; NM; NDS; QL (120 per 30 days) |
| AUSTEDO ORAL TABLET 6 MG | 5 | PA; NM; NDS; QL (60 per 30 days) |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG, 24 MG, 6 MG | 5 | PA; NM; NDS; QL (60 per 30 days) |
| AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 6 MG (14)-12 MG (14)-24 MG (14) | 5 | NM; NDS; QL (42 per 30 days) |
| AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML | 5 | PA; NM; NDS; QL (1 per 28 days) |
| AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML | 5 | PA; NM; NDS; QL (1 per 28 days) |
| BETASERON SUBCUTANEOUS KIT 0.3 MG | 5 | PA; NM; NDS; QL (15 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------------|
| COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML (glatiramer) | 5 | PA; NM; NDS; QL (30 per 30 days) |
| COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML (glatiramer) | 5 | PA; NM; NDS; QL (12 per 28 days) |
| <i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra) | 2 | PA; QL (60 per 30 days) |
| <i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> (Focalin) | 2 | QL (60 per 30 days) |
| <i>dextroamphetamine sulfate oral tablet 10 mg</i> (Zenzedi) | 4 | QL (180 per 30 days) |
| <i>dextroamphetamine sulfate oral tablet 15 mg, 2.5 mg, 5 mg, 7.5 mg</i> (Zenzedi) | 4 | QL (90 per 30 days) |
| <i>dextroamphetamine sulfate oral tablet 20 mg, 30 mg</i> (Zenzedi) | 4 | QL (60 per 30 days) |
| <i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg</i> (Adderall XR) | 4 | QL (30 per 30 days) |
| <i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 20 mg, 25 mg, 30 mg</i> (Adderall XR) | 4 | QL (60 per 30 days) |
| <i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall) | 2 | QL (60 per 30 days) |
| <i>dimethyl fumarate oral capsule, delayed release (drlec) 120 mg</i> (Tecfidera) | 4 | PA; QL (14 per 7 days) |
| <i>dimethyl fumarate oral capsule, delayed release (drlec) 120 mg (14)- 240 mg (46)</i> (Tecfidera) | 4 | PA |
| <i>dimethyl fumarate oral capsule, delayed release (drlec) 240 mg</i> (Tecfidera) | 4 | PA; QL (60 per 30 days) |
| <i>fingolimod oral capsule 0.5 mg</i> (Gilenya) | 5 | PA; NM; NDS; QL (30 per 30 days) |
| GILENYA ORAL CAPSULE 0.5 MG (fingolimod) | 5 | PA; NM; NDS; QL (30 per 30 days) |
| <i>glatiramer subcutaneous syringe 20 mg/ml</i> (Copaxone) | 5 | PA; NM; NDS; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| <i>glatiramer subcutaneous syringe 40 mg/ml</i> (Copaxone) | 5 | PA; NM; NDS; QL (12 per 28 days) |
| <i>glatopa subcutaneous syringe 20 mg/ml</i> (glatiramer) | 5 | PA; NM; NDS; QL (30 per 30 days) |
| <i>glatopa subcutaneous syringe 40 mg/ml</i> (glatiramer) | 5 | PA; NM; NDS; QL (12 per 28 days) |
| <i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER) | 2 | QL (30 per 30 days) |
| INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG | 5 | PA; NM; NDS |
| KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML | 5 | PA; NM; NDS; QL (1.2 per 28 days) |
| <i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i> | 1 | |
| <i>lithium carbonate oral tablet 300 mg</i> | 2 | |
| <i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid) | 2 | |
| <i>lithium carbonate oral tablet extended release 450 mg</i> | 2 | |
| <i>lithium citrate oral solution 8 meq/5 ml</i> | 2 | |
| MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NM; NDS |
| MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NM; NDS |
| MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NM; NDS |
| MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NM; NDS |
| MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NM; NDS |
| MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NM; NDS |
| MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NM; NDS |
| MAYZENT ORAL TABLET 0.25 MG | 5 | PA; NM; NDS; QL (112 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| MAYZENT ORAL TABLET 1 MG | 5 | PA; NM; NDS |
| MAYZENT ORAL TABLET 2 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS) | 4 | PA |
| MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS) | 5 | PA; NM; NDS |
| <i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i> (Metadate CD) | 4 | QL (30 per 30 days) |
| <i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i> (Metadate CD) | 4 | QL (60 per 30 days) |
| <i>methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 40 mg</i> (Ritalin LA) | 4 | QL (30 per 30 days) |
| <i>methylphenidate hcl oral capsule,er biphasic 50-50 30 mg</i> (Ritalin LA) | 4 | QL (60 per 30 days) |
| <i>methylphenidate hcl oral capsule,er biphasic 50-50 60 mg</i> | 4 | QL (30 per 30 days) |
| <i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin) | 2 | QL (900 per 30 days) |
| <i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin) | 2 | QL (90 per 30 days) |
| OCREVUS INTRAVENOUS SOLUTION 30 MG/ML | 5 | PA; NM; NDS; QL (20 per 180 days) |
| PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML | 5 | PA; NM; NDS; QL (1 per 28 days) |
| PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML | 5 | PA; NM; NDS; QL (1 per 28 days) |
| <i>riluzole oral tablet 50 mg</i> (Rilutek) | 2 | QL (60 per 30 days) |
| RYSTIGGO SUBCUTANEOUS SOLUTION 140 MG/ML | 5 | PA NSO; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-----------------------------------|
| SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG | 3 | QL (60 per 30 days) |
| SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42) | 3 | |
| <i>teriflunomide oral tablet 14 mg, 7 mg</i> (Aubagio) | 5 | PA; NM; NDS; QL (30 per 30 days) |
| <i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine) | 5 | PA; NM; NDS; QL (112 per 28 days) |
| VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG | 5 | PA; NM; NDS; QL (120 per 30 days) |
| Contraceptives | | |
| Contraceptives | | |
| <i>afirmelle oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad) | 2 | |
| <i>altavera (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad) | 2 | |
| <i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol) | 2 | |
| <i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i> | 2 | |
| <i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (1 norgest/e.estradiol-e.estrad) | 2 | QL (91 per 84 days) |
| <i>apri oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol) | 2 | |
| <i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i> | 2 | |
| <i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (1 norgest/e.estradiol-e.estrad) | 2 | QL (91 per 84 days) |
| <i>aubra eq oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad) | 2 | |
| <i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> (norethindrone ac-eth estradiol) | 2 | |
| <i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i> (norethindrone ac-eth estradiol) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|----------------------------------|------------------|----------------------------|
| <i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | (norethindrone-e.estradiol-iron) | 2 | |
| <i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2 | |
| <i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 1 | |
| <i>aviane oral tablet 0.1-20 mg-mcg</i> | (levonorgestrel-ethinyl estrad) | 2 | |
| <i>ayuna oral tablet 0.15-0.03 mg</i> | (levonorgestrel-ethinyl estrad) | 2 | |
| <i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | (desog-e.estradiol/e.estradiol) | 2 | |
| <i>balziva (28) oral tablet 0.4-35 mg-mcg</i> | | 2 | |
| <i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | (norethindrone-e.estradiol-iron) | 2 | |
| <i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2 | |
| <i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 1 | |
| <i>briellyn oral tablet 0.4-35 mg-mcg</i> | | 2 | |
| <i>camila oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | |
| <i>camrese oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | (1 norgest/e.estradiol-e.estrad) | 2 | QL (91 per 84 days) |
| <i>caziant (28) oral tablet 0.1/1.125/1.15-25 mg-mcg</i> | | 2 | |
| <i>chateal eq (28) oral tablet 0.15-0.03 mg</i> | (levonorgestrel-ethinyl estrad) | 2 | |
| <i>cryselle (28) oral tablet 0.3-30 mg-mcg</i> | (norgestrel-ethinyl estradiol) | 2 | |
| <i>cyred eq oral tablet 0.15-0.03 mg</i> | (desogestrel-ethinyl estradiol) | 2 | |
| <i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i> | (norethindrone-ethin estradiol) | 2 | |
| <i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i> | | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-------------------------------------|------------------|----------------------------|
| <i>daysee oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | (1 norgest/e.estradiol-e.estradiol) | 2 | QL (91 per 84 days) |
| <i>deblitane oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | |
| <i>desog-e.estradiol/le.estradiol oral tablet 0.15-0.02 mgx21/0.01 mg x 5</i> | (Azurette (28)) | 2 | |
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i> | (Jasmiel (28)) | 2 | |
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i> | (Syeda) | 2 | |
| <i>elinest oral tablet 0.3-30 mg-mcg</i> | (norgestrel-ethinyl estradiol) | 2 | |
| <i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i> | (etonogestrel-ethinyl estradiol) | 4 | QL (1 per 28 days) |
| <i>enilloring vaginal ring 0.12-0.015 mg/24 hr</i> | (etonogestrel-ethinyl estradiol) | 4 | |
| <i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> | (levonorg-eth estrad triphasic) | 2 | |
| <i>enskyce oral tablet 0.15-0.03 mg</i> | (desogestrel-ethinyl estradiol) | 2 | |
| <i>errin oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | |
| <i>estarylla oral tablet 0.25-35 mg-mcg</i> | (norgestimate-ethinyl estradiol) | 2 | |
| <i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i> | (Kelnor 1/35 (28)) | 2 | |
| <i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i> | (Kelnor 1-50 (28)) | 2 | |
| <i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i> | (EluRyng) | 4 | QL (1 per 28 days) |
| <i>falmina (28) oral tablet 0.1-20 mg-mcg</i> | (levonorgestrel-ethinyl estrad) | 2 | |
| <i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | (norethindrone-e.estradiol-iron) | 2 | |
| <i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|----------------------------------|------------------|----------------------------|
| <i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 1 | |
| <i>hailey oral tablet 1.5-30 mg-mcg</i> | (norethindrone ac-eth estradiol) | 2 | |
| <i>heather oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | |
| <i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> | (levonorgestrel-ethinyl estrad) | 2 | QL (91 per 84 days) |
| <i>incassia oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | |
| <i>isibloom oral tablet 0.15-0.03 mg</i> | (desogestrel-ethinyl estradiol) | 2 | |
| <i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | (l norgest/e.estradiol-e.estrad) | 2 | QL (91 per 84 days) |
| <i>jasmiel (28) oral tablet 3-0.02 mg</i> | (drospirenone-ethinyl estradiol) | 2 | |
| <i>jencycla oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | |
| <i>juleber oral tablet 0.15-0.03 mg</i> | (desogestrel-ethinyl estradiol) | 2 | |
| <i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> | (norethindrone ac-eth estradiol) | 2 | |
| <i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i> | (norethindrone ac-eth estradiol) | 2 | |
| <i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2 | |
| <i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 1 | |
| <i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | (norethindrone-e.estradiol-iron) | 2 | |
| <i>kalliga oral tablet 0.15-0.03 mg</i> | (desogestrel-ethinyl estradiol) | 2 | |
| <i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | (desog-e.estradiol/e.estradiol) | 2 | |
| <i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i> | (ethynodiol diac-eth estradiol) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|----------------------------------|------------------|----------------------------|
| <i>kelnor 1-50 (28) oral tablet 1-50 mg-mcg</i> | (ethynodiol diac-eth estradiol) | 2 | |
| <i>kurvelo (28) oral tablet 0.15-0.03 mg</i> | (levonorgestrel-ethinyl estrad) | 2 | |
| <i>lnorgestle.estradiol-e.estradiol oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i> | (LoJaimiess) | 2 | QL (91 per 84 days) |
| <i>lnorgestle.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | (Amethia) | 2 | QL (91 per 84 days) |
| <i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> | (norethindrone ac-eth estradiol) | 2 | |
| <i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i> | (norethindrone ac-eth estradiol) | 2 | |
| <i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | (norethindrone-e.estradiol-iron) | 2 | |
| <i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2 | |
| <i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 1 | |
| <i>lessina oral tablet 0.1-20 mg-mcg</i> | (levonorgestrel-ethinyl estrad) | 2 | |
| <i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> | (levonorg-eth estrad triphasic) | 2 | |
| <i>levonorgest-eth.estradiol-iron oral tablet 0.1 mg-0.02 mg (21)/iron (7)</i> | (Balcoltra) | 2 | |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i> | (Afirmelle) | 2 | |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i> | (Altavera (28)) | 2 | |
| <i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> | (Iclevia) | 2 | QL (91 per 84 days) |
| <i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> | (Enpresse) | 2 | |
| <i>levora-28 oral tablet 0.15-0.03 mg</i> | (levonorgestrel-ethinyl estrad) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-------------------------------------|------------------|----------------------------|
| <i>lojaimiess oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i> | (l norgest/e.estradiol-e.estradiol) | 2 | QL (91 per 84 days) |
| <i>loryna (28) oral tablet 3-0.02 mg</i> | (drospirenone-ethinyl estradiol) | 2 | |
| <i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i> | (norgestrel-ethinyl estradiol) | 2 | |
| <i>lo-zumandimine (28) oral tablet 3-0.02 mg</i> | (drospirenone-ethinyl estradiol) | 2 | |
| <i>luteria (28) oral tablet 0.1-20 mg-mcg</i> | (levonorgestrel-ethinyl estradiol) | 2 | |
| <i>lyleq oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | |
| <i>lyza oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | |
| <i>marlissa (28) oral tablet 0.15-0.03 mg</i> | (levonorgestrel-ethinyl estradiol) | 2 | |
| <i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 1 | |
| <i>mili oral tablet 0.25-35 mg-mcg</i> | (norgestimate-ethinyl estradiol) | 1 | |
| <i>mono-linyah oral tablet 0.25-35 mg-mcg</i> | (norgestimate-ethinyl estradiol) | 2 | |
| <i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i> | | 2 | |
| <i>nikki (28) oral tablet 3-0.02 mg</i> | (drospirenone-ethinyl estradiol) | 2 | |
| <i>norelgestromin-ethin.estradiol transdermal patch weekly 150-35 mcg/24 hr</i> | (Xulane) | 4 | QL (3 per 28 days) |
| <i>norethindrone (contraceptive) oral tablet 0.35 mg</i> | (Camila) | 1 | |
| <i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i> | (Aurovela 1.5/30 (21)) | 2 | |
| <i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i> | (Aurovela 1/20 (21)) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)</i> (Gemmyly) | 2 | |
| <i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (Aurovela Fe 1-20 (28)) | 1 | |
| <i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (Aurovela Fe 1.5/30 (28)) | 2 | |
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i> (Tri-Lo-Estarylla) | 2 | |
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> (Tri-Estarylla) | 2 | |
| <i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i> (Mili) | 2 | |
| <i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i> | 2 | |
| <i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i> | 2 | |
| <i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol) | 2 | |
| <i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i> | 2 | |
| <i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol) | 2 | |
| <i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i> | 2 | |
| <i>nymyo oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol) | 2 | |
| ORTHO MICRONOR ORAL TABLET 0.35 MG (norethindrone (contraceptive)) | 1 | |
| <i>philith oral tablet 0.4-35 mg-mcg</i> | 2 | |
| <i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog-e.estradiol/e.estradiol) | 2 | |
| <i>pirmella oral tablet 0.5/0.75/1 mg-35 mcg</i> | 2 | |
| <i>pirmella oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|----------------------------------|------------------|----------------------------|
| <i>portia 28 oral tablet 0.15-0.03 mg</i> | (levonorgestrel-ethinyl estrad) | 2 | |
| <i>reclipsen (28) oral tablet 0.15-0.03 mg</i> | (desogestrel-ethinyl estradiol) | 2 | |
| <i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> | (levonorgestrel-ethinyl estrad) | 2 | QL (91 per 84 days) |
| <i>sharobel oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | |
| <i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | (desog-e.estradiol/e.estradiol) | 2 | |
| <i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | (l norgest/e.estradiol-e.estrad) | 2 | QL (91 per 84 days) |
| SKYLA INTRAUTERINE INTRAUTERINE DEVICE 14 MCG/24 HRS (3 YRS) 13.5 MG | | 4 | QL (1 per 365 days) |
| <i>sprintec (28) oral tablet 0.25-35 mg-mcg</i> | (norgestimate-ethinyl estradiol) | 2 | |
| <i>sronyx oral tablet 0.1-20 mg-mcg</i> | (levonorgestrel-ethinyl estrad) | 2 | |
| <i>syeda oral tablet 3-0.03 mg</i> | (drospirenone-ethinyl estradiol) | 2 | |
| <i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | (norethindrone-e.estradiol-iron) | 2 | |
| <i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 1 | |
| <i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | (norgestimate-ethinyl estradiol) | 1 | |
| <i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i> | (norethindrone-e.estradiol-iron) | 2 | |
| <i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | (norgestimate-ethinyl estradiol) | 2 | |
| <i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i> | (norgestimate-ethinyl estradiol) | 1 | |
| <i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i> | (norgestimate-ethinyl estradiol) | 2 | |
| <i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i> | (norgestimate-ethinyl estradiol) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|--------------------------------------|------------------|----------------------------|
| <i>tri-lo-sprintec oral tablet</i> 0.18/0.215/0.25 mg-25 mcg | (norgestimate-ethinyl estradiol) | 2 | |
| <i>tri-mili oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28) | (norgestimate-ethinyl estradiol) | 2 | |
| <i>tri-nymyo oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28) | (norgestimate-ethinyl estradiol) | 2 | |
| <i>tri-sprintec (28) oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28) | (norgestimate-ethinyl estradiol) | 2 | |
| <i>trivora (28) oral tablet</i> 50-30 (6)/75-40 (5)/125-30(10) | (levonorg-eth estrad triphasic) | 2 | |
| <i>tri-vylibra lo oral tablet</i> 0.18/0.215/0.25 mg-25 mcg | (norgestimate-ethinyl estradiol) | 1 | |
| <i>tri-vylibra oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28) | (norgestimate-ethinyl estradiol) | 2 | |
| <i>tulana oral tablet</i> 0.35 mg | (norethindrone (contraceptive)) | 1 | |
| <i>velivet triphasic regimen (28) oral tablet</i> 0.1/1.125/1.15-25 mg-mcg | | 2 | |
| <i>vestura (28) oral tablet</i> 3-0.02 mg | (drospirenone-ethinyl estradiol) | 2 | |
| <i>vienva oral tablet</i> 0.1-20 mg-mcg | (levonorgestrel-ethinyl estrad) | 2 | |
| <i>viorele (28) oral tablet</i> 0.15-0.02 mgx21 /0.01 mg x 5 | (desog- e.estradiol/e.estradiol) | 2 | |
| <i>volnea (28) oral tablet</i> 0.15-0.02 mgx21 /0.01 mg x 5 | (desog- e.estradiol/e.estradiol) | 2 | |
| <i>vyfemla (28) oral tablet</i> 0.4-35 mg- mcg | | 2 | |
| <i>vylibra oral tablet</i> 0.25-35 mg-mcg | (norgestimate-ethinyl estradiol) | 2 | |
| <i>wera (28) oral tablet</i> 0.5-35 mg- mcg | | 2 | |
| <i>xulane transdermal patch weekly</i> 150-35 mcg/24 hr | (norelgestromin- ethin.estradiol) | 4 | QL (3 per 28 days) |
| <i>zafemy transdermal patch weekly</i> 150-35 mcg/24 hr | (norelgestromin- ethin.estradiol) | 4 | QL (3 per 28 days) |
| <i>zarah oral tablet</i> 3-0.03 mg | (drospirenone-ethinyl estradiol) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i> (ethynodiol diac-eth estradiol) | 2 | |
| <i>zumandimine (28) oral tablet 3-0.03 mg</i> (drospirenone-ethinyl estradiol) | 2 | |
| Dental And Oral Agents | | |
| Dental And Oral Agents | | |
| <i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i> (Periogard) | 1 | |
| <i>denta 5000 plus dental cream 1.1 %</i> (fluoride (sodium)) | 1 | |
| <i>dentagel dental gel 1.1 %</i> (fluoride (sodium)) | 1 | |
| <i>KOURZEQ DENTAL PASTE 0.1 %</i> (triamcinolone acetonide) | 2 | |
| <i>oralone dental paste 0.1 %</i> (triamcinolone acetonide) | 2 | |
| <i>perio gard mucous membrane mouthwash 0.12 %</i> (chlorhexidine gluconate) | 1 | |
| <i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i> (Salagen (pilocarpine)) | 2 | |
| <i>sf 5000 plus dental cream 1.1 %</i> (fluoride (sodium)) | 1 | |
| <i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i> (Fluoridex Sensitivity Relief) | 1 | |
| <i>triamcinolone acetonide dental paste 0.1 %</i> (Kourzeq) | 2 | |
| Dermatological Agents | | |
| Dermatological Agents, Other | | |
| <i>accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin) | 2 | |
| <i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i> | 2 | |
| <i>acyclovir topical ointment 5 %</i> (Zovirax) | 4 | QL (30 per 30 days) |
| ALCOHOL 70% SWABS (Alcohol Pads) | 1 | |
| ALCOHOL PADS TOPICAL PADS, MEDICATED (alcohol swabs) | 1 | |
| ALCOHOL PREP SWABS TOPICAL PADS, MEDICATED (alcohol swabs) | 1 | |
| <i>ammonium lactate topical cream 12 %</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------|
| <i>ammonium lactate topical lotion 12 %</i> (Skin Treatment) | 2 | |
| BD SINGLE USE SWAB (alcohol swabs) | 1 | |
| <i>calcipotriene scalp solution 0.005 %</i> | 4 | QL (120 per 30 days) |
| <i>calcipotriene topical cream 0.005 %</i> | 4 | QL (120 per 30 days) |
| CARETOUCH ALCOHOL 70% (alcohol swabs) PREP PAD | 1 | |
| CURITY ALCOHOL PREPS 2 (alcohol swabs) PLY,MEDIUM | 1 | |
| DROPSAFE ALCOHOL 70% (alcohol swabs) PREP PADS | 1 | |
| EASY COMFORT ALCOHOL (alcohol swabs) 70% PAD | 1 | |
| EASY TOUCH ALCOHOL 70% (alcohol swabs) PADS GAMMA-STERILIZED | 1 | |
| <i>fluorouracil topical cream 0.5 %</i> (Carac) | 5 | NM; NDS |
| <i>fluorouracil topical cream 5 %</i> (Efudex) | 2 | |
| <i>fluorouracil topical solution 2 %, 5 %</i> | 2 | |
| HEB INCONTROL ALCOHOL (alcohol swabs) 70% PADS | 1 | |
| <i>imiquimod topical cream in packet 5 %</i> | 2 | QL (24 per 30 days) |
| <i>isotretinoin oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (Accutane) | 2 | |
| IV ANTISEPTIC WIPES (alcohol swabs) | 1 | |
| KENDALL ALCOHOL 70% (alcohol swabs) PREP PAD | 1 | |
| <i>methoxsalen oral capsule,liqd-filled,rapid rel 10 mg</i> | 5 | NM; NDS |
| PANRETIN TOPICAL GEL 0.1 % | 5 | NM; NDS; QL (180 per 30 days) |
| <i>podofilox topical solution 0.5 %</i> | 2 | |
| PRO COMFORT ALCOHOL (alcohol swabs) 70% PADS | 1 | |
| PURE COMFORT ALCOHOL (alcohol swabs) 70% PADS | 1 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| RA ISOPROPYL ALCOHOL (alcohol swabs) 70% WIPES | 1 | |
| SANTYL TOPICAL OINTMENT 250 UNIT/GRAM | 4 | QL (180 per 30 days) |
| SURE COMFORT ALCOHOL (alcohol swabs) PREP PADS | 1 | |
| SURE-PREP ALCOHOL PREP (alcohol swabs) PADS | 1 | |
| TRUE COMFORT ALCOHOL (alcohol swabs) 70% PADS | 1 | |
| TRUE COMFORT PRO (alcohol swabs) ALCOHOL PADS | 1 | |
| ULTILET ALCOHOL STERL (alcohol swabs) SWAB | 1 | |
| VALCHLOR TOPICAL GEL 0.016 % | 5 | NM; NDS |
| WEBCOL ALCOHOL PREPS (alcohol swabs) 20'S,LARGE | 1 | |
| <i>zenatane oral capsule 10 mg, 20 mg,</i> (isotretinoin) <i>30 mg, 40 mg</i> | 2 | |
| Dermatological Antibacterials | | |
| <i>clindamycin phosphate topical (Cleocin T)</i> <i>solution 1 %</i> | 2 | QL (180 per 30 days) |
| <i>clindamycin phosphate topical swab (Clindacin ETZ)</i> <i>1 %</i> | 2 | |
| <i>ery pads topical swab 2 %</i> (erythromycin with ethanol) | 2 | |
| <i>erythromycin with ethanol topical (Erygel)</i> <i>gel 2 %</i> | 4 | QL (180 per 30 days) |
| <i>erythromycin with ethanol topical</i> <i>solution 2 %</i> | 2 | QL (180 per 30 days) |
| <i>gentamicin topical cream 0.1 %</i> | 2 | QL (120 per 30 days) |
| <i>gentamicin topical ointment 0.1 %</i> | 2 | QL (120 per 30 days) |
| <i>metronidazole topical cream 0.75 %</i> (MetroCream) | 4 | |
| <i>metronidazole topical gel 0.75 %</i> (Rosadan) | 2 | |
| <i>metronidazole topical gel 1 %</i> (Metrogel) | 4 | |
| <i>metronidazole topical lotion 0.75 %</i> (MetroLotion) | 4 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>mupirocin topical ointment 2 %</i> (Centany) | 1 | QL (220 per 30 days) |
| <i>selenium sulfide topical lotion 2.5 %</i> | 2 | |
| <i>silver sulfadiazine topical cream 1 %</i> (SSD) | 2 | |
| <i>ssd topical cream 1 %</i> (silver sulfadiazine) | 4 | |
| <i>sulfacetamide sodium (acne) topical suspension 10 %</i> (Klaron) | 4 | |
| Dermatological Anti-Inflammatory Agents | | |
| <i>ala-cort topical cream 1 %</i> (hydrocortisone) | 1 | |
| <i>alclometasone topical cream 0.05 %</i> | 2 | |
| <i>alclometasone topical ointment 0.05 %</i> | 2 | |
| <i>betamethasone dipropionate topical cream 0.05 %</i> | 2 | |
| <i>betamethasone dipropionate topical lotion 0.05 %</i> | 2 | |
| <i>betamethasone dipropionate topical ointment 0.05 %</i> | 2 | |
| <i>betamethasone valerate topical cream 0.1 %</i> | 2 | |
| <i>betamethasone valerate topical lotion 0.1 %</i> | 2 | |
| <i>betamethasone valerate topical ointment 0.1 %</i> | 2 | |
| <i>betamethasone, augmented topical cream 0.05 %</i> | 2 | |
| <i>betamethasone, augmented topical gel 0.05 %</i> | 2 | |
| <i>betamethasone, augmented topical lotion 0.05 %</i> | 3 | |
| <i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented)) | 2 | |
| <i>clobetasol scalp solution 0.05 %</i> | 2 | |
| <i>clobetasol topical cream 0.05 %</i> | 2 | |
| <i>clobetasol-emollient topical cream 0.05 %</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>desoximetasone topical cream 0.25 %</i> (Topicort) | 2 | QL (120 per 30 days) |
| EUCRISA TOPICAL OINTMENT 2 % | 3 | |
| <i>fluocinolone topical cream 0.01 %</i> | 2 | |
| <i>fluocinolone topical cream 0.025 %</i> (Synalar) | 2 | |
| <i>fluocinolone topical ointment 0.025 %</i> (Synalar) | 2 | |
| <i>fluocinonide topical cream 0.05 %</i> | 2 | |
| <i>fluocinonide topical solution 0.05 %</i> | 2 | |
| <i>fluocinonide-emollient topical cream 0.05 %</i> (Fluocinonide-E) | 4 | |
| <i>fluticasone propionate topical cream 0.05 %</i> | 2 | |
| <i>fluticasone propionate topical ointment 0.005 %</i> | 2 | |
| <i>halobetasol propionate topical cream 0.05 %</i> | 2 | |
| <i>halobetasol propionate topical ointment 0.05 %</i> | 2 | |
| <i>hydrocortisone 2.5% cream</i> | 1 | |
| <i>hydrocortisone topical cream 1 %</i> (Ala-Cort) | 1 | |
| <i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Procto-Med HC) | 1 | |
| <i>hydrocortisone topical lotion 2.5 %</i> | 2 | |
| <i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC)) | 1 | |
| <i>hydrocortisone topical ointment 2.5 %</i> | 1 | |
| <i>hydrocortisone-min oil-wht pet topical ointment 1 %</i> | 1 | |
| <i>mometasone topical cream 0.1 %</i> | 2 | |
| <i>mometasone topical ointment 0.1 %</i> | 2 | |
| <i>mometasone topical solution 0.1 %</i> | 2 | |
| <i>pimecrolimus topical cream 1 %</i> (Elidel) | 4 | QL (100 per 30 days) |
| <i>prednicarbate topical ointment 0.1 %</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>procto-med hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone) | 2 | |
| <i>proctosol hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone) | 2 | |
| <i>proctozone-hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone) | 2 | |
| <i>tacrolimus topical ointment 0.03 %, 0.1 %</i> | 4 | QL (100 per 30 days) |
| <i>triamcinolone acetonide topical cream 0.025 %</i> | 1 | |
| <i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> (Triderm) | 1 | |
| <i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i> | 2 | |
| <i>triamcinolone acetonide topical ointment 0.025 %</i> | 1 | |
| <i>triamcinolone acetonide topical ointment 0.1 %, 0.5 %</i> | 2 | |
| Dermatological Retinoids | | |
| <i>adapalene topical cream 0.1 %</i> (Differin) | 4 | |
| ALTRENO TOPICAL LOTION 0.05 % | 4 | PA |
| <i>tazarotene topical cream 0.1 %</i> (Tazorac) | 4 | |
| TAZORAC TOPICAL CREAM 0.05 % | 4 | |
| <i>tretinoin topical cream 0.025 %</i> (Avita) | 4 | PA |
| <i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A) | 4 | PA |
| <i>tretinoin topical gel 0.01 %</i> (Retin-A) | 4 | PA |
| <i>tretinoin topical gel 0.025 %</i> (Avita) | 4 | PA |
| <i>tretinoin topical gel 0.05 %</i> (Atralin) | 4 | PA |
| Scabicides And Pediculicides | | |
| <i>malathion topical lotion 0.5 %</i> (Ovide) | 4 | |
| <i>permethrin topical cream 5 %</i> (Elimite) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-----------------------------------|-----------|---------------------|
| Devices | | | |
| Devices | | | |
| 1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | |
| 1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | |
| 1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | |
| 1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE- USE,SHRT 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | |
| 1ST TIER UNIFINE PNTIP 29GX1/2" 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | |
| 1ST TIER UNIFINE PNTIP 31GX3/16 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | |
| 1ST TIER UNIFINE PNTIP 32GX5/32 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | |
| ABOUTTIME PEN NEEDLE 30G X 8MM 30 GAUGE X 5/16" | (pen needle, diabetic) | 2 | |
| ABOUTTIME PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | |
| ABOUTTIME PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | |
| ABOUTTIME PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | |
| ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | |
| ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | |
| ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | |
| ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100) | 2 | |
| ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | |
| ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | |
| ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | |
| ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100) | 2 | |
| ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2" (pen needle, diabetic) | 2 | |
| ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32" (pen needle, diabetic) | 2 | |
| ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic) | 2 | |
| ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic) | 2 | |
| AQINJECT PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic) | 2 | |
| AQINJECT PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic) | 2 | |
| ASSURE ID DUO PRO NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety) | 2 | |
| ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16" | 2 | |
| ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16" | 2 | |
| ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2" | 2 | |
| ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16" | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16" | 2 | |
| ASSURE ID PEN NEEDLE (pen needle, diabetic, 31GX3/16" 31 GAUGE X 3/16" safety) | 2 | |
| ASSURE ID PRO PEN NDL 30G 5MM 30 GAUGE X 3/16" | 2 | |
| ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2" | 2 | |
| ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64" | 2 | |
| ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64" | 2 | |
| BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16" | 2 | |
| BD ECLIPSE 30GX1/2" (insulin syringe-needle SYRINGE 1 ML 30 GAUGE X u-100) 1/2" | 2 | |
| BD ECLIPSE NEEDLE 30GX1/2" (OTC) 30 X 1/2 " | 2 | |
| BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16" | 2 | |
| BD INS SYRINGE 1/2 ML 6MMX31G (ONLY FOR 500 UNIT/ML INSULIN) 1/2 ML 31 GAUGE X 15/64" | 2 | |
| BD INS SYRN UF 1 ML (insulin syringe-needle 12.7MMX30G NOT FOR u-100) RETAIL SALE 1 ML 30 GAUGE X 1/2" | 2 | |
| BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1" | 2 | |
| BD INSULIN SYR 1 ML (insulin syringe-needle 25GX5/8" 1 ML 25 GAUGE X u-100) 5/8" | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|--|----------------------------|
| BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2" | 2 | |
| BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8" | 2 | |
| BD INSULIN SYR 1 ML 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2" | (Comfort EZ Insulin Syringe) 2 | |
| BD INSULIN SYRINGE 1 ML W/O NEEDLE | (insulin syringe needleless) 2 | |
| BD LUER-LOK SYRINGE 1 ML | (Easy Touch Luer Lock Insulin) 2 | |
| BD NANO 2 GEN PEN NDL 32G 4MM 32 GAUGE X 5/32" | (pen needle, diabetic) 2 | |
| BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2" | 2 | |
| BD SAFETGLD INS 0.5 ML 13MMX29G 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) 2 | |
| BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16" | 2 | |
| BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16" | 2 | |
| BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2" | 2 | |
| BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64" | 2 | |
| BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8" | 2 | |
| BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64" | 2 | |
| BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2" | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64" | 2 | |
| BD UF MICRO PEN NEEDLE (pen needle, diabetic) 6MMX32G 32 GAUGE X 1/4" | 2 | |
| BD UF MINI PEN NEEDLE (pen needle, diabetic) 5MMX31G 31 GAUGE X 3/16" | 2 | |
| BD UF NANO PEN NEEDLE (pen needle, diabetic) 4MMX32G 32 GAUGE X 5/32" | 2 | |
| BD UF ORIG PEN NDL (pen needle, diabetic) 12.7MMX29G 29 GAUGE X 1/2" | 2 | |
| BD UF SHORT PEN NEEDLE (pen needle, diabetic) 8MMX31G 31 GAUGE X 5/16" | 2 | |
| BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64" | 2 | |
| BD VEO INS SYRING 1 ML (insulin syringe-needle 6MMX31G 1 ML 31 GAUGE X u-100) 15/64" | 2 | |
| BD VEO INS SYRN 0.3 ML (insulin syringe-needle 6MMX31G 0.3 ML 31 GAUGE X u-100) 15/64" | 2 | |
| BD VEO INS SYRN 0.5 ML (insulin syringe-needle 6MMX31G 1/2 ML 31 GAUGE X u-100) 15/64" | 2 | |
| BORDERED GAUZE 2"X2" 2 X (gauze bandage) 2 " | 1 | |
| CAREFINE PEN NEEDLE (pen needle, diabetic) 12.7MM 29G 29 GAUGE X 1/2" | 2 | |
| CAREFINE PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32" | 2 | |
| CAREFINE PEN NEEDLE 5MM (pen needle, diabetic) 32G 32 GAUGE X 3/16" | 2 | |
| CAREFINE PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4" | 2 | |
| CAREFINE PEN NEEDLE 8MM (pen needle, diabetic) 30G 30 GAUGE X 5/16" | 2 | |
| CAREFINE PEN NEEDLES (pen needle, diabetic) 6MM 32G 32 GAUGE X 1/4" | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-----------------------------------|------------------|----------------------------|
| CAREFINE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | |
| CAREONE SYR 0.3 ML 31GX5/16" SHORT, HRI 0.3 ML 31 GAUGE X 5/16" | (Advocate Syringes) | 2 | |
| CARETOUCH PEN NEEDLE 29G 12MM 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | |
| CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | |
| CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | |
| CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | |
| CARETOUCH PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16" | (pen needle, diabetic) | 2 | |
| CARETOUCH PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | |
| CARETOUCH SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | |
| CARETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | |
| CARETOUCH SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | |
| CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16" | | 2 | |
| CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16" | | 2 | |
| CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | |
| CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-----------------------------------|------------------|----------------------------|
| CLICKFINE 31G X 5/16" NEEDLES 8MM, UNIVERSAL 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | |
| CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | |
| CLICKFINE UNIVERSAL 31G X 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | |
| COMFORT EZ INS 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | |
| COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | |
| COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | |
| COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | |
| COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | |
| COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | |
| COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | |
| COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32" | (pen needle, diabetic) | 2 | |
| COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | |
| COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16" | (pen needle, diabetic) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| COMFORT EZ PEN NEEDLES (pen needle, diabetic) 5MM 33G 33 GAUGE X 3/16" | 2 | |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic) 6MM 31G 31 GAUGE X 1/4" | 2 | |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic) 6MM 32G 32 GAUGE X 1/4" | 2 | |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic) 6MM 33G 33 GAUGE X 1/4" | 2 | |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic) 8MM 31G SHORT 31 GAUGE X 5/16" | 2 | |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic) 8MM 32G 32 GAUGE X 5/16" | 2 | |
| COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16" | 2 | |
| COMFORT EZ PRO PEN NDL 30G 8MM 30 GAUGE X 5/16" | 2 | |
| COMFORT EZ PRO PEN NDL (pen needle, diabetic, 31G 4MM 31 GAUGE X 5/32" safety) | 2 | |
| COMFORT EZ PRO PEN NDL (pen needle, diabetic, 31G 5MM 31 GAUGE X 3/16" safety) | 2 | |
| COMFORT EZ SYR 0.3 ML (insulin syringe-needle 29GX1/2" 0.3 ML 29 GAUGE X u-100) 1/2" | 2 | |
| COMFORT EZ SYR 0.5 ML (insulin syringe-needle 28GX1/2" 1/2 ML 28 GAUGE X u-100) 1/2" | 2 | |
| COMFORT EZ SYR 0.5 ML (insulin syringe-needle 29GX1/2" 0.5 ML 29 GAUGE X u-100) 1/2" | 2 | |
| COMFORT EZ SYR 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X u-100) 1/2" | 2 | |
| COMFORT EZ SYR 1 ML (insulin syringe-needle 28GX1/2" 1 ML 28 GAUGE X u-100) 1/2" | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-----------------------------------|------------------|----------------------------|
| COMFORT EZ SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | |
| COMFORT EZ SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | |
| COMFORT EZ SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | |
| COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3" | | 2 | |
| COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6" | | 2 | |
| COMFORT TOUCH PEN NDL 31G 4MM 31 GAUGE X 5/32" | (pen needle, diabetic) | 2 | |
| COMFORT TOUCH PEN NDL 31G 5MM 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | |
| COMFORT TOUCH PEN NDL 31G 6MM 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | |
| COMFORT TOUCH PEN NDL 31G 8MM 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | |
| COMFORT TOUCH PEN NDL 32G 4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | |
| COMFORT TOUCH PEN NDL 32G 5MM 32 GAUGE X 3/16" | (pen needle, diabetic) | 2 | |
| COMFORT TOUCH PEN NDL 32G 6MM 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 | |
| COMFORT TOUCH PEN NDL 32G 8MM 32 GAUGE X 5/16" | (pen needle, diabetic) | 2 | |
| COMFORT TOUCH PEN NDL 33G 4MM 33 GAUGE X 5/32" | (pen needle, diabetic) | 2 | |
| COMFORT TOUCH PEN NDL 33G 6MM 33 GAUGE X 1/4" | (pen needle, diabetic) | 2 | |
| COMFORT TOUCH PEN NDL 33GX5MM 33 GAUGE X 3/16" | (pen needle, diabetic) | 2 | |
| CURAD GAUZE PADS 2" X 2" 2 X 2 " | (gauze bandage) | 1 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 " | 1 | |
| CURITY GUAZE PADS 1'S(12 PLY) 2 X 2 " (gauze bandage) | 1 | |
| DERMACEA 2"X2" GAUZE 12 PLY, USP TYPE VII 2 X 2 " (gauze bandage) | 1 | |
| DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 " | 1 | |
| DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 " | 1 | |
| DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2" | 2 | |
| DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2" | 2 | |
| DROPLET INS 0.3 ML 29GX12.5MM 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | |
| DROPLET INS 0.3 ML 30GX12.5MM 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | |
| DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64" | 2 | |
| DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16" | 2 | |
| DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64" | 2 | |
| DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16" | 2 | |
| DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64" | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| DROPLET INS SYR 0.3 ML (insulin syringe-needle 30GX8MM 0.3 ML 30 GAUGE X u-100) 5/16" | 2 | |
| DROPLET INS SYR 0.3 ML (insulin syringe-needle 31GX6MM 0.3 ML 31 GAUGE X u-100) 15/64" | 2 | |
| DROPLET INS SYR 0.3 ML (insulin syringe-needle 31GX8MM 0.3 ML 31 GAUGE X u-100) 5/16" | 2 | |
| DROPLET INS SYR 1 ML (insulin syringe-needle 29GX12.5MM 1 ML 29 GAUGE u-100) X 1/2" | 2 | |
| DROPLET INS SYR 1 ML (insulin syringe-needle 30GX12.5MM 1 ML 30 GAUGE u-100) X 1/2" | 2 | |
| DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64" | 2 | |
| DROPLET INS SYR 1 ML (insulin syringe-needle 30GX8MM 1 ML 30 GAUGE X u-100) 5/16 | 2 | |
| DROPLET INS SYR 1 ML (insulin syringe-needle 31GX6MM 1 ML 31 GAUGE X u-100) 15/64" | 2 | |
| DROPLET INS SYR 1 ML (insulin syringe-needle 31GX8MM 1 ML 31 GAUGE X u-100) 5/16 | 2 | |
| DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64" | 2 | |
| DROPLET PEN NEEDLE (pen needle, diabetic) 29GX1/2" 29 GAUGE X 1/2" | 2 | |
| DROPLET PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8" | 2 | |
| DROPLET PEN NEEDLE (pen needle, diabetic) 30GX5/16" 30 GAUGE X 5/16" | 2 | |
| DROPLET PEN NEEDLE (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4" | 2 | |
| DROPLET PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16" | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| DROPLET PEN NEEDLE (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16" | 2 | |
| DROPLET PEN NEEDLE (pen needle, diabetic) 32GX1/4" 32 GAUGE X 1/4" | 2 | |
| DROPLET PEN NEEDLE (pen needle, diabetic) 32GX3/16" 32 GAUGE X 3/16" | 2 | |
| DROPLET PEN NEEDLE (pen needle, diabetic) 32GX5/16" 32 GAUGE X 5/16" | 2 | |
| DROPLET PEN NEEDLE (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32" | 2 | |
| DROPSAFE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 15/64" | 2 | |
| DROPSAFE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16" | 2 | |
| DROPSAFE INS SYR 0.5 ML 31G 6MM 0.5 ML 31 GAUGE X 15/64" | 2 | |
| DROPSAFE INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16" | 2 | |
| DROPSAFE INSUL SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 15/64" | 2 | |
| DROPSAFE INSUL SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16" | 2 | |
| DROPSAFE INSULN 1 ML 29G 12.5MM 1 ML 29 GAUGE X 1/2" | 2 | |
| DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" | 2 | |
| DROPSAFE PEN NEEDLE (pen needle, diabetic, 31GX3/16" 31 GAUGE X 3/16" safety) | 2 | |
| DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| DRUG MART ULTRA (insulin syringe-needle COMFORT SYR 0.3 ML 29 u-100) GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16 | 2 | |
| EASY CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4" | 2 | |
| EASY CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32" | 2 | |
| EASY COMFORT 0.3 ML 31G 1/2" 0.3 ML 31 X 1/2" | 2 | |
| EASY COMFORT 0.3 ML 31G (insulin syringe-needle 5/16" 0.3 ML 31 GAUGE X 5/16" u-100) | 2 | |
| EASY COMFORT 0.3 ML (insulin syringe-needle SYRINGE 0.3 ML 30 GAUGE X u-100) 5/16" | 2 | |
| EASY COMFORT 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X u-100) 1/2" | 2 | |
| EASY COMFORT 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16" | 2 | |
| EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16" | 2 | |
| EASY COMFORT 0.5 ML (insulin syringe-needle SYRINGE 0.5 ML 30 GAUGE X u-100) 5/16" | 2 | |
| EASY COMFORT 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16" | 2 | |
| EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16" | 2 | |
| EASY COMFORT INSULIN 1 (insulin syringe-needle ML SYR 1 ML 30 GAUGE X 5/16 u-100) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-----------------------------------|------------------|----------------------------|
| EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | |
| EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | |
| EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | |
| EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | |
| EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32" | (pen needle, diabetic) | 2 | |
| EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16" | (pen needle, diabetic) | 2 | |
| EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4" | (pen needle, diabetic) | 2 | |
| EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | |
| EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" | (insulin syringe-needle u-100) | 2 | |
| EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64" | (insulin syringe-needle u-100) | 2 | |
| EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" | (insulin syringe-needle u-100) | 2 | |
| EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32" | (pen needle, diabetic) | 2 | |
| EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | |
| EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | |
| EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2" | | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| EASY TOUCH 0.5 ML SYR (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X 1/2" u-100) | 2 | |
| EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16" | 2 | |
| EASY TOUCH 1 ML SYR (insulin syringe-needle 27GX1/2" 1 ML 27 GAUGE X 1/2" u-100) | 2 | |
| EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2" | 2 | |
| EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2" | 2 | |
| EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2" | 2 | |
| EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2" | 2 | |
| EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2" | 2 | |
| EASY TOUCH INSULIN SYR (insulin syringe-needle 0.3 ML 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" u-100) | 2 | |
| EASY TOUCH INSULIN SYR (insulin syringe-needle 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" u-100) | 2 | |
| EASY TOUCH INSULIN SYR 1 (insulin syringe-needle ML 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 u-100) | 2 | |
| EASY TOUCH INSULIN SYR 1 (insulin syringe-needle ML RETRACTABLE 1 ML 30 GAUGE X 1/2" u-100) | 2 | |
| EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" | 2 | |
| EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|---------------------------------|----------------------------|
| EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16" | 2 | |
| EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16" | 2 | |
| EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16" | 2 | |
| EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16" | 2 | |
| EASY TOUCH LUER LOK INSUL 1 ML | (insulin syringe needleless) | 2 |
| EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 |
| EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16" | (pen needle, diabetic) | 2 |
| EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 |
| EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 |
| EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 |
| EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 |
| EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16" | (pen needle, diabetic) | 2 |
| EASY TOUCH PEN NEEDLE 32GX5/32 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 |
| EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16" | 2 | |
| EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16" | 2 | |
| EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16" | 2 | |
| EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16" | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|--------------------------------------|----------------------------|
| EASY TOUCH SYR 0.5 ML 28G 12.7MM 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) 2 | |
| EASY TOUCH SYR 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) 2 | |
| EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8" | 2 | |
| EASY TOUCH SYR 1 ML 28G 12.7MM 1 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) 2 | |
| EASY TOUCH SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) 2 | |
| EASY TOUCH UNI-SLIP SYR 1 ML | (insulin syringe needleless) 2 | |
| EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4" | 2 | |
| EMBRACE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2" | (pen needle, diabetic) 2 | |
| EMBRACE PEN NEEDLE 30G 5MM 30 GAUGE X 3/16" | (pen needle, diabetic) 2 | |
| EMBRACE PEN NEEDLE 30G 8MM 30 GAUGE X 5/16" | (pen needle, diabetic) 2 | |
| EMBRACE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" | (pen needle, diabetic) 2 | |
| EMBRACE PEN NEEDLE 31G 6MM 31 GAUGE X 1/4" | (pen needle, diabetic) 2 | |
| EMBRACE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" | (pen needle, diabetic) 2 | |
| EMBRACE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" | (pen needle, diabetic) 2 | |
| EQL INSULIN 0.3 ML SYRINGE SHORT NEEDLE 0.3 ML 30 | (Ultra Comfort Insulin Syringe) 2 | |
| EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE 1/2 ML 30 GAUGE | (Ultra Comfort Insulin Syringe) 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|--------------------------------------|----------------------------|
| EQL INSULIN 1 ML SYRINGE SHORT NEEDLE 1 ML 30 GAUGE X 7/16" | (Ultra Comfort Insulin Syringe) 2 | |
| EXEL INSULIN SYRINGE 27G-1 ML 1 ML 27 GAUGE X 1/2" | (insulin syringe-needle u-100) 2 | |
| FIFTY50 INS 0.5 ML 31GX5/16" SHORT NEEDLE 0.5 ML 31 GAUGE X 5/16" | (Advocate Syringes) 2 | |
| FIFTY50 INS SYR 1 ML 31GX5/16" SHORT NEEDLE (OTC) 1 ML 31 GAUGE X 5/16 | (Advocate Syringes) 2 | |
| FIFTY50 PEN 31G X 3/16" NEEDLE (OTC) 31 GAUGE X 3/16" | (pen needle, diabetic) 2 | |
| FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE | (Ultra Comfort Insulin Syringe) 2 | |
| FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | |
| FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | |
| FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 | (insulin syringe-needle u-100) 2 | |
| FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) 2 | |
| GAUZE PAD TOPICAL BANDAGE 2 X 2 " | (gauze bandage) 1 | |
| GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2" | 2 | |
| GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 29 , 1/2 ML 30 GAUGE | (insulin syringe-needle u-100) 2 | |
| GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16" | (insulin syringe-needle u-100) 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE | 2 | |
| GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30 (insulin syringe-needle u-100) | 2 | |
| HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | |
| HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | |
| HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | |
| HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | |
| HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100) | 2 | |
| HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100) | 2 | |
| HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic) | 2 | |
| HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic) | 2 | |
| HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic) | 2 | |
| HEALTHY ACCENTS PENTIP 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic) | 2 | |
| HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic) | 2 | |
| HEALTHY ACCENTS PENTIP 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic) | 2 | |
| HEALTHY ACCENTS PENTIP 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic) | 2 | |
| HEALTHY ACCENTS PENTIP 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|--------------------------------------|------------------|----------------------------|
| INCONTROL PEN NEEDLE 12MM 29G 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | |
| INCONTROL PEN NEEDLE 4MM 32G 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | |
| INCONTROL PEN NEEDLE 5MM 31G 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | |
| INCONTROL PEN NEEDLE 6MM 31G 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | |
| INCONTROL PEN NEEDLE 8MM 31G 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | |
| INSULIN SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" | (Advocate Syringes) | 2 | |
| INSULIN SYR 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4" | (UltiCare Insulin Syr(half unit)) | 2 | |
| INSULIN SYRIN 0.3 ML 30GX1/2" SHORT NEEDLE 0.3 ML 30 GAUGE X 1/2" | (Comfort EZ Insulin Syringe) | 2 | |
| INSULIN SYRIN 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2" | (Comfort EZ Insulin Syringe) | 2 | |
| INSULIN SYRIN 0.5 ML 29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2" | (Comfort EZ Insulin Syringe) | 2 | |
| INSULIN SYRIN 0.5 ML 30GX1/2" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 1/2" | (Comfort EZ Insulin Syringe) | 2 | |
| INSULIN SYRIN 0.5 ML 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16" | (Advocate Syringes) | 2 | |
| INSULIN SYRINGE 0.5 ML 27G 1/2" INNER 1/2 ML 27 GAUGE X 1/2" | (Easy Touch Insulin Syringe) | 2 | |
| INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE | (insulin syringe-needle u-100) | 2 | |
| INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4" | (Sure Comfort Insulin Syringe) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| INSULIN SYRINGE 0.5 ML 1/2 ML 29 (insulin syringe-needle u-100) | 2 | |
| INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4" (Sure Comfort Insulin Syringe) | 2 | |
| INSULIN SYRINGE 1 ML 1 ML 29 GAUGE | 2 | |
| INSULIN SYRINGE 1 ML 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2" (BD Eclipse Luer-Lok) | 2 | |
| INSULIN SYRINGE 1 ML 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16 (Advocate Syringes) | 2 | |
| INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" (Sure Comfort Insulin Syringe) | 2 | |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE (Ultilet Insulin Syringe) | 2 | |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2" (Comfort EZ Insulin Syringe) | 2 | |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE (Monoject Syringe) | 2 | |
| INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16" (pen needle, diabetic) | 2 | |
| INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16" (pen needle, diabetic) | 2 | |
| INSUPEN 32G 6MM PEN NEEDLE 32 GAUGE X 1/4" (pen needle, diabetic) | 2 | |
| INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16" (pen needle, diabetic) | 2 | |
| INSUPEN PEN NEEDLE 29GX12MM 29 GAUGE X 1/2" (pen needle, diabetic) | 2 | |
| INSUPEN PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| INSUPEN PEN NEEDLE (pen needle, diabetic) 32GX4MM 32 GAUGE X 5/32" | 2 | |
| INSUPEN PEN NEEDLE (pen needle, diabetic) 33GX4MM 33 GAUGE X 5/32" | 2 | |
| LISCO SPONGES 100/BAG 2 X 2 " | 1 | |
| LITE TOUCH 31GX1/4" PEN (pen needle, diabetic) NEEDLE 31 GAUGE X 1/4" | 2 | |
| LITE TOUCH INSULIN 0.5 ML (insulin syringe-needle SYR 1/2 ML 28 GAUGE, 1/2 ML u-100) 29 , 1/2 ML 30 GAUGE | 2 | |
| LITE TOUCH INSULIN 1 ML (insulin syringe-needle SYR 1 ML 28 GAUGE, 1 ML 30 u-100) GAUGE X 7/16" | 2 | |
| LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE | 2 | |
| LITE TOUCH INSULIN SYR 1 (insulin syringe-needle ML 1 ML 31 GAUGE X 5/16 u-100) | 2 | |
| LITE TOUCH PEN NEEDLE (pen needle, diabetic) 29G 29 GAUGE X 1/2" | 2 | |
| LITE TOUCH PEN NEEDLE (pen needle, diabetic) 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16" | 2 | |
| LITETOUCH INS 0.3 ML (insulin syringe-needle 29GX1/2" 0.3 ML 29 GAUGE X u-100) 1/2" | 2 | |
| LITETOUCH INS 0.3 ML (insulin syringe-needle 30GX5/16" 0.3 ML 30 GAUGE X u-100) 5/16" | 2 | |
| LITETOUCH INS 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16" | 2 | |
| LITETOUCH INS 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16" | 2 | |
| LITETOUCH SYR 0.5 ML (insulin syringe-needle 28GX1/2" 1/2 ML 28 GAUGE X u-100) 1/2" | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| LITETOUCH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | |
| LITETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | |
| LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | |
| LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | |
| LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | |
| MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16" | 2 | |
| MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16" | 2 | |
| MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 GAUGE X 1/2" | 2 | |
| MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2" | 2 | |
| MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16" | 2 | |
| MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4" (pen needle, diabetic) | 2 | |
| MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | |
| MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | |
| MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-------------------------------------|------------------|----------------------------|
| MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | |
| MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16" | | 2 | |
| MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16" | | 2 | |
| MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | |
| MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | |
| MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32" | (pen needle, diabetic) | 2 | |
| MINI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" | (1st Tier Unifine Pentips) | 2 | |
| MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16" | (CareFine Pen Needle) | 2 | |
| MINI PEN NEEDLE 32G 6MM 32 GAUGE X 1/4" | (BD Ultra-Fine Micro Pen Needle) | 2 | |
| MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16" | (Comfort EZ Pen Needles) | 2 | |
| MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32" | (Advocate Pen Needle) | 2 | |
| MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16" | (Comfort EZ Pen Needles) | 2 | |
| MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4" | (Comfort EZ Pen Needles) | 2 | |
| MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | |
| MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE | (insulin syringe-needle u-100) | 2 | |
| MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | |
| MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|---------------------------------|------------------|----------------------------|
| MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | |
| MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | |
| MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | |
| MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8" | (insulin syringe-needle u-100) | 2 | |
| MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | |
| MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC) | (insulin syringes (disposable)) | 2 | |
| MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | |
| MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | |
| MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | |
| MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | |
| MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | |
| MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | |
| MONOJECT INSULIN SYR U-100 29 GAUGE X 1/2" | | 2 | |
| MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | |
| MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | |
| MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| NOVOFINE 30 NEEDLE | 2 | |
| NOVOFINE 32G NEEDLES 32 GAUGE X 1/4" (pen needle, diabetic) | 2 | |
| NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6" | 2 | |
| NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5" | 2 | |
| OMNIPOD 5 G6 INTRO KIT (GEN 5) SUBCUTANEOUS CARTRIDGE | 3 | QL (1 per 365 days) |
| OMNIPOD 5 G6 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE | 3 | |
| OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE | 3 | |
| OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE | 3 | QL (1 per 365 days) |
| OMNIPOD DASH PDM KIT (GEN 4) | 3 | QL (1 per 365 days) |
| OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE | 3 | |
| OMNIPOD GO PODS 10 UNITS/DAY SUBCUTANEOUS CARTRIDGE | 3 | |
| OMNIPOD GO PODS 15 UNITS/DAY SUBCUTANEOUS CARTRIDGE | 3 | |
| OMNIPOD GO PODS 20 UNITS/DAY SUBCUTANEOUS CARTRIDGE | 3 | |
| OMNIPOD GO PODS 25 UNITS/DAY SUBCUTANEOUS CARTRIDGE | 3 | |
| OMNIPOD GO PODS 30 UNITS/DAY SUBCUTANEOUS CARTRIDGE | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| OMNIPOD GO PODS 40 UNITS/DAY SUBCUTANEOUS CARTRIDGE | 3 | |
| OMNIPOD GO PODS SUBCUTANEOUS CARTRIDGE | 3 | |
| PC UNIFINE PENTIPS 8MM (pen needle, diabetic) NEEDLE SHORT 31 GAUGE X 5/16" | 2 | |
| PEN NEEDLE 30G 5MM (Embrace Pen Needle) OUTER 30 GAUGE X 3/16" | 2 | |
| PEN NEEDLE 30G 8MM (CareFine Pen Needle) INNER 30 GAUGE X 5/16" | 2 | |
| PEN NEEDLE 30G X 5/16" 30 (pen needle, diabetic) GAUGE X 5/16" | 2 | |
| PEN NEEDLE, DIABETIC (1st Tier Unifine NEEDLE 29 GAUGE X 1/2" Pentips Plus) | 2 | |
| PEN NEEDLES 12MM 29G (pen needle, diabetic) 29GX12MM,STRL 29 GAUGE X 1/2" | 2 | |
| PEN NEEDLES 4MM 32G 32 (pen needle, diabetic) GAUGE X 5/32" | 2 | |
| PEN NEEDLES 6MM 31G (1st Tier Unifine 31GX6MM, STRL 31 GAUGE X Pentips) 1/4" | 2 | |
| PEN NEEDLES 8MM 31G (pen needle, diabetic) 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16" | 2 | |
| PENTIPS PEN NEEDLE (pen needle, diabetic) 29GX1/2" 29 GAUGE X 1/2" | 2 | |
| PENTIPS PEN NEEDLE (pen needle, diabetic) 31GX3/16" MINI, 5MM 31 GAUGE X 3/16" | 2 | |
| PENTIPS PEN NEEDLE (pen needle, diabetic) 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16" | 2 | |
| PENTIPS PEN NEEDLE 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4" | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| PENTIPS PEN NEEDLE (pen needle, diabetic) 32GX5/32" 4MM 32 GAUGE X 5/32" | 2 | |
| PENTIPS PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4" | 2 | |
| PIP PEN NEEDLE 31G X 5MM (pen needle, diabetic) 31 GAUGE X 3/16" | 2 | |
| PIP PEN NEEDLE 32G X 4MM (pen needle, diabetic) 32 GAUGE X 5/32" | 2 | |
| PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" | 2 | |
| PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" | 2 | |
| PRO COMFORT 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X 1/2" u-100) | 2 | |
| PRO COMFORT 0.5 ML (insulin syringe-needle 30GX5/16" 0.5 ML 30 GAUGE X 5/16" u-100) | 2 | |
| PRO COMFORT 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X 5/16" u-100) | 2 | |
| PRO COMFORT 1 ML 30GX1/2" (insulin syringe-needle 1 ML 30 GAUGE X 1/2" u-100) | 2 | |
| PRO COMFORT 1 ML (insulin syringe-needle 30GX5/16" 1 ML 30 GAUGE X 5/16" u-100) | 2 | |
| PRO COMFORT 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X 5/16" u-100) | 2 | |
| PRO COMFORT PEN NDL (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16" | 2 | |
| PRO COMFORT PEN NDL 32G (pen needle, diabetic) X 1/4" 32 GAUGE X 1/4" | 2 | |
| PRO COMFORT PEN NDL (pen needle, diabetic) 4MM 32G 32 GAUGE X 5/32" | 2 | |
| PRO COMFORT PEN NDL (pen needle, diabetic) 5MM 32G 32 GAUGE X 3/16" | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-------------------------------------|----------------------------|
| PRODIGY INS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) 2 | |
| PRODIGY SYRNG 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | |
| PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | |
| PURE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16" | (pen needle, diabetic, safety) 2 | |
| PURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4" | 2 | |
| PURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32" | 2 | |
| PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32" | (pen needle, diabetic) 2 | |
| PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16" | (pen needle, diabetic) 2 | |
| PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" | (pen needle, diabetic) 2 | |
| PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16" | (pen needle, diabetic) 2 | |
| RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32" | 2 | |
| RAYA SURE PEN NEEDLE 31G 4MM 31 GAUGE X 5/32" | (Comfort Touch Pen Needle) 2 | |
| RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64" | 2 | |
| RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64" | 2 | |
| RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" | (BD Veo Insulin Syringe UF) 2 | |
| RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64" | (BD Veo Insulin Syringe UF) 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| RELION INS SYR 1 ML (BD Veo Insulin Syringe UF) 31GX15/64" 1 ML 31 GAUGE X 15/64" | 2 | |
| RELI-ON INSULIN 0.5 ML SYR (Ultilet Insulin Syringe) 1/2 ML 29 | 2 | |
| RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16" | 2 | |
| RELION MINI PEN 31G X 1/4" (pen needle, diabetic) NDL 31 GAUGE X 1/4" | 2 | |
| RELION NEEDLES NEEDLE 31 (pen needle, diabetic) GAUGE X 1/4" | 2 | |
| RELION PEN NEEDLES (pen needle, diabetic) NEEDLE 32 GAUGE X 5/32" | 2 | |
| SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16" | 2 | |
| SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2" | 2 | |
| SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16" | 2 | |
| SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2" | 2 | |
| SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2" | 2 | |
| SAFETY PEN NEEDLE 31G (Comfort EZ PRO 4MM 31 GAUGE X 5/32" Safety Pen Ndl) | 2 | |
| SAFETY PEN NEEDLE 5MM X (pen needle, diabetic, 31G 31 GAUGE X 3/16" safety) | 2 | |
| SAFETY SYRINGE 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2" | 2 | |
| SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16" | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| SECURES SAFE SYR 0.5 ML 29G 1/2" OUTER 0.5 ML 29 GAUGE X 1/2" | 2 | |
| SECURES SAFE SYRNG 1 ML 29G 1/2" OUTER 1 ML 29 GAUGE X 1/2" | 2 | |
| SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16" | 2 | |
| SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16" | 2 | |
| SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16" | 2 | |
| STERILE PADS 2" X 2" 2 X 2 " (gauze bandage) | 1 | |
| SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4" | 2 | |
| SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32" | 2 | |
| NEEDLES, INSULIN DISP., SAFETY (insulin syringe-needle u-100) | 2 | |
| SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | |
| SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100) | 2 | |
| SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | |
| SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|--------------------------------|------------------|----------------------------|
| SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16" | (pen needle, diabetic) | 2 | |
| SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4" | (insulin syringe-needle u-100) | 2 | |
| SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4" | (insulin syringe-needle u-100) | 2 | |
| SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" | (insulin syringe-needle u-100) | 2 | |
| SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | |
| SURE COMFORT PEN NDL 31G 5MM 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | |
| SURE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | |
| SURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | |
| SURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 | |
| SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | |
| SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | |
| SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | |
| SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | |
| SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | |
| SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100) | 2 | |
| SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100) | 2 | |
| TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2" | 2 | |
| TECHLITE 0.3 ML 30GX12MM (1/2) 0.3 ML 30 GAUGE X 1/2" | 2 | |
| TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16" | 2 | |
| TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64" | 2 | |
| TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16" | 2 | |
| TECHLITE 0.5 ML 29GX12MM (1/2) 0.5 ML 29 GAUGE X 1/2" | 2 | |
| TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2" | 2 | |
| TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16" | 2 | |
| TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64" | 2 | |
| TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16" | 2 | |
| TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | |
| TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | |
| TECHLITE INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100) | 2 | |
| TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-----------------------------------|------------------|----------------------------|
| TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | |
| TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | |
| TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8" | | 2 | |
| TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | |
| TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | |
| TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | |
| TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 | |
| TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16" | (pen needle, diabetic) | 2 | |
| TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | |
| TERUMO INS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" | (Comfort EZ Insulin Syringe) | 2 | |
| TERUMO INS SYRINGE U100-1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | |
| TERUMO INS SYRINGE U100-1 ML 1 ML 30 GAUGE X 3/8" | (Thinpro Insulin Syringe) | 2 | |
| TERUMO INS SYRINGE U100- 1/2 ML 1/2 ML 30 X 3/8" | (insulin syringe-needle u-100) | 2 | |
| TERUMO INS SYRINGE U100- 1/3 ML 0.3 ML 30 X 3/8" | (insulin syringe-needle u-100) | 2 | |
| TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------------------------------|----------------------------|
| THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8" | (insulin syringe-needle u-100) | 2 |
| THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8" | | 2 |
| THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8" | (insulin syringe-needle u-100) | 2 |
| THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8" | | 2 |
| THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8" | (insulin syringe-needle u-100) | 2 |
| THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8" | | 2 |
| TOPCARE CLICKFINE 31G X 1/4" 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 |
| TOPCARE CLICKFINE 31G X 5/16" 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 |
| TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 |
| TRUE CMFRT PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 |
| TRUE CMFRT PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 |
| TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16" | | 2 |
| TRUE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16" | (pen needle, diabetic, safety) | 2 |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4" | 2 | |
| TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32" | 2 | |
| TRUE COMFORT 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16" | 2 | |
| TRUE COMFORT 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16" | 2 | |
| TRUE COMFORT PEN NDL (pen needle, diabetic) 31G 8MM 31 GAUGE X 5/16" | 2 | |
| TRUE COMFORT PEN NDL (pen needle, diabetic) 31GX5MM 31 GAUGE X 3/16" | 2 | |
| TRUE COMFORT PEN NDL (pen needle, diabetic) 31GX6MM 31 GAUGE X 1/4" | 2 | |
| TRUE COMFORT PEN NDL (pen needle, diabetic) 32G 5MM 32 GAUGE X 3/16" | 2 | |
| TRUE COMFORT PEN NDL (pen needle, diabetic) 32G 6MM 32 GAUGE X 1/4" | 2 | |
| TRUE COMFORT PEN NDL (pen needle, diabetic) 32GX4MM 32 GAUGE X 5/32" | 2 | |
| TRUE COMFORT PEN NDL (pen needle, diabetic) 33G 4MM 33 GAUGE X 5/32" | 2 | |
| TRUE COMFORT PEN NDL (pen needle, diabetic) 33G 5MM 33 GAUGE X 3/16" | 2 | |
| TRUE COMFORT PEN NDL (pen needle, diabetic) 33G 6MM 33 GAUGE X 1/4" | 2 | |
| TRUE COMFORT PRO 1 ML (insulin syringe-needle 30G 1/2" 1 ML 30 GAUGE X u-100) 1/2" | 2 | |
| TRUE COMFORT PRO 1 ML (insulin syringe-needle 30G 5/16" 1 ML 30 GAUGE X u-100) 5/16" | 2 | |
| TRUE COMFORT PRO 1 ML (insulin syringe-needle 31G 5/16" 1 ML 31 GAUGE X u-100) 5/16" | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------------------------------|----------------------------|
| TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16" | 2 | |
| TRUE COMFRT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 |
| TRUEPLUS PEN NEEDLE 29G 12MM 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 |
| TRUEPLUS PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 |
| TRUEPLUS PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 |
| TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 |
| TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 |
| TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 |
| TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 |
| TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 |
| TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 |
| TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 |
| TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 |
| TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 |
| TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| TRUEPLUS SYR 1 ML 29GX1/2" (insulin syringe-needle 1 ML 29 GAUGE X 1/2" u-100) | 2 | |
| TRUEPLUS SYR 1 ML (insulin syringe-needle 30GX5/16" 1 ML 30 GAUGE X u-100) 5/16 | 2 | |
| TRUEPLUS SYR 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16 | 2 | |
| ULTICAR INS 0.3 ML (insulin syr/ndl u100 31GX1/4(1/2) 0.3 ML 31 GAUGE half mark) X 1/4" | 2 | |
| ULTICARE INS 0.3 ML (insulin syringe-needle 31GX1/4" 0.3 ML 31 GAUGE X u-100) 1/4" | 2 | |
| ULTICARE INS 0.5 ML (insulin syringe-needle 31GX1/4" 1/2 ML 31 GAUGE X u-100) 1/4" | 2 | |
| ULTICARE INS 1 ML 31GX1/4" (insulin syringe-needle 1 ML 31 GAUGE X 1/4" u-100) | 2 | |
| ULTICARE INS SYR 1 ML (insulin syringe-needle 30GX1/2" 1 ML 30 GAUGE X u-100) 1/2" | 2 | |
| ULTICARE PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16" | 2 | |
| ULTICARE PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4" | 2 | |
| ULTICARE PEN NEEDLE 8MM (pen needle, diabetic) 31G 31 GAUGE X 5/16" | 2 | |
| ULTICARE PEN NEEDLES (pen needle, diabetic) 12MM 29G 29 GAUGE X 1/2" | 2 | |
| ULTICARE PEN NEEDLES (pen needle, diabetic) 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32" | 2 | |
| ULTICARE PEN NEEDLES (pen needle, diabetic) 6MM 32G 32 GAUGE X 1/4" | 2 | |
| ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16" | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------------------------------|----------------------------|
| ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16" | 2 | |
| ULTICARE SYR 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 |
| ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 |
| ULTICARE SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 |
| ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 |
| ULTICARE SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 |
| ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2" | 2 | |
| ULTIGUARD SAFE PACK 29G 12.7MM 29 GAUGE X 1/2" | 2 | |
| ULTIGUARD SAFE PACK 32G 4MM 32 GAUGE X 5/32" | 2 | |
| ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2" | 2 | |
| ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2" | 2 | |
| ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16" | 2 | |
| ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16" | 2 | |
| ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4" | 2 | |
| ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16" | 2 | |
| ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4" | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| ULTIGUARD SAFE PK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16" | 2 | |
| ULTIGUARD SAFE PK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16" | 2 | |
| ULTILET INSULIN SYRINGE (insulin syringe-needle 0.3 ML 0.3 ML 29 GAUGE X u-100) 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" | 2 | |
| ULTILET INSULIN SYRINGE (insulin syringe-needle 0.5 ML 0.5 ML 29 GAUGE X u-100) 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" | 2 | |
| ULTILET INSULIN SYRINGE 1 (insulin syringe-needle ML 1 ML 29 GAUGE X 1/2", 1 u-100) ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 | 2 | |
| ULTILET PEN NEEDLE 29 GAUGE | 2 | |
| ULTILET PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32" | 2 | |
| ULTRA COMFORT 0.3 ML (insulin syringe-needle SYRINGE 0.3 ML 30 GAUGE X u-100) 5/16" | 2 | |
| ULTRA COMFORT 0.5 ML (insulin syringe-needle 28GX1/2" CONVERTS TO 29G u-100) 1/2 ML 28 GAUGE X 1/2" | 2 | |
| ULTRA COMFORT 0.5 ML (insulin syringe-needle 29GX1/2" 0.5 ML 29 GAUGE X u-100) 1/2" | 2 | |
| ULTRA COMFORT 0.5 ML (insulin syringe-needle SYRINGE 1/2 ML 28 GAUGE u-100) | 2 | |
| ULTRA COMFORT 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16 | 2 | |
| ULTRA COMFORT 1 ML (insulin syringe-needle SYRINGE 1 ML 28 GAUGE X u-100) 1/2" | 2 | |
| ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2" | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16" | 2 | |
| ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16" | 2 | |
| ULTRA FLO PEN NEEDLE 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16" | 2 | |
| ULTRA FLO PEN NEEDLE 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16" | 2 | |
| ULTRA FLO PEN NEEDLE 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32" | 2 | |
| ULTRA FLO PEN NEEDLE 33G (pen needle, diabetic) 4MM 33 GAUGE X 5/32" | 2 | |
| ULTRA FLO PEN NEEDLES (pen needle, diabetic) 12MM 29G 29 GAUGE X 1/2" | 2 | |
| ULTRA FLO SYR 0.3 ML (insulin syringe-needle 29GX1/2" 0.3 ML 29 GAUGE X u-100) 1/2" | 2 | |
| ULTRA FLO SYR 0.3 ML 30G (insulin syringe-needle 5/16" 0.3 ML 30 GAUGE X u-100) 5/16" | 2 | |
| ULTRA FLO SYR 0.3 ML 31G (insulin syringe-needle 5/16" 0.3 ML 31 GAUGE X u-100) 5/16" | 2 | |
| ULTRA FLO SYR 0.5 ML 29G (insulin syringe-needle 1/2" 0.5 ML 29 GAUGE X u-100) 1/2" | 2 | |
| ULTRA THIN PEN NDL 32G X (pen needle, diabetic) 4MM 32 GAUGE X 5/32" | 2 | |
| ULTRACARE INS 0.3 ML (insulin syringe-needle 30GX5/16" 0.3 ML 30 GAUGE X u-100) 5/16" | 2 | |
| ULTRACARE INS 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16" | 2 | |
| ULTRACARE INS 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X u-100) 1/2" | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-----------------------------------|------------------|----------------------------|
| ULTRACARE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | |
| ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | |
| ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | |
| ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | |
| ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | |
| ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | |
| ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | |
| ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | |
| ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 | |
| ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16" | (pen needle, diabetic) | 2 | |
| ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | |
| ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32" | (pen needle, diabetic) | 2 | |
| ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | |
| ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | |
| ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | |
| ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | |
| ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-----------------------------------|------------------|----------------------------|
| ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | |
| ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | |
| ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | |
| ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | |
| ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | |
| UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | |
| UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | |
| UNIFINE PENTIPS 31GX3/16" 31GX5MM,STRL,MINI 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | |
| UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 | |
| UNIFINE PENTIPS 32GX5/32" 32GX4MM, STRL, NANO 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | |
| UNIFINE PENTIPS 33GX5/32" 33 GAUGE X 5/32" | (pen needle, diabetic) | 2 | |
| UNIFINE PENTIPS 6MM 31G 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | |
| UNIFINE PENTIPS MAX 30GX3/16" 30 GAUGE X 3/16" | (pen needle, diabetic) | 2 | |
| UNIFINE PENTIPS NEEDLES 29G 29 GAUGE | | 2 | |
| UNIFINE PENTIPS PLUS 29GX1/2" 12MM 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | |
| UNIFINE PENTIPS PLUS 30GX3/16" 30 GAUGE X 3/16" | (pen needle, diabetic) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4" | 2 | |
| UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX3/16" MINI 31 GAUGE X 3/16" | 2 | |
| UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX5/16" SHORT 31 GAUGE X 5/16" | 2 | |
| UNIFINE PENTIPS PLUS (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32" | 2 | |
| UNIFINE PENTIPS PLUS (pen needle, diabetic) 33GX5/32" 33 GAUGE X 5/32" | 2 | |
| UNIFINE PROTECT 30G 5MM 30 GAUGE X 3/16" | 2 | |
| UNIFINE PROTECT 30G 8MM 30 GAUGE X 5/16" | 2 | |
| UNIFINE PROTECT 32G 4MM 32 GAUGE X 5/32" | 2 | |
| UNIFINE SAFECONTROL 30GX3/16" 30 GAUGE X 3/16" | 2 | |
| UNIFINE SAFECONTROL 30GX5/16" 30 GAUGE X 5/16" | 2 | |
| UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32" | 2 | |
| UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 5MM 31 GAUGE X 3/16" | 2 | |
| UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 6MM 31 GAUGE X 1/4" | 2 | |
| UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 8MM 31 GAUGE X 5/16" | 2 | |
| UNIFINE ULTRA PEN NDL (pen needle, diabetic) 32G 4MM 32 GAUGE X 5/32" | 2 | |
| VANISHPOINT 0.5 ML (insulin syringe-needle 30GX1/2" SY OUTER 0.5 ML 30 u-100) GAUGE X 1/2" | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------------------------------|----------------------------|
| VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16" | 2 | |
| VANISHPOINT U-100 29X1/2 SYR 1 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 |
| VERIFINE INS SYR 1 ML 29G 1/2" 1 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 |
| VERIFINE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 |
| VERIFINE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 |
| VERIFINE PEN NEEDLE 31G X 6MM 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 |
| VERIFINE PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 |
| VERIFINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 |
| VERIFINE PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 |
| VERIFINE PEN NEEDLE 32G X 5MM 32 GAUGE X 3/16" | (pen needle, diabetic) | 2 |
| VERIFINE PLUS PEN NDL 31G 5MM 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 |
| VERIFINE PLUS PEN NDL 31G 8MM 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 |
| VERIFINE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 |
| VERIFINE PLUS PEN NDL 32G 4MM-SHARPS CONTAINER 32 GAUGE X 5/32" | | 2 |
| VERIFINE SYRING 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 |
| VERIFINE SYRING 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 |
| VERIFINE SYRNG 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 |
| VERIFINE SYRNG 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------------------|
| VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 " | 1 | |
| Enzyme Replacement/Modifiers | | |
| Enzyme Replacement/Modifiers | | |
| CERDELGA ORAL CAPSULE 84 MG | 5 | PA; NM; NDS |
| CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT | 3 | |
| GALAFOLD ORAL CAPSULE 123 MG | 5 | PA; NM; NDS; QL (14 per 28 days) |
| <i>miglustat oral capsule 100 mg</i> (Yargesa) | 5 | PA; NM; NDS; QL (90 per 30 days) |
| <i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i> (Orfadin) | 5 | PA; NM; NDS |
| NITYR ORAL TABLET 10 MG, 2 MG, 5 MG | 5 | PA; NM; NDS |
| ORFADIN ORAL CAPSULE 20 (nitisinone) MG | 5 | PA; NM; NDS |
| ORFADIN ORAL SUSPENSION 4 MG/ML | 5 | PA; NM; NDS |
| PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML | 5 | PA; NM; NDS |
| PULMOZYME INHALATION SOLUTION 1 MG/ML | 5 | PA BvD; NM; NDS |
| <i>sapropterin oral tablet,soluble 100 mg</i> (Javygtor) | 5 | NM; NDS |
| STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML | 5 | PA; NM; LA; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------------------|
| ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT | 3 | |
| Eye, Ear, Nose, Throat Agents | | |
| Eye, Ear, Nose, Throat Agents, Miscellaneous | | |
| <i>apraclonidine ophthalmic (eye) drops 0.5 %</i> | 2 | |
| <i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine) | 4 | |
| <i>azelastine nasal aerosol,spray 137 mcg (0.1 %)</i> | 2 | QL (30 per 25 days) |
| <i>azelastine ophthalmic (eye) drops 0.05 %</i> | 2 | |
| <i>cromolyn ophthalmic (eye) drops 4 %</i> | 2 | |
| <i>cyclopentolate ophthalmic (eye) drops 1 %</i> (Cyclogyl) | 2 | |
| CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 % | 5 | PA; NM; NDS; QL (60 per 28 days) |
| <i>epinastine ophthalmic (eye) drops 0.05 %</i> | 2 | |
| <i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i> | 2 | QL (30 per 28 days) |
| <i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i> | 2 | QL (15 per 10 days) |
| <i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Eye Allergy Itch- Redness Rlf) | 2 | |
| <i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Eye Allergy Itch Relief) | 4 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| TEPEZZA INTRAVENOUS RECON SOLN 500 MG | 5 | PA; NM; NDS |
| Eye, Ear, Nose, Throat Anti- Infectives Agents | | |
| <i>acetic acid otic (ear) solution 2 %</i> | 2 | |
| <i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i> | 4 | |
| <i>bacitracin-polymyxin b ophthalmic (Polycin) (eye) ointment 500-10,000 unit/gram</i> | 2 | |
| <i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i> | 2 | |
| <i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i> | 3 | QL (7.5 per 7 days) |
| <i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i> | 2 | QL (3.5 per 4 days) |
| <i>gentamicin ophthalmic (eye) drops 0.3 %</i> | 1 | |
| <i>moxifloxacin ophthalmic (eye) (Vigamox) drops 0.5 %</i> | 2 | |
| NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 % | 4 | |
| <i>neomycin-bacitracin-poly-hc (Neo-Polycin HC) ophthalmic (eye) ointment 3.5-400- 10,000 mg-unit/g-1%</i> | 2 | |
| <i>neomycin-bacitracin-polymyxin (Neo-Polycin) ophthalmic (eye) ointment 3.5-400- 10,000 mg-unit-unit/g</i> | 2 | |
| <i>neomycin-polymyxin b-dexameth (Maxitrol) ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> | 2 | |
| <i>neomycin-polymyxin b-dexameth (Maxitrol) ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> | 2 | |
| <i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg- 10,000 unit-0.025mg/ml</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|--------------------------------------|----------------------------|
| <i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i> | 4 | |
| <i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i> | 2 | |
| <i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i> | 2 | |
| <i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> | (neomycin-bacitracin-poly-hc) 2 | |
| <i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> | (neomycin-bacitracin-polymyxin) 2 | |
| <i>ofloxacin ophthalmic (eye) drops 0.3 %</i> | (Ocuflox) 2 | |
| <i>ofloxacin otic (ear) drops 0.3 %</i> | 2 | |
| <i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit-1 mg/ml</i> | 1 | |
| <i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i> | 2 | |
| <i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i> | 2 | |
| <i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i> | 2 | |
| <i>tobramycin ophthalmic (eye) drops 0.3 %</i> | 2 | |
| <i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i> | 2 | |
| <i>trifluridine ophthalmic (eye) drops 1 %</i> | 3 | |
| XDEM VY OPHTHALMIC (EYE) DROPS 0.25 % | 5 | PA NSO; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|----------------------|
| ZIRGAN OPHTHALMIC (EYE) GEL 0.15 % | 4 | |
| ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 % | 3 | |
| Eye, Ear, Nose, Throat Anti-Inflammatory Agents | | |
| ALREX OPHTHALMIC (EYE) (loteprednol etabonate) DROPS,SUSPENSION 0.2 % | 3 | ST |
| <i>bromfenac ophthalmic (eye) drops</i> (Prolensa) 0.07 % | 2 | |
| <i>bromfenac ophthalmic (eye) drops</i> (BromSite) 0.075 % | 2 | |
| <i>bromfenac ophthalmic (eye) drops</i> 0.09 % | 2 | |
| BROMSITE OPHTHALMIC (bromfenac) (EYE) DROPS 0.075 % | 3 | |
| <i>cyclosporine ophthalmic (eye)</i> (Restasis) <i>dropperette</i> 0.05 % | 2 | QL (60 per 30 days) |
| <i>dexamethasone sodium phosphate</i> <i>ophthalmic (eye) drops</i> 0.1 % | 2 | |
| <i>diclofenac sodium ophthalmic (eye)</i> <i>drops</i> 0.1 % | 2 | |
| <i>difluprednate ophthalmic (eye)</i> (Durezol) <i>drops</i> 0.05 % | 3 | |
| EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 % | 3 | QL (8.3 per 14 days) |
| <i>flunisolide nasal spray,non-aerosol</i> <i>25 mcg (0.025 %)</i> | 2 | QL (50 per 25 days) |
| <i>fluorometholone ophthalmic (eye)</i> (FML Liquifilm) <i>drops,suspension</i> 0.1 % | 4 | |
| <i>flurbiprofen sodium ophthalmic</i> <i>(eye) drops</i> 0.03 % | 2 | |
| <i>fluticasone propionate nasal</i> (24 Hour Allergy <i>spray,suspension</i> 50 mcg/actuation Relief) | 1 | QL (16 per 30 days) |
| ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 % | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 % | 3 | |
| <i>ketorolac ophthalmic (eye) drops</i> (Acular) 0.5 % | 2 | QL (10 per 25 days) |
| LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 % | 3 | |
| LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 % | 3 | |
| <i>loteprednol etabonate ophthalmic</i> (Lotemax) <i>(eye) drops,gel 0.5 %</i> | 4 | |
| <i>loteprednol etabonate ophthalmic</i> (Alrex) <i>(eye) drops,suspension 0.2 %</i> | 2 | |
| <i>mometasone nasal spray,non-aerosol</i> (Nasonex 24hr Allergy) <i>50 mcglactuation</i> | 4 | QL (34 per 30 days) |
| <i>prednisolone acetate ophthalmic</i> (Pred Forte) <i>(eye) drops,suspension 1 %</i> | 4 | |
| <i>prednisolone sodium phosphate</i> <i>ophthalmic (eye) drops 1 %</i> | 2 | |
| PROLENSA OPHTHALMIC (bromfenac) (EYE) DROPS 0.07 % | 3 | |
| RESTASIS MULTIDOSE OPHTHALMIC (EYE) DROPS 0.05 % | 3 | QL (60 per 30 days) |
| RESTASIS OPHTHALMIC (cyclosporine) (EYE) DROPPERETTE 0.05 % | 3 | QL (60 per 30 days) |
| XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION | 3 | ST; QL (32 per 30 days) |
| XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 % | 3 | QL (60 per 30 days) |
| Gastrointestinal Agents | | |
| Antiulcer Agents And Acid Suppressants | | |
| <i>cimetidine hcl oral solution 300 mg/5 ml</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>esomeprazole magnesium oral capsule, delayed release (drlec) 20 mg</i> (Nexium) | 2 | QL (30 per 30 days) |
| <i>esomeprazole magnesium oral capsule, delayed release (drlec) 40 mg</i> (Nexium) | 2 | QL (60 per 30 days) |
| <i>famotidine intravenous solution 10 mg/ml</i> | 2 | |
| <i>famotidine oral tablet 20 mg</i> (Acid Controller) | 1 | |
| <i>famotidine oral tablet 40 mg</i> (Pepcid) | 1 | |
| <i>lansoprazole oral capsule, delayed release (drlec) 15 mg</i> (Acid Reducer (lansoprazole)) | 4 | QL (30 per 30 days) |
| <i>lansoprazole oral capsule, delayed release (drlec) 30 mg</i> (Prevacid) | 4 | QL (60 per 30 days) |
| <i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec) | 2 | |
| <i>nizatidine oral capsule 150 mg, 300 mg</i> | 2 | |
| <i>omeprazole oral capsule, delayed release (drlec) 10 mg, 20 mg, 40 mg</i> | 1 | |
| <i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram</i> (Zegerid) | 4 | ST; QL (30 per 30 days) |
| <i>pantoprazole oral tablet, delayed release (drlec) 20 mg</i> (Protonix) | 1 | QL (30 per 30 days) |
| <i>pantoprazole oral tablet, delayed release (drlec) 40 mg</i> (Protonix) | 1 | QL (60 per 30 days) |
| <i>rabeprazole oral tablet, delayed release (drlec) 20 mg</i> (AcipHex) | 2 | QL (30 per 30 days) |
| <i>sucralfate oral tablet 1 gram</i> (Carafate) | 2 | |
| Gastrointestinal Agents, Other | | |
| <i>carglumic acid oral tablet, dispersible 200 mg</i> (Carbaglu) | 5 | NM; NDS |
| <i>constulose oral solution 10 gram/15 ml</i> (lactulose) | 2 | |
| <i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom) | 4 | |
| <i>dicyclomine oral capsule 10 mg</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------------|
| <i>dicyclomine oral solution 10 mg/5 ml</i> | 4 | |
| <i>dicyclomine oral tablet 20 mg</i> | 2 | |
| <i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> (Lomotil) | 4 | |
| <i>enulose oral solution 10 gram/15 ml</i> (lactulose) | 2 | |
| GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG | 5 | PA; NM; NDS |
| <i>generlac oral solution 10 gram/15 ml</i> (lactulose) | 2 | |
| <i>glycopyrrolate oral tablet 1 mg</i> (Robinul) | 2 | |
| <i>glycopyrrolate oral tablet 2 mg</i> (Robinul Forte) | 2 | |
| <i>lactulose oral solution 10 gram/15 ml</i> (Constulose) | 2 | |
| LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG | 3 | QL (30 per 30 days) |
| LOKELMA ORAL POWDER IN PACKET 10 GRAM | 3 | QL (34 per 30 days) |
| LOKELMA ORAL POWDER IN PACKET 5 GRAM | 3 | QL (30 per 30 days) |
| <i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide)) | 2 | |
| <i>lubiprostone oral capsule 24 mcg, 8 mcg</i> (Amitiza) | 3 | QL (60 per 30 days) |
| <i>methscopolamine oral tablet 2.5 mg, 5 mg</i> | 4 | |
| <i>metoclopramide hcl oral solution 5 mg/5 ml</i> | 2 | |
| <i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan) | 1 | |
| MOVANTIK ORAL TABLET 12.5 MG, 25 MG | 3 | QL (30 per 30 days) |
| OCALIVA ORAL TABLET 10 MG, 5 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| RAVICTI ORAL LIQUID 1.1 GRAM/ML | 5 | PA; NM; NDS |
| <i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl) | 5 | NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------------|
| <i>sodium polystyrene sulfonate oral powder</i> | 2 | |
| <i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i> | 2 | |
| <i>ursodiol oral capsule 300 mg</i> | 2 | |
| <i>ursodiol oral tablet 250 mg</i> (URSO 250) | 2 | |
| <i>ursodiol oral tablet 500 mg</i> (URSO Forte) | 2 | |
| XERMELO ORAL TABLET 250 MG | 5 | PA; NM; NDS; QL (90 per 30 days) |
| Laxatives | | |
| CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM- 12 GRAM/160 ML, 10 MG-3.5 GRAM- 12 GRAM/175 ML | 3 | |
| <i>gavilyte-c oral recon soln 240-22.72- 6.72 -5.84 gram</i> (peg 3350-electrolytes) | 2 | |
| <i>gavilyte-g oral recon soln 236-22.74- 6.74 -5.86 gram</i> (peg 3350-electrolytes) | 2 | |
| <i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i> (GaviLyte-G) | 2 | |
| <i>peg-electrolyte soln oral recon soln 420 gram</i> | 2 | |
| SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13- 1.6 GRAM (sodium,potassium,ma g sulfates) | 3 | |
| SUTAB ORAL TABLET 1.479- 0.188- 0.225 GRAM | 3 | |
| Phosphate Binders | | |
| <i>calcium acetate(phosphat bind) oral capsule 667 mg</i> | 2 | |
| <i>calcium acetate(phosphat bind) oral tablet 667 mg</i> | 2 | |
| PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML | 4 | |
| <i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela) | 4 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>sevelamer carbonate oral tablet 800 mg</i> (Renvela) | 4 | |
| <i>sevelamer hcl oral tablet 400 mg</i> | 3 | |
| VELPHORO ORAL TABLET,CHEWABLE 500 MG | 3 | |
| Genitourinary Agents | | |
| Antispasmodics, Urinary | | |
| <i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i> | 2 | |
| GEMTESA ORAL TABLET 75 MG | 4 | |
| MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG | 3 | |
| <i>oxybutynin chloride oral syrup 5 mg/5 ml</i> | 2 | |
| <i>oxybutynin chloride oral tablet 2.5 mg, 5 mg</i> | 2 | |
| <i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i> | 2 | |
| <i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i> (Detrol LA) | 2 | |
| <i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol) | 2 | |
| <i>tropium oral tablet 20 mg</i> | 4 | |
| Genitourinary Agents, Miscellaneous | | |
| <i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral) | 1 | QL (30 per 30 days) |
| <i>dutasteride oral capsule 0.5 mg</i> (Avodart) | 2 | |
| <i>finasteride oral tablet 5 mg</i> (Proscar) | 1 | |
| <i>tamsulosin oral capsule 0.4 mg</i> (Flomax) | 1 | |
| <i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i> | 1 | |
| THIOLA EC ORAL TABLET,DELAYED RELEASE (DR/EC) 100 MG, 300 MG (tiopronin) | 5 | PA; NM; NDS |
| <i>tiopronin oral tablet 100 mg</i> (Thiola) | 5 | NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------------|
| Heavy Metal Antagonists | | |
| Heavy Metal Antagonists | | |
| <i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle) | 5 | PA; NM; NDS |
| <i>deferasirox oral tablet 180 mg, 360 mg</i> (Jadenu) | 4 | PA |
| <i>deferasirox oral tablet 90 mg</i> (Jadenu) | 3 | PA |
| <i>deferasirox oral tablet, dispersible 125 mg</i> (Exjade) | 2 | PA |
| <i>deferasirox oral tablet, dispersible 250 mg</i> (Exjade) | 4 | PA |
| <i>deferasirox oral tablet, dispersible 500 mg</i> (Exjade) | 5 | PA; NM; NDS |
| <i>deferiprone oral tablet 1,000 mg, 500 mg</i> (Ferriprox) | 5 | PA; NM; NDS |
| FERRIPROX ORAL SOLUTION 100 MG/ML | 5 | PA; NM; NDS |
| <i>penicillamine oral capsule 250 mg</i> (Cuprimine) | 5 | PA; NM; NDS |
| <i>penicillamine oral tablet 250 mg</i> (Depen Titratabs) | 5 | PA; NM; NDS |
| <i>trientine oral capsule 250 mg</i> (Syprine) | 5 | PA; NM; NDS; QL (240 per 30 days) |
| <i>trientine oral capsule 500 mg</i> | 5 | PA; NM; NDS; QL (240 per 30 days) |
| Hormonal Agents, Stimulant/Replacement/Modifying | | |
| Androgens | | |
| <i>danazol oral capsule 100 mg, 200 mg, 50 mg</i> | 3 | |
| <i>oxandrolone oral tablet 10 mg</i> (Oxandrin) | 2 | |
| <i>oxandrolone oral tablet 2.5 mg</i> (Oxandrin) | 4 | |
| <i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone) | 2 | PA |
| <i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i> | 2 | PA |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>testosterone enanthate intramuscular oil 200 mg/ml</i> | 2 | PA; QL (5 per 28 days) |
| <i>testosterone transdermal gel in metered-dose pump 12.5 mg/1.25 gram (1%)</i> (Vogelxo) | 3 | PA; QL (300 per 30 days) |
| <i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62%)</i> (AndroGel) | 2 | PA; QL (150 per 30 days) |
| <i>testosterone transdermal gel in packet 1% (25 mg/2.5gram), 1% (50 mg/5 gram)</i> (AndroGel) | 4 | PA; QL (300 per 30 days) |
| <i>testosterone transdermal solution in metered pump w/lapp 30 mg/lactuation (1.5 ml)</i> | 4 | PA; QL (180 per 30 days) |
| XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML | 3 | PA; QL (2 per 28 days) |
| Estrogens And Antiestrogens | | |
| <i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i> (estradiol-norethindrone acet) | 2 | |
| <i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (estradiol) | 2 | QL (8 per 28 days) |
| DUAVEE ORAL TABLET 0.45-20 MG | 3 | |
| <i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace) | 1 | |
| <i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Dotti) | 2 | QL (8 per 28 days) |
| <i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Climara) | 2 | QL (4 per 28 days) |
| <i>estradiol vaginal cream 0.01% (0.1 mg/gram)</i> (Estrace) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>estradiol vaginal tablet 10 mcg</i> (Yuvaferm) | 2 | QL (18 per 28 days) |
| <i>estradiol valerate intramuscular oil 10 mg/ml, 20 mg/ml, 40 mg/ml</i> (Delestrogen) | 2 | |
| <i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i> (Amabelz) | 2 | |
| FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR | 4 | QL (1 per 84 days) |
| <i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (norethindrone ac-eth estradiol) | 2 | |
| <i>jinteli oral tablet 1-5 mg-mcg</i> (norethindrone ac-eth estradiol) | 2 | |
| <i>lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (estradiol) | 2 | QL (8 per 28 days) |
| <i>mimvey oral tablet 1-0.5 mg</i> (estradiol-norethindrone acet) | 2 | |
| <i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (Fyavolv) | 2 | |
| PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG | 3 | |
| PREMARIN ORAL TABLET 0.625 MG, 1.25 MG (conjugated estrogens) | 3 | |
| PREMARIN VAGINAL CREAM 0.625 MG/GRAM | 3 | |
| PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14) | 3 | |
| PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG | 3 | |
| <i>raloxifene oral tablet 60 mg</i> (Evista) | 2 | |
| <i>yuvaferm vaginal tablet 10 mcg</i> (estradiol) | 2 | QL (18 per 28 days) |
| Glucocorticoids/Mineralocorticoids | | |
| <i>dexamethasone oral solution 0.5 mg/5 ml</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------------|
| <i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i> | 2 | |
| <i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i> | 1 | |
| EMFLAZA ORAL SUSPENSION 22.75 MG/ML | 5 | PA; NM; NDS; QL (91 per 28 days) |
| EMFLAZA ORAL TABLET 18 MG (deflazacort) | 5 | PA; NM; NDS; QL (30 per 30 days) |
| EMFLAZA ORAL TABLET 30 MG, 36 MG, 6 MG (deflazacort) | 5 | PA; NM; NDS; QL (60 per 30 days) |
| <i>fludrocortisone oral tablet 0.1 mg</i> | 2 | |
| <i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef) | 2 | |
| <i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i> (Depo-Medrol) | 2 | |
| <i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i> (Medrol) | 2 | |
| <i>methylprednisolone oral tablet 32 mg</i> | 2 | |
| <i>methylprednisolone oral tablets, dose pack 4 mg</i> (Medrol (Pak)) | 2 | |
| <i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i> | 2 | |
| <i>prednisolone 15 mg/5 ml soln dlf 15 mg/5 ml (3 mg/ml)</i> | 2 | PA BvD |
| <i>prednisolone oral solution 15 mg/5 ml</i> | 2 | PA BvD |
| <i>prednisolone oral tablet 5 mg</i> (Millipred) | 2 | PA BvD |
| <i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i> | 3 | PA BvD |
| <i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred) | 3 | PA BvD |
| <i>prednisone oral solution 5 mg/5 ml</i> | 3 | PA BvD |
| <i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i> | 1 | PA BvD |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------------|
| <i>prednisone oral tablets,dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i> | 2 | |
| SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 100 MG/2 ML | 4 | |
| <i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog) | 2 | |
| Pituitary | | |
| ACTHAR INJECTION GEL 80 UNIT/ML | 5 | PA; NM; NDS; QL (35 per 28 days) |
| CORTROPHIN GEL INJECTION GEL 80 UNIT/ML | 5 | PA; NM; NDS; QL (35 per 28 days) |
| <i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i> | 4 | |
| <i>desmopressin nasal spray,non-aerosol 10 mcg/spray (0.1 ml)</i> | 4 | |
| <i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP) | 2 | |
| EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML | 5 | NM; NDS |
| LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG | 5 | NM; NDS |
| LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG | 5 | NM; NDS |
| LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG | 5 | NM; NDS |
| LUPRON DEPOT-PED INTRAMUSCULAR KIT 7.5 MG (PED) | 5 | NM; NDS |
| LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT 45 MG | 5 | NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------------------|
| NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) | 5 | PA; NM; NDS |
| <i>octreotide acetate injection solution</i> <i>1,000 mcg/ml, 200 mcg/ml</i> | 3 | |
| <i>octreotide acetate injection solution</i> (Sandostatin) <i>100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i> | 3 | |
| ORGOVYX ORAL TABLET 120 MG | 5 | PA NSO; NM; NDS |
| ORILISSA ORAL TABLET 150 MG | 5 | PA; NM; NDS; QL (28 per 28 days) |
| ORILISSA ORAL TABLET 200 MG | 5 | PA; NM; NDS; QL (56 per 28 days) |
| SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG | 5 | PA; NM; NDS |
| SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML) | 5 | PA; NM; NDS; QL (60 per 30 days) |
| SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG | 5 | PA; NM; NDS |
| SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML | 5 | NM; NDS |
| Progestins | | |
| DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML | 4 | QL (1 per 84 days) |
| <i>medroxyprogesterone intramuscular</i> (Depo-Provera) <i>suspension 150 mg/ml</i> | 2 | QL (1 per 84 days) |
| <i>medroxyprogesterone intramuscular</i> (Depo-Provera) <i>syringe 150 mg/ml</i> | 2 | QL (1 per 84 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------------|
| <i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera) | 1 | |
| <i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i> | 2 | |
| <i>norethindrone acetate oral tablet 5 mg</i> | 2 | |
| <i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium) | 2 | |
| Thyroid And Antithyroid Agents | | |
| <i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox) | 1 | |
| <i>levothyroxine oral tablet 300 mcg</i> (Levo-T) | 1 | |
| <i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel) | 2 | |
| <i>methimazole oral tablet 10 mg, 5 mg</i> | 1 | |
| <i>propylthiouracil oral tablet 50 mg</i> | 2 | |
| Immunological Agents | | |
| Immunological Agents | | |
| ARCALYST SUBCUTANEOUS RECON SOLN 220 MG | 5 | NM; NDS |
| <i>azathioprine oral tablet 50 mg</i> (Imuran) | 2 | PA BvD |
| BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG | 5 | PA; NM; NDS |
| BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML | 5 | PA; NM; NDS; QL (8 per 28 days) |
| BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML | 5 | PA; NM; NDS; QL (8 per 28 days) |
| BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML | 5 | PA NSO; NM; NDS; QL (2 per 28 days) |
| COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML | 5 | PA; NM; NDS |
| COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML | 5 | PA; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML | 5 | PA; NM; NDS |
| COSENTYX UNOREADY PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML (150 MG/ML) | 5 | PA; NM; NDS |
| <i>cyclosporine modified oral capsule</i> (Gengraf) 100 mg, 25 mg | 2 | PA BvD |
| <i>cyclosporine modified oral capsule</i> 50 mg | 2 | PA BvD |
| <i>cyclosporine modified oral solution</i> (Gengraf) 100 mg/ml | 3 | PA BvD |
| <i>cyclosporine oral capsule</i> 100 mg, 25 mg (Sandimmune) | 3 | PA BvD |
| CYLTEZO(CF) PEN CROHN'S-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML (adalimumab-adbm) | 5 | PA; NM; NDS |
| CYLTEZO(CF) PEN PSORIASIS-UV SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML (adalimumab-adbm) | 5 | PA; NM; NDS |
| CYLTEZO(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML (adalimumab-adbm) | 5 | PA; NM; NDS |
| CYLTEZO(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.8 ML (adalimumab-adbm) | 5 | PA; NM; NDS |
| DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML | 5 | PA; NM; NDS |
| DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML | 5 | PA; NM; NDS |
| ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML) | 5 | PA; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML) | 5 | PA; NM; NDS |
| ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML | 5 | PA; NM; NDS |
| ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML) | 5 | PA; NM; NDS |
| ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML) | 5 | PA; NM; NDS |
| <i>everolimus (immunosuppressive) oral tablet 0.25 mg</i> (Zortress) | 4 | PA BvD |
| <i>everolimus (immunosuppressive) oral tablet 0.5 mg, 0.75 mg, 1 mg</i> (Zortress) | 5 | PA BvD; NM; NDS |
| FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 % | 5 | PA BvD; NM; NDS |
| GAMMAGARD LIQUID INJECTION SOLUTION 10 % | 5 | PA BvD; NM; NDS |
| GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM | 5 | PA BvD; NM; NDS |
| GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 % | 5 | PA BvD; NM; NDS |
| GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML) | 5 | PA BvD; NM; NDS |
| <i>gengraf oral capsule 100 mg, 25 mg</i> (cyclosporine modified) | 2 | PA BvD |
| <i>gengraf oral solution 100 mg/ml</i> (cyclosporine modified) | 3 | PA BvD |
| HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML | 5 | PA; NM; NDS |
| HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML | 5 | PA; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML | 5 | PA; NM; NDS |
| HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML | 5 | PA; NM; NDS |
| HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML | 5 | PA; NM; NDS |
| HUMIRA(CF) PEN CROHNS- UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML | 5 | PA; NM; NDS |
| HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML | 5 | PA; NM; NDS |
| HUMIRA(CF) PEN PSOR-UV- ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML | 5 | PA; NM; NDS |
| HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML | 5 | PA; NM; NDS |
| HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML | 5 | PA; NM; NDS |
| KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML | 5 | PA; NM; NDS |
| <i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava) | 2 | |
| <i>mycophenolate mofetil oral capsule</i> (CellCept) <i>250 mg</i> | 2 | PA BvD |
| <i>mycophenolate mofetil oral</i> (CellCept) <i>suspension for reconstitution 200</i> <i>mg/ml</i> | 5 | PA BvD; NM; NDS |
| <i>mycophenolate mofetil oral tablet</i> (CellCept) <i>500 mg</i> | 2 | PA BvD |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>mycophenolate sodium oral tablet, delayed release (drlec) 180 mg, 360 mg</i> (Myfortic) | 2 | PA BvD |
| OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 % | 5 | PA BvD; NM; NDS |
| ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML | 5 | PA; NM; NDS |
| OTEZLA ORAL TABLET 30 MG | 5 | PA; NM; NDS |
| OTEZLA STARTER ORAL TABLETS, DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19) | 5 | PA; NM; NDS |
| PRIVIGEN INTRAVENOUS SOLUTION 10 % | 5 | PA BvD; NM; NDS |
| PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG | 4 | PA BvD; ST |
| RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML | 3 | |
| REZUROCK ORAL TABLET 200 MG | 5 | PA NSO; NM; NDS |
| RIDAURA ORAL CAPSULE 3 MG | 5 | NM; NDS |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG | 5 | PA; NM; NDS |
| <i>sirolimus oral solution 1 mg/ml</i> (Rapamune) | 5 | PA BvD; NM; NDS |
| <i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i> (Rapamune) | 4 | PA BvD |
| SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML | 5 | PA; NM; NDS |
| SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML | 5 | PA; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML) | 5 | PA; NM; NDS |
| STELARA INTRAVENOUS SOLUTION 130 MG/26 ML | 5 | PA; NM; NDS |
| STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML | 5 | PA; NM; NDS |
| STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML | 5 | PA; NM; NDS |
| <i>tacrolimus oral capsule 0.5 mg, 1 mg</i> (Prograf) | 2 | PA BvD |
| <i>tacrolimus oral capsule 5 mg</i> (Prograf) | 3 | PA BvD |
| TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML | 5 | PA; NM; NDS |
| TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML | 5 | PA; NM; NDS |
| XELJANZ ORAL SOLUTION 1 MG/ML | 5 | PA; NM; NDS |
| XELJANZ ORAL TABLET 10 MG, 5 MG | 5 | PA; NM; NDS |
| XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG | 5 | PA; NM; NDS |
| YUFLYMA(CF) AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR, KIT 40 MG/0.4 ML, 80 MG/0.8 ML | 5 | PA; NM; NDS |
| Vaccines | | |
| ABRYSVO INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML | 3 | |
| ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML | 3 | |
| ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML | 3 | |
| AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML | 3 | |
| AREXVY ANTIGEN COMPONENT 120 MCG | 3 | |
| BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG | 3 | |
| BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML | 3 | |
| BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG- LF/0.5ML | 3 | |
| BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML | 3 | |
| DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| DENGVAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML | 3 | |
| ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML | 3 | PA BvD |
| ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML | 3 | PA BvD |
| ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML | 3 | PA BvD |
| GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML | 3 | QL (1.5 per 365 days) |
| GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML | 3 | QL (1.5 per 365 days) |
| HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML | 3 | |
| HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML | 3 | PA BvD |
| HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML | 3 | |
| IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT | 3 | PA BvD |
| INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML | 3 | |
| IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML | 3 | |
| JYNNEOS (PF) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5 | 3 | |
| KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML | 3 | |
| MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML | 3 | |
| MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML | 3 | |
| MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML | 3 | |
| M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML | 3 | |
| PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML | 3 | |
| PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML | 3 | |
| PENTACEL (PF) INTRAMUSCULAR KIT 15LF- 48MCG-62DU -10 MCG/0.5ML | 3 | |
| PREHEVBRIO (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML | 3 | PA BvD |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4- 4.2- 3.3CCID50/0.5ML | 3 | |
| PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3- 4.3-3- 3.99 TCID50/0.5 | 3 | |
| QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML, 15 LF-48 MCG- 5 LF UNIT/0.5ML (58 UNT/ML) | 3 | |
| QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML | 3 | |
| RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT | 3 | PA BvD |
| RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML | 3 | PA BvD |
| RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML | 3 | PA BvD |
| ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML | 3 | |
| ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML | 3 | |
| ROTATEQ VACCINE ORAL SOLUTION 2 ML | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML | 3 | QL (2 per 365 days) |
| TDVAX INTRAMUSCULAR (tetanus-diphtheria SUSPENSION 2-2 LF UNIT/0.5 toxoids-td) ML | 3 | |
| TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML | 3 | |
| TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML | 3 | |
| TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML | 3 | |
| TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML, 2.4 MCG/0.5 ML | 3 | QL (1.5 per 365 days) |
| TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML | 3 | |
| TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML | 3 | |
| TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML | 3 | |
| TYPHIM VI (typhoid vi polysacch INTRAMUSCULAR SYRINGE vaccine) 25 MCG/0.5 ML | 3 | |
| VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML | 3 | |
| VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML | 3 | QL (2 per 365 days) |
| YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL) | 3 | |
| Inflammatory Bowel Disease Agents | | |
| Inflammatory Bowel Disease Agents | | |
| <i>alosetron oral tablet 0.5 mg</i> (Lotronex) | 3 | |
| <i>alosetron oral tablet 1 mg</i> (Lotronex) | 5 | NM; NDS |
| <i>balsalazide oral capsule 750 mg</i> (Colazal) | 2 | |
| <i>budesonide oral capsule, delayed, extend. release 3 mg</i> | 4 | |
| <i>budesonide rectal foam 2 mg/lactuation</i> (Uceris) | 1 | |
| DIPENTUM ORAL CAPSULE 250 MG | 5 | ST; NM; NDS |
| <i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema) | 4 | |
| <i>mesalamine oral capsule (with del rel tablets) 400 mg</i> (Delzicol) | 4 | |
| <i>mesalamine oral capsule, extended release 24hr 0.375 gram</i> (Apriso) | 4 | |
| <i>mesalamine oral tablet, delayed release (drlec) 1.2 gram</i> (Lialda) | 4 | |
| <i>mesalamine oral tablet, delayed release (drlec) 800 mg</i> | 4 | |
| <i>mesalamine rectal suppository 1,000 mg</i> (Canasa) | 3 | |
| <i>sulfasalazine oral tablet 500 mg</i> (Azulfidine) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------------|
| <i>sulfasalazine oral tablet, delayed release (drlec) 500 mg</i> (Azulfidine EN-tabs) | 4 | |
| UCERIS RECTAL FOAM 2 MG/ACTUATION (budesonide) | 3 | |
| Metabolic Bone Disease Agents | | |
| Metabolic Bone Disease Agents | | |
| <i>alendronate oral tablet 10 mg</i> | 1 | QL (30 per 30 days) |
| <i>alendronate oral tablet 35 mg</i> | 1 | QL (4 per 28 days) |
| <i>alendronate oral tablet 70 mg</i> (Fosamax) | 1 | QL (4 per 28 days) |
| <i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/lactuation</i> | 2 | QL (3.7 per 28 days) |
| <i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol) | 2 | |
| <i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol) | 4 | |
| <i>cinacalcet oral tablet 30 mg</i> (Sensipar) | 3 | QL (60 per 30 days) |
| <i>cinacalcet oral tablet 60 mg</i> (Sensipar) | 4 | QL (60 per 30 days) |
| <i>cinacalcet oral tablet 90 mg</i> (Sensipar) | 4 | QL (120 per 30 days) |
| EVENITY SUBCUTANEOUS SYRINGE 210MG/2.34ML (105MG/1.17MLX2) | 5 | PA; NM; NDS; QL (2.34 per 30 days) |
| <i>ibandronate oral tablet 150 mg</i> | 2 | QL (1 per 28 days) |
| <i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemlar) | 4 | |
| <i>paricalcitol oral capsule 4 mcg</i> | 4 | |
| PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML | 3 | QL (1 per 180 days) |
| RAYALDEE ORAL CAPSULE, EXTENDED RELEASE 24 HR 30 MCG | 3 | QL (60 per 30 days) |
| <i>risedronate oral tablet 150 mg</i> (Actonel) | 4 | QL (1 per 28 days) |
| <i>risedronate oral tablet 30 mg, 5 mg</i> | 4 | QL (30 per 30 days) |
| <i>risedronate oral tablet 35 mg</i> (Actonel) | 4 | QL (4 per 28 days) |
| <i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i> | 4 | QL (4 per 28 days) |
| <i>risedronate oral tablet, delayed release (drlec) 35 mg</i> (Atelvia) | 4 | QL (4 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--------------------------------------|
| TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML) | 3 | PA; QL (1.56 per 30 days) |
| XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML) | 5 | PA; NM; NDS |
| <i>zoledronic acid-mannitol-water</i> (Reclast) <i>intravenous piggyback 5 mg/100 ml</i> | 4 | |
| Miscellaneous Therapeutic Agents | | |
| Miscellaneous Therapeutic Agents | | |
| ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML | 5 | PA; NM; NDS |
| <i>betaine oral powder 1 gram/scoop</i> (Cystadane) | 5 | NM; NDS |
| <i>bupirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i> | 2 | |
| <i>diazoxide oral suspension 50 mg/ml</i> (Proglycem) | 2 | |
| <i>dichlorphenamide oral tablet 50 mg</i> (Keveyis) | 5 | PA; NM; NDS; QL (120 per 30 days) |
| ELMIRON ORAL CAPSULE 100 MG | 4 | QL (90 per 30 days) |
| ENDARI ORAL POWDER IN PACKET 5 GRAM | 5 | PA; NM; NDS; QL (180 per 30 days) |
| EVRYSDI ORAL RECON SOLN 0.75 MG/ML | 5 | PA; NM; NDS |
| GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO- INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML | 3 | |
| GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML | 3 | |
| GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML | 3 | |
| <i>hydroxyzine pamoate oral capsule 100 mg</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---|
| <i>hydroxyzine pamoate oral capsule</i> (Vistaril) 25 mg | 1 | |
| <i>hydroxyzine pamoate oral capsule</i> 50 mg | 1 | |
| KEVEYIS ORAL TABLET 50 (dichlorphenamide) MG | 5 | PA; NM; NDS; QL (120 per 30 days) |
| <i>leucovorin calcium oral tablet 10</i> <i>mg, 15 mg, 5 mg</i> | 2 | |
| <i>leucovorin calcium oral tablet 25 mg</i> | 3 | |
| <i>levocarnitine (with sugar) oral</i> (Carnitor) <i>solution 100 mg/ml</i> | 2 | |
| <i>levocarnitine intravenous solution</i> (Carnitor) <i>200 mg/ml</i> | 6 | |
| <i>levocarnitine oral tablet 330 mg</i> (Carnitor) | 4 | |
| MESNEX ORAL TABLET 400 MG | 5 | NM; NDS |
| <i>pyridostigmine bromide oral syrup</i> (Mestinon) <i>60 mg/5 ml</i> | 4 | |
| <i>pyridostigmine bromide oral tablet</i> <i>30 mg</i> | 4 | |
| <i>pyridostigmine bromide oral tablet</i> (Mestinon) <i>60 mg</i> | 2 | |
| RECTIV RECTAL OINTMENT (nitroglycerin) 0.4 % (W/W) | 4 | QL (30 per 30 days) |
| TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML) | 5 | PA; NM; NDS; QL (4 per 28 days) |
| TAKHZYRO SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML (150 MG/ML) | 5 | PA; NM; NDS; QL (4 per 28 days) |
| THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| TYBOST ORAL TABLET 150 MG | 4 | QL (30 per 30 days) |
| VEOZAH ORAL TABLET 45 MG | 3 | PA NSO; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|--------------------------------------|
| XURIDEN ORAL GRANULES IN PACKET 2 GRAM | 5 | PA; NM; NDS; QL (120 per 30 days) |
| Ophthalmic Agents | | |
| Antiglaucoma Agents | | |
| <i>acetazolamide oral capsule, extended release 500 mg</i> | 2 | |
| <i>acetazolamide oral tablet 125 mg, 250 mg</i> | 2 | |
| ALPHAGAN P OPHTHALMIC (brimonidine) (EYE) DROPS 0.1 % | 3 | |
| <i>brimonidine ophthalmic (eye) drops 0.1 %</i> (Alphagan P) | 2 | |
| <i>brimonidine ophthalmic (eye) drops 0.2 %</i> | 1 | |
| <i>brimonidine-timolol ophthalmic (eye) drops 0.2-0.5 %</i> (Combigan) | 3 | |
| <i>brinzolamide ophthalmic (eye) drops,suspension 1 %</i> (Azopt) | 2 | |
| <i>carteolol ophthalmic (eye) drops 1 %</i> | 2 | |
| COMBIGAN OPHTHALMIC (brimonidine-timolol) (EYE) DROPS 0.2-0.5 % | 3 | |
| <i>dorzolamide ophthalmic (eye) drops 2 %</i> | 2 | |
| <i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i> (Cosopt) | 2 | |
| <i>latanoprost ophthalmic (eye) drops 0.005 %</i> (Xalatan) | 1 | QL (2.5 per 25 days) |
| <i>levobunolol ophthalmic (eye) drops 0.5 %</i> | 1 | |
| LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 % | 3 | QL (2.5 per 25 days) |
| <i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i> | 2 | |
| RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 % | 3 | QL (2.5 per 25 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 % | 3 | QL (2.5 per 25 days) |
| SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1- 0.2 % | 3 | |
| <i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i> | 1 | |
| <i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i> | 4 | |
| <i>travoprost ophthalmic (eye) drops</i> (Travatan Z) 0.004 % | 4 | QL (2.5 per 25 days) |
| Replacement Preparations | | |
| Replacement Preparations | | |
| <i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i> | 2 | |
| <i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i> | 2 | |
| <i>electrolyte-148 intravenous</i> (Plasma-Lyte 148) <i>parenteral solution</i> | 2 | |
| ISOLYTE S IV SOLUTION- EXCEL SINGLE USE | 3 | |
| ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION | 3 | |
| ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 % | 3 | |
| <i>klor-con m10 oral tablet,er</i> (potassium chloride) <i>particles/crystals 10 meq</i> | 2 | |
| <i>klor-con m15 oral tablet,er</i> (potassium chloride) <i>particles/crystals 15 meq</i> | 2 | |
| <i>klor-con m20 oral tablet,er</i> (potassium chloride) <i>particles/crystals 20 meq</i> | 2 | |
| <i>magnesium sulfate in d5w</i> <i>intravenous piggyback 1 gram/100</i> <i>ml</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4%), 40 gram/1,000 ml (4%)</i> | 2 | |
| <i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4%), 4 gram/100 ml (4%), 4 gram/50 ml (8%)</i> | 2 | |
| <i>magnesium sulfate injection solution 500 mg/ml (50%)</i> | 2 | |
| <i>magnesium sulfate injection syringe 500 mg/ml (50%)</i> | 2 | PA BvD |
| PLASMA-LYTE 148 (electrolyte-148) INTRAVENOUS PARENTERAL SOLUTION | 3 | |
| PLASMA-LYTE A (electrolyte-a) INTRAVENOUS PARENTERAL SOLUTION | 3 | |
| <i>potassium chloride intravenous solution 2 meq/ml</i> | 1 | PA BvD |
| <i>potassium chloride intravenous solution 2 meq/ml (20 ml)</i> | 2 | PA BvD |
| <i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i> | 2 | |
| <i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i> | 4 | |
| <i>potassium chloride oral tablet extended release 10 meq</i> (Klor-Con 10) | 2 | |
| <i>potassium chloride oral tablet extended release 20 meq</i> (K-Tab) | 2 | |
| <i>potassium chloride oral tablet extended release 8 meq</i> (Klor-Con 8) | 2 | |
| <i>potassium chloride oral tablet, er particles/crystals 10 meq</i> (Klor-Con M10) | 2 | |
| <i>potassium chloride oral tablet, er particles/crystals 15 meq</i> (Klor-Con M15) | 2 | |
| <i>potassium chloride oral tablet, er particles/crystals 20 meq</i> (Klor-Con M20) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i> | 2 | |
| <i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10) | 2 | |
| <i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15) | 2 | |
| <i>potassium citrate oral tablet extended release 5 meq (540 mg)</i> (Urocit-K 5) | 2 | |
| <i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i> | 2 | |
| <i>sodium chloride 0.9 % intravenous parenteral solution</i> | 2 | |
| <i>sodium chloride 0.9 % intravenous piggyback</i> | 2 | |
| Respiratory Tract Agents | | |
| Anti-Inflammatories, Inhaled Corticosteroids | | |
| ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE (fluticasone propion-salmeterol) | 2 | QL (60 per 30 days) |
| ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION (fluticasone propion-salmeterol) | 3 | QL (12 per 30 days) |
| ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION | 3 | QL (30 per 30 days) |
| BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE (fluticasone furoate-vilanterol) | 3 | QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------|
| BREO ELLIPTA INHALATION BLISTER WITH DEVICE 50-25 MCG/DOSE | 3 | QL (60 per 30 days) |
| <i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i> (Pulmicort) | 3 | PA BvD; QL (120 per 30 days) |
| <i>budesonide inhalation suspension for nebulization 1 mg/2 ml</i> (Pulmicort) | 3 | PA BvD; QL (60 per 30 days) |
| FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION (fluticasone propionate) | 3 | QL (60 per 30 days) |
| FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION (fluticasone propionate) | 3 | QL (120 per 30 days) |
| FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION (fluticasone propionate) | 3 | QL (12 per 30 days) |
| FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION (fluticasone propionate) | 3 | QL (24 per 30 days) |
| FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION (fluticasone propionate) | 3 | QL (21.2 per 30 days) |
| SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION (budesonide-formoterol) | 3 | QL (30.6 per 30 days) |
| Antileukotrienes | | |
| <i>montelukast oral tablet 10 mg</i> (Singulair) | 1 | |
| <i>montelukast oral tablet, chewable 4 mg, 5 mg</i> (Singulair) | 1 | |
| <i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate) | 4 | |
| Bronchodilators | | |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> (Proventil HFA) | 2 | QL (17 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------|
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i> | 2 | QL (13.4 per 30 days) |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i> | 2 | QL (36 per 30 days) |
| <i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %)</i> | 2 | PA BvD; QL (360 per 30 days) |
| <i>albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml</i> | 2 | PA BvD; QL (120 per 30 days) |
| <i>albuterol sulfate oral syrup 2 mg/5 ml</i> | 2 | |
| ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION | 3 | QL (60 per 30 days) |
| ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION | 4 | QL (25.8 per 28 days) |
| BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION | 3 | QL (10.7 per 30 days) |
| COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION | 3 | QL (8 per 30 days) |
| <i>ipratropium bromide inhalation solution 0.02 %</i> | 2 | PA BvD; QL (312.5 per 30 days) |
| <i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg (2.5 mg base)/3 ml</i> | 2 | PA BvD; QL (540 per 30 days) |
| SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE | 3 | QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------------|
| SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION | 3 | QL (4 per 30 days) |
| SPIRIVA WITH HANDIHALER (tiotropium bromide) INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG | 3 | QL (30 per 30 days) |
| STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION | 3 | QL (4 per 30 days) |
| STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION | 3 | QL (4 per 28 days) |
| <i>terbutaline oral tablet 2.5 mg, 5 mg</i> | 4 | |
| <i>theophylline oral solution 80 mg/15 ml</i> | 4 | |
| <i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i> | 4 | |
| <i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i> | 2 | |
| TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200- 62.5-25 MCG | 3 | QL (60 per 30 days) |
| Respiratory Tract Agents, Other | | |
| <i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i> | 2 | PA BvD |
| BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG | 5 | NM; NDS; QL (560 per 28 days) |
| <i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i> | 2 | PA BvD |
| FASENRA PEN SUBCUTANEOUS AUTO- INJECTOR 30 MG/ML | 5 | PA; NM; NDS; QL (1 per 28 days) |
| FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML | 5 | PA; NM; NDS; QL (1 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------------|
| KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG | 5 | PA; NM; NDS; QL (56 per 28 days) |
| KALYDECO ORAL TABLET 150 MG | 5 | PA; NM; NDS; QL (56 per 28 days) |
| NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML | 5 | PA; NM; LA; NDS; QL (3 per 28 days) |
| NUCALA SUBCUTANEOUS RECON SOLN 100 MG | 5 | PA; NM; LA; NDS; QL (3 per 28 days) |
| NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML | 5 | PA; NM; LA; NDS; QL (3 per 28 days) |
| NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML | 5 | PA; NM; LA; NDS; QL (0.4 per 28 days) |
| OFEV ORAL CAPSULE 100 MG, 150 MG | 5 | PA; NM; NDS; QL (60 per 30 days) |
| ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG, 75-94 MG | 5 | PA; NM; NDS; QL (56 per 28 days) |
| ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG | 5 | PA; NM; NDS; QL (120 per 30 days) |
| <i>pirfenidone oral capsule 267 mg</i> (Esbriet) | 5 | PA; NM; NDS; QL (270 per 30 days) |
| <i>pirfenidone oral tablet 267 mg</i> (Esbriet) | 5 | PA; NM; NDS; QL (270 per 30 days) |
| <i>pirfenidone oral tablet 801 mg</i> (Esbriet) | 5 | PA; NM; NDS; QL (90 per 30 days) |
| PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,SUV | 5 | PA BvD; NM; NDS |
| PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG | 5 | PA BvD; NM; NDS |
| <i>roflumilast oral tablet 250 mcg</i> (Daliresp) | 1 | QL (28 per 28 days) |
| <i>roflumilast oral tablet 500 mcg</i> (Daliresp) | 1 | QL (30 per 30 days) |
| SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N) | 5 | PA; NM; NDS; QL (56 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------------|
| TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL 100-50-75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N) | 5 | PA; NM; NDS; QL (56 per 28 days) |
| TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N) | 5 | PA; NM; NDS; QL (84 per 28 days) |
| XOLAIR SUBCUTANEOUS AUTO-INJECTOR 300 MG/2 ML | 5 | PA; NM; NDS |
| XOLAIR SUBCUTANEOUS RECON SOLN 150 MG | 5 | PA; NM; NDS |
| XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML | 5 | PA; NM; NDS |
| Skeletal Muscle Relaxants | | |
| Skeletal Muscle Relaxants | | |
| <i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i> | 2 | |
| <i>chlorzoxazone oral tablet 500 mg</i> | 2 | |
| <i>cyclobenzaprine oral tablet 10 mg, 5 mg</i> | 1 | |
| <i>dantrolene oral capsule 100 mg, 50 mg</i> | 2 | |
| <i>dantrolene oral capsule 25 mg</i> (Dantrium) | 2 | |
| <i>methocarbamol oral tablet 1,000 mg, 500 mg, 750 mg</i> | 2 | |
| <i>tizanidine oral tablet 2 mg</i> | 2 | |
| <i>tizanidine oral tablet 4 mg</i> (Zanaflex) | 2 | |
| Sleep Disorder Agents | | |
| Sleep Disorder Agents | | |
| <i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil) | 2 | PA; QL (30 per 30 days) |
| BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG | 3 | QL (30 per 30 days) |
| <i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta) | 4 | QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------------------------|
| HETLIOZ LQ ORAL SUSPENSION 4 MG/ML | 5 | PA; NM; NDS; QL (150 per 30 days) |
| <i>modafinil oral tablet 100 mg</i> (Provigil) | 2 | PA; QL (30 per 30 days) |
| <i>modafinil oral tablet 200 mg</i> (Provigil) | 2 | PA; QL (60 per 30 days) |
| SUNOSI ORAL TABLET 150 MG, 75 MG | 4 | PA; QL (30 per 30 days) |
| <i>tasimelteon oral capsule 20 mg</i> (HetlioZ) | 5 | PA; NM; NDS; QL (30 per 30 days) |
| XYREM ORAL SOLUTION 500 MG/ML (sodium oxybate) | 5 | PA; NM; LA; NDS; QL (540 per 30 days) |
| <i>zaleplon oral capsule 10 mg, 5 mg</i> | 4 | QL (30 per 30 days) |
| <i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien) | 1 | QL (30 per 30 days) |
| Vasodilating Agents | | |
| Vasodilating Agents | | |
| ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG | 5 | PA; NM; NDS; QL (90 per 30 days) |
| <i>alyq oral tablet 20 mg</i> (tadalafil (pulm. hypertension)) | 3 | PA; QL (60 per 30 days) |
| <i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis) | 5 | PA; NM; NDS; QL (30 per 30 days) |
| OPSUMIT ORAL TABLET 10 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| <i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio) | 2 | PA; QL (90 per 30 days) |
| <i>sildenafil oral tablet 100 mg, 25 mg, 50 mg</i> (Viagra) | 1 | EX; QL (6 per 30 days) |
| <i>tadalafil (pulm. hypertension) oral tablet 20 mg</i> (Alyq) | 3 | PA; QL (60 per 30 days) |
| TRACLEER ORAL TABLET 125 MG, 62.5 MG (bosentan) | 5 | PA; NM; LA; NDS; QL (60 per 30 days) |
| TRACLEER ORAL TABLET FOR SUSPENSION 32 MG | 5 | PA; NM; NDS; QL (112 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG | 5 | PA; NM; NDS; QL (60 per 30 days) |
| UPTRAVI ORAL TABLET 200 MCG | 5 | PA; NM; NDS; QL (240 per 30 days) |
| UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60) | 5 | PA; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

INDEX

| | | | | | |
|---------------------------------------|--------|---|----------|--|--------|
| 1ST TIER UNIFINE PENTIPS..... | 97 | AJOVY SYRINGE..... | 46 | <i>amlodipine-benazepril</i> | 74 |
| 1ST TIER UNIFINE PENTIPS PLUS..... | 97 | AKEEGA..... | 17 | <i>amlodipine-valsartan</i> | 74 |
| <i>abacavir</i> | 57 | AKYNZEO (NETUPITANT)..... | 48 | <i>ammonium lactate</i> | 91, 92 |
| <i>abacavir-lamivudine</i> | 57 | <i>ala-cort</i> | 94 | <i>amoxapine</i> | 34 |
| ABELCET..... | 43 | <i>albendazole</i> | 49 | <i>amoxicillin</i> | 13 |
| <i>abiraterone</i> | 17 | <i>albuterol sulfate</i> | 177, 178 | <i>amoxicillin-pot clavulanate</i> | 14 |
| ABOUTTIME PEN NEEDLE..... | 97 | <i>alclometasone</i> | 94 | <i>amphotericin b</i> | 43 |
| ABRYSVO..... | 163 | ALCOHOL PADS..... | 91 | <i>ampicillin</i> | 14 |
| <i>acamprosate</i> | 7 | ALCOHOL PREP PADS..... | 92 | <i>ampicillin sodium</i> | 14 |
| <i>acarbose</i> | 37 | ALCOHOL PREP SWABS... | 91 | <i>ampicillin-sulbactam</i> | 14 |
| <i>accutane</i> | 91 | ALCOHOL SWABS..... | 91 | <i>anagrelide</i> | 66 |
| <i>acebutolol</i> | 71 | ALCOHOL WIPES..... | 93 | <i>anastrozole</i> | 17 |
| <i>acetaminophen-codeine</i> | 3 | ALECENSA..... | 17 | ANORO ELLIPTA..... | 178 |
| <i>acetazolamide</i> | 173 | <i>alendronate</i> | 170 | <i>apomorphine</i> | 50 |
| <i>acetic acid</i> | 144 | <i>alfuzosin</i> | 151 | <i>apraclonidine</i> | 143 |
| <i>acetylcysteine</i> | 179 | <i>aliskiren</i> | 77 | <i>aprepitant</i> | 48 |
| <i>acitretin</i> | 91 | <i>allopurinol</i> | 45 | <i>apri</i> | 82 |
| ACTHAR..... | 156 | <i>alosetron</i> | 169 | APTIOM..... | 29 |
| ACTHIB (PF)..... | 163 | ALPHAGAN P..... | 173 | APTIVUS..... | 57 |
| ACTIMMUNE..... | 171 | <i>alprazolam</i> | 8 | AQINJECT PEN NEEDLE... | 98 |
| <i>acyclovir</i> | 63, 91 | ALREX..... | 146 | <i>aranelle (28)</i> | 82 |
| <i>acyclovir sodium</i> | 63 | <i>altavera (28)</i> | 82 | ARCALYST..... | 158 |
| ADACEL(TDAP ADOLESN/ADULT)(PF).... | 164 | ALTRENO..... | 96 | AREXVY (PF)..... | 164 |
| <i>adapalene</i> | 96 | ALUNBRIG..... | 17 | AREXVY ANTIGEN COMPONENT..... | 164 |
| <i>adefovir</i> | 63 | <i>alyacen 1/35 (28)</i> | 82 | <i>aripiprazole</i> | 51, 52 |
| ADEMPAS..... | 182 | <i>alyacen 7/7/7 (28)</i> | 82 | ARISTADA..... | 52 |
| ADVAIR DISKUS..... | 176 | <i>alyq</i> | 182 | ARISTADA INITIO..... | 52 |
| ADVAIR HFA..... | 176 | <i>amabelz</i> | 153 | <i>armodafinil</i> | 181 |
| ADVOCATE PEN NEEDLE.98 | | <i>amantadine hcl</i> | 50 | ARNUITY ELLIPTA..... | 176 |
| ADVOCATE SYRINGES 97, 98 | | AMBISOME..... | 43 | <i>asenapine maleate</i> | 52 |
| <i>afirmelle</i> | 82 | <i>ambrisentan</i> | 182 | <i>ashlyna</i> | 82 |
| AIMOVIG | | <i>amethia</i> | 82 | <i>aspirin-dipyridamole</i> | 66 |
| AUTOINJECTOR..... | 46 | <i>amiloride</i> | 74 | ASSURE ID DUO PRO SFTY PEN NDL..... | 98 |
| AJOVY AUTOINJECTOR.... | 46 | <i>amiloride-hydrochlorothiazide</i> .. | 74 | ASSURE ID DUO-SHIELD.. | 98 |
| | | <i>amiodarone</i> | 70 | ASSURE ID INSULIN SAFETY..... | 98, 99 |
| | | <i>amitriptyline</i> | 34 | | |
| | | <i>amlodipine</i> | 74 | | |

| | | | | |
|--------------------------------------|--|----------|---|----------|
| ASSURE ID PEN NEEDLE | <i>balziva</i> (28) | 83 | BENLYSTA | 158 |
|98, 99 | BAXDELA | 15 | <i>benztropine</i> | 50 |
| ASSURE ID PRO PEN | BCG VACCINE, LIVE (PF) | 164 | BESREMI | 158 |
| NEEDLE | BD ALCOHOL SWABS | 92 | <i>betaine</i> | 171 |
| <i>atazanavir</i> | BD AUTOSHIELD DUO | | <i>betamethasone dipropionate</i> | 94 |
| <i>atenolol</i> | PEN NEEDLE | 99 | <i>betamethasone valerate</i> | 94 |
| <i>atenolol-chlorthalidone</i> | BD ECLIPSE LUER-LOK | 99 | <i>betamethasone, augmented</i> | 94 |
| <i>atomoxetine</i> | BD INSULIN SYRINGE | | BETASERON | 78 |
| <i>atorvastatin</i> |99, 100 | | <i>betaxolol</i> | 71 |
| <i>atovaquone</i> | BD INSULIN SYRINGE | | <i>bethanechol chloride</i> | 151 |
| <i>atovaquone-proguanil</i> | (HALF UNIT) | 99 | <i>bexarotene</i> | 17 |
| <i>atropine</i> | BD INSULIN SYRINGE | | BEXSERO | 164 |
| ATROVENT HFA | SLIP TIP | 100 | <i>bicalutamide</i> | 17 |
| <i>aubra eq</i> | BD INSULIN SYRINGE U- | | BICILLIN L-A | 14 |
| AUGTYRO | 500 | 99 | BIDIL | 77 |
| <i>aurovela 1.5/30 (21)</i> | BD INSULIN SYRINGE | | BIKTARVY | 57 |
| <i>aurovela 1/20 (21)</i> | ULTRA-FINE | 99 | <i>bisoprolol fumarate</i> | 71 |
| <i>aurovela 24 fe</i> | BD NANO 2ND GEN PEN | | <i>bisoprolol-hydrochlorothiazide</i> | 71 |
| <i>aurovela fe 1.5/30 (28)</i> | NEEDLE | 100 | <i>blisovi 24 fe</i> | 83 |
| <i>aurovela fe 1-20 (28)</i> | BD SAFETYGLIDE | | <i>blisovi fe 1.5/30 (28)</i> | 83 |
| AUSTEDO | INSULIN SYRINGE | 100, 101 | <i>blisovi fe 1/20 (28)</i> | 83 |
| AUSTEDO XR | BD SAFETYGLIDE | | BOOSTRIX TDAP | 164 |
| AUSTEDO XR | SYRINGE | 100 | BORDERED GAUZE | 101 |
| TITRATION KT(WK1-4) | BD ULTRA-FINE MICRO | | BOSULIF | 17, 18 |
| AUVELITY | PEN NEEDLE | 101 | BRAFTOVI | 18 |
| AVASTIN | BD ULTRA-FINE MINI | | BREO ELLIPTA | 176, 177 |
| <i>aviane</i> | PEN NEEDLE | 101 | BREZTRI AEROSPHERE .. | 178 |
| AVONEX | BD ULTRA-FINE NANO | | <i>briellyn</i> | 83 |
| <i>ayuna</i> | PEN NEEDLE | 101 | BRILINTA | 66 |
| AYVAKIT | BD ULTRA-FINE ORIG | | <i>brimonidine</i> | 173 |
| <i>azathioprine</i> | PEN NEEDLE | 101 | <i>brimonidine-timolol</i> | 173 |
| <i>azelastine</i> | BD ULTRA-FINE SHORT | | <i>brinzolamide</i> | 173 |
| <i>azithromycin</i> | PEN NEEDLE | 101 | BRIVIACT | 29 |
| <i>aztreonam</i> | BD VEO INSULIN SYR | | <i>bromfenac</i> | 146 |
| <i>azurette (28)</i> | (HALF UNIT) | 101 | <i>bromocriptine</i> | 50 |
| <i>bacitracin</i> | BD VEO INSULIN | | BROMSITE | 146 |
| <i>bacitracin-polymyxin b</i> | SYRINGE UF | 101 | BRONCHITOL | 179 |
| <i>baclofen</i> | BELSOMRA | 181 | BRUKINSA | 18 |
| <i>balsalazide</i> | <i>benazepril</i> | 69 | <i>budesonide</i> | 169, 177 |
| BALVERSA | <i>benazepril-hydrochlorothiazide</i> .. | 70 | <i>bumetanide</i> | 74 |

| | | | | | |
|---|----------|--|---------|--|---------------|
| <i>buprenorphine hcl</i> | 7 | <i>carvedilol</i> | 71 | <i>clarithromycin</i> | 12 |
| <i>buprenorphine-naloxone</i> | 7 | <i>casprofungin</i> | 43 | CLENPIQ..... | 150 |
| <i>bupropion hcl</i> | 35 | CAYSTON..... | 13 | CLICKFINE PEN NEEDLE | |
| <i>bupropion hcl (smoking deter)</i> ... | 7 | <i>caziant (28)</i> | 83 | | 103 |
| <i>buspiron</i> | 171 | <i>cefaclor</i> | 11 | <i>clindamycin hcl</i> | 9 |
| <i>butalbital-acetaminophen-caff</i> | 3 | <i>cefadroxil</i> | 11 | <i>clindamycin in 5 % dextrose</i> | 9 |
| <i>butalbital-aspirin-caffeine</i> | 3 | <i>cefazolin</i> | 11 | <i>clindamycin phosphate</i> | |
| CABENUVA..... | 58 | <i>cefdinir</i> | 11 | | 9, 10, 46, 93 |
| <i>cabergoline</i> | 50 | <i>cefepime</i> | 11 | CLINIMIX 5%/D15W | |
| CABLIVI..... | 66 | <i>cefixime</i> | 11 | SULFITE FREE..... | 67 |
| CABOMETRYX..... | 18 | <i>cefoxitin</i> | 11 | CLINIMIX 4.25%/D10W | |
| CAELYX..... | 18 | <i>cefpodoxime</i> | 11 | SULF FREE..... | 67 |
| <i>calcipotriene</i> | 92 | <i>cefprozil</i> | 12 | CLINIMIX 4.25%/D5W | |
| <i>calcitonin (salmon)</i> | 170 | <i>ceftazidime</i> | 12 | SULFIT FREE..... | 67 |
| <i>calcitriol</i> | 170 | <i>ceftriaxone</i> | 12 | CLINIMIX 5%- | |
| <i>calcium acetate (phosphat</i> | | <i>cefuroxime axetil</i> | 12 | D20W(SULFITE-FREE)..... | 67 |
| <i>bind)</i> | 150 | <i>cefuroxime sodium</i> | 12 | CLINIMIX E 2.75%/D5W | |
| CALQUENCE | | <i>celecoxib</i> | 5 | SULF FREE..... | 67 |
| (ACALABRUTINIB MAL) ... | 18 | CELONTIN..... | 29 | CLINIMIX E 4.25%/D10W | |
| <i>camila</i> | 83 | <i>cephalexin</i> | 12 | SUL FREE..... | 67 |
| <i>camrese</i> | 83 | CERDELGA..... | 142 | CLINIMIX E 4.25%/D5W | |
| <i>candesartan</i> | 69 | <i>chateal eq (28)</i> | 83 | SULF FREE..... | 67 |
| CAPLYTA..... | 52 | <i>chlordiazepoxide hcl</i> | 8 | CLINIMIX E 5%/D15W | |
| CAPRELSA..... | 18 | <i>chlorhexidine gluconate</i> | 91 | SULFIT FREE..... | 67 |
| <i>captopril</i> | 70 | <i>chloroquine phosphate</i> | 49 | CLINIMIX E 5%/D20W | |
| <i>carbamazepine</i> | 29 | <i>chlorpromazine</i> | 52 | SULFIT FREE..... | 67 |
| <i>carbidopa-levodopa</i> | 50 | <i>chlorthalidone</i> | 75 | <i>clobazam</i> | 29 |
| <i>carbidopa-levodopa-</i> | | <i>chlorzoxazone</i> | 181 | <i>clobetasol</i> | 94 |
| <i>entacapone</i> | 50, 51 | <i>cholestyramine (with sugar)</i> | 76 | <i>clobetasol-emollient</i> | 94 |
| CAREFINE PEN NEEDLE | | <i>cholestyramine light</i> | 76 | <i>clomipramine</i> | 35 |
| | 101, 102 | <i>ciclopirox</i> | 43 | <i>clonazepam</i> | 8 |
| CARETOUCH ALCOHOL | | <i>cilostazol</i> | 66 | <i>clonidine</i> | 68 |
| PREP PAD..... | 92 | CIMDUO..... | 58 | <i>clonidine hcl</i> | 68 |
| CARETOUCH INSULIN | | <i>cimetidine hcl</i> | 147 | <i>clopidogrel</i> | 66 |
| SYRINGE..... | 102 | <i>cinacalcet</i> | 170 | <i>clorazepate dipotassium</i> | 8 |
| CARETOUCH PEN | | CINRYZE..... | 64 | <i>clotrimazole</i> | 43 |
| NEEDLE..... | 102 | <i>ciprofloxacin hcl</i> | 15, 144 | <i>clotrimazole-betamethasone</i> | 43 |
| <i>carglumic acid</i> | 148 | <i>ciprofloxacin in 5 % dextrose</i> ... | 15 | <i>clozapine</i> | 52, 53 |
| <i>carteolol</i> | 173 | <i>ciprofloxacin-dexamethasone</i> . | 144 | COARTEM..... | 49 |
| <i>cartia xt</i> | 72 | <i>citalopram</i> | 35 | <i>codeine sulfate</i> | 3 |

| | | | | | |
|---|---------------|---|--------|--|-----------|
| <i>colchicine</i> | 45 | <i>cyclosporine modified</i> | 159 | DESCOVY | 58 |
| <i>colesevelam</i> | 76 | CYLTEZO(CF)..... | 159 | <i>desipramine</i> | 35 |
| <i>colestipol</i> | 76 | CYLTEZO(CF) PEN..... | 159 | <i>desmopressin</i> | 156 |
| <i>colistin (colistimethate na)</i> | 10 | CYLTEZO(CF) PEN | | <i>desog-e.estradiolle.estradiol</i> | 84 |
| COMBIGAN..... | 173 | CROHN'S-UC-HS..... | 159 | <i>desoximetasone</i> | 95 |
| COMBIVENT RESPIMAT .. | 178 | CYLTEZO(CF) PEN | | <i>desvenlafaxine succinate</i> | 35 |
| COMETRIQ..... | 18 | PSORIASIS-UV..... | 159 | <i>dexamethasone</i> | 154, 155 |
| COMFORT EZ INSULIN | | <i>cyproheptadine</i> | 45 | <i>dexamethasone sodium</i> | |
| SYRINGE..... | 103, 104, 105 | <i>cyred eq</i> | 83 | <i>phosphate</i> | 146, 155 |
| COMFORT EZ PEN | | CYSTARAN..... | 143 | <i>dexmethylphenidate</i> | 79 |
| NEEDLES..... | 103, 104 | <i>d5 % and 0.9 % sodium</i> | | <i>dextroamphetamine sulfate</i> | 79 |
| COMFORT EZ PRO | | <i>chloride</i> | 174 | <i>dextroamphetamine-</i> | |
| SAFETY PEN NDL..... | 104 | <i>d5 %-0.45 % sodium chloride</i> .. | 174 | <i>amphetamine</i> | 79 |
| COMFORT TOUCH PEN | | <i>dalfampridine</i> | 79 | <i>dextrose 10 % in water (d10w)</i> . | 67 |
| NEEDLE..... | 105 | <i>danazol</i> | 152 | <i>dextrose 5 % in water (d5w)</i> | |
| COMPLERA..... | 58 | <i>dantrolene</i> | 181 | | 67, 68 |
| <i>compro</i> | 48 | <i>dapsone</i> | 47 | DIACOMIT..... | 29, 30 |
| <i>constulose</i> | 148 | DAPTACEL (DTAP | | <i>diazepam</i> | 9, 30 |
| COPAXONE..... | 79 | PEDIATRIC) (PF)..... | 164 | <i>diazepam intensol</i> | 9 |
| COPIKTRA..... | 18 | <i>daptomycin</i> | 10 | <i>diazoxide</i> | 171 |
| CORLANOR..... | 73 | DAPTOMYCIN IN 0.9 % | | <i>dichlorphenamide</i> | 171 |
| CORTROPHIN GEL..... | 156 | SOD CHLOR..... | 10 | <i>diclofenac epolamine</i> | 5 |
| COSENTYX..... | 159 | <i>daptomycin in 0.9 % sod chlor</i> .. | 10 | <i>diclofenac potassium</i> | 5 |
| COSENTYX (2 SYRINGES) | | <i>darunavir</i> | 58 | <i>diclofenac sodium</i> | 5, 6, 146 |
| | 158 | <i>dasetta 1/35 (28)</i> | 83 | <i>dicloxacillin</i> | 14 |
| COSENTYX PEN (2 PENS) | 158 | <i>dasetta 7/77 (28)</i> | 83 | <i>dicyclomine</i> | 148, 149 |
| COSENTYX UNOREADY | | DAURISMO..... | 18, 19 | DIFICID..... | 13 |
| PEN..... | 159 | <i>daysee</i> | 84 | <i>difluprednate</i> | 146 |
| COTELLIC..... | 18 | <i>deblitane</i> | 84 | <i>digitek</i> | 73 |
| CREON..... | 142 | <i>deferasirox</i> | 152 | <i>digoxin</i> | 73 |
| <i>cromolyn</i> | 143, 148, 179 | <i>deferiprone</i> | 152 | <i>dihydroergotamine</i> | 46 |
| <i>cryselle (28)</i> | 83 | DELSTRIGO..... | 58 | <i>diltiazem hcl</i> | 72 |
| CURAD GAUZE PAD..... | 105 | DENGVAIXIA (PF)..... | 165 | <i>dilt-xr</i> | 72 |
| CURITY ALCOHOL | | <i>denta 5000 plus</i> | 91 | <i>dimethyl fumarate</i> | 79 |
| SWABS..... | 92 | <i>dentagel</i> | 91 | DIPENTUM..... | 169 |
| CURITY GAUZE..... | 106 | DEPO-SUBQ PROVERA | | <i>diphenhydramine hcl</i> | 45 |
| <i>cyclobenzaprine</i> | 181 | 104..... | 157 | <i>diphenoxylate-atropine</i> | 149 |
| <i>cyclopentolate</i> | 143 | DERMACEA..... | 106 | <i>dipyridamole</i> | 66 |
| <i>cyclophosphamide</i> | 18 | DERMACEA NON- | | <i>disopyramide phosphate</i> | 70 |
| <i>cyclosporine</i> | 146, 159 | WOVEN..... | 106 | <i>disulfiram</i> | 7 |

| | | | | | |
|---|----------|--|---------------|---|-----|
| <i>divalproex</i> | 30 | EASY COMFORT | | <i>electrolyte-148</i> | 174 |
| <i>dofetilide</i> | 70 | INSULIN SYRINGE.... | 109, 110 | ELIGARD..... | 19 |
| <i>donepezil</i> | 34 | EASY COMFORT PEN | | ELIGARD (3 MONTH)..... | 19 |
| DOPTELET (10 TAB PACK) | 64 | NEEDLES..... | 110 | ELIGARD (4 MONTH)..... | 19 |
| DOPTELET (15 TAB PACK) | 64 | EASY COMFORT SAFETY | | ELIGARD (6 MONTH)..... | 19 |
| DOPTELET (30 TAB PACK) | 64 | PEN NEEDLE..... | 109 | <i>elinest</i> | 84 |
| <i>dorzolamide</i> | 173 | EASY GLIDE INSULIN | | ELIQUIS..... | 63 |
| <i>dorzolamide-timolol</i> | 173 | SYRINGE..... | 110 | ELIQUIS DVT-PE TREAT | |
| <i>dotti</i> | 153 | EASY GLIDE PEN | | 30D START..... | 63 |
| DOVATO..... | 58 | NEEDLE..... | 110 | ELMIRON..... | 171 |
| <i>doxazosin</i> | 68 | EASY TOUCH..... | 112 | <i>eluryng</i> | 84 |
| <i>doxepin</i> | 35 | EASY TOUCH ALCOHOL | | EMBRACE PEN NEEDLE. | 113 |
| <i>doxy-100</i> | 16 | PREP PADS..... | 92 | EMCYT..... | 19 |
| <i>doxycycline hyclate</i> | 16 | EASY TOUCH FLIPLOCK | | EMEND..... | 48 |
| <i>doxycycline monohydrate</i> | 16 | INSULIN..... | 111, 112 | EMFLAZA..... | 155 |
| DRIZALMA SPRINKLE..... | 35 | EASY TOUCH FLIPLOCK | | EMGALITY PEN..... | 46 |
| <i>dronabinol</i> | 48 | SYRINGE..... | 111 | EMGALITY SYRINGE..... | 46 |
| DROPLET INSULIN | | EASY TOUCH INSULIN | | EMSAM..... | 35 |
| SYR(HALF UNIT)..... | 106 | SAFETY SYR..... | 110, 111 | <i>emtricitabine</i> | 58 |
| DROPLET INSULIN | | EASY TOUCH INSULIN | | <i>emtricitabine-tenofovir (tdf)</i> | 58 |
| SYRINGE..... | 106, 107 | SYRINGE..... | 110, 111, 113 | EMTRIVA..... | 58 |
| DROPLET MICRON PEN | | EASY TOUCH LUER | | <i>enalapril maleate</i> | 70 |
| NEEDLE..... | 107 | LOCK INSULIN..... | 112 | <i>enalapril-hydrochlorothiazide</i> ... | 70 |
| DROPLET PEN NEEDLE | | EASY TOUCH PEN | | ENBREL..... | 160 |
| | 107, 108 | NEEDLE..... | 112 | ENBREL MINI..... | 159 |
| DROPSAFE ALCOHOL | | EASY TOUCH SAFETY | | ENBREL SURECLICK..... | 160 |
| PREP PADS..... | 92 | PEN NEEDLE..... | 112, 113 | ENDARI..... | 171 |
| DROPSAFE INSULIN | | EASY TOUCH | | <i>endocet</i> | 3 |
| SYRINGE..... | 108 | SHEATHLOCK INSULIN | | ENGERIX-B (PF)..... | 165 |
| DROPSAFE PEN NEEDLE | 108 | | 111, 112 | ENGERIX-B PEDIATRIC | |
| <i>drospirenone-ethinyl estradiol</i> ... | 84 | EASY TOUCH UNI-SLIP.. | 113 | (PF)..... | 165 |
| DROXIA..... | 66 | <i>ec-naproxen</i> | 6 | <i>enilloring</i> | 84 |
| <i>droxidopa</i> | 68 | <i>econazole</i> | 43 | <i>enoxaparin</i> | 63 |
| DUAVEE..... | 153 | EDARBI..... | 69 | <i>enpresse</i> | 84 |
| <i>duloxetine</i> | 35 | EDARBYCLOR..... | 69 | <i>enskyce</i> | 84 |
| DUPIXENT PEN..... | 159 | EDURANT..... | 58 | <i>entacapone</i> | 51 |
| DUPIXENT SYRINGE..... | 159 | <i>efavirenz</i> | 58 | <i>entecavir</i> | 63 |
| <i>dutasteride</i> | 151 | <i>efavirenz-emtricitabin-tenofov</i> .. | 58 | ENTRESTO..... | 69 |
| EASY COMFORT | | <i>efavirenz-lamivu-tenofov disop</i> .. | 58 | <i>enulose</i> | 149 |
| ALCOHOL PAD..... | 92 | EGRIFTA SV..... | 156 | EPCLUSA..... | 62 |

| | | | | | |
|---|----------|---|--------|-------------------------------------|---------|
| EPIDIOLEX..... | 30 | EYSUVIS..... | 146 | <i>fluocinolone</i> | 95 |
| <i>epinastine</i> | 143 | <i>ezetimibe</i> | 76 | <i>fluocinonide</i> | 95 |
| <i>epinephrine</i> | 73 | <i>falmina (28)</i> | 84 | <i>fluocinonide-emollient</i> | 95 |
| <i>epitol</i> | 30 | <i>famciclovir</i> | 63 | <i>fluorometholone</i> | 146 |
| <i>eplerenone</i> | 77 | <i>famotidine</i> | 148 | <i>fluorouracil</i> | 92 |
| EPRONTIA..... | 30 | FANAPT..... | 53 | <i>fluoxetine</i> | 36 |
| <i>ergoloid</i> | 34 | FARXIGA..... | 37 | <i>fluphenazine decanoate</i> | 53 |
| ERIVEDGE..... | 19 | FASENRA..... | 179 | <i>fluphenazine hcl</i> | 53 |
| ERLEADA..... | 19 | FASENRA PEN..... | 179 | <i>flurazepam</i> | 9 |
| <i>erlotinib</i> | 19 | <i>febuxostat</i> | 45 | <i>flurbiprofen</i> | 6 |
| <i>errin</i> | 84 | <i>felbamate</i> | 30 | <i>flurbiprofen sodium</i> | 146 |
| <i>ertapenem</i> | 13 | FEMRING..... | 154 | <i>fluticasone propionate</i> | 95, 146 |
| <i>ery pads</i> | 93 | <i>fenofibrate</i> | 76 | <i>fluvoxamine</i> | 36 |
| <i>erythromycin</i> | 13, 144 | <i>fenofibrate micronized</i> | 76 | <i>fondaparinux</i> | 64 |
| <i>erythromycin ethylsuccinate</i> | 13 | <i>fenofibrate nanocrystallized</i> | 76 | <i>fosamprenavir</i> | 59 |
| <i>erythromycin with ethanol</i> | 93 | <i>fentanyl</i> | 3 | <i>fosinopril</i> | 70 |
| <i>escitalopram oxalate</i> | 35, 36 | <i>fentanyl citrate</i> | 3 | FOTIVDA..... | 20 |
| <i>esomeprazole magnesium</i> | 148 | FERRIPROX..... | 152 | FREESTYLE PRECISION.. | 114 |
| <i>estarylla</i> | 84 | FETZIMA..... | 36 | FRUZAQLA..... | 20 |
| <i>estradiol</i> | 153, 154 | FIASP FLEXTOUCH U-100 | | FULPHILA..... | 64 |
| <i>estradiol valerate</i> | 154 | INSULIN..... | 40 | <i>furosemide</i> | 75 |
| <i>estradiol-norethindrone acet...</i> | 154 | FIASP PENFILL U-100 | | FUZEON..... | 59 |
| <i>eszopiclone</i> | 181 | INSULIN..... | 40 | FYARRO..... | 20 |
| <i>ethambutol</i> | 47 | FIASP PUMPCART..... | 40 | <i>fyavolv</i> | 154 |
| <i>ethosuximide</i> | 30 | FIASP U-100 INSULIN..... | 40 | FYCOMPA..... | 30 |
| <i>ethynodiol diac-eth estradiol</i> | 84 | <i>finasteride</i> | 151 | <i>gabapentin</i> | 30, 31 |
| <i>etodolac</i> | 6 | <i>fingolimod</i> | 79 | GALAFOLD..... | 142 |
| <i>etonogestrel-ethinyl estradiol</i> | 84 | FINTEPLA..... | 30 | <i>galantamine</i> | 34 |
| <i>etravirine</i> | 59 | FIRMAGON KIT W | | GAMMAGARD LIQUID... | 160 |
| EUCRISA..... | 95 | DILUENT SYRINGE..... | 19, 20 | GAMMAGARD S-D (IGA < | |
| EVENITY..... | 170 | FIRVANQ..... | 10 | 1 MCG/ML)..... | 160 |
| <i>everolimus (antineoplastic)</i> | 19 | FLEBOGAMMA DIF..... | 160 | GAMMAPLEX..... | 160 |
| <i>everolimus</i> | | <i>flecainide</i> | 71 | GAMMAPLEX (WITH | |
| <i>(immunosuppressive)</i> | 160 | FLOVENT DISKUS..... | 177 | SORBITOL)..... | 160 |
| EVOTAZ..... | 59 | FLOVENT HFA..... | 177 | GARDASIL 9 (PF)..... | 165 |
| EVRYSDI..... | 171 | <i>fluconazole</i> | 43, 44 | GATTEX 30-VIAL..... | 149 |
| EXEL INSULIN..... | 114 | <i>fluconazole in nacl (iso-osm)</i> ... | 43 | GAUZE PAD..... | 114 |
| <i>exemestane</i> | 19 | <i>flucytosine</i> | 44 | <i>gavilyte-c</i> | 150 |
| EXKIVITY..... | 19 | <i>fludrocortisone</i> | 155 | <i>gavilyte-g</i> | 150 |
| EXTENCILLINE..... | 14 | <i>flunisolide</i> | 146 | GAVRETO..... | 20 |

| | | | | | |
|-------------------------------------|------------|---|--------------|----------------------------------|----------|
| <i>gefitinib</i> | 20 | HAVRIX (PF)..... | 165 | <i>hydroxychloroquine</i> | 49 |
| <i>gemfibrozil</i> | 76 | HEALTHWISE INSULIN | | <i>hydroxyurea</i> | 20 |
| GEMTESA..... | 151 | SYRINGE..... | 115 | <i>hydroxyzine hcl</i> | 45 |
| <i>generlac</i> | 149 | HEALTHWISE PEN | | <i>hydroxyzine pamoate</i> | 171, 172 |
| <i>gengraf</i> | 160 | NEEDLE..... | 115 | <i>ibandronate</i> | 170 |
| <i>gentamicin</i> | 9, 93, 144 | HEALTHY ACCENTS | | IBRANCE..... | 20 |
| GENVOYA..... | 59 | UNIFINE PENTIP..... | 115 | <i>ibu</i> | 6 |
| GILENYA..... | 79 | <i>heather</i> | 85 | <i>ibuprofen</i> | 6 |
| GILOTRIF..... | 20 | <i>heparin (porcine)</i> | 64 | <i>icatibant</i> | 73 |
| <i>glatiramer</i> | 79, 80 | HEPLISAV-B (PF)..... | 165 | <i>iclevia</i> | 85 |
| <i>glatopa</i> | 80 | HETLIOZ LQ..... | 182 | ICLUSIG..... | 20 |
| GLEOSTINE..... | 20 | HIBERIX (PF)..... | 165 | <i>icosapent ethyl</i> | 76 |
| <i>glimepiride</i> | 42 | HUMIRA..... | 161 | IDHIFA..... | 20 |
| <i>glipizide</i> | 42 | HUMIRA PEN..... | 161 | ILEVRO..... | 146 |
| <i>glipizide-metformin</i> | 42 | HUMIRA PEN CROHNS- | | <i>imatinib</i> | 20 |
| <i>glyburide</i> | 43 | UC-HS START..... | 160 | IMBRUVICA..... | 20, 21 |
| <i>glyburide micronized</i> | 43 | HUMIRA PEN PSOR- | | <i>imipenem-cilastatin</i> | 13 |
| <i>glyburide-metformin</i> | 43 | UVEITS-ADOL HS..... | 160 | <i>imipramine hcl</i> | 36 |
| <i>glycopyrrolate</i> | 149 | HUMIRA(CF)..... | 161 | <i>imiquimod</i> | 92 |
| <i>glydo</i> | 6 | HUMIRA(CF) PEDI | | IMJUDO..... | 21 |
| GLYXAMBI..... | 38 | CROHNS STARTER..... | 161 | IMOVAX RABIES | |
| <i>granisetron hcl</i> | 48 | HUMIRA(CF) PEN..... | 161 | VACCINE (PF)..... | 165 |
| <i>griseofulvin microsize</i> | 44 | HUMIRA(CF) PEN | | IMPAVIDO..... | 49 |
| <i>guanfacine</i> | 68, 80 | CROHNS-UC-HS..... | 161 | INBRIJA..... | 51 |
| GVOKE HYOPEN 2- | | HUMIRA(CF) PEN | | <i>incassia</i> | 85 |
| PACK..... | 171 | PEDIATRIC UC..... | 161 | INCONTROL ALCOHOL | |
| GVOKE PFS 1-PACK | | HUMIRA(CF) PEN PSOR- | | PADS..... | 92 |
| SYRINGE..... | 171 | UV-ADOL HS..... | 161 | INCONTROL PEN | |
| GVOKE PFS 2-PACK | | HUMULIN R U-500 | | NEEDLE..... | 116 |
| SYRINGE..... | 171 | (CONC) INSULIN..... | 40 | INCRELEX..... | 156 |
| HAEGARDA..... | 64, 65 | HUMULIN R U-500 | | <i>indapamide</i> | 75 |
| <i>hailey</i> | 85 | (CONC) KWIKPEN..... | 41 | <i>indomethacin</i> | 6 |
| <i>hailey 24 fe</i> | 84 | <i>hydralazine</i> | 73 | INFANRIX (DTAP) (PF).... | 165 |
| <i>hailey fe 1.5/30 (28)</i> | 84 | <i>hydrochlorothiazide</i> | 75 | INGREZZA..... | 80 |
| <i>hailey fe 1/20 (28)</i> | 85 | <i>hydrocodone-acetaminophen</i> | 3 | INLYTA..... | 21 |
| <i>halobetasol propionate</i> | 95 | <i>hydrocodone-ibuprofen</i> | 3 | INQOVI..... | 21 |
| <i>haloperidol</i> | 53 | <i>hydrocortisone</i> | 95, 155, 169 | INREBIC..... | 21 |
| <i>haloperidol decanoate</i> | 53 | <i>hydrocortisone-min oil-wht pet</i> | 95 | INSULIN SYR/NDL U100 | |
| <i>haloperidol lactate</i> | 53 | <i>hydromorphone</i> | 4 | HALF MARK..... | 116 |
| HARVONI..... | 62 | <i>hydromorphone (pf)</i> | 4 | INSULIN SYRINGE..... | 100 |

| | | | | | |
|--|----------|--|---------|---|----------|
| <i>levocarnitine (with sugar)</i> | 172 | LOTEMAX..... | 147 | MARPLAN..... | 36 |
| <i>levocetirizine</i> | 45 | LOTEMAX SM..... | 147 | MATULANE..... | 23 |
| <i>levofloxacin</i> | 15 | <i>loteprednol etabonate</i> | 147 | MAVENCLAD (10 TABLET PACK)..... | 80 |
| <i>levofloxacin in d5w</i> | 15 | <i>lovastatin</i> | 76 | MAVENCLAD (4 TABLET PACK)..... | 80 |
| <i>levonest (28)</i> | 86 | <i>low-ogestrel (28)</i> | 87 | MAVENCLAD (5 TABLET PACK)..... | 80 |
| <i>levonorgest-eth.estradiol-iron</i> ... | 86 | <i>loxapine succinate</i> | 54 | MAVENCLAD (6 TABLET PACK)..... | 80 |
| <i>levonorgestrel-ethinyl estrad</i> | 86 | <i>lo-zumandimine (28)</i> | 87 | MAVENCLAD (7 TABLET PACK)..... | 80 |
| <i>levonorg-eth estrad triphasic</i> | 86 | <i>lubiprostone</i> | 149 | MAVENCLAD (8 TABLET PACK)..... | 80 |
| <i>levora-28</i> | 86 | LUCEMYRA..... | 8 | MAVENCLAD (9 TABLET PACK)..... | 80 |
| <i>levothyroxine</i> | 158 | LUMAKRAS..... | 22 | MAXICOMFORT II PEN NEEDLE..... | 119 |
| LEXIVA..... | 59 | LUMIGAN..... | 173 | MAXICOMFORT INSULIN SYRINGE..... | 119 |
| <i>lidocaine</i> | 7 | LUNSUMIO..... | 23 | MAXI-COMFORT INSULIN SYRINGE.... | 119, 120 |
| <i>lidocaine (pf)</i> | 7 | LUPRON DEPOT..... | 156 | MAXICOMFORT SAFETY PEN NEEDLE..... | 120 |
| <i>lidocaine hcl</i> | 7 | LUPRON DEPOT (3 MONTH)..... | 23, 156 | MAYZENT..... | 80, 81 |
| <i>lidocaine viscous</i> | 7 | LUPRON DEPOT (4 MONTH)..... | 23 | MAYZENT STARTER(FOR 1MG MAINT)..... | 81 |
| <i>lidocaine-prilocaine</i> | 7 | LUPRON DEPOT (6 MONTH)..... | 23 | MAYZENT STARTER(FOR 2MG MAINT)..... | 81 |
| <i>linezolid</i> | 10 | LUPRON DEPOT-PED..... | 156 | <i>meclizine</i> | 48 |
| <i>linezolid in dextrose 5%</i> | 10 | LUPRON DEPOT-PED (3 MONTH)..... | 156 | <i>medroxyprogesterone</i> | 157, 158 |
| LINZESS..... | 149 | <i>lurasidone</i> | 54 | <i>mefenamic acid</i> | 6 |
| <i>liothyronine</i> | 158 | <i>lutera (28)</i> | 87 | <i>mefloquine</i> | 49 |
| LISCO..... | 118 | LYBALVI..... | 55 | <i>megestrol</i> | 23, 158 |
| <i>lisinopril</i> | 70 | <i>lyleq</i> | 87 | MEKINIST..... | 23 |
| <i>lisinopril-hydrochlorothiazide</i> ... | 70 | <i>lyllana</i> | 154 | MEKTOVI..... | 23 |
| LITE TOUCH INSULIN PEN NEEDLES..... | 118 | LYNPARZA..... | 23 | <i>meloxicam</i> | 6 |
| LITE TOUCH INSULIN SYRINGE..... | 118, 119 | LYSODREN..... | 23 | <i>memantine</i> | 34 |
| <i>lithium carbonate</i> | 80 | LYTGOBI..... | 23 | | |
| <i>lithium citrate</i> | 80 | <i>lyza</i> | 87 | | |
| LIVALO..... | 76 | MAGELLAN INSULIN SAFETY SYRNG..... | 119 | | |
| <i>lojaimiess</i> | 87 | MAGELLAN SYRINGE.... | 119 | | |
| LOKELMA..... | 149 | <i>magnesium sulfate</i> | 175 | | |
| LONSURF..... | 22 | <i>magnesium sulfate in d5w</i> | 174 | | |
| <i>loperamide</i> | 149 | <i>magnesium sulfate in water</i> | 175 | | |
| <i>lopinavir-ritonavir</i> | 59 | <i>malathion</i> | 96 | | |
| <i>lorazepam</i> | 9 | <i>maraviroc</i> | 59 | | |
| LORBRENA..... | 22 | <i>marlissa (28)</i> | 87 | | |
| <i>loryna (28)</i> | 87 | | | | |
| <i>losartan</i> | 69 | | | | |
| <i>losartan-hydrochlorothiazide</i> | 69 | | | | |

| | | | | | |
|---|------------|---|----------|--|-----|
| MENACTRA (PF)..... | 166 | <i>mili</i> | 87 | <i>nafcillin in dextrose iso-osm</i> | 14 |
| MENQUADFI (PF)..... | 166 | <i>mimvey</i> | 154 | <i>naloxone</i> | 8 |
| MENVEO A-C-Y-W-135- DIP (PF)..... | 166 | MINI ULTRA-THIN II..... | 120 | <i>naltrexone</i> | 8 |
| <i>mercaptapurine</i> | 23 | <i>minocycline</i> | 16 | NAMZARIC..... | 34 |
| <i>meropenem</i> | 13 | <i>minoxidil</i> | 78 | <i>naproxen</i> | 6 |
| <i>mesalamine</i> | 169 | <i>mirtazapine</i> | 36 | NARCAN..... | 8 |
| MESNEX..... | 172 | <i>misoprostol</i> | 148 | NATACYN..... | 144 |
| <i>metformin</i> | 38 | MITIGARE..... | 45 | NAYZILAM..... | 31 |
| <i>methadone</i> | 4 | M-M-R II (PF)..... | 166 | <i>neбиволol</i> | 72 |
| <i>methenamine hippurate</i> | 10 | <i>modafinil</i> | 182 | <i>necon 0.5/35 (28)</i> | 87 |
| <i>methimazole</i> | 158 | <i>molindone</i> | 55 | <i>nefazodone</i> | 36 |
| <i>methocarbamol</i> | 181 | <i>mometasone</i> | 95, 147 | <i>neomycin</i> | 9 |
| <i>methotrexate sodium</i> | 23 | <i>mondoxyne nl</i> | 16 | <i>neomycin-bacitracin-poly-hc</i> ... | 144 |
| <i>methotrexate sodium (pf)</i> | 23 | MONOJECT INSULIN SAFETY SYRINGE..... | 121 | <i>neomycin-bacitracin- polymyxin</i> | 144 |
| <i>methoxsalen</i> | 92 | MONOJECT INSULIN SYRINGE..... | 120, 121 | <i>neomycin-polymyxin b- dexameth</i> | 144 |
| <i>methscopolamine</i> | 149 | MONOJECT SYRINGE..... | 120 | <i>neomycin-polymyxin- gramicidin</i> | 144 |
| <i>methsuximide</i> | 31 | MONOJECT ULTRA COMFORT INSULIN..... | 136 | <i>neomycin-polymyxin-hc</i> | 145 |
| <i>methyl dopa</i> | 68 | <i>mono-lynyah</i> | 87 | <i>neo-polycin</i> | 145 |
| <i>methylphenidate hcl</i> | 81 | <i>montelukast</i> | 177 | <i>neo-polycin hc</i> | 145 |
| <i>methylprednisolone</i> | 155 | <i>morphine</i> | 4 | NERLYNX..... | 24 |
| <i>methylprednisolone acetate</i> | 155 | MORPHINE..... | 4 | NEULASTA..... | 65 |
| <i>methylprednisolone sodium succ</i> | 155 | <i>morphine concentrate</i> | 4 | NEUPRO..... | 51 |
| <i>metoclopramide hcl</i> | 149 | MOTPOLY XR..... | 31 | <i>nevirapine</i> | 60 |
| <i>metolazone</i> | 75 | MOUNJARO..... | 39 | NEXLETOL..... | 76 |
| <i>metoprolol succinate</i> | 71 | MOVANTIK..... | 149 | NEXLIZET..... | 76 |
| <i>metoprolol ta-hydrochlorothiaz</i> | 71 | <i>moxifloxacin</i> | 15, 144 | <i>niacin</i> | 76 |
| <i>metoprolol tartrate</i> | 71, 72 | <i>moxifloxacin-sod.ace,sul-water</i> | 15 | <i>nicardipine</i> | 74 |
| <i>metronidazole</i> | 10, 46, 93 | <i>moxifloxacin-sod.chloride(iso)</i> | 15 | NICOTROL..... | 8 |
| <i>metronidazole in nacl (iso-os)</i> .. | 10 | MULPLETA..... | 65 | <i>nifedipine</i> | 74 |
| <i>metryrosine</i> | 73 | MULTAQ..... | 71 | <i>nikki (28)</i> | 87 |
| <i>mexiletine</i> | 71 | <i>mupirocin</i> | 94 | <i>nilutamide</i> | 24 |
| <i>miconazole-3</i> | 44 | MVASI..... | 23 | NINLARO..... | 24 |
| MICRODOT INSULIN PEN | | <i>mycophenolate mofetil</i> | 161 | <i>nitazoxanide</i> | 49 |
| NEEDLE..... | 120 | <i>mycophenolate sodium</i> | 162 | <i>nitisinone</i> | 142 |
| <i>microgestin fe 1/20 (28)</i> | 87 | MYRBETRIQ..... | 151 | <i>nitrofurantoin macrocrystal</i> | 10 |
| <i>midodrine</i> | 68 | <i>nabumetone</i> | 6 | <i>nitrofurantoin monohyd/m- cryst</i> | 10 |
| <i>mifepristone</i> | 38 | <i>nafcillin</i> | 14 | | |
| <i>miglustat</i> | 142 | | | | |

| | | | |
|--|---------|--|----------------------|
| <i>nitroglycerin</i> | 78 | NOVOLOG U-100 INSULIN | OMNIPOD CLASSIC PODS |
| NITYR..... | 142 | ASPART..... | (GEN 3)..... |
| NIVESTYM..... | 65 | NOVOTWIST..... | 122 |
| <i>nizatidine</i> | 148 | NOXAFIL..... | 44 |
| NORDITROPIN FLEXPRO | | NUBEQA..... | 24 |
| | 157 | NUCALA..... | 180 |
| <i>norelgestromin-ethin.estradiol</i> .. | 87 | NUPLAZID..... | 55 |
| <i>norethindrone (contraceptive)</i> .. | 87 | NURTEC ODT..... | 46 |
| <i>norethindrone acetate</i> | 158 | NUTRILIPID..... | 68 |
| <i>norethindrone ac-eth estradiol</i> | | <i>nyamyc</i> | 44 |
| | 87, 154 | <i>nylia 1/35 (28)</i> | 88 |
| <i>norethindrone-e.estradiol-iron</i> .. | 88 | <i>nylia 7/7/7 (28)</i> | 88 |
| <i>norgestimate-ethinyl estradiol</i> .. | 88 | <i>nymyo</i> | 88 |
| <i>nortrel 0.5/35 (28)</i> | 88 | <i>nystatin</i> | 44 |
| <i>nortrel 1/35 (21)</i> | 88 | <i>nystop</i> | 44 |
| <i>nortrel 1/35 (28)</i> | 88 | NYVEPRIA..... | 65 |
| <i>nortrel 7/7/7 (28)</i> | 88 | OICALIVA..... | 149 |
| <i>nortriptyline</i> | 36 | OCREVUS..... | 81 |
| NORVIR..... | 60 | OCTAGAM..... | 162 |
| NOVOFINE 30..... | 122 | <i>octreotide acetate</i> | 157 |
| NOVOFINE 32..... | 122 | ODEFSEY..... | 60 |
| NOVOFINE PLUS..... | 122 | ODOMZO..... | 24 |
| NOVOLIN 70/30 U-100 | | OFEV..... | 180 |
| INSULIN..... | 41 | <i>ofloxacin</i> | 145 |
| NOVOLIN 70-30 FLEXPEN | | OGSIVEO..... | 24 |
| U-100..... | 41 | OJJAARA..... | 24 |
| NOVOLIN N FLEXPEN..... | 41 | <i>olanzapine</i> | 55 |
| NOVOLIN N NPH U-100 | | <i>olmesartan</i> | 69 |
| INSULIN..... | 41 | <i>olmesartan-</i> | |
| NOVOLIN R FLEXPEN..... | 41 | <i>hydrochlorothiazide</i> | 69 |
| NOVOLIN R REGULAR | | <i>olopatadine</i> | 143 |
| U100 INSULIN..... | 41 | <i>omega-3 acid ethyl esters</i> | 77 |
| NOVOLOG FLEXPEN U- | | <i>omeprazole</i> | 148 |
| 100 INSULIN..... | 41 | <i>omeprazole-sodium</i> | |
| NOVOLOG MIX 70-30 U- | | <i>bicarbonate</i> | 148 |
| 100 INSULIN..... | 41 | OMNIPOD 5 G6 INTRO | |
| NOVOLOG MIX 70- | | KIT (GEN 5)..... | 122 |
| 30FLEXPEN U-100..... | 42 | OMNIPOD 5 G6 PODS | |
| NOVOLOG PENFILL U-100 | | (GEN 5)..... | 122 |
| INSULIN..... | 42 | | |

| | | | | | |
|---|--------------------|--|---------|---------------------------------------|----------|
| <i>oxcarbazepine</i> | 31 | PERSERIS | 55 | <i>prednisolone sodium phosphate</i> | 147, 155 |
| OXTELLAR XR | 31 | <i>pfizerpen-g</i> | 15 | <i>prednisone</i> | 155, 156 |
| <i>oxybutynin chloride</i> | 151 | <i>phenelzine</i> | 37 | <i>pregabalin</i> | 32 |
| <i>oxycodone</i> | 4, 5 | <i>phenobarbital</i> | 31, 32 | PREHEVBRIO (PF) | 166 |
| <i>oxycodone-acetaminophen</i> | 5 | <i>phenytoin</i> | 32 | PREMARIN | 154 |
| OXYCONTIN | 5 | <i>phenytoin sodium extended</i> | 32 | PREMPHASE | 154 |
| OZEMPIC | 39 | <i>philitih</i> | 88 | PREMPRO | 154 |
| <i>pacerone</i> | 71 | PHOSLYRA | 150 | PRETOMANID | 47 |
| <i>paliperidone</i> | 55 | PIFELTRO | 60 | <i>prevalite</i> | 77 |
| PALYNZIQ | 142 | <i>pilocarpine hcl</i> | 91, 173 | PREVENT DROPSAFE | |
| PANRETIN | 92 | <i>pimecrolimus</i> | 95 | PEN NEEDLE | 124 |
| <i>pantoprazole</i> | 148 | <i>pimozide</i> | 55 | PREVYMIS | 62 |
| <i>paricalcitol</i> | 170 | <i>pimtree (28)</i> | 88 | PREZCOBIX | 60 |
| <i>paromomycin</i> | 49 | <i>pioglitazone</i> | 39 | PREZISTA | 60 |
| <i>paroxetine hcl</i> | 36 | PIP PEN NEEDLE | 124 | PRIFTIN | 47 |
| PAXLOVID | 62 | <i>piperacillin-tazobactam</i> | 15 | PRIMAQUINE | 50 |
| <i>pazopanib</i> | 24 | PIQRAY | 24 | <i>primidone</i> | 32 |
| PEDIARIX (PF) | 166 | <i>pirfenidone</i> | 180 | PRIORIX (PF) | 167 |
| PEDVAX HIB (PF) | 166 | <i>pirmella</i> | 88 | PRIVIGEN | 162 |
| <i>peg 3350-electrolytes</i> | 150 | PLASMA-LYTE 148 | 175 | PRO COMFORT | |
| PEGASYS | 62 | PLASMA-LYTE A | 175 | ALCOHOL PADS | 92 |
| <i>peg-electrolyte soln</i> | 150 | PLEGRIDY | 81 | PRO COMFORT INSULIN | |
| PEMAZYRE | 24 | <i>podofilox</i> | 92 | SYRINGE | 124 |
| PEN NEEDLE | 114, 123, 126 | <i>polymyxin b sulfate</i> | 10 | PRO COMFORT PEN | |
| PEN NEEDLE, DIABETIC | | <i>polymyxin b sulf-trimethoprim</i> | 145 | NEEDLE | 124 |
| | 105, 120, 123, 125 | POMALYST | 24 | <i>probenecid</i> | 45 |
| PEN NEEDLE, DIABETIC, | | <i>portia 28</i> | 89 | <i>probenecid-colchicine</i> | 45 |
| SAFETY | 126 | <i>posaconazole</i> | 44 | <i>prochlorperazine</i> | 49 |
| <i>penicillamine</i> | 152 | <i>potassium chloride</i> | 175 | <i>prochlorperazine maleate</i> | 49 |
| <i>penicillin g potassium</i> | 14 | <i>potassium chloride-0.45 % nacl</i> | 176 | <i>procto-med hc</i> | 96 |
| <i>penicillin v potassium</i> | 15 | | 176 | <i>proctosol hc</i> | 96 |
| PENTACEL (PF) | 166 | <i>potassium citrate</i> | 176 | <i>proctozone-hc</i> | 96 |
| <i>pentamidine</i> | 50 | PRALUENT PEN | 77 | PRODIGY INSULIN | |
| PENTIPS | 123, 124 | <i>pramipexole</i> | 51 | SYRINGE | 125 |
| <i>pentoxifylline</i> | 66 | <i>prasugrel</i> | 66 | <i>progesterone micronized</i> | 158 |
| <i>perindopril erbumine</i> | 70 | <i>pravastatin</i> | 77 | PROGRAF | 162 |
| <i>periogard</i> | 91 | <i>prazosin</i> | 68 | PROLASTIN-C | 180 |
| <i>permethrin</i> | 96 | <i>prednicarbate</i> | 95 | PROLENSA | 147 |
| <i>perphenazine</i> | 55 | <i>prednisolone</i> | 155 | PROLIA | 170 |
| <i>perphenazine-amitriptyline</i> | 37 | <i>prednisolone acetate</i> | 147 | | |

| | | | | | |
|--|--------|---------------------------------------|--------|---------------------------------------|----------|
| PROMACTA..... | 65 | RELENZA DISKHALER..... | 62 | <i>rufinamide</i> | 32 |
| <i>promethazine</i> | 45, 49 | RELION NEEDLES..... | 126 | RUKOBIA..... | 60 |
| <i>promethegan</i> | 49 | RELION PEN NEEDLES..... | 126 | RYBELSUS..... | 39 |
| <i>propafenone</i> | 71 | <i>repaglinide</i> | 39 | RYDAPT..... | 25 |
| <i>propranolol</i> | 72 | REPATHA PUSHTRONEX.. | 77 | RYSTIGGO..... | 81 |
| <i>propylthiouracil</i> | 158 | REPATHA SURECLICK..... | 77 | SAFESNAP INSULIN | |
| PROQUAD (PF)..... | 167 | REPATHA SYRINGE..... | 77 | SYRINGE..... | 126 |
| PROSOL 20 %..... | 68 | RESTASIS..... | 147 | SAFETY PEN NEEDLE..... | 126 |
| <i>protriptyline</i> | 37 | RESTASIS MULTIDOSE.... | 147 | <i>sajazir</i> | 74 |
| PULMOZYME..... | 142 | RETACRIT..... | 65 | SANTYL..... | 93 |
| PURE COMFORT | | RETEVMO..... | 24 | <i>sapropterin</i> | 142 |
| ALCOHOL PADS..... | 92 | REVLIMID..... | 25 | SAVELLA..... | 82 |
| PURE COMFORT PEN | | REXULTI..... | 55, 56 | SCSEMBLIX..... | 25 |
| NEEDLE..... | 125 | REYATAZ..... | 60 | <i>scopolamine base</i> | 49 |
| PURE COMFORT SAFETY | | REZLIDHIA..... | 25 | SECUADO..... | 56 |
| PEN NEEDLE..... | 125 | REZUROCK..... | 162 | SECURESAFE INSULIN | |
| PURIXAN..... | 24 | RHOPRESSA..... | 173 | SYRINGE..... | 127 |
| <i>pyrazinamide</i> | 47 | <i>ribavirin</i> | 63 | SECURESAFE PEN | |
| <i>pyridostigmine bromide</i> | 172 | RIDAURA..... | 162 | NEEDLE..... | 126 |
| <i>pyrimethamine</i> | 50 | <i>rifabutin</i> | 47 | <i>selegiline hcl</i> | 51 |
| PYRUKYND..... | 66 | <i>rifampin</i> | 48 | <i>selenium sulfide</i> | 94 |
| QINLOCK..... | 24 | <i>riluzole</i> | 81 | SELZENTRY..... | 60 |
| QUADRACEL (PF)..... | 167 | <i>rimantadine</i> | 62 | SEREVENT DISKUS..... | 178 |
| <i>quetiapine</i> | 55 | RINVOQ..... | 162 | SEROSTIM..... | 157 |
| <i>quinapril</i> | 70 | <i>risedronate</i> | 170 | <i>sertraline</i> | 37 |
| <i>quinapril-hydrochlorothiazide</i> ... | 70 | RISPERDAL CONSTA..... | 56 | <i>setlakin</i> | 89 |
| <i>quinidine sulfate</i> | 71 | <i>risperidone</i> | 56 | <i>sevelamer carbonate</i> | 150, 151 |
| <i>quinine sulfate</i> | 50 | <i>risperidone microspheres</i> | 56 | <i>sevelamer hcl</i> | 151 |
| RABAVERT (PF)..... | 167 | <i>ritonavir</i> | 60 | <i>sf 5000 plus</i> | 91 |
| <i>rabeprazole</i> | 148 | <i>rivastigmine</i> | 34 | <i>sharobel</i> | 89 |
| <i>raloxifene</i> | 154 | <i>rivastigmine tartrate</i> | 34 | SHINGRIX (PF)..... | 168 |
| <i>ramipril</i> | 70 | <i>rizatriptan</i> | 47 | SIGNIFOR..... | 157 |
| <i>ranolazine</i> | 74 | ROCKLATAN..... | 174 | <i>sildenafil</i> | 182 |
| <i>rasagiline</i> | 51 | <i>roflumilast</i> | 180 | <i>sildenafil (pulm.hypertension)</i> | 182 |
| RASUVO (PF)..... | 162 | <i>ropinirole</i> | 51 | <i>silver sulfadiazine</i> | 94 |
| RAVICTI..... | 149 | <i>rosuvastatin</i> | 77 | SIMBRINZA..... | 174 |
| RAYALDEE..... | 170 | ROTARIX..... | 167 | <i>simliya (28)</i> | 89 |
| <i>reclipsen (28)</i> | 89 | ROTATEQ VACCINE..... | 167 | <i>simpesse</i> | 89 |
| RECOMBIVAX HB (PF)..... | 167 | ROZLYTREK..... | 25 | <i>simvastatin</i> | 77 |
| RECTIV..... | 172 | RUBRACA..... | 25 | <i>sirolimus</i> | 162 |

| | | | | | |
|--|----------|---|----------|---|----------|
| SIRTURO..... | 48 | <i>sulfacetamide-prednisolone</i> | 145 | SYNJARDY XR..... | 39 |
| SKY SAFETY PEN NEEDLE..... | 127 | <i>sulfadiazine</i> | 15 | SYNRIBO..... | 25 |
| SKYLA..... | 89 | <i>sulfamethoxazole- trimethoprim</i> | 15, 16 | SYRINGE WITH NEEDLE, SAFETY..... | 126 |
| SKYRIZI..... | 162, 163 | <i>sulfasalazine</i> | 169, 170 | TABLOID..... | 25 |
| <i>sodium chloride 0.45 %</i> | 176 | <i>sulfatrim</i> | 16 | TABRECTA..... | 25 |
| <i>sodium chloride 0.9 %</i> | 176 | <i>sulindac</i> | 6 | <i>tacrolimus</i> | 96, 163 |
| <i>sodium fluoride-pot nitrate</i> | 91 | <i>sumatriptan</i> | 47 | <i>tadalafil (pulm. hypertension)</i> | 182 |
| <i>sodium phenylbutyrate</i> | 149 | <i>sumatriptan succinate</i> | 47 | TAFINLAR..... | 25 |
| <i>sodium polystyrene sulfonate</i> .. | 150 | <i>sunitinib malate</i> | 25 | TAGRISSO..... | 26 |
| SOLQUA 100/33..... | 42 | SUNLENCA..... | 60, 61 | TAKHZYRO..... | 172 |
| SOLTAMOX..... | 25 | SUNOSI..... | 182 | TALZENNA..... | 26 |
| SOLU-CORTEF ACT-O- VIAL (PF)..... | 156 | SUPREP BOWEL PREP KIT..... | 150 | <i>tamoxifen</i> | 26 |
| SOMAVERT..... | 157 | SURE COMFORT ALCOHOL PREP PADS..... | 93 | <i>tamsulosin</i> | 151 |
| <i>sorafenib</i> | 25 | SURE COMFORT INS. SYR. U-100..... | 127 | <i>tarina 24 fe</i> | 89 |
| <i>sorine</i> | 72 | SURE COMFORT INSULIN SYRINGE.... | 127, 128 | <i>tarina fe 1-20 eq (28)</i> | 89 |
| <i>sotalol</i> | 72 | SURE COMFORT PEN NEEDLE..... | 128 | TASIGNA..... | 26 |
| <i>sotalol af</i> | 72 | SURE COMFORT SAFETY PEN NEEDLE..... | 127 | <i>tasimelteon</i> | 182 |
| SPIRIVA RESPIMAT..... | 179 | SURE-FINE PEN NEEDLES..... | 128 | TAVALISSE..... | 66 |
| SPIRIVA WITH HANDIHALER..... | 179 | SURE-JECT INSULIN SYRINGE..... | 128, 129 | <i>tazarotene</i> | 96 |
| <i>spironolactone</i> | 75 | SURE-PREP ALCOHOL PREP PADS..... | 93 | TAZORAC..... | 96 |
| <i>sprintec (28)</i> | 89 | SUTAB..... | 150 | <i>taztia xt</i> | 73 |
| SPRITAM..... | 32 | <i>syeda</i> | 89 | TAZVERIK..... | 26 |
| SPRYCEL..... | 25 | SYMBICORT..... | 177 | TDVAX..... | 168 |
| <i>sps (with sorbitol)</i> | 150 | SYMDEKO..... | 180 | TECHLITE INSULIN SYRINGE..... | 129, 130 |
| <i>sronyx</i> | 89 | SYMLINPEN 120..... | 39 | TECHLITE INSULN SYR(HALF UNIT)..... | 129 |
| <i>ssd</i> | 94 | SYMLINPEN 60..... | 39 | TECHLITE PEN NEEDLE..... | 130 |
| STELARA..... | 163 | SYMPAZAN..... | 32 | TECVAYLI..... | 26 |
| STERILE PADS..... | 127 | SYMTUZA..... | 61 | TEFLARO..... | 12 |
| STIOLTO RESPIMAT..... | 179 | SYNAREL..... | 157 | <i>telmisartan</i> | 69 |
| STIVARGA..... | 25 | SYNJARDY..... | 39 | <i>temazepam</i> | 9 |
| STRENSIQ..... | 142 | | | TENIVAC (PF)..... | 168 |
| <i>streptomycin</i> | 9 | | | <i>tenofovir disoproxil fumarate</i> | 61 |
| STRIBILD..... | 60 | | | TEPEZZA..... | 144 |
| STRIVERDI RESPIMAT... .. | 179 | | | TEPMETKO..... | 26 |
| <i>sucrafate</i> | 148 | | | <i>terazosin</i> | 151 |
| <i>sulfacetamide sodium</i> | 145 | | | <i>terbinafine hcl</i> | 44 |
| <i>sulfacetamide sodium (acne)</i> | 94 | | | <i>terbutaline</i> | 179 |

| | | | | |
|---|---------|---|--------------------------------|---------------|
| <i>terconazole</i> | 46 | TOUJEO MAX U-300 | <i>tri-nymyo</i> | 90 |
| <i>teriflunomide</i> | 82 | SOLOSTAR..... | <i>tri-sprintec (28)</i> | 90 |
| TERUMO INSULIN | | TOUJEO SOLOSTAR U-300 | TRIUMEQ..... | 61 |
| SYRINGE..... | 130 | INSULIN..... | TRIUMEQ PD..... | 61 |
| <i>testosterone</i> | 153 | TRACLEER..... | <i>trivora (28)</i> | 90 |
| <i>testosterone cypionate</i> | 152 | TRADJENTA..... | <i>tri-vylibra</i> | 90 |
| <i>testosterone enanthate</i> | 153 | <i>tramadol</i> | <i>tri-vylibra lo</i> | 90 |
| TETANUS,DIPHThERIA | | <i>tramadol-acetaminophen</i> | TRIZIVIR..... | 61 |
| TOX PED(PF)..... | 168 | <i>trandolapril</i> | TROPHAMINE 10 %..... | 68 |
| <i>tetrabenazine</i> | 82 | <i>tranexamic acid</i> | <i>trospium</i> | 151 |
| <i>tetracycline</i> | 16 | <i>tranylcypromine</i> | TRUE COMFORT | |
| THALOMID..... | 172 | TRAVASOL 10 %..... | ALCOHOL PADS..... | 93 |
| <i>theophylline</i> | 179 | <i>travoprost</i> | TRUE COMFORT | |
| THINPRO INSULIN | | <i>trazodone</i> | INSULIN SYRINGE..... | 132 |
| SYRINGE..... | 131 | TRECTOR..... | TRUE COMFORT PEN | |
| THIOLA EC..... | 151 | TRELEGY ELLIPTA..... | NEEDLE..... | 132 |
| <i>thioridazine</i> | 56 | TRELSTAR..... | TRUE COMFORT PRO | |
| <i>thiothixene</i> | 56 | TREMFYA..... | ALCOHOL PADS..... | 93 |
| <i>tiadylt er</i> | 73 | <i>tretinoin</i> | TRUE COMFORT PRO INS | |
| <i>tiagabine</i> | 32 | <i>tretinoin (antineoplastic)</i> | SYRINGE..... | 131, 132, 133 |
| TIBSOVO..... | 26 | <i>triamcinolone acetonide</i> | TRUE COMFORT SAFETY | |
| TICOVAC..... | 168 | | PEN NEEDLE..... | 131, 132 |
| <i>tigecycline</i> | 16 | <i>triamterene-hydrochlorothiazid</i> | TRUEPLUS INSULIN..... | 133, 134 |
| <i>timolol maleate</i> | 72, 174 | <i>trientine</i> | TRUEPLUS PEN NEEDLE | 133 |
| <i>tiopronin</i> | 151 | <i>tri-estarylla</i> | TRULICITY..... | 40 |
| TIVICAY..... | 61 | <i>trifluoperazine</i> | TRUMENBA..... | 168 |
| TIVICAY PD..... | 61 | <i>trifluridine</i> | TRUQAP..... | 26 |
| <i>tizanidine</i> | 181 | <i>trihexyphenidyl</i> | TRUSELTIQ..... | 27 |
| TOBI PODHALER..... | 9 | TRIJARDY XR..... | TUKYSA..... | 27 |
| <i>tobramycin</i> | 9, 145 | TRIKAFTA..... | <i>tulana</i> | 90 |
| <i>tobramycin in 0.225 % nacl</i> | 9 | <i>tri-legest fe</i> | TURALIO..... | 27 |
| <i>tobramycin sulfate</i> | 9 | <i>tri-linyah</i> | TWINRIX (PF)..... | 168 |
| <i>tobramycin-dexamethasone</i> | 145 | <i>tri-lo-estarylla</i> | TYBOST..... | 172 |
| <i>tolterodine</i> | 151 | <i>tri-lo-marzia</i> | TYMLOS..... | 171 |
| TOPCARE CLICKFINE..... | 131 | <i>tri-lo-mili</i> | TYPHIM VI..... | 168 |
| TOPCARE ULTRA | | <i>tri-lo-sprintec</i> | UBRELVY..... | 47 |
| COMFORT..... | 131 | <i>trimethoprim</i> | UCERIS..... | 170 |
| <i>topiramate</i> | 32 | <i>tri-mili</i> | UDENYCA..... | 66 |
| <i>toremifene</i> | 26 | <i>trimipramine</i> | UDENYCA | |
| <i>torse mide</i> | 75 | TRINTELLIX..... | AUTOINJECTOR..... | 65 |

| | | | | | |
|------------------------|--------------------|---|----------|---------------------------|--------|
| UDENYCA ONBODY..... | 66 | ULTRA-THIN II INS PEN | | VENCLEXTA..... | 27 |
| ULTICARE..... | 134, 135 | NEEDLES..... | 139 | VENCLEXTA STARTING | |
| ULTICARE INSULIN | | ULTRA-THIN II INSULIN | | PACK..... | 27 |
| SYRINGE..... | 134 | SYRINGE..... | 138, 139 | <i>venlafaxine</i> | 37 |
| ULTICARE INSULN | | UNIFINE PEN NEEDLE.... | 139 | VEOZAH..... | 172 |
| SYR(HALF UNIT)..... | 134 | UNIFINE PENTIPS..... | 123, 139 | <i>verapamil</i> | 73 |
| ULTICARE PEN NEEDLE | 134 | UNIFINE PENTIPS | | VERIFINE INSULIN | |
| ULTICARE SAFETY PEN | | MAXFLOW..... | 139 | SYRINGE..... | 141 |
| NEEDLE..... | 134, 135 | UNIFINE PENTIPS PLUS | | VERIFINE PEN NEEDLE.. | 141 |
| ULTIGUARD SAFEPAK- | | | 139, 140 | VERIFINE PLUS PEN | |
| INSULIN SYR..... | 135, 136 | UNIFINE PENTIPS PLUS | | NEEDLE..... | 141 |
| ULTIGUARD SAFEPAK- | | MAXFLOW..... | 139 | VERIFINE PLUS PEN | |
| PEN NEEDLE..... | 135 | UNIFINE PROTECT..... | 140 | NEEDLE-SHARP..... | 141 |
| ULTILET ALCOHOL | | UNIFINE SAFECONTROL | 140 | VERQUVO..... | 74 |
| SWAB..... | 93 | UNIFINE ULTRA PEN | | VERSACLOZ..... | 57 |
| ULTILET INSULIN | | NEEDLE..... | 140 | VERSALON..... | 142 |
| SYRINGE..... | 116, 117, 136 | UPTRAVI..... | 183 | VERZENIO..... | 27 |
| ULTILET PEN NEEDLE.... | 136 | <i>ursodiol</i> | 150 | <i>vestura (28)</i> | 90 |
| ULTRA CMFT INS SYR | | UZEDY..... | 57 | <i>vienna</i> | 90 |
| (HALF UNIT)..... | 114, 127 | <i>valacyclovir</i> | 63 | <i>vigabatrin</i> | 33 |
| ULTRA COMFORT | | VALCHLOR..... | 93 | <i>vigadrone</i> | 33 |
| INSULIN SYRINGE | | <i>valganciclovir</i> | 63 | <i>vigpoder</i> | 33 |
| | 109, 114, 115, 136 | <i>valproic acid</i> | 33 | VIIBRYD..... | 37 |
| ULTRA FLO INSUL | | <i>valproic acid (as sodium salt)</i> ... | 33 | <i>vioele (28)</i> | 90 |
| SYR(HALF UNIT)..... | 136, 137 | <i>valsartan</i> | 69 | VIRACEPT..... | 61 |
| ULTRA FLO INSULIN | | <i>valsartan-hydrochlorothiazide</i> .. | 69 | VIREAD..... | 61 |
| SYRINGE..... | 137 | VALTOCO..... | 33 | VITRAKVI..... | 27 |
| ULTRA FLO PEN NEEDLE | | <i>vancomycin</i> | 11 | VIZIMPRO..... | 27 |
| | 137 | VANFLYTA..... | 27 | <i>volnea (28)</i> | 90 |
| ULTRA THIN PEN | | VANISHPOINT INSULIN | | VONJO..... | 27 |
| NEEDLE..... | 137 | SYRINGE..... | 141 | <i>voriconazole</i> | 44, 45 |
| ULTRACARE INSULIN | | VANISHPOINT SYRINGE | | VOSEVI..... | 62 |
| SYRINGE..... | 137, 138 | | 140, 141 | VOTRIENT..... | 27 |
| ULTRACARE PEN | | VAQTA (PF)..... | 168, 169 | VRAYLAR..... | 57 |
| NEEDLE..... | 138 | <i>varenicline</i> | 8 | VUMERITY..... | 82 |
| ULTRA-THIN II (SHORT) | | VARIVAX (PF)..... | 169 | <i>vyfemla (28)</i> | 90 |
| INS SYR..... | 138, 139 | VASCEPA..... | 77 | <i>vylibra</i> | 90 |
| ULTRA-THIN II (SHORT) | | <i>velivet triphasic regimen (28)</i> ... | 90 | VYNDAMAX..... | 74 |
| PEN NDL..... | 139 | VELPHORO..... | 151 | VYNDAQEL..... | 74 |
| | | VEMLIDY..... | 61 | <i>warfarin</i> | 64 |

| | | | |
|--------------------------|-----|---------------------------------------|-----|
| WEBCOL..... | 93 | <i>zarah</i> | 90 |
| WELIREG..... | 28 | ZARXIO..... | 66 |
| <i>wera (28)</i> | 90 | ZEJULA..... | 28 |
| XALKORI..... | 28 | ZELBORAF..... | 28 |
| XARELTO..... | 64 | <i>zenatane</i> | 93 |
| XARELTO DVT-PE TREAT | | ZENPEP..... | 143 |
| 30D START..... | 64 | <i>zidovudine</i> | 61 |
| XATMEP..... | 28 | <i>ziprasidone hcl</i> | 57 |
| XCOPRI..... | 33 | <i>ziprasidone mesylate</i> | 57 |
| XCOPRI MAINTENANCE | | ZIRABEV..... | 28 |
| PACK..... | 33 | ZIRGAN..... | 146 |
| XCOPRI TITRATION | | <i>zoledronic acid-mannitol-water</i> | |
| PACK..... | 33 | | 171 |
| XDEMVI..... | 145 | ZOLINZA..... | 29 |
| XELJANZ..... | 163 | <i>zolpidem</i> | 182 |
| XELJANZ XR..... | 163 | ZONISADE..... | 33 |
| XERMELO..... | 150 | <i>zonisamide</i> | 33 |
| XGEVA..... | 171 | <i>zovia 1-35 (28)</i> | 91 |
| XHANCE..... | 147 | ZTALMY..... | 34 |
| XIFAXAN..... | 11 | ZTLIDO..... | 7 |
| XIGDUO XR..... | 40 | <i>zumandimine (28)</i> | 91 |
| XIIDRA..... | 147 | ZURZUVAE..... | 37 |
| XOFLUZA..... | 62 | ZYDELIG..... | 29 |
| XOLAIR..... | 181 | ZYKADIA..... | 29 |
| XOSPATA..... | 28 | ZYLET..... | 146 |
| XPOVIO..... | 28 | ZYPREXA RELPREVV..... | 57 |
| XTANDI..... | 28 | | |
| <i>xulane</i> | 90 | | |
| XULTOPHY 100/3.6..... | 42 | | |
| XURIDEN..... | 173 | | |
| XYOSTED..... | 153 | | |
| XYREM..... | 182 | | |
| YF-VAX (PF)..... | 169 | | |
| YONSA..... | 28 | | |
| YUFLYMA(CF) | | | |
| AUTOINJECTOR..... | 163 | | |
| <i>yuvafem</i> | 154 | | |
| <i>zafemy</i> | 90 | | |
| <i>zafirlukast</i> | 177 | | |
| <i>zaleplon</i> | 182 | | |

This formulary was updated on 03/19/2024. For more recent information or other questions, please contact Prominence Health Plan Customer Service, at **833-775-MEDS (6337)** or, for TTY users, **711**, 8 am to 8 pm, 7 days a week from October 1 – March 31 and 8 am to 8 pm, Monday – Friday from April 1 – September 30 or visit **ProminenceMedicare.com**.

Changes to our pharmacy network may occur during the benefit year. An updated Pharmacy Directory is located on our website at ProminenceMedicare.com. You may also call Member Services at 833-775-MEDS (6337) (TTY/TDD users should call 711) for updated information.

This information is available for free in other languages. Please contact our Member Services number at 1-855-969-5882 for additional information. This document may be available in an alternate format such as large print or Spanish.

- **ATENCIÓN:** si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1-855-969-5882 (TTY: 711).
- **PAUNAWA:** Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 1-855-969-5882 (TTY: 711).
- **CHÚ Y:** Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 1-855-969-5882 (TTY: 711).
- **ATANSYON:** Si w pale Kreyòl Ayisyen, gen sèvis èd pou lang ki disponib gratis pou ou. Rele 1-855-969-5882 (TTY: 711).

Prominence Health Plan complies with applicable federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex.

Prominence Health Plan cumple con las leyes federates de derechos civiles aplicables y no discrimina por motives de raza, color, nacionalidad, edad, discapacidad o sexo.

Sumusunod ang Prominence Health Plan sa mga naaangkop na Pederal na batas sa karapatang sibil at hindi nandiskrimina batay sa lahi, kulay, bansang pinagmulan, edad, kapansanan o kasarian.

Prominence Health Plan tuân thủ luật dân quyền hiện hành của Liên bang và không phân biệt đối xử dựa trên chủng tộc, màu da, nguồn gốc quốc gia, độ tuổi, khuyết tật, hoặc giới tính.

Prominence Health Plan konfòm ak lwa sou dwa sivil Federal ki aplikab yo e li pa fè diskriminasyon sou baz ras, koulè, peyi orijin, laj, enfimite oswa sèks.



Prominence Health Plan is an HMO and HMO SNP plan with a Medicare contract and a contract with the Medicaid programs in Florida and Texas. Enrollment in Prominence Health Plan depends on contract renewal.