



Prominence Heart (HMO C-SNP)

PROMINENCE HEALTH PLAN[®]

2024 Formulary (List of Covered Drugs)

PLEASE READ:

*This document contains information about the drugs we cover in this plan.
HPMS Approved Formulary File Submission ID: 24535, Version Number 14*

This formulary was updated on 04/18/2024. For more recent information or other questions, please contact Prominence Health Plan Member Services, at **833-775-MEDS (6337)** or, for TTY users, **711**, 8 am to 8 pm, 7 days a week from October 1 – March 31 and 8 am to 8 pm, Monday – Friday from April 1 – September 30 or visit **ProminenceMedicare.com**.

Changes to our pharmacy network may occur during the benefit year. An updated Pharmacy Directory is located on our website at **ProminenceMedicare.com**. You may also call Member Services at **833-775-MEDS (6337)** (TTY/TDD users should call 711) for updated information.

Prominence Health Plan

2024 Formulary

PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION ABOUT THE DRUGS WE COVER IN THIS PLAN

HPMS Approved Formulary File Submission ID, 24535, Version 14

This formulary was updated on 04/18/2024. For more recent information or other questions, please contact Prominence Health Plan Member Service at 833-775-MEDS (6337) or, for TTY users, 711, 8 am to 8 pm, 7 days a week from October 1 – March 31 and 8 am to 8 pm, Monday – Friday from April 1 – September 30 or visit [ProminenceMedicare.com](https://www.ProminenceMedicare.com).

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us”, or “our,” it means Prominence Health Plan. When it refers to “plan” or “our plan,” it means Prominence Medicare Advantage Plans.

This document includes list of the drugs (formulary) for our plan which is current as of 04/18/2024. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2024, and from time to time during the year.

What is the Prominence Health Plan Formulary?

A formulary is a list of covered drugs selected by Prominence Health Plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Prominence Health Plan will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Prominence Health Plan network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

For a complete listing of all prescription drugs covered by Prominence Health Plan, please visit our website or call us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand-name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand-name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand-name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
 - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can find information in the section below titled “How do I request an exception to the Prominence Health Plan’s Formulary?”

Drugs removed from the market. If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.

- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to the market to replace a brand-name drug currently on the formulary or add new restrictions to the brand-name drug or move it to a different cost-sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, [or] add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.
 - If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Prominence Health Plan’s Formulary?”

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2024 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2024 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new

restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of 04/18/2024. To get updated information about the drugs covered by Prominence Health Plan please contact us. Our contact information appears on the front and back cover pages. If there is a mid-year, non-maintenance change to the formulary, we will update printed formularies with an errata sheet.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 3. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, Cardiovascular Agents. If you know what your drug is used for, look for the category name in the list that begins on 1. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

Prominence Health Plan covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Prominence Health Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from

Prominence Health Plan before you fill your prescriptions. If you don't get approval, Prominence Health Plan may not cover the drug.

- **Quantity Limits:** For certain drugs, Prominence Health Plan limits the amount of the drug that Prominence Health Plan will cover. For example, Prominence Health Plan provides 60 tablets per prescription for Eliquis. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, Prominence Health Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Prominence Health Plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, Prominence Health Plan will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 3. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Prominence Health Plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Prominence Health Plan's formulary?" on page 5 for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered. For more information, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you learn that Prominence Health Plan does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by Prominence Health Plan. When you receive the list, show it to your doctor and ask them to prescribe a similar drug that is covered by Prominence Health Plan.
- You can ask Prominence Health Plan to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the Prominence Health Plan's Formulary?

You can ask Prominence Health Plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at lower cost-sharing level unless the drug is on the specialty tier. If approved, this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, Prominence Health Plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Prominence Health Plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, or utilization restriction exception. **When you request a formulary, tier, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

2024 Part D Model Formulary

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

Members who have a change in level of care (setting) will be allowed up to a one-time 31-day transition supply per drug. For example, members who:

- Enter long-term care (LTC) facilities from hospitals are sometimes accompanied by a discharge list of medications from the hospital formulary, with very short-term planning taken into account (often under 8 hours).
- Are discharged from a hospital to a home.
- End their skilled nursing facility Medicare Part A stay (where payments include all pharmacy charges) and who need to revert to their Part D plan formulary.
- End a long-term care facility stay and return to the community. If a member has more than one change in level of care in a month, the pharmacy will have to call us to request an extension of the transition policy.

For more detailed information about your Prominence Health Plan prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Prominence Health Plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

Prominence Health Plan Formulary

The formulary below that begins on the next page provides coverage information about the drugs covered by Prominence Health Plan. If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., COUMADIN) and generic drugs are listed in lower-case italics (e.g., *warfarin*).

The information in the Requirements/Limits column tells you if Prominence Health Plan has any special requirements for coverage of your drug.

- **PA BvD: Prior Authorization Restriction for Part B vs Part D Determination.** This prescription drug has a Part B versus D administrative prior authorization requirement. This drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.
- **QL: Quantity Limit:** For certain drugs, Prominence Health Plan limits the amount of the drug that we will cover. For example, Prominence Health Plan provides twelve tablets per prescription for Sumatriptan Succinate. This may be in addition to a standard one-month or three-month supply.

- **ST: Step Therapy:** In some cases, Prominence Health Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.
- **PA: Prior Authorization:** Prominence Health Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from us before you fill your prescriptions. If you don't get approval, we may not cover the drug.
- **PA NSO: Prior Authorization Restriction for New Starts Only:** If there is no evidence that you have taken this drug before, you (or your physician) are required to get prior authorization from our plan before you fill your prescription for this drug. Without prior approval, our plan may not cover this drug.
- **NDS: Non-Extended Days' Supply:** Drugs not available for an extended days' supply (i.e. more than a one-month supply) are noted with "NDS" in the Requirements/Limits column of your formulary.
- **GC: Gap Coverage:** We provide coverage of this prescription drug in the coverage gap, if your plan provides gap coverage. Please refer to our Evidence of Coverage for more information about this coverage.
- **LA: Limited Availability:** This prescription may be available only at certain pharmacies. For more information, consult your Provider and Pharmacy Directory or call Member Services at 1-844-587-7389, 8 am to 8 pm, 7 days a week from October 1- March 31 and 8am to 8pm, Monday - Friday from April 1 -September 30. TTY users should call 711.
- **EX;CB: Excluded Part D Capped Benefit:** Drugs covered by the plan that are excluded by Medicare law that are covered by your plan as a supplemental or bonus drug but do not count toward TrOOP.
- **NM: Not Available by Mail Order:** These are typically medications that need to be ordered from a specialty pharmacy and are listed as TIER 5 medications and are restricted to a 30day supply.
- **TrOOP** = True Out of Pocket. This is the amount the member has paid for their medications during the calendar year.
- **TDS** = Total Drug Spend. This is the amount the health plan AND the member has paid for medications for the calendar year

Table of Contents

Analgesics.....	3
Anesthetics.....	7
Anti-Addiction/Substance Abuse Treatment Agents.....	7
Antianxiety Agents.....	8
Antibacterials.....	9
Anticancer Agents.....	17
Anticonvulsants.....	29
Antidementia Agents.....	34
Antidepressants.....	35
Antidiabetic Agents.....	38
Antifungals.....	44
Antigout Agents.....	46
Antihistamines.....	46
Anti-Infectives (Skin And Mucous Membrane).....	47
Antimigraine Agents.....	47
Antimycobacterials.....	48
Antinausea Agents.....	49
Antiparasite Agents.....	50
Antiparkinsonian Agents.....	51
Antipsychotic Agents.....	52
Antivirals (Systemic).....	58
Blood Products/Modifiers/Volume Expanders.....	64
Caloric Agents.....	68
Cardiovascular Agents.....	69
Central Nervous System Agents.....	79
Contraceptives.....	83
Dental And Oral Agents.....	92
Dermatological Agents.....	92
Devices.....	98
Enzyme Replacement/Modifiers.....	143
Eye, Ear, Nose, Throat Agents.....	144
Gastrointestinal Agents.....	149
Genitourinary Agents.....	152
Heavy Metal Antagonists.....	153
Hormonal Agents, Stimulant/Replacement/Modifying.....	154
Immunological Agents.....	160

Inflammatory Bowel Disease Agents.....	170
Metabolic Bone Disease Agents.....	171
Miscellaneous Therapeutic Agents.....	172
Ophthalmic Agents.....	174
Replacement Preparations.....	175
Respiratory Tract Agents.....	177
Skeletal Muscle Relaxants.....	182
Sleep Disorder Agents.....	183
Vasodilating Agents.....	183

Drug Name	Drug Tier	Requirements/Limits
Analgesics		
Analgesics, Miscellaneous		
<i>acetaminophen-codeine oral solution</i> 120-12 mg/5 ml	1	GC; NDS; QL (4500 per 30 days)
<i>acetaminophen-codeine oral tablet</i> 300-15 mg, 300-30 mg	2	GC; NDS; QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet</i> 300-60 mg	2	GC; NDS; QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral tablet</i> 50-325-40 mg (Esgic)	2	GC; QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral capsule</i> 50-325-40 mg	4	QL (180 per 30 days)
<i>codeine sulfate oral tablet</i> 30 mg, 60 mg	2	GC; NDS; QL (180 per 30 days)
<i>endocet oral tablet</i> 10-325 mg (oxycodone-acetaminophen)	2	GC; NDS; QL (180 per 30 days)
<i>endocet oral tablet</i> 2.5-325 mg, 5-325 mg (oxycodone-acetaminophen)	2	GC; NDS; QL (360 per 30 days)
<i>endocet oral tablet</i> 7.5-325 mg (oxycodone-acetaminophen)	2	GC; NDS; QL (240 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle</i> 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg	5	PA; NM; NDS; QL (120 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle</i> 200 mcg	3	PA; NDS; QL (120 per 30 days)
<i>fentanyl transdermal patch</i> 72 hour 100 mcg/hr	3	NDS; QL (10 per 30 days)
<i>fentanyl transdermal patch</i> 72 hour 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr	2	GC; NDS; QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral solution</i> 7.5-325 mg/15 ml	4	NDS; QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet</i> 10-325 mg, 7.5-325 mg	2	GC; NDS; QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet</i> 5-325 mg	2	GC; NDS; QL (240 per 30 days)
<i>hydrocodone-ibuprofen oral tablet</i> 7.5-200 mg	2	GC; NDS; QL (150 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>	2	GC
<i>hydromorphone oral liquid 1 mg/ml</i> (Dilaudid)	2	GC; NDS; QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i> (Dilaudid)	2	GC; NDS; QL (180 per 30 days)
<i>methadone oral solution 10 mg/5 ml</i>	2	GC; NDS; QL (600 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>	2	GC; NDS; QL (1200 per 30 days)
<i>methadone oral tablet 10 mg</i>	2	GC; NDS; QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i>	2	GC; NDS; QL (180 per 30 days)
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	2	PA; GC; NDS; QL (180 per 30 days)
<i>morphine oral solution 10 mg/5 ml</i>	2	GC; NDS; QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	GC; NDS; QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	4	NDS; QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	4	NDS; QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i> (MS Contin)	2	GC; NDS; QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin)	2	GC; NDS; QL (90 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	4	NDS; QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg, 5 mg</i>	2	GC; NDS; QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)	2	GC; NDS; QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	2	GC; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 20 mg, 40 mg, 80 mg</i> (OxyContin)	3	NDS; QL (60 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet)	2	GC; NDS; QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet)	2	GC; NDS; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Endocet)	2	GC; NDS; QL (240 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG (oxycodone)	3	NDS; QL (60 per 30 days)
<i>tramadol oral tablet 50 mg</i>	1	GC; NDS; QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>	2	GC; NDS; QL (300 per 30 days)
Nonsteroidal Anti-Inflammatory Agents		
<i>celecoxib oral capsule 100 mg, 200 mg, 50 mg</i> (Celebrex)	2	GC; QL (60 per 30 days)
<i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i> (Flector)	4	PA; QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i>	2	GC; QL (120 per 30 days)
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	2	GC; QL (60 per 30 days)
<i>diclofenac sodium oral tablet,delayed release (drlec) 25 mg</i>	2	GC; QL (150 per 30 days)
<i>diclofenac sodium oral tablet,delayed release (drlec) 50 mg</i>	2	GC; QL (120 per 30 days)
<i>diclofenac sodium oral tablet,delayed release (drlec) 75 mg</i>	2	GC; QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>	2	GC; QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i> (Aleve (diclofenac))	2	GC; QL (1000 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>diclofenac sodium topical gel 3 %</i>	4	PA; QL (100 per 28 days)
<i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram lactuation(2 %)</i> (Pennsaid)	5	PA; NM; NDS; QL (224 per 28 days)
<i>ec-naproxen oral tablet, delayed release (drlec) 500 mg</i> (naproxen)	2	GC
<i>etodolac oral capsule 200 mg, 300 mg</i>	4	
<i>etodolac oral tablet 400 mg</i> (Lodine)	4	
<i>etodolac oral tablet 500 mg</i>	4	
<i>flurbiprofen oral tablet 100 mg</i>	2	GC
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i> (ibuprofen)	1	GC
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil)	2	GC
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> (IBU)	1	GC
<i>indomethacin oral capsule 25 mg</i>	1	GC; QL (240 per 30 days)
<i>indomethacin oral capsule 50 mg</i>	1	GC; QL (120 per 30 days)
<i>ketorolac oral tablet 10 mg</i>	2	GC; QL (20 per 30 days)
<i>mefenamic acid oral capsule 250 mg</i>	4	
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	1	GC
<i>nabumetone oral tablet 500 mg, 750 mg</i>	2	GC
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	GC
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	1	GC
<i>naproxen oral tablet, delayed release (drlec) 375 mg</i> (EC-Naprosyn)	2	GC
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Anesthetics		
Local Anesthetics		
<i>glydo mucous membrane jelly in applicator 2 %</i> (lidocaine hcl)	2	GC; QL (30 per 30 days)
<i>lidocaine (pf) injection solution 20 mg/ml (2 %)</i> (Xylocaine-MPF)	1	GC
<i>lidocaine hcl injection solution 10 mg/ml (1 %)</i> (Xylocaine)	1	GC
<i>lidocaine hcl mucous membrane jelly in applicator 2 %</i> (Glydo)	2	GC
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	PA; GC
<i>lidocaine topical adhesive patch,medicated 5 %</i> (DermacinRx Lidocan)	2	PA; GC; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	4	PA; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i> (lidocaine hcl)	2	GC
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	4	PA; QL (30 per 30 days)
ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %	3	PA; QL (90 per 30 days)
Anti-Addiction/Substance Abuse Treatment Agents		
Anti-Addiction/Substance Abuse Treatment Agents		
<i>acamprosate oral tablet,delayed release (drlec) 333 mg</i>	3	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	2	GC; QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg</i> (Suboxone)	4	QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i> (Suboxone)	4	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	2	GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	2	GC
<i>disulfiram oral tablet 250 mg, 500 mg</i>	2	GC
KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION	3	QL (4 per 30 days)
LUCEMYRA ORAL TABLET 0.18 MG	5	NM; NDS; QL (228 per 14 days)
<i>naloxone injection solution 0.4 mg/ml</i>	2	GC
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	2	GC
<i>naloxone nasal spray, non-aerosol 4 mg/actuation</i> (Narcan)	3	QL (4 per 30 days)
<i>naltrexone oral tablet 50 mg</i>	2	GC
NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION (naloxone)	3	QL (4 per 30 days)
NICOTROL INHALATION CARTRIDGE 10 MG	4	QL (1008 per 90 days)
<i>varenicline oral tablet 0.5 mg</i>	2	GC; QL (336 per 365 days)
<i>varenicline oral tablet 1 mg</i> (Chantix)	2	GC; QL (336 per 365 days)
<i>varenicline oral tablets, dose pack 0.5 mg (11) - 1 mg (42)</i> (Chantix Starting Month Box)	2	GC
Antianxiety Agents		
Benzodiazepines		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	GC; QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	GC; QL (150 per 30 days)
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	GC; QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	GC; QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	4	QL (90 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>	4	QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>	2	GC; QL (180 per 30 days)
<i>diazepam intensol oral concentrate 5 mg/ml</i> (diazepam)	4	QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	4	QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	GC; QL (120 per 30 days)
<i>flurazepam oral capsule 15 mg, 30 mg</i>	2	GC
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	GC; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i> (Ativan)	1	GC; QL (150 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)	1	GC; QL (30 per 30 days)
Antibacterials		
Aminoglycosides		
<i>gentamicin injection solution 40 mg/ml</i>	2	GC
<i>neomycin oral tablet 500 mg</i>	2	GC
<i>streptomycin intramuscular recon soln 1 gram</i>	5	NM; NDS
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	5	NM; NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i> (Bethkis)	5	PA BvD; NM; NDS
<i>tobramycin sulfate injection solution 40 mg/ml</i>	4	
Antibacterials, Miscellaneous		
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)	1	GC
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml</i>	2	GC
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>	2	GC
<i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin)	2	GC
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	2	GC
<i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral)	5	PA BvD; NM; NDS
DAPTOMYCIN IN 0.9 % SOD CHLOR INTRAVENOUS PIGGYBACK 1,000 MG/100 ML, 700 MG/100 ML	5	NM; NDS
<i>daptomycin in 0.9 % sod chlor intravenous piggyback 350 mg/50 ml, 500 mg/50 ml</i>	5	NM; NDS
<i>daptomycin intravenous recon soln 500 mg</i> (Cubicin RF)	5	NM; NDS
FIRVANQ ORAL RECON SOLN 25 MG/ML (vancomycin)	4	
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox)	3	
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> (Zyvox)	5	NM; NDS
<i>linezolid oral tablet 600 mg</i> (Zyvox)	2	GC
<i>methenamine hippurate oral tablet 1 gram</i> (Hiprex)	2	GC
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>metronidazole oral tablet 250 mg, 500 mg</i>	1	GC
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i> (Macrochantin)	2	GC; QL (120 per 30 days)
<i>nitrofurantoin macrocrystal oral capsule 25 mg</i> (Macrochantin)	4	QL (120 per 30 days)
<i>nitrofurantoin monohydrate-cryst oral capsule 100 mg</i> (Macrobid)	2	GC; QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	2	GC
<i>trimethoprim oral tablet 100 mg</i>	1	GC
<i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 500 mg, 750 mg</i>	2	GC
<i>vancomycin oral capsule 125 mg</i> (Vancocin)	4	QL (56 per 14 days)
<i>vancomycin oral capsule 250 mg</i> (Vancocin)	4	QL (112 per 14 days)
<i>vancomycin oral recon soln 25 mg/ml</i> (Firvanq)	4	
XIFAXAN ORAL TABLET 200 MG	4	PA; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; NM; NDS; QL (90 per 30 days)
Cephalosporins		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	2	GC
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	4	
<i>cefadroxil oral capsule 500 mg</i>	2	GC
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	GC
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	GC
<i>cefazolin intravenous recon soln 3 gram</i>	2	GC
<i>cefdinir oral capsule 300 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	4	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	3	
<i>cefixime oral capsule 400 mg</i>	4	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	4	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	4	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	2	GC
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	GC
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i> (Tazicef)	2	GC
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	GC
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	GC
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	GC
<i>cefuroxime sodium intravenous recon soln 1.5 gram</i>	2	GC
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	GC
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	NM; NDS
Macrolides		
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	4	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack)</i>	1	GC
<i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)	1	GC
<i>azithromycin oral tablet 600 mg</i>	2	GC
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	4	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	GC
DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML	5	NM; NDS; QL (136 per 10 days)
DIFICID ORAL TABLET 200 MG	5	NM; NDS; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	4	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)	4	
<i>erythromycin oral tablet 250 mg, 500 mg</i>	4	
Miscellaneous B-Lactam Antibiotics		
<i>aztreonam injection recon soln 1 gram</i> (Azactam)	3	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; NM; LA; NDS
<i>ertapenem injection recon soln 1 gram</i>	4	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	3	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>meropenem intravenous recon soln 1 gram, 500 mg</i>	4	
Penicillins		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	GC
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	GC
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	GC
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	4	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	4	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)	1	GC
<i>amoxicillin-pot clavulanate oral tablet 875-125 mg</i>	1	GC
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	4	
<i>ampicillin oral capsule 500 mg</i>	2	GC
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg</i>	3	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)	3	
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EXTENCILLINE INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT, 2.4 MILLION UNIT	4	
<i>nafcillin 1 gml 50 ml inj 1 gram/50 ml</i>	2	GC
<i>nafcillin injection recon soln 1 gram</i>	2	GC
<i>nafcillin injection recon soln 10 gram</i>	5	NM; NDS
<i>nafcillin injection recon soln 2 gram</i>	2	GC
<i>penicillin g potassium injection recon (Pfizerpen-G) soln 20 million unit</i>	4	
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	GC
<i>pfizerpen-g injection recon soln 20 (penicillin g potassium) million unit</i>	4	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram</i>	3	
<i>piperacillin-tazobactam intravenous recon soln 40.5 gram</i>	4	
Quinolones		
BAXDELA ORAL TABLET 450 MG	5	PA; NM; NDS; QL (28 per 14 days)
<i>ciprofloxacin hcl oral tablet 250 mg, (Cipro) 500 mg</i>	1	GC
<i>ciprofloxacin hcl oral tablet 750 mg</i>	1	GC
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml</i>	2	GC
<i>levofloxacin in d5w intravenous piggyback 500 mg/100 ml, 750 mg/150 ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>levofloxacin intravenous solution 25 mg/ml</i>	4	
<i>levofloxacin oral solution 250 mg/10 ml</i>	4	
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	GC
<i>moxifloxacin 400 mg/250 ml bag</i>	2	GC
<i>moxifloxacin oral tablet 400 mg</i>	4	
<i>moxifloxacin-sod. chloride (iso) intravenous piggyback 400 mg/250 ml</i> (Avelox in NaCl (iso-osmotic))	2	GC
Sulfonamides		
<i>sulfadiazine oral tablet 500 mg</i>	3	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)	4	
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)	1	GC
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)	1	GC
<i>sulfatrim oral suspension 200-40 mg/5 ml</i> (sulfamethoxazole-trimethoprim)	4	
Tetracyclines		
<i>doxy-100 intravenous recon soln 100 mg</i> (doxycycline hyclate)	3	
<i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)	3	
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> (Morgidox)	2	GC
<i>doxycycline hyclate oral tablet 100 mg</i> (LymePak)	2	GC
<i>doxycycline hyclate oral tablet 20 mg</i>	2	GC
<i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxyne NL)	2	GC
<i>doxycycline monohydrate oral capsule 50 mg</i> (Monodox)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>	2	GC
<i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)	2	GC
<i>doxycycline monohydrate oral tablet 50 mg</i>	2	GC
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	2	GC
<i>mondoxyne nl oral capsule 100 mg</i> (doxycycline monohydrate)	2	GC; QL (60 per 30 days)
<i>tetracycline oral capsule 250 mg, 500 mg</i>	4	
<i>tetracycline oral tablet 250 mg, 500 mg</i>	4	
<i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)	5	NM; NDS
Anticancer Agents		
Anticancer Agents		
<i>abiraterone oral tablet 250 mg</i> (Zytiga)	4	PA NSO; QL (120 per 30 days)
<i>abiraterone oral tablet 500 mg</i> (Zytiga)	5	PA NSO; NM; NDS; QL (120 per 30 days)
AKEEGA ORAL TABLET 100-500 MG, 50-500 MG	5	PA NSO; NM; NDS
ALECENSA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)	5	PA NSO; NM; NDS
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	GC
AUGTYRO ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
<i>bexarotene oral capsule 75 mg</i> (Targretin)	5	PA NSO; NM; NDS
<i>bexarotene topical gel 1%</i> (Targretin)	5	PA NSO; NM; NDS
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	2	GC
BOSULIF ORAL CAPSULE 100 MG, 50 MG	5	PA NSO; NM; NDS
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAELYX INTRAVENOUS SUSPENSION 2 MG/ML (doxorubicin, peg-liposomal)	5	NM; NDS
CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG (vandetanib)	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG (vandetanib)	5	PA NSO; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NM; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; NM; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide oral capsule 25 mg, 50 mg</i>	4	PA BvD; ST
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>	3	PA BvD; ST
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	
EMCYT ORAL CAPSULE 140 MG	5	NM; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 240 MG, 60 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>erlotinib oral tablet 100 mg, 25 mg</i> (Tarceva)	4	PA NSO; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>erlotinib oral tablet 150 mg</i> (Tarceva)	4	PA NSO; QL (90 per 30 days)
<i>everolimus (antineoplastic) oral tablet 10 mg</i> (Afinitor)	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Afinitor)	5	PA NSO; NM; NDS; QL (28 per 28 days)
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz)	5	PA NSO; NM; NDS; QL (112 per 28 days)
<i>exemestane oral tablet 25 mg</i> (Aromasin)	4	
EXKIVITY ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG	5	PA NSO; NM; NDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG	4	PA NSO
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
FRUZAQLA ORAL CAPSULE 1 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
FRUZAQLA ORAL CAPSULE 5 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	5	PA NSO; NM; NDS
GAVRETO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>gefitinib oral tablet 250 mg</i> (Iressa)	5	PA NSO; NM; NDS; QL (60 per 30 days)
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG (lomustine)	4	PA NSO
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	2	GC
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>imatinib oral tablet 100 mg</i> (Gleevec)	3	PA NSO; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	3	PA NSO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMBRUVICA ORAL SUSPENSION 70 MG/ML	5	PA NSO; NM; NDS; QL (240 per 30 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMJUDO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
INLYTA ORAL TABLET 1 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NM; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IRESSA ORAL TABLET 250 MG (gefitinib)	5	PA NSO; NM; NDS; QL (60 per 30 days)
IWILFIN ORAL TABLET 192 MG	5	PA NSO; NM; NDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS; QL (8 per 21 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NM; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NM; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NM; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NM; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NM; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
KRAZATI ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	5	PA NSO; NM; NDS
<i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid)	5	PA NSO; NM; LA; NDS; QL (28 per 28 days)
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NM; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	GC
LEUKERAN ORAL TABLET 2 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>leuprolide (3 month) intramuscular suspension for reconstitution 22.5 mg</i>	5	NM; NDS
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	5	NM; NDS
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NM; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NM; NDS; QL (80 per 28 days)
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG, 320 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML	5	PA NSO; NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	NM; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	NM; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NM; NDS
LYTGOBI ORAL TABLET 4 MG, 4 MG (4X 4 MG TB), 4 MG (5X 4 MG TB)	5	PA NSO; NM; NDS
MATULANE ORAL CAPSULE 50 MG	5	NM; NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	GC
MEKINIST ORAL RECON SOLN 0.05 MG/ML	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>mercaptapurine oral tablet 50 mg</i>	2	GC
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	GC
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	GC
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST; GC
MVASI INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	5	NM; NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; NM; LA; NDS
OGSIVEO ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG	5	PA NSO; NM; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (14 per 28 days)
ORSERDU ORAL TABLET 345 MG, 86 MG	5	PA NSO; NM; NDS
<i>pazopanib oral tablet 200 mg</i> (Votrient)	5	PA NSO; NM; NDS; QL (120 per 30 days)
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NM; NDS; QL (14 per 21 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PEMRYDI RTU INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NM; NDS; QL (56 per 28 days)
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
PURIXAN ORAL SUSPENSION 20 MG/ML	5	NM; NDS
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
REVLIMID ORAL CAPSULE 10 (lenalidomide) MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; LA; NDS; QL (28 per 28 days)
REZLIDHIA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ROZLYTREK ORAL PELLETS IN PACKET 50 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
SCEMBLIX ORAL TABLET 20 MG, 40 MG	5	PA NSO; NM; NDS
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sorafenib oral tablet 200 mg</i> (Nexavar)	5	PA NSO; NM; NDS; QL (120 per 30 days)
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
<i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)	5	PA NSO; NM; NDS; QL (30 per 30 days)
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
TABLOID ORAL TABLET 40 MG (thioguanine)	4	
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG	5	PA NSO; NM; NDS
TAGRISSO ORAL TABLET 40 MG, 80 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.1 MG, 0.35 MG, 0.75 MG, 1 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG, 0.5 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	GC
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TEPMETKO ORAL TABLET 225 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>toremifene oral tablet 60 mg</i> (Fareston)	5	NM; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG	4	QL (1 per 84 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	4	QL (1 per 168 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 3.75 MG	4	QL (1 per 28 days)
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	5	NM; NDS
TRUQAP ORAL TABLET 160 MG, 200 MG	5	PA NSO; NM; NDS; QL (64 per 28 days)
TRUSELTIQ ORAL CAPSULE 100 MG/DAY (100 MG X 1), 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2), 75 MG/DAY (25 MG X 3)	5	PA NSO; NM; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 125 MG, 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG	5	PA NSO; NM; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; NM; LA; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VENCLEXTA ORAL TABLET 50 MG	3	PA NSO; LA; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; NM; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NM; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
VONJO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VOTRIENT ORAL TABLET 200 (pazopanib) MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
WELIREG ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XALKORI ORAL PELLETT 150 MG, 20 MG, 50 MG	5	PA NSO; NM; NDS
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	5	PA NSO; NM; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	5	PA NSO; NM; NDS; QL (4 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NM; NDS; QL (24 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NM; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
YONSA ORAL TABLET 125 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
ZOLINZA ORAL CAPSULE 100 MG	5	NM; NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
Anticonvulsants		
Anticonvulsants		
APTIOM ORAL TABLET 200 MG, 400 MG	5	ST; NM; NDS; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	5	ST; NM; NDS; QL (60 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	3	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	3	QL (60 per 30 days)
<i>carbamazepine oral capsule, er</i> (Carbatrol) <i>multiphase 12 hr 100 mg, 200 mg,</i> <i>300 mg</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	4	
<i>carbamazepine oral tablet 200 mg</i> (Epilex)	2	GC
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	4	
<i>carbamazepine oral tablet, chewable 100 mg</i>	2	GC
CELONTIN ORAL CAPSULE 300 MG (methsuximide)	4	
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	4	PA NSO; QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	4	PA NSO; QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg</i>	4	
<i>divalproex oral capsule, delayed release sprinkle 125 mg</i> (Depakote Sprinkles)	2	GC
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	2	GC
<i>divalproex oral tablet, delayed release (drlec) 125 mg, 250 mg, 500 mg</i> (Depakote)	2	GC
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; NM; NDS
<i>epilex oral tablet 200 mg</i> (carbamazepine)	2	GC
EPRONTIA ORAL SOLUTION 25 MG/ML	4	QL (480 per 30 days)
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	2	GC
<i>felbamate oral suspension 600 mg/5 ml</i>	4	
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	4	
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	PA NSO; NM; NDS
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	5	ST; NM; NDS; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	5	ST; NM; NDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG	4	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	5	ST; NM; NDS; QL (60 per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	1	GC; QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i> (Neurontin)	1	GC; QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	4	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i> (Neurontin)	2	GC; QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i> (Neurontin)	2	GC; QL (120 per 30 days)
<i>lacosamide oral solution 10 mg/ml</i> (Vimpat)	2	GC; QL (1200 per 30 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat)	3	QL (60 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Lamictal)	1	GC
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	2	GC
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	2	GC
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	2	GC
<i>methsuximide oral capsule 300 mg</i> (Celontin)	2	GC
MOTPOLY XR ORAL CAPSULE,EXTENDED RELEASE 24HR 100 MG, 150 MG, 200 MG	3	
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	4	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	4	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	2	GC
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG	4	ST
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 600 MG	5	ST; NM; NDS
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	4	
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	GC
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	2	GC
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	2	GC
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	2	GC
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	2	GC
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica)	2	GC; QL (90 per 30 days)
<i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica)	2	GC; QL (60 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	4	QL (900 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>primidone oral tablet 125 mg</i>	2	GC
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	2	GC
<i>rufinamide oral suspension 40 mg/ml</i> (Banzel)	5	ST; NM; NDS
<i>rufinamide oral tablet 200 mg</i> (Banzel)	4	ST
<i>rufinamide oral tablet 400 mg</i> (Banzel)	5	ST; NM; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	4	ST; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	4	ST; QL (120 per 30 days)
SYMPAZAN ORAL FILM 10 MG, 20 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
SYMPAZAN ORAL FILM 5 MG	4	PA NSO; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>	4	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	2	GC
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	GC
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	GC
<i>valproic acid oral capsule 250 mg</i>	2	GC
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	4	
<i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigabatrin oral tablet 500 mg</i> (Vigadrone)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigadrone oral powder in packet 500 mg</i> (vigabatrin)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigadrone oral tablet 500 mg</i> (vigabatrin)	6	GC
<i>vigpoder oral powder in packet 500 mg</i> (vigabatrin)	5	PA NSO; NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1- 150MG X1)	4	ST; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 50 MG	4	ST; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	4	ST; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	4	ST
ZONISADE ORAL SUSPENSION 100 MG/5 ML	4	
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	2	GC
<i>zonisamide oral capsule 50 mg</i>	2	GC
ZTALMY ORAL SUSPENSION 50 MG/ML	5	PA NSO; NM; NDS
Antidementia Agents		
Antidementia Agents		
<i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept)	1	GC; QL (30 per 30 days)
<i>donepezil oral tablet, disintegrating 10 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	4	
<i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i>	2	GC; QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	4	QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	2	GC; QL (60 per 30 days)
<i>memantine oral capsule, sprinkle, er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> (Namenda XR)	4	ST; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	4	QL (300 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i>	2	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NAMZARIC ORAL CAP,SPRINKLE,ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	3	ST
NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG	3	ST; QL (30 per 30 days)
<i>rivastigmine tartrate oral capsule</i> 1.5 mg, 3 mg, 4.5 mg, 6 mg	2	GC; QL (60 per 30 days)
<i>rivastigmine transdermal patch 24</i> (Exelon Patch) <i>hour 13.3 mg/24 hour, 4.6 mg/24</i> <i>hour, 9.5 mg/24 hour</i>	4	QL (30 per 30 days)
Antidepressants		
Antidepressants		
<i>amitriptyline oral tablet 10 mg, 100</i> <i>mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	GC
<i>amoxapine oral tablet 100 mg, 150</i> <i>mg, 25 mg, 50 mg</i>	4	
AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG	4	ST
<i>bupropion hcl oral tablet 100 mg, 75</i> <i>mg</i>	2	GC
<i>bupropion hcl oral tablet extended</i> (Wellbutrin XL) <i>release 24 hr 150 mg, 300 mg</i>	2	GC
<i>bupropion hcl oral tablet sustained-</i> (Wellbutrin SR) <i>release 12 hr 100 mg, 150 mg, 200</i> <i>mg</i>	2	GC
<i>citalopram oral solution 10 mg/5 ml</i>	4	QL (600 per 30 days)
<i>citalopram oral tablet 10 mg, 20 mg,</i> (Celexa) <i>40 mg</i>	1	GC; QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50</i> (Anafranil) <i>mg, 75 mg</i>	4	
<i>desipramine oral tablet 10 mg, 25</i> (Norpramin) <i>mg</i>	4	
<i>desipramine oral tablet 100 mg, 150</i> <i>mg, 50 mg, 75 mg</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>desvenlafaxine succinate oral tablet (Pristiq) extended release 24 hr 100 mg, 25 mg, 50 mg</i>	4	QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	GC
<i>doxepin oral concentrate 10 mg/ml</i>	1	GC
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed (Cymbalta) release(drlec) 20 mg, 30 mg, 60 mg</i>	2	GC; QL (60 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	ST; NM; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	4	
<i>escitalopram oxalate oral tablet 10 (Lexapro) mg, 20 mg, 5 mg</i>	1	GC
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 (Prozac) mg, 40 mg</i>	1	GC
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	4	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	GC
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	2	GC
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	2	GC
<i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab)	2	GC
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	4	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	GC
<i>nortriptyline oral solution 10 mg/5 ml</i>	4	
<i>paroxetine hcl oral suspension 10 mg/5 ml</i> (Paxil)	4	
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	GC
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	2	GC
<i>phenelzine oral tablet 15 mg</i> (Nardil)	2	GC
<i>protriptyline oral tablet 10 mg, 5 mg</i>	4	
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	2	GC
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	GC
<i>tranylcypromine oral tablet 10 mg</i> (Parnate)	4	
<i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i>	1	GC
<i>trazodone oral tablet 300 mg</i>	4	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	4	
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR)	2	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)	2	GC; QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	GC
VIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG (vilazodone)	3	QL (30 per 30 days)
VIIBRYD ORAL TABLETS, DOSE PACK 10 MG (7)- 20 MG (23)	3	
ZURZUVAE ORAL CAPSULE 20 MG, 25 MG	5	PA NSO; NM; NDS; QL (28 per 365 days)
ZURZUVAE ORAL CAPSULE 30 MG	5	PA NSO; NM; NDS; QL (14 per 365 days)
Antidiabetic Agents		
Antidiabetic Agents, Miscellaneous		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	2	GC; QL (90 per 30 days)
FARXIGA ORAL TABLET 10 MG, 5 MG (dapagliflozin propanediol)	3	QL (30 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	3	QL (30 per 30 days)
JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG	3	ST; QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	3	ST; QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	3	ST; QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	3	ST; QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	3	ST; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	ST; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	ST; QL (30 per 30 days)
KORLYM ORAL TABLET 300 (mifepristone) MG	5	PA; NM; NDS; QL (112 per 28 days)
<i>metformin oral tablet 1,000 mg</i>	6	GC; QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	6	GC; QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i>	6	GC; QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	6	GC; QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	6	GC; QL (60 per 30 days)
<i>mifepristone oral tablet 300 mg</i> (Korlym)	5	PA; NM; NDS; QL (112 per 28 days)
MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML	3	PA; QL (2 per 28 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 0.25 MG OR 0.5 MG(2 MG/1.5 ML), 2 MG/DOSE (8 MG/3 ML)	3	PA; QL (3 per 28 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 1 MG/DOSE (4 MG/3 ML)	3	PA; QL (6 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30</i> (Actos) <i>mg, 45 mg</i>	6	GC; QL (30 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	6	GC; QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	6	GC; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	3	PA; QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	5	PA; ST; NM; NDS; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	5	PA; ST; NM; NDS; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	ST; QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG	3	QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	PA; QL (2 per 28 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG (dapaglifloz propaned-metformin)	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-500 MG	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XIGDUO XR ORAL TABLET, (dapaglifloz propaned- IR - ER, BIPHASIC 24HR 5-1,000 metformin) MG	3	QL (60 per 30 days)
Insulins		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
FIASP PUMPCART SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (1.6 ML)	3	
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	QL (24 per 28 days)
LANTUS SOLOSTAR U-100 (insulin glargine) INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
LANTUS U-100 INSULIN (insulin glargine) SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70- 30)	3	QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) (insulin aspart u-100)	2	GC; QL (30 per 28 days)
NOVOLOG MIX 70-30 U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30) (insulin asp prt-insulin aspart)	2	GC; QL (40 per 28 days)
NOVOLOG MIX 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30) (insulin asp prt-insulin aspart)	2	GC; QL (30 per 28 days)
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (insulin aspart u-100)	2	GC; QL (30 per 28 days)
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML (insulin aspart u-100)	2	GC; QL (40 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML) (insulin glargine u-300 conc)	3	QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML) (insulin glargine u-300 conc)	3	QL (13.5 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	QL (15 per 28 days)
Sulfonylureas		
<i>glimepiride oral tablet 1 mg, 2 mg</i>	6	GC; QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i>	6	GC; QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i>	6	GC; QL (120 per 30 days)
<i>glipizide oral tablet 2.5 mg, 5 mg</i>	6	GC; QL (60 per 30 days)
<i>glipizide oral tablet extended release (Glucotrol XL) 24hr 10 mg</i>	6	GC; QL (60 per 30 days)
<i>glipizide oral tablet extended release (Glucotrol XL) 24hr 2.5 mg, 5 mg</i>	6	GC; QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5- 250 mg</i>	6	GC; QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5- 500 mg, 5-500 mg</i>	6	GC; QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i>	6	GC
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	6	GC
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	6	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Antifungals		
Antifungals		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	4	PA BvD
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG (amphotericin b liposome)	5	PA BvD; NM; NDS
<i>amphotericin b injection recon soln 50 mg</i>	2	PA BvD; GC
<i>casposfungin intravenous recon soln 50 mg</i> (Cancidas)	5	NM; NDS
<i>casposfungin intravenous recon soln 70 mg</i> (Cancidas)	3	
<i>ciclopirox topical cream 0.77 %</i> (Ciclodan)	2	GC; QL (180 per 30 days)
<i>ciclopirox topical solution 8 %</i> (Ciclodan)	2	GC; QL (19.8 per 30 days)
<i>clotrimazole mucous membrane troche 10 mg</i>	2	GC
<i>clotrimazole topical cream 1 %</i> (Antifungal (clotrimazole))	2	GC
<i>clotrimazole topical solution 1 %</i>	2	GC
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>	2	GC; QL (90 per 30 days)
<i>econazole topical cream 1 %</i>	4	QL (170 per 30 days)
<i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	PA BvD; GC
<i>fluconazole oral suspension for reconstitution 10 mg/ml</i>	4	
<i>fluconazole oral suspension for reconstitution 40 mg/ml</i> (Diflucan)	4	
<i>fluconazole oral tablet 100 mg, 200 mg</i> (Diflucan)	2	GC
<i>fluconazole oral tablet 150 mg, 50 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon)	5	NM; NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	4	
<i>griseofulvin microsize oral tablet 500 mg</i>	4	
<i>itraconazole oral capsule 100 mg</i> (Sporanox)	2	GC
<i>ketoconazole oral tablet 200 mg</i>	2	GC
<i>ketoconazole topical cream 2 %</i>	2	GC; QL (180 per 30 days)
<i>ketoconazole topical shampoo 2 %</i>	2	GC; QL (360 per 30 days)
<i>miconazole-3 vaginal suppository 200 mg</i>	2	GC
NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML) (posaconazole)	5	PA; NM; NDS
<i>nyamyc topical powder 100,000 unit/gram</i> (nystatin)	2	GC; QL (60 per 30 days)
<i>nystatin oral suspension 100,000 unit/ml</i>	2	GC; QL (900 per 30 days)
<i>nystatin oral tablet 500,000 unit</i>	2	GC
<i>nystatin topical cream 100,000 unit/gram</i>	2	GC; QL (60 per 30 days)
<i>nystatin topical ointment 100,000 unit/gram</i>	2	GC; QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc)	2	GC; QL (60 per 30 days)
<i>nystop topical powder 100,000 unit/gram</i> (nystatin)	2	GC; QL (60 per 30 days)
<i>posaconazole oral suspension 200 mg/5 ml (40 mg/ml)</i> (Noxafil)	5	PA; NM; NDS
<i>posaconazole oral tablet, delayed release (dr/ec) 100 mg</i> (Noxafil)	5	PA; NM; NDS
<i>terbinafine hcl oral tablet 250 mg</i>	1	GC
<i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV)	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend)	5	PA; NM; NDS
<i>voriconazole oral tablet 200 mg, 50 mg</i> (Vfend)	3	
Antigout Agents		
Antigout Agents, Other		
<i>allopurinol oral tablet 100 mg</i> (Zyloprim)	1	GC
<i>allopurinol oral tablet 300 mg</i>	1	GC
<i>colchicine oral tablet 0.6 mg</i> (Colcrys)	4	PA; QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	4	ST; QL (30 per 30 days)
MITIGARE ORAL CAPSULE 0.6 MG (colchicine)	2	GC; QL (60 per 30 days)
<i>probenecid oral tablet 500 mg</i>	2	GC
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	2	GC
Antihistamines		
Antihistamines		
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	2	GC
<i>diphenhydramine 50 mg/ml vial outer</i>	2	GC
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	4	
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	2	GC
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	GC
<i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)	1	GC
<i>promethazine oral syrup 6.25 mg/5 ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Anti-Infectives (Skin And Mucous Membrane)		
Anti-Infectives (Skin And Mucous Membrane)		
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	2	GC
<i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i> (Vandazole)	2	GC
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	GC
<i>terconazole vaginal suppository 80 mg</i>	4	
Antimigraine Agents		
Antimigraine Agents		
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML	3	PA; QL (1 per 30 days)
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal)	5	NM; NDS; QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
NURTEC ODT ORAL TABLET, DISINTEGRATING 75 MG	3	PA; QL (18 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	2	GC; QL (12 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	2	GC; QL (12 per 30 days)
<i>rizatriptan oral tablet, disintegrating 10 mg</i> (Maxalt-MLT)	2	GC; QL (12 per 30 days)
<i>rizatriptan oral tablet, disintegrating 5 mg</i>	2	GC; QL (12 per 30 days)
<i>sumatriptan nasal spray, non-aerosol 20 mg/actuation</i>	4	QL (12 per 30 days)
<i>sumatriptan nasal spray, non-aerosol 5 mg/actuation</i>	4	QL (18 per 30 days)
<i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex)	2	GC; QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex)	2	GC; QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Refill)	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)	4	QL (4 per 28 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	3	PA; QL (16 per 30 days)
Antimycobacterials		
Antimycobacterials		
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	GC
<i>ethambutol oral tablet 100 mg</i>	2	GC
<i>ethambutol oral tablet 400 mg</i> (Myambutol)	2	GC
<i>isoniazid oral solution 50 mg/5 ml</i>	2	GC
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	GC
PRETOMANID ORAL TABLET 200 MG	4	QL (30 per 30 days)
PRIFTIN ORAL TABLET 150 MG	4	
<i>pyrazinamide oral tablet 500 mg</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)	4	
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	4	
<i>rifampin oral capsule 150 mg, 300 mg</i>	2	GC
SIRTURO ORAL TABLET 100 MG, 20 MG	5	PA; NM; NDS
TRECTOR ORAL TABLET 250 MG	4	
Antinausea Agents		
Antinausea Agents		
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	4	PA BvD
<i>aprepitant oral capsule 125 mg</i>	4	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	4	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	4	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	4	PA BvD; QL (6 per 28 days)
<i>compro rectal suppository 25 mg</i> (prochlorperazine)	4	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	4	PA; QL (60 per 30 days)
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	4	PA BvD; QL (6 per 28 days)
<i>granisetron hcl oral tablet 1 mg</i>	4	PA BvD
<i>meclizine oral tablet 12.5 mg</i>	2	GC
<i>meclizine oral tablet 25 mg</i> (Dramamine (meclizine))	2	GC
<i>meclizine oral tablet 50 mg</i> (Antivert)	2	GC
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	2	GC
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	2	PA BvD; GC
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine)	2	GC
<i>prochlorperazine rectal suppository 25 mg</i> (Compro)	4	
<i>promethazine injection solution 25 mg/ml</i> (Phenergan)	4	
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>promethegan rectal suppository 12.5 mg, 25 mg</i> (promethazine)	4	
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop)	2	GC; QL (10 per 30 days)
Antiparasite Agents		
Antiparasite Agents		
<i>albendazole oral tablet 200 mg</i>	5	NM; NDS
<i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)	3	
<i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)	2	GC
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric)	2	GC
<i>chloroquine phosphate oral tablet 250 mg</i>	4	QL (50 per 30 days)
<i>chloroquine phosphate oral tablet 500 mg</i>	4	QL (25 per 30 days)
COARTEM ORAL TABLET 20-120 MG	4	
<i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)	2	GC; QL (90 per 30 days)
IMPAVIDO ORAL CAPSULE 50 MG	5	PA; NM; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg</i> (Stromectol)	2	GC
KRINTAFEL ORAL TABLET 150 MG	4	
<i>mefloquine oral tablet 250 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>nitazoxanide oral tablet 500 mg</i> (Alinia)	5	NM; NDS
<i>paromomycin oral capsule 250 mg</i> (Humatin)	4	
<i>pentamidine inhalation recon soln 300 mg</i> (Nebupent)	3	PA BvD
<i>pentamidine injection recon soln 300 mg</i> (Pentam)	4	
PRIMAQUINE ORAL TABLET 26.3 MG	4	
<i>pyrimethamine oral tablet 25 mg</i> (Daraprim)	5	PA; NM; NDS
<i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)	4	PA; QL (42 per 7 days)
Antiparkinsonian Agents		
Antiparkinsonian Agents		
<i>amantadine hcl oral capsule 100 mg</i>	2	GC
<i>amantadine hcl oral solution 50 mg/5 ml</i>	1	GC
<i>apomorphine subcutaneous cartridge 10 mg/ml</i> (APOKYN)	5	PA; NM; NDS; QL (60 per 30 days)
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	GC
<i>bromocriptine oral capsule 5 mg</i> (Parlodel)	4	
<i>bromocriptine oral tablet 2.5 mg</i> (Parlodel)	2	GC
<i>cabergoline oral tablet 0.5 mg</i>	2	GC
<i>carbidopa-levodopa oral tablet 10-100 mg</i> (Sinemet)	2	GC
<i>carbidopa-levodopa oral tablet 25-100 mg</i> (Dhivy)	2	GC
<i>carbidopa-levodopa oral tablet 25-250 mg</i>	2	GC
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	2	GC
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg</i>	4	
<i>entacapone oral tablet 200 mg</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	5	PA; NM; NDS; QL (300 per 30 days)
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS; QL (150 per 30 days)
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	3	QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG	4	ST; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1)	4	ST; QL (60 per 30 days)
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	1	GC
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	4	
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	2	GC
<i>selegiline hcl oral capsule 5 mg</i>	2	GC
<i>selegiline hcl oral tablet 5 mg</i>	2	GC
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	2	GC
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	GC
Antipsychotic Agents		
Antipsychotic Agents		
<i>aripiprazole oral solution 1 mg/ml</i>	4	QL (900 per 30 days)
<i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	4	QL (30 per 30 days)
<i>aripiprazole oral tablet 2 mg</i> (Abilify)	4	QL (60 per 30 days)
<i>aripiprazole oral tablet, disintegrating 10 mg</i>	4	ST; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>aripiprazole oral tablet, disintegrating 15 mg</i>	5	ST; NM; NDS; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 675 MG/2.4 ML	5	NM; NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NM; NDS; QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 441 MG/1.6 ML	5	NM; NDS; QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 662 MG/2.4 ML	5	NM; NDS; QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 882 MG/3.2 ML	5	NM; NDS; QL (3.2 per 28 days)
<i>asenapine maleate sublingual tablet</i> (Saphris) <i>10 mg, 2.5 mg, 5 mg</i>	2	GC; QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG	5	ST; NM; NDS; QL (30 per 30 days)
<i>chlorpromazine oral concentrate</i> 100 <i>mg/ml, 30 mg/ml</i>	4	
<i>chlorpromazine oral tablet</i> 10 mg, <i>100 mg, 200 mg, 25 mg, 50 mg</i>	4	
<i>clozapine oral tablet</i> 100 mg (Clozaril)	2	GC; QL (270 per 30 days)
<i>clozapine oral tablet</i> 200 mg (Clozaril)	3	QL (135 per 30 days)
<i>clozapine oral tablet</i> 25 mg (Clozaril)	3	QL (90 per 30 days)
<i>clozapine oral tablet</i> 50 mg (Clozaril)	2	GC; QL (90 per 30 days)
<i>clozapine oral tablet, disintegrating</i> <i>100 mg, 12.5 mg, 25 mg</i>	4	ST; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>clozapine oral tablet, disintegrating</i> 150 mg	4	ST; QL (180 per 30 days)
<i>clozapine oral tablet, disintegrating</i> 200 mg	5	ST; NM; NDS; QL (120 per 30 days)
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	5	ST; NM; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS, DOSE PACK 1MG(2)- 2MG(2)- 4MG(2)-6MG(2)	4	ST
<i>fluphenazine decanoate injection</i> <i>solution 25 mg/ml</i>	2	GC
<i>fluphenazine hcl injection solution</i> <i>2.5 mg/ml</i>	3	
<i>fluphenazine hcl oral concentrate 5</i> <i>mg/ml</i>	4	
<i>fluphenazine hcl oral elixir 2.5 mg/5</i> <i>ml</i>	4	
<i>fluphenazine hcl oral tablet 1 mg, 10</i> <i>mg, 2.5 mg, 5 mg</i>	4	
<i>haloperidol decanoate intramuscular</i> (Haldol Decanoate) <i>solution 100 mg/ml</i>	3	
<i>haloperidol decanoate intramuscular</i> <i>solution 100 mg/ml (1 ml)</i>	2	GC
<i>haloperidol decanoate intramuscular</i> (Haldol Decanoate) <i>solution 50 mg/ml</i>	2	GC
<i>haloperidol decanoate intramuscular</i> <i>solution 50 mg/ml (1ml)</i>	3	
<i>haloperidol lactate injection solution</i> <i>5 mg/ml</i>	2	GC
<i>haloperidol lactate oral concentrate</i> <i>2 mg/ml</i>	2	GC
<i>haloperidol oral tablet 0.5 mg, 1 mg,</i> <i>10 mg, 2 mg, 20 mg, 5 mg</i>	2	GC
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	5	NM; NDS; QL (3.5 per 180 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	5	NM; NDS; QL (5 per 180 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NM; NDS; QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NM; NDS; QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NM; NDS; QL (1.5 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NM; NDS; QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	5	NM; NDS; QL (0.88 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	5	NM; NDS; QL (1.32 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NM; NDS; QL (1.75 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	5	NM; NDS; QL (2.63 per 84 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	GC
<i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg, 80 mg</i> (Latuda)	2	GC; QL (30 per 30 days)
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>molindone oral tablet 10 mg</i>	2	GC; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>molindone oral tablet 25 mg</i>	2	GC; QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	2	GC; QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln (Zyprexa) 10 mg</i>	3	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg (Zyprexa)</i>	2	GC; QL (30 per 30 days)
<i>olanzapine oral tablet, disintegrating (Zyprexa Zydis) 10 mg, 15 mg, 20 mg, 5 mg</i>	4	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 1.5 mg</i>	4	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 3 mg, 9 mg (Invega)</i>	4	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg (Invega)</i>	4	QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	4	
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 120 MG, 90 MG	5	NM; NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	3	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg (Seroquel)</i>	2	GC; QL (90 per 30 days)
<i>quetiapine oral tablet 300 mg, 400 mg (Seroquel)</i>	2	GC; QL (60 per 30 days)
REXULTI ORAL TABLET 0.25 MG	5	ST; NM; NDS; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	5	ST; NM; NDS; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	5	ST; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML	(risperidone microspheres) 4	QL (2 per 28 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML	(risperidone microspheres) 5	NM; NDS; QL (2 per 28 days)
<i>risperidone microspheres intramuscular suspension,extended rel recon 12.5 mg/2 ml, 25 mg/2 ml, 37.5 mg/2 ml, 50 mg/2 ml</i>	(Risperdal Consta) 4	QL (2 per 28 days)
<i>risperidone oral solution 1 mg/ml</i>	(Risperdal) 2	GC; QL (480 per 30 days)
<i>risperidone oral tablet 0.25 mg</i>	2	GC; QL (60 per 30 days)
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg</i>	(Risperdal) 2	GC; QL (60 per 30 days)
<i>risperidone oral tablet 4 mg</i>	(Risperdal) 2	GC; QL (120 per 30 days)
<i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	4	QL (60 per 30 days)
<i>risperidone oral tablet,disintegrating 3 mg, 4 mg</i>	4	QL (120 per 30 days)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	ST; NM; NDS; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	GC
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	4	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 100 MG/0.28 ML, 125 MG/0.35 ML, 150 MG/0.42 ML, 200 MG/0.56 ML, 250 MG/0.7 ML, 50 MG/0.14 ML, 75 MG/0.21 ML	5	ST; NM; NDS
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NM; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NM; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE, DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	2	GC; QL (60 per 30 days)
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon)	3	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
Antivirals (Systemic)		
Antiretrovirals		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	4	
<i>abacavir oral tablet 300 mg</i>	2	GC
<i>abacavir-lamivudine oral tablet 600-300 mg</i>	2	GC
APTIVUS ORAL CAPSULE 250 MG	5	NM; NDS
<i>atazanavir oral capsule 150 mg</i>	3	
<i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz)	3	
BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	5	NM; NDS
CIMDUO ORAL TABLET 300- 300 MG	5	NM; NDS
COMPLERA ORAL TABLET 200-25-300 MG	5	NM; NDS
<i>darunavir oral tablet 600 mg, 800 mg</i> (Prezista)	5	NM; NDS
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NM; NDS
DESCOVY ORAL TABLET 120- 15 MG, 200-25 MG	5	NM; NDS
DOVATO ORAL TABLET 50- 300 MG	5	NM; NDS
EDURANT ORAL TABLET 25 MG	5	NM; NDS
<i>efavirenz oral capsule 200 mg</i>	3	
<i>efavirenz oral capsule 50 mg</i>	2	GC
<i>efavirenz oral tablet 600 mg</i>	3	
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i> (Atripla)	4	
<i>efavirenz-lamivudine-tenofovir disoproxil tablet 400-300-300 mg</i> (Symfi Lo)	5	NM; NDS
<i>efavirenz-lamivudine-tenofovir disoproxil tablet 600-300-300 mg</i> (Symfi)	5	NM; NDS
<i>emtricitabine oral capsule 200 mg</i> (Emtriva)	3	
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg</i> (Truvada)	5	NM; NDS
<i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i> (Truvada)	4	
EMTRIVA ORAL SOLUTION 10 MG/ML	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)	5	NM; NDS
EVOTAZ ORAL TABLET 300-150 MG	5	NM; NDS
<i>fosamprenavir oral tablet 700 mg</i>	3	
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NM; NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NM; NDS
INTELENCE ORAL TABLET 25 MG	4	
ISENTRESS HD ORAL TABLET 600 MG	5	NM; NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	4	
ISENTRESS ORAL TABLET 400 MG	5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG, 25 MG	4	
JULUCA ORAL TABLET 50-25 MG	5	NM; NDS
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	4	
<i>lamivudine oral tablet 100 mg</i>	4	
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	2	GC
<i>lamivudine-zidovudine oral tablet 150-300 mg</i>	2	GC
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	2	GC; QL (480 per 30 days)
<i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra)	3	QL (300 per 30 days)
<i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra)	4	QL (120 per 30 days)
<i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>nevirapine oral suspension 50 mg/5 ml</i>	4	
<i>nevirapine oral tablet 200 mg</i>	2	GC
<i>nevirapine oral tablet extended release 24 hr 100 mg, 400 mg</i>	4	
NORVIR ORAL POWDER IN PACKET 100 MG	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NM; NDS
PIFELTRO ORAL TABLET 100 MG	5	NM; NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NM; NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NM; NDS
PREZISTA ORAL TABLET 150 MG	5	NM; NDS
PREZISTA ORAL TABLET 600 MG, 800 MG (darunavir)	5	NM; NDS
PREZISTA ORAL TABLET 75 MG	4	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NM; NDS
<i>ritonavir oral tablet 100 mg</i> (Norvir)	2	GC
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NM; NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	4	
SELZENTRY ORAL TABLET 25 MG	3	
SELZENTRY ORAL TABLET 75 MG	5	NM; NDS
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NM; NDS
SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML	5	NM; NDS
SYMTUZA ORAL TABLET 800-150-200-10 MG	5	NM; NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	2	GC
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NM; NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	4	
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NM; NDS
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	5	NM; NDS
TRIZIVIR ORAL TABLET 300-150-300 MG	5	NM; NDS
VEMLIDY ORAL TABLET 25 MG	5	NM; NDS; QL (30 per 30 days)
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NM; NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NM; NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NM; NDS
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	GC
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	GC
<i>zidovudine oral tablet 300 mg</i>	2	GC
Antivirals, Miscellaneous		
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	2	GC; QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	2	GC; QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	2	GC; QL (42 per 180 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	2	GC; QL (540 per 180 days)
PAXLOVID ORAL TABLETS,DOSE PACK 150-100 MG	4	QL (20 per 5 days)
PAXLOVID ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG	4	QL (30 per 5 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NM; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	3	
XOFLUZA ORAL TABLET 40 MG	4	QL (4 per 180 days)
XOFLUZA ORAL TABLET 80 MG	4	QL (2 per 180 days)
Hcv Antivirals		
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG	5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSA ORAL PELLETS IN PACKET 200-50 MG	5	PA; NM; NDS; QL (56 per 28 days)
EPCLUSA ORAL TABLET 200-50 MG	5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSA ORAL TABLET 400-100 MG (sofosbuvir-velpatasvir)	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NM; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 90-400 MG (ledipasvir-sofosbuvir)	5	PA; NM; NDS; QL (28 per 28 days)
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NM; NDS; QL (28 per 28 days)
Interferons		
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	NM; NDS
Nucleosides And Nucleotides		
<i>acyclovir oral capsule 200 mg</i>	2	GC
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	4	
<i>acyclovir oral tablet 400 mg, 800 mg</i>	2	GC
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	3	PA BvD
<i>adefovir oral tablet 10 mg</i> (Hepsera)	3	
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	2	GC
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	2	GC
<i>lagevrio (eua) oral capsule 200 mg</i>	4	
<i>ribavirin oral capsule 200 mg</i>	2	GC
<i>ribavirin oral tablet 200 mg</i>	2	GC
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	4	
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	2	GC
Blood Products/Modifiers/Volume Expanders		
Anticoagulants		
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	
ELIQUIS ORAL TABLET 2.5 MG	3	QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG	3	QL (74 per 30 days)
<i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> (Lovenox)	3	QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> (Lovenox)	3	QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i> (Lovenox)	3	QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> (Lovenox)	3	QL (24 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i> (Lovenox)	3	QL (36 per 30 days)
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i> (Arixtra)	5	NM; NDS; QL (24 per 30 days)
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> (Arixtra)	3	QL (15 per 30 days)
<i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i> (Arixtra)	5	NM; NDS; QL (12 per 30 days)
<i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i> (Arixtra)	5	NM; NDS; QL (18 per 30 days)
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	2	GC
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (warfarin)	1	GC
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Jantoven)	1	GC
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	
XARELTO ORAL TABLET 10 MG, 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	3	QL (60 per 30 days)
Blood Formation Modifiers		
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NM; NDS; QL (20 per 30 days)
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NM; NDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NM; NDS; QL (20 per 30 days)
LEUKINE INJECTION RECON SOLN 250 MCG	5	NM; NDS
MULPLETA ORAL TABLET 3 MG	5	PA; NM; NDS; QL (7 per 7 days)
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
ORLADEYO ORAL CAPSULE 110 MG, 150 MG	5	PA; NM; NDS; QL (30 per 30 days)
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; NM; NDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG	5	PA; NM; NDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 50 MG, 75 MG	5	PA; NM; NDS; QL (60 per 30 days)
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
UDENYCA AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 6 MG/0.6 ML	5	PA; NM; NDS
UDENYCA ONBODY SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	5	PA; NM; NDS
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
Hematologic Agents, Miscellaneous		
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	2	GC
<i>anagrelide oral capsule 1 mg</i>	2	GC
CABLIVI INJECTION KIT 11 MG	5	PA; NM; NDS; QL (30 per 30 days)
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	
PYRUKYND ORAL TABLET 20 MG, 5 MG, 5 MG (4-WEEK PACK), 50 MG	5	PA; NM; NDS
PYRUKYND ORAL TABLETS,DOSE PACK 20 MG (7)- 5 MG (7), 50 MG (7)- 20 MG (7)	5	PA; NM; NDS
TAVALISSE ORAL TABLET 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>tranexamic acid oral tablet 650 mg</i>	2	GC
Platelet-Aggregation Inhibitors		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	4	QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	GC
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	GC
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	GC
<i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient)	4	QL (30 per 30 days)
Caloric Agents		
Caloric Agents		
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
<i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i>	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	2	GC
<i>dextrose 5 % in water (d5w) intravenous piggyback 5 %</i>	2	GC
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	4	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	4	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
Cardiovascular Agents		
Alpha-Adrenergic Agents		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	1	GC
<i>clonidine transdermal patch weekly (Catapres-TTS-1) 0.1 mg/24 hr</i>	4	QL (4 per 28 days)
<i>clonidine transdermal patch weekly (Catapres-TTS-2) 0.2 mg/24 hr</i>	4	QL (4 per 28 days)
<i>clonidine transdermal patch weekly (Catapres-TTS-3) 0.3 mg/24 hr</i>	4	QL (8 per 28 days)
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	2	GC
<i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i> (Northera)	4	PA; QL (180 per 30 days)
<i>guanfacine oral tablet 1 mg, 2 mg</i>	2	GC
<i>methyldopa oral tablet 250 mg, 500 mg</i>	4	
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i>	4	
Angiotensin II Receptor Antagonists		
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand)	4	
EDARBI ORAL TABLET 40 MG, 80 MG	3	
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG	3	
ENTRESTO ORAL TABLET 24-26 MG	3	QL (180 per 30 days)
ENTRESTO ORAL TABLET 49-51 MG, 97-103 MG	3	QL (60 per 30 days)
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	6	GC
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	6	GC
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	6	GC
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	6	GC
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	6	GC
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	6	GC
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	6	GC
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	6	GC
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	6	GC
Angiotensin-Converting Enzyme Inhibitors		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	6	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>benazepril oral tablet 5 mg</i>	6	GC
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)	6	GC
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>	6	GC
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	2	GC
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	6	GC
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	6	GC
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	6	GC
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	6	GC
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)	6	GC
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)	6	GC
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	6	GC
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	6	GC
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic)	6	GC
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)	6	GC
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	6	GC
Antiarrhythmic Agents		
<i>amiodarone oral tablet 200 mg</i> (Pacerone)	1	GC
<i>amiodarone oral tablet 400 mg</i> (Pacerone)	4	
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	4	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	GC
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	2	GC
MULTAQ ORAL TABLET 400 MG	3	
<i>pacerone oral tablet 200 mg, 400 mg</i> (amiodarone)	4	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	GC
<i>quinidine sulfate oral tablet 200 mg</i>	1	GC
<i>quinidine sulfate oral tablet 300 mg</i>	2	GC
Beta-Adrenergic Blocking Agents		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	GC
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)	1	GC
<i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100)	2	GC
<i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50)	2	GC
<i>betaxolol oral tablet 10 mg, 20 mg</i>	2	GC
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	GC
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>	2	GC
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)	1	GC
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	2	GC
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL)	1	GC
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	GC
<i>metoprolol tartrate oral tablet 25 mg</i>	1	GC
<i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Bystolic)	2	GC
<i>propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	4	
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	2	GC
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	2	GC
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (sotalol)	2	GC
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> (sotalol)	2	GC
<i>sotalol oral tablet 120 mg, 160 mg, 80 mg</i> (Sotalol AF)	2	GC
<i>sotalol oral tablet 240 mg</i> (Betapace)	2	GC
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	4	
Calcium-Channel Blocking Agents		
<i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (diltiazem hcl)	2	GC
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>	4	
<i>diltiazem hcl oral capsule,extended release 24 hr 420 mg</i> (Tiadylt ER)	2	GC
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)	2	GC
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	2	GC
<i>diltiazem hcl oral tablet 90 mg</i>	2	GC
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i> (diltiazem hcl)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> (diltiazem hcl)	2	GC
<i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	2	GC
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> (Verelan PM)	4	
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i>	2	GC
<i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i>	4	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	GC
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i>	2	GC
Cardiovascular Agents, Miscellaneous		
CORLANOR ORAL SOLUTION 5 MG/5 ML	3	QL (600 per 30 days)
CORLANOR ORAL TABLET 5 MG, 7.5 MG	3	QL (60 per 30 days)
<i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (digoxin)	2	GC
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek)	2	GC
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	2	GC; QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q)	2	GC; QL (4 per 30 days)
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	GC
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Sajazir)	5	PA; NM; NDS; QL (18 per 30 days)
<i>metyrosine oral capsule 250 mg</i> (Demser)	5	NM; NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg</i>	4	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ranolazine oral tablet extended release 12 hr 500 mg</i>	4	QL (120 per 30 days)
<i>sajazir subcutaneous syringe 30 mg/3 ml</i> (icatibant)	5	PA; NM; NDS; QL (18 per 30 days)
VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG	3	PA
VYNDAMAX ORAL CAPSULE 61 MG	5	PA; NM; NDS; QL (30 per 30 days)
VYNDAQEL ORAL CAPSULE 20 MG	5	PA; NM; NDS; QL (120 per 30 days)
Dihydropyridines		
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	GC
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel)	6	GC
<i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>	6	GC
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)	6	GC
<i>nicardipine oral capsule 20 mg, 30 mg</i>	4	
<i>nifedipine oral capsule 10 mg, 20 mg</i>	4	
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> (Procardia XL)	2	GC
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>	2	GC
Diuretics		
<i>amiloride oral tablet 5 mg</i>	2	GC
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	GC
<i>bumetanide injection solution 0.25 mg/ml</i>	4	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	GC
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>furosemide injection solution 10 mg/ml</i>	2	GC
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	2	GC
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)	1	GC
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	GC
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	GC
JYNARQUE ORAL TABLET 15 MG, 30 MG	5	PA; NM; NDS; QL (120 per 30 days)
JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	5	PA; NM; NDS; QL (56 per 28 days)
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)	1	GC
<i>toremide oral tablet 10 mg, 100 mg, 5 mg</i>	2	GC
<i>toremide oral tablet 20 mg</i> (Soanz)	2	GC
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	GC
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg</i> (Maxzide-25mg)	1	GC
<i>triamterene-hydrochlorothiazid oral tablet 75-50 mg</i> (Maxzide)	1	GC
Dyslipidemics		
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)	6	GC; QL (30 per 30 days)
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>cholestyramine light oral powder in packet 4 gram</i>	(cholestyramine-aspartame)	2	GC
<i>colesevelam oral powder in packet 3.75 gram</i>	(WelChol)	3	
<i>colesevelam oral tablet 625 mg</i>	(WelChol)	2	GC
<i>colestipol oral packet 5 gram</i>		3	
<i>colestipol oral tablet 1 gram</i>	(Colestid)	2	GC
<i>ezetimibe oral tablet 10 mg</i>	(Zetia)	2	GC; QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 134 mg, 200 mg, 67 mg</i>		4	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i>	(Tricor)	2	GC
<i>fenofibrate oral tablet 160 mg, 54 mg</i>		2	GC
<i>gemfibrozil oral tablet 600 mg</i>	(Lopid)	1	GC
<i>icosapent ethyl oral capsule 0.5 gram</i>	(Vascepa)	1	GC; QL (240 per 30 days)
JUXTAPID ORAL CAPSULE 10 MG, 30 MG		5	PA; NM; NDS; QL (30 per 30 days)
JUXTAPID ORAL CAPSULE 20 MG		5	PA; NM; NDS; QL (90 per 30 days)
JUXTAPID ORAL CAPSULE 5 MG		5	PA; NM; NDS; QL (45 per 30 days)
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG	(pitavastatin calcium)	3	QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>		6	GC
NEXLETOL ORAL TABLET 180 MG		3	PA; QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG		3	PA; QL (30 per 30 days)
<i>niacin oral tablet extended release 24 hr 1,000 mg, 750 mg</i>		4	
<i>niacin oral tablet extended release 24 hr 500 mg</i>		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	2	GC; QL (120 per 30 days)
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	3	QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg, 80 mg</i>	6	GC
<i>pravastatin oral tablet 20 mg, 40 mg</i>	6	GC; QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i> (cholestyramine-aspartame)	2	GC
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	3	QL (7 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	3	QL (6 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	3	QL (6 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	6	GC; QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor)	6	GC; QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg, 80 mg</i>	6	GC; QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM (icosapent ethyl)	2	GC; QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM (icosapent ethyl)	2	GC; QL (120 per 30 days)
Renin-Angiotensin-Aldosterone System Inhibitors		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	4	
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspra)	4	
KERENDIA ORAL TABLET 10 MG, 20 MG	4	ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Vasodilators		
BIDIL ORAL TABLET 20-37.5 MG (isosorbide-hydralazine)	3	
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	2	GC
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradose)	2	GC
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	2	GC
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	GC
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	GC
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	2	GC
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Nitro-Dur)	2	GC
Central Nervous System Agents		
Central Nervous System Agents		
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> (Strattera)	3	QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> (Strattera)	3	QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NM; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG, 24 MG, 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 6 MG (14)-12 MG (14)-24 MG (14)	5	NM; NDS; QL (42 per 30 days)
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS; QL (15 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML (glatiramer)	5	PA; NM; NDS; QL (30 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML (glatiramer)	5	PA; NM; NDS; QL (12 per 28 days)
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra)	2	PA; GC; QL (60 per 30 days)
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> (Focalin)	2	GC; QL (60 per 30 days)
<i>dextroamphetamine sulfate oral tablet 10 mg</i> (Zenzedi)	4	QL (180 per 30 days)
<i>dextroamphetamine sulfate oral tablet 15 mg, 2.5 mg, 5 mg, 7.5 mg</i> (Zenzedi)	4	QL (90 per 30 days)
<i>dextroamphetamine sulfate oral tablet 20 mg, 30 mg</i> (Zenzedi)	4	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg</i> (Adderall XR)	4	QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 20 mg, 25 mg, 30 mg</i> (Adderall XR)	4	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall)	2	GC; QL (60 per 30 days)
<i>dimethyl fumarate oral capsule, delayed release(drlec) 120 mg</i> (Tecfidera)	4	PA; QL (14 per 7 days)
<i>dimethyl fumarate oral capsule, delayed release(drlec) 120 mg (14)- 240 mg (46)</i> (Tecfidera)	4	PA
<i>dimethyl fumarate oral capsule, delayed release(drlec) 240 mg</i> (Tecfidera)	4	PA; QL (60 per 30 days)
<i> fingolimod oral capsule 0.5 mg</i> (Gilenya)	5	PA; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GILENYA ORAL CAPSULE 0.5 (fingolimod) MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i> (Copaxone)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i> (Copaxone)	5	PA; NM; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i> (glatiramer)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i> (glatiramer)	5	PA; NM; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	2	GC; QL (30 per 30 days)
INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG	5	PA; NM; NDS
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	5	PA; NM; NDS; QL (1.2 per 28 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	GC
<i>lithium carbonate oral tablet 300 mg</i>	2	GC
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	2	GC
<i>lithium carbonate oral tablet extended release 450 mg</i>	2	GC
<i>lithium citrate oral solution 8 meq/5 ml</i>	2	GC
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NM; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 1 MG	5	PA; NM; NDS
MAYZENT ORAL TABLET 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	4	PA
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	5	PA; NM; NDS
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i> (Metadate CD)	4	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i> (Metadate CD)	4	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 40 mg</i> (Ritalin LA)	4	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 30 mg</i> (Ritalin LA)	4	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 60 mg</i>	4	QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	2	GC; QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	2	GC; QL (90 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	5	PA; NM; NDS; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>riluzole oral tablet 50 mg</i> (Rilutek)	2	GC; QL (60 per 30 days)
RYSTIGGO SUBCUTANEOUS SOLUTION 140 MG/ML	5	PA NSO; NM; NDS
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	
<i>teriflunomide oral tablet 14 mg, 7 mg</i> (Aubagio)	5	PA; NM; NDS; QL (30 per 30 days)
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)	5	PA; NM; NDS; QL (112 per 28 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	5	PA; NM; NDS; QL (120 per 30 days)
Contraceptives		
Contraceptives		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	GC
<i>altavera (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	2	GC
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	2	GC
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	GC
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (1 norgest/e.estradiol-e.estrad)	2	GC; QL (91 per 84 days)
<i>apri oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)	2	GC
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>	2	GC
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (1 norgest/e.estradiol-e.estrad)	2	GC; QL (91 per 84 days)
<i>aubra eq oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> (norethindrone ac-eth estradiol)	2	GC
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i> (norethindrone ac-eth estradiol)	2	GC
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/175 mg (4)</i> (norethindrone-e.estradiol-iron)	2	GC
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/175 mg (7)</i> (norethindrone-e.estradiol-iron)	2	GC
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/175 mg (7)</i> (norethindrone-e.estradiol-iron)	1	GC
<i>aviane oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	GC
<i>ayuna oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	2	GC
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog-e.estradiol/e.estradiol)	2	GC
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>	2	GC
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/175 mg (4)</i> (norethindrone-e.estradiol-iron)	2	GC
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/175 mg (7)</i> (norethindrone-e.estradiol-iron)	2	GC
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/175 mg (7)</i> (norethindrone-e.estradiol-iron)	1	GC
<i>briellyn oral tablet 0.4-35 mg-mcg</i>	2	GC
<i>camila oral tablet 0.35 mg</i> (norethindrone (contraceptive))	1	GC
<i>camrese oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (l norgest/e.estradiol-e.estrad)	2	GC; QL (91 per 84 days)
<i>caziant (28) oral tablet 0.11.125/1.15-25 mg-mcg</i>	2	GC
<i>chateal eq (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	2	GC
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i> (norgestrel-ethinyl estradiol)	2	GC
<i>cyred eq oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	GC
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	GC
<i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estradiol-e.estradiol)	2	GC; QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(Azurette (28))	2	GC
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i>	(Jasmiel (28))	2	GC
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>	(Syeda)	2	GC
<i>elinest oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	GC
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	4	QL (1 per 28 days)
<i>enilloring vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	4	
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estradiol triphasic)	2	GC
<i>enskyce oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	GC
<i>errin oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>estarylla oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	(Kelnor 1/35 (28))	2	GC
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	(Kelnor 1-50 (28))	2	GC
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	(EluRyng)	4	QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estradiol)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/175 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/175 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/175 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>hailey oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	GC
<i>heather oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	2	GC; QL (91 per 84 days)
<i>incassia oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>isibloom oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	GC
<i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estrad)	2	GC; QL (91 per 84 days)
<i>jasmiel (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	GC
<i>jencycla oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>juleber oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	GC
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	GC
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	GC
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/175 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/175 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/175 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>kalliga oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	GC
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	GC
<i>kelnor 1-50 (28) oral tablet 1-50 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	GC
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>l norgestle.estradiol-e.estradiol oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i>	(LoJaimiess)	2	GC; QL (91 per 84 days)
<i>l norgestle.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(Amethia)	2	GC; QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	GC
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	GC
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>lessina oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	GC
<i>levonorgest-eth.estradiol-iron oral tablet 0.1 mg-0.02 mg (21)/iron (7)</i>	(Balcoltra)	2	GC
<i>levonorgestrel-ethinyl estradiol oral tablet 0.1-20 mg-mcg</i>	(Afirmelle)	2	GC
<i>levonorgestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	(Altavera (28))	2	GC
<i>levonorgestrel-ethinyl estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(Iclevia)	2	GC; QL (91 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(Enpresse)	2	GC
<i>levora-28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>lojaimiess oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estrad)	2	GC; QL (91 per 84 days)
<i>loryna (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	GC
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	GC
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	GC
<i>luteru (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>lyleq oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>lyza oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>mili oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>		2	GC
<i>nikki (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	GC
<i>norelgestromin-ethin.estradiol transdermal patch weekly 150-35 mcg/24 hr</i>	(Xulane)	4	QL (3 per 28 days)
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	(Camila)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i>	(Aurovela 1.5/30 (21))	2	GC
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i>	(Aurovela 1/20 (21))	2	GC
<i>norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(Gemmily)	2	GC
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1-20 (28))	1	GC
<i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1.5/30 (28))	2	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(Tri-Lo-Estarylla)	2	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(Tri-Estarylla)	2	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i>	(Mili)	2	GC
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>		2	GC
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>		2	GC
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	GC
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	GC
<i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	GC
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	GC
<i>nymyo oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	GC
ORTHO MICRONOR ORAL TABLET 0.35 MG	(norethindrone (contraceptive))	1	GC
<i>philith oral tablet 0.4-35 mg-mcg</i>		2	GC
<i>pimtrex (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>pirmella oral tablet 0.5/0.75/1 mg-35 mcg</i>	2	GC
<i>pirmella oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	2	GC
<i>portia 28 oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	2	GC
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)	2	GC
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> (levonorgestrel-ethinyl estrad)	2	GC; QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i> (norethindrone (contraceptive))	1	GC
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog-e.estradiol/e.estradiol)	2	GC
<i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (l norgest/e.estradiol-e.estrad)	2	GC; QL (91 per 84 days)
SKYLA INTRAUTERINE INTRAUTERINE DEVICE 14 MCG/24 HRS (3 YRS) 13.5 MG	4	QL (1 per 365 days)
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol)	2	GC
<i>sronyx oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	GC
<i>syeda oral tablet 3-0.03 mg</i> (drospirenone-ethinyl estradiol)	2	GC
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (norethindrone-e.estradiol-iron)	2	GC
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)	1	GC
<i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> (norgestimate-ethinyl estradiol)	1	GC
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i> (norethindrone-e.estradiol-iron)	2	GC
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> (norgestimate-ethinyl estradiol)	2	GC
<i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i> (norgestimate-ethinyl estradiol)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>tri-lo-marzia oral tablet</i> 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	2	GC
<i>tri-lo-mili oral tablet</i> 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	2	GC
<i>tri-lo-sprintec oral tablet</i> 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	2	GC
<i>tri-mili oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	GC
<i>tri-nymyo oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	GC
<i>tri-sprintec (28) oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	GC
<i>trivora (28) oral tablet</i> 50-30 (6)/75-40 (5)/125-30(10)	(levonorg-eth estrad triphasic)	2	GC
<i>tri-vylibra lo oral tablet</i> 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-vylibra oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	GC
<i>tulana oral tablet</i> 0.35 mg	(norethindrone (contraceptive))	1	GC
<i>velivet triphasic regimen (28) oral tablet</i> 0.1/1.125/1.15-25 mg-mcg		2	GC
<i>vestura (28) oral tablet</i> 3-0.02 mg	(drospirenone-ethinyl estradiol)	2	GC
<i>vienna oral tablet</i> 0.1-20 mg-mcg	(levonorgestrel-ethinyl estradiol)	2	GC
<i>viorele (28) oral tablet</i> 0.15-0.02 mgx21 /0.01 mg x 5	(desog- e.estradiol/e.estradiol)	2	GC
<i>volnea (28) oral tablet</i> 0.15-0.02 mgx21 /0.01 mg x 5	(desog- e.estradiol/e.estradiol)	2	GC
<i>vyfemla (28) oral tablet</i> 0.4-35 mg- mcg		2	GC
<i>vylibra oral tablet</i> 0.25-35 mg-mcg	(norgestimate-ethinyl estradiol)	2	GC
<i>wera (28) oral tablet</i> 0.5-35 mg- mcg		2	GC
<i>xulane transdermal patch weekly</i> 150-35 mcg/24 hr	(norelgestromin- ethin.estradiol)	4	QL (3 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>	(norelgestromin-ethin.estradiol)	4	QL (3 per 28 days)
<i>zarah oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	2	GC
<i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	GC
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	2	GC
Dental And Oral Agents			
Dental And Oral Agents			
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	(Periogard)	1	GC
<i>denta 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1	GC
<i>dentagel dental gel 1.1 %</i>	(fluoride (sodium))	1	GC
KOURZEQ DENTAL PASTE 0.1 %	(triamcinolone acetonide)	2	GC
<i>oralone dental paste 0.1 %</i>	(triamcinolone acetonide)	2	GC
<i>periogard mucous membrane mouthwash 0.12 %</i>	(chlorhexidine gluconate)	1	GC
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>	(Salagen (pilocarpine))	2	GC
<i>sf 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1	GC
<i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i>	(Denta 5000 Plus Sensitive)	1	GC
<i>triamcinolone acetonide dental paste 0.1 %</i>	(Kourzeq)	2	GC
Dermatological Agents			
Dermatological Agents, Other			
<i>accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	(isotretinoin)	2	GC
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>		2	GC
<i>acyclovir topical ointment 5 %</i>	(Zovirax)	4	QL (30 per 30 days)
ALCOH-GLOVE TOWELETTE 70 %		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ALCOHOL PADS TOPICAL PADS, MEDICATED (alcohol swabs)	1	GC
ALCOHOL PREP PADS TOPICAL PADS, MEDICATED (alcohol swabs)	1	GC
ALCOHOL SWABS TOPICAL PADS, MEDICATED (Alcohol Pads)	1	GC
ALCOHOL WIPES TOPICAL PADS, MEDICATED (alcohol swabs)	1	GC
ALCOH-WIPE TOWELETTE 70 %	1	GC
<i>ammonium lactate topical cream 12 %</i>	2	GC
<i>ammonium lactate topical lotion 12 %</i> (Skin Treatment)	2	GC
BD ALCOHOL SWABS TOPICAL PADS, MEDICATED (alcohol swabs)	1	GC
<i>calcipotriene scalp solution 0.005 %</i>	4	QL (120 per 30 days)
<i>calcipotriene topical cream 0.005 %</i>	4	QL (120 per 30 days)
CARETOUCH ALCOHOL 70% PREP PAD (alcohol swabs)	1	GC
CURITY ALCOHOL SWABS TOPICAL PADS, MEDICATED (alcohol swabs)	1	GC
DROPSAFE ALCOHOL 70% PREP PADS (alcohol swabs)	1	GC
EASY COMFORT ALCOHOL 70% PAD (alcohol swabs)	1	GC
EASY TOUCH ALCOHOL PREP PADS TOPICAL PADS, MEDICATED (alcohol swabs)	1	GC
<i>fluorouracil topical cream 0.5 %</i> (Carac)	5	NM; NDS
<i>fluorouracil topical cream 5 %</i> (Efudex)	2	GC
<i>fluorouracil topical solution 2 %, 5 %</i>	2	GC
HEB INCONTROL ALCOHOL 70% PADS (alcohol swabs)	1	GC
<i>imiquimod topical cream in packet 5 %</i>	2	GC; QL (24 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ISOPROPYL ALCOHOL TOPICAL SWAB 70 %	1	GC
<i>isotretinoin oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (Accutane)	2	GC
IV PREP WIPES TOPICAL PADS, MEDICATED (alcohol swabs)	1	GC
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i>	5	NM; NDS
PANRETIN TOPICAL GEL 0.1 %	5	NM; NDS; QL (180 per 30 days)
<i>podofilox topical solution 0.5 %</i>	2	GC
PRO COMFORT ALCOHOL 70% PADS (alcohol swabs)	1	GC
PURE COMFORT ALCOHOL 70% PADS (alcohol swabs)	1	GC
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	QL (180 per 30 days)
SURE COMFORT ALCOHOL PREP PADS TOPICAL PADS, MEDICATED (alcohol swabs)	1	GC
SURE-PREP ALCOHOL PREP PADS (alcohol swabs)	1	GC
TRUE COMFORT ALCOHOL 70% PADS (alcohol swabs)	1	GC
TRUE COMFORT PRO ALCOHOL PADS (alcohol swabs)	1	GC
ULTILET ALCOHOL STERL SWAB (alcohol swabs)	1	GC
VALCHLOR TOPICAL GEL 0.016 %	5	NM; NDS
WEBCOL ALCOHOL PREPS 20'S,LARGE (alcohol swabs)	1	GC
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin)	2	GC
Dermatological Antibacterials		
<i>clindamycin phosphat e topical solution 1 %</i>	2	GC; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ)	2	GC
<i>ery pads topical swab 2 %</i> (erythromycin with ethanol)	2	GC
<i>erythromycin with ethanol topical gel 2 %</i> (Erygel)	4	QL (180 per 30 days)
<i>erythromycin with ethanol topical solution 2 %</i>	2	GC; QL (180 per 30 days)
<i>gentamicin topical cream 0.1 %</i>	2	GC; QL (120 per 30 days)
<i>gentamicin topical ointment 0.1 %</i>	2	GC; QL (120 per 30 days)
<i>metronidazole topical cream 0.75 %</i> (MetroCream)	4	
<i>metronidazole topical gel 0.75 %</i> (Rosadan)	2	GC
<i>metronidazole topical gel 1 %</i> (Metrogel)	4	
<i>metronidazole topical lotion 0.75 %</i> (MetroLotion)	4	
<i>mupirocin topical ointment 2 %</i> (Centany)	1	GC; QL (220 per 30 days)
<i>selenium sulfide topical lotion 2.5 %</i>	2	GC
<i>silver sulfadiazine topical cream 1 %</i> (SSD)	2	GC
<i>ssd topical cream 1 %</i> (silver sulfadiazine)	4	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i> (Klaron)	4	
Dermatological Anti-Inflammatory Agents		
<i>ala-cort topical cream 1 %</i> (hydrocortisone)	1	GC
<i>alclometasone topical cream 0.05 %</i>	2	GC
<i>alclometasone topical ointment 0.05 %</i>	2	GC
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	GC
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	GC
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	GC
<i>betamethasone valerate topical cream 0.1 %</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>betamethasone valerate topical lotion 0.1 %</i>	2	GC
<i>betamethasone valerate topical ointment 0.1 %</i>	2	GC
<i>betamethasone, augmented topical cream 0.05 %</i>	2	GC
<i>betamethasone, augmented topical gel 0.05 %</i>	2	GC
<i>betamethasone, augmented topical lotion 0.05 %</i>	3	
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented))	2	GC
<i>clobetasol scalp solution 0.05 %</i>	2	GC
<i>clobetasol topical cream 0.05 %</i>	2	GC
<i>clobetasol-emollient topical cream 0.05 %</i>	2	GC
<i>desoximetasone topical cream 0.25 %</i> (Topicort)	2	GC; QL (120 per 30 days)
EUCRISA TOPICAL OINTMENT 2 %	3	
<i>fluocinolone topical cream 0.01 %</i>	2	GC
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	2	GC
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	2	GC
<i>fluocinonide topical cream 0.05 %</i>	2	GC
<i>fluocinonide topical solution 0.05 %</i>	2	GC
<i>fluocinonide-emollient topical cream 0.05 %</i> (Fluocinonide-E)	4	
<i>fluticasone propionate topical cream 0.05 %</i>	2	GC
<i>fluticasone propionate topical ointment 0.005 %</i>	2	GC
<i>halobetasol propionate topical cream 0.05 %</i>	2	GC
<i>halobetasol propionate topical ointment 0.05 %</i>	2	GC
<i>hydrocortisone 2.5% cream</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	1	GC
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Procto-Med HC)	1	GC
<i>hydrocortisone topical lotion 2.5 %</i>	2	GC
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	GC
<i>hydrocortisone topical ointment 2.5 %</i>	1	GC
<i>hydrocortisone-min oil-wht pet topical ointment 1 %</i>	1	GC
<i>mometasone topical cream 0.1 %</i>	2	GC
<i>mometasone topical ointment 0.1 %</i>	2	GC
<i>mometasone topical solution 0.1 %</i>	2	GC
<i>pimecrolimus topical cream 1 %</i> (Elidel)	4	QL (100 per 30 days)
<i>prednicarbate topical ointment 0.1 %</i>	2	GC
<i>procto-med hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	GC
<i>proctosol hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	GC
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	GC
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i>	4	QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	GC
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> (Triderm)	1	GC
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	2	GC
<i>triamcinolone acetonide topical ointment 0.025 %</i>	1	GC
<i>triamcinolone acetonide topical ointment 0.1 %, 0.5 %</i>	2	GC
Dermatological Retinoids		
<i>adapalene topical cream 0.1 %</i> (Differin)	4	
ALTRENO TOPICAL LOTION 0.05 %	4	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tazarotene topical cream 0.1 %</i> (Tazorac)	4	
TAZORAC TOPICAL CREAM 0.05 %	4	
<i>tretinoin topical cream 0.025 %</i> (Avita)	4	PA
<i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)	4	PA
<i>tretinoin topical gel 0.01 %</i> (Retin-A)	4	PA
<i>tretinoin topical gel 0.025 %</i> (Avita)	4	PA
<i>tretinoin topical gel 0.05 %</i> (Atralin)	4	PA
Scabicides And Pediculicides		
<i>malathion topical lotion 0.5 %</i> (Ovide)	4	
<i>permethrin topical cream 5 %</i> (Elimite)	2	GC
Devices		
Devices		
1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE-USE,SHRT 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 31GX3/16 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 32GX5/32 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
ABOUTTIME PEN NEEDLE 30G X 8MM 30 GAUGE X 5/16" (pen needle, diabetic)	2	GC
ABOUTTIME PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
ABOUTTIME PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
ABOUTTIME PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic) 2	GC
ADVOCATE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic) 2	GC
ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic) 2	GC
ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic) 2	GC
ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic) 2	GC
AQINJECT PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic) 2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AQINJECT PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
ASSURE ID DUO PRO NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)	2	GC
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"	2	GC
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"	2	GC
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	2	GC
ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"	2	GC
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"	2	GC
ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic, safety)	2	GC
ASSURE ID PRO PEN NDL 30G 5MM 30 GAUGE X 3/16"	2	GC
ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"	2	GC
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"	2	GC
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	2	GC
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"	2	GC
BD ECLIPSE 30GX1/2" SYRINGE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
BD ECLIPSE NEEDLE 30GX1/2" (OTC) 30 X 1/2 "	2	GC
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BD INS SYRINGE 1/2 ML 6MMX31G (ONLY FOR 500 UNIT/ML INSULIN) 1/2 ML 31 GAUGE X 15/64"	2	GC
BD INS SYRN UF 1 ML (insulin syringe-needle 12.7MMX30G NOT FOR u-100) RETAIL SALE 1 ML 30 GAUGE X 1/2"	2	GC
BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1"	2	GC
BD INSULIN SYR 1 ML (insulin syringe-needle 25GX5/8" 1 ML 25 GAUGE X u-100) 5/8"	2	GC
BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2"	2	GC
BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8"	2	GC
BD INSULIN SYR 1 ML (Comfort EZ Insulin 28GX1/2" (OTC) 1 ML 28 Syringe) GAUGE X 1/2"	2	GC
BD INSULIN SYRINGE 1 ML (insulin syringe W/O NEEDLE needleless)	2	GC
BD LUER-LOK SYRINGE 1 ML (Easy Touch Luer Lock Insulin)	2	GC
BD NANO 2 GEN PEN NDL (pen needle, diabetic) 32G 4MM 32 GAUGE X 5/32"	2	GC
BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2"	2	GC
BD SAFETGLD INS 0.5 ML (insulin syringe-needle 13MMX29G 0.5 ML 29 GAUGE u-100) X 1/2"	2	GC
BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	2	GC
BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"	2	GC
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	2	GC
BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8"	2	GC
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	2	GC
BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2"	2	GC
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"	2	GC
BD UF MICRO PEN NEEDLE (pen needle, diabetic) 6MMX32G 32 GAUGE X 1/4"	2	GC
BD UF MINI PEN NEEDLE (pen needle, diabetic) 5MMX31G 31 GAUGE X 3/16"	2	GC
BD UF NANO PEN NEEDLE (pen needle, diabetic) 4MMX32G 32 GAUGE X 5/32"	2	GC
BD UF ORIG PEN NDL (pen needle, diabetic) 12.7MMX29G 29 GAUGE X 1/2"	2	GC
BD UF SHORT PEN NEEDLE (pen needle, diabetic) 8MMX31G 31 GAUGE X 5/16"	2	GC
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	2	GC
BD VEO INS SYRING 1 ML (insulin syringe-needle 6MMX31G 1 ML 31 GAUGE X u-100) 15/64"	2	GC
BD VEO INS SYRN 0.3 ML (insulin syringe-needle 6MMX31G 0.3 ML 31 GAUGE X u-100) 15/64"	2	GC
BD VEO INS SYRN 0.5 ML (insulin syringe-needle 6MMX31G 1/2 ML 31 GAUGE X u-100) 15/64"	2	GC
BORDERED GAUZE 2"X2" 2 X (gauze bandage) 2 "	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CAREFINE PEN NEEDLE (pen needle, diabetic) 12.7MM 29G 29 GAUGE X 1/2"	2	GC
CAREFINE PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	GC
CAREFINE PEN NEEDLE 5MM (pen needle, diabetic) 32G 32 GAUGE X 3/16"	2	GC
CAREFINE PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	2	GC
CAREFINE PEN NEEDLE 8MM (pen needle, diabetic) 30G 30 GAUGE X 5/16"	2	GC
CAREFINE PEN NEEDLES (pen needle, diabetic) 6MM 32G 32 GAUGE X 1/4"	2	GC
CAREFINE PEN NEEDLES (pen needle, diabetic) 8MM 31G 31 GAUGE X 5/16"	2	GC
CAREONE SYR 0.3 ML (Advocate Syringes) 31GX5/16" SHORT, HRI 0.3 ML 31 GAUGE X 5/16"	2	GC
CARETOUCH PEN NEEDLE (pen needle, diabetic) 29G 12MM 29 GAUGE X 1/2"	2	GC
CARETOUCH PEN NEEDLE (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4"	2	GC
CARETOUCH PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	2	GC
CARETOUCH PEN NEEDLE (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	2	GC
CARETOUCH PEN NEEDLE (pen needle, diabetic) 32GX3/16" 32 GAUGE X 3/16"	2	GC
CARETOUCH PEN NEEDLE (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	GC
CARETOUCH SYR 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16"	2	GC
CARETOUCH SYR 0.5 ML (insulin syringe-needle 30GX5/16" 0.5 ML 30 GAUGE X u-100) 5/16"	2	GC
CARETOUCH SYR 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"	2	GC	
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16	2	GC	
CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
CLICKFINE 31G X 5/16" NEEDLES 8MM, UNIVERSAL 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
CLICKFINE UNIVERSAL 31G X 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
COMFORT EZ INS 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"	2	GC
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 4MM 33G 33 GAUGE X 5/32"	2	GC
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 5MM 31G MINI 31 GAUGE X 3/16"	2	GC
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16"	2	GC
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 5MM 33G 33 GAUGE X 3/16"	2	GC
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 6MM 31G 31 GAUGE X 1/4"	2	GC
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 6MM 32G 32 GAUGE X 1/4"	2	GC
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 6MM 33G 33 GAUGE X 1/4"	2	GC
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 8MM 31G SHORT 31 GAUGE X 5/16"	2	GC
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 8MM 32G 32 GAUGE X 5/16"	2	GC
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"	2	GC
COMFORT EZ PRO PEN NDL 30G 8MM 30 GAUGE X 5/16"	2	GC
COMFORT EZ PRO PEN NDL (pen needle, diabetic, 31G 4MM 31 GAUGE X 5/32" safety)	2	GC
COMFORT EZ PRO PEN NDL (pen needle, diabetic, 31G 5MM 31 GAUGE X 3/16" safety)	2	GC
COMFORT EZ SYR 0.3 ML (insulin syringe-needle 29GX1/2" 0.3 ML 29 GAUGE X u-100) 1/2"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
COMFORT EZ SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
COMFORT EZ SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
COMFORT EZ SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
COMFORT EZ SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
COMFORT EZ SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
COMFORT EZ SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
COMFORT EZ SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"	2	GC
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"	2	GC
COMFORT TOUCH PEN NDL 31G 4MM 31 GAUGE X 5/32"	(pen needle, diabetic) 2	GC
COMFORT TOUCH PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic) 2	GC
COMFORT TOUCH PEN NDL 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic) 2	GC
COMFORT TOUCH PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic) 2	GC
COMFORT TOUCH PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic) 2	GC
COMFORT TOUCH PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic) 2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 6MM 32 GAUGE X 1/4"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 8MM 32 GAUGE X 5/16"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33G 4MM 33 GAUGE X 5/32"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33G 6MM 33 GAUGE X 1/4"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33GX5MM 33 GAUGE X 3/16"	2	GC
CURAD GAUZE PADS 2" X 2" 2 (gauze bandage) X 2 "	1	GC
CURITY GAUZE SPONGES (12 (gauze bandage) PLY)-200/BAG 2 X 2 "	1	GC
CURITY GUAZE PADS 1'S(12 (gauze bandage) PLY) 2 X 2 "	1	GC
DERMACEA 2"X2" GAUZE 12 (gauze bandage) PLY, USP TYPE VII 2 X 2 "	1	GC
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "	1	GC
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "	1	GC
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"	2	GC
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"	2	GC
DROPLET INS 0.3 ML (insulin syringe-needle 29GX12.5MM 0.3 ML 29 u-100) GAUGE X 1/2"	2	GC
DROPLET INS 0.3 ML (insulin syringe-needle 30GX12.5MM 0.3 ML 30 u-100) GAUGE X 1/2"	2	GC
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"	2	GC
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"	2	GC
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"	2	GC
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"	2	GC
DROPLET INS SYR 0.3 ML (insulin syringe-needle 30GX8MM 0.3 ML 30 GAUGE X u-100) 5/16"	2	GC
DROPLET INS SYR 0.3 ML (insulin syringe-needle 31GX6MM 0.3 ML 31 GAUGE X u-100) 15/64"	2	GC
DROPLET INS SYR 0.3 ML (insulin syringe-needle 31GX8MM 0.3 ML 31 GAUGE X u-100) 5/16"	2	GC
DROPLET INS SYR 1 ML (insulin syringe-needle 29GX12.5MM 1 ML 29 GAUGE u-100) X 1/2"	2	GC
DROPLET INS SYR 1 ML (insulin syringe-needle 30GX12.5MM 1 ML 30 GAUGE u-100) X 1/2"	2	GC
DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64"	2	GC
DROPLET INS SYR 1 ML (insulin syringe-needle 30GX8MM 1 ML 30 GAUGE X u-100) 5/16"	2	GC
DROPLET INS SYR 1 ML (insulin syringe-needle 31GX6MM 1 ML 31 GAUGE X u-100) 15/64"	2	GC
DROPLET INS SYR 1 ML (insulin syringe-needle 31GX8MM 1 ML 31 GAUGE X u-100) 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 29GX1/2" 29 GAUGE X 1/2"	2	GC
DROPLET PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 30GX5/16" 30 GAUGE X 5/16"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 32GX1/4" 32 GAUGE X 1/4"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 32GX3/16" 32 GAUGE X 3/16"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 32GX5/16" 32 GAUGE X 5/16"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	GC
DROPSAFE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 15/64"	2	GC
DROPSAFE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	2	GC
DROPSAFE INS SYR 0.5 ML 31G 6MM 0.5 ML 31 GAUGE X 15/64"	2	GC
DROPSAFE INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"	2	GC
DROPSAFE INSUL SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 15/64"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
DROPSAFE INSUL SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16"	2	GC	
DROPSAFE INSULN 1 ML 29G 12.5MM 1 ML 29 GAUGE X 1/2"	2	GC	
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	GC	
DROPSAFE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	GC
DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	GC	
DRUG MART ULTRA COMFORT SYR 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
EASY CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	GC
EASY CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	GC	
EASY CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	GC	
EASY COMFORT 0.3 ML 31G 1/2" 0.3 ML 31 X 1/2"	2	GC	
EASY COMFORT 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
EASY COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"	2	GC
EASY COMFORT 0.5 ML (insulin syringe-needle SYRINGE 0.5 ML 30 GAUGE X u-100) 5/16"	2	GC
EASY COMFORT 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16"	2	GC
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"	2	GC
EASY COMFORT INSULIN 1 (insulin syringe-needle ML SYR 1 ML 30 GAUGE X 5/16 u-100)	2	GC
EASY COMFORT PEN NDL (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4"	2	GC
EASY COMFORT PEN NDL (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	2	GC
EASY COMFORT PEN NDL (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	2	GC
EASY COMFORT PEN NDL (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	GC
EASY COMFORT PEN NDL (pen needle, diabetic) 33G 4MM 33 GAUGE X 5/32"	2	GC
EASY COMFORT PEN NDL (pen needle, diabetic) 33G 5MM 33 GAUGE X 3/16"	2	GC
EASY COMFORT PEN NDL (pen needle, diabetic) 33G 6MM 33 GAUGE X 1/4"	2	GC
EASY COMFORT SYR 1 ML (insulin syringe-needle 30GX1/2" 1 ML 30 GAUGE X u-100) 1/2"	2	GC
EASY GLIDE INS 0.3 ML (insulin syringe-needle 31GX6MM 0.3 ML 31 GAUGE X u-100) 15/64"	2	GC
EASY GLIDE INS 0.5 ML (insulin syringe-needle 31GX6MM 1/2 ML 31 GAUGE X u-100) 15/64"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	2	GC
EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32" (pen needle, diabetic)	2	GC
EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	2	GC
EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"	2	GC
EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	GC
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	GC
EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"	2	GC
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"	2	GC
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"	2	GC
EASY TOUCH INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EASY TOUCH INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
EASY TOUCH INSULIN SYR 1 ML 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	GC
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	GC
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	2	GC
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	2	GC
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	2	GC
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	2	GC
EASY TOUCH LUER LOK INSUL 1 ML (insulin syringe needleless)	2	GC
EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16" (pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 32GX1/4" 32 GAUGE X 1/4"	2	GC
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 32GX3/16 32 GAUGE X 3/16"	2	GC
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 32GX5/32 32 GAUGE X 5/32"	2	GC
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"	2	GC
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"	2	GC
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"	2	GC
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"	2	GC
EASY TOUCH SYR 0.5 ML 28G (insulin syringe-needle 12.7MM 1/2 ML 28 GAUGE X u-100) 1/2"	2	GC
EASY TOUCH SYR 0.5 ML 29G (insulin syringe-needle 12.7MM 0.5 ML 29 GAUGE X u-100) 1/2"	2	GC
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"	2	GC
EASY TOUCH SYR 1 ML 28G (insulin syringe-needle 12.7MM 1 ML 28 GAUGE X 1/2" u-100)	2	GC
EASY TOUCH SYR 1 ML 29G (insulin syringe-needle 12.7MM 1 ML 29 GAUGE X 1/2" u-100)	2	GC
EASY TOUCH UNI-SLIP SYR 1 ML (insulin syringe needleless)	2	GC
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"	2	GC
EMBRACE PEN NEEDLE 29G (pen needle, diabetic) 12MM 29 GAUGE X 1/2"	2	GC
EMBRACE PEN NEEDLE 30G (pen needle, diabetic) 5MM 30 GAUGE X 3/16"	2	GC
EMBRACE PEN NEEDLE 30G (pen needle, diabetic) 8MM 30 GAUGE X 5/16"	2	GC
EMBRACE PEN NEEDLE 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EMBRACE PEN NEEDLE 31G (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	2	GC
EMBRACE PEN NEEDLE 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	GC
EMBRACE PEN NEEDLE 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	GC
EQL INSULIN 0.3 ML (Ultra Comfort Insulin SYRINGE SHORT NEEDLE 0.3 Syringe) ML 30	2	GC
EQL INSULIN 0.5 ML (Ultra Comfort Insulin SYRINGE SHORT NEEDLE 1/2 Syringe) ML 30 GAUGE	2	GC
EQL INSULIN 1 ML SYRINGE (Ultra Comfort Insulin SHORT NEEDLE 1 ML 30 Syringe) GAUGE X 7/16"	2	GC
EXEL INSULIN SYRINGE 27G- (insulin syringe-needle 1 ML 1 ML 27 GAUGE X 1/2" u-100)	2	GC
FIFTY50 INS 0.5 ML 31GX5/16" (Advocate Syringes) SHORT NEEDLE 0.5 ML 31 GAUGE X 5/16"	2	GC
FIFTY50 INS SYR 1 ML (Advocate Syringes) 31GX5/16" SHORT NEEDLE (OTC) 1 ML 31 GAUGE X 5/16	2	GC
FIFTY50 PEN 31G X 3/16" (pen needle, diabetic) NEEDLE (OTC) 31 GAUGE X 3/16"	2	GC
FP INSULIN 1 ML SYRINGE 1 (Ultra Comfort Insulin ML 28 GAUGE Syringe)	2	GC
FREESTYLE PREC 0.5 ML (insulin syringe-needle 30GX5/16 0.5 ML 30 GAUGE X u-100) 5/16"	2	GC
FREESTYLE PREC 0.5 ML (insulin syringe-needle 31GX5/16 0.5 ML 31 GAUGE X u-100) 5/16"	2	GC
FREESTYLE PREC 1 ML (insulin syringe-needle 30GX5/16" 1 ML 30 GAUGE X u-100) 5/16	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	(gauze bandage)	1	GC
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"		2	GC
GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	2	GC
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	2	GC
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE		2	GC
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30	(insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HEALTHWISE PEN NEEDLE (pen needle, diabetic) 31G 8MM 31 GAUGE X 5/16"	2	GC
HEALTHWISE PEN NEEDLE (pen needle, diabetic) 32G 4MM 32 GAUGE X 5/32"	2	GC
HEALTHY ACCENTS PENTIP (pen needle, diabetic) 4MM 32G 32 GAUGE X 5/32"	2	GC
HEALTHY ACCENTS PENTIP (pen needle, diabetic) 5MM 31G 31 GAUGE X 3/16"	2	GC
HEALTHY ACCENTS PENTIP (pen needle, diabetic) 6MM 31G 31 GAUGE X 1/4"	2	GC
HEALTHY ACCENTS PENTIP (pen needle, diabetic) 8MM 31G 31 GAUGE X 5/16"	2	GC
HEALTHY ACCENTS PENTIP 12MM 29G 29 GAUGE X 1/2"	2	GC
INCONTROL PEN NEEDLE (pen needle, diabetic) 12MM 29G 29 GAUGE X 1/2"	2	GC
INCONTROL PEN NEEDLE (pen needle, diabetic) 4MM 32G 32 GAUGE X 5/32"	2	GC
INCONTROL PEN NEEDLE (pen needle, diabetic) 5MM 31G 31 GAUGE X 3/16"	2	GC
INCONTROL PEN NEEDLE (pen needle, diabetic) 6MM 31G 31 GAUGE X 1/4"	2	GC
INCONTROL PEN NEEDLE (pen needle, diabetic) 8MM 31G 31 GAUGE X 5/16"	2	GC
INSULIN SYR 0.3 ML (Advocate Syringes) 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	2	GC
INSULIN SYR 0.3 ML (UltiCare Insulin Syr(half unit)) 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	2	GC
INSULIN SYRIN 0.3 ML (Comfort EZ Insulin Syringe) 30GX1/2" SHORT NEEDLE 0.3 ML 30 GAUGE X 1/2"	2	GC
INSULIN SYRIN 0.5 ML (Comfort EZ Insulin Syringe) 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INSULIN SYRIN 0.5 ML 29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe) 2	GC
INSULIN SYRIN 0.5 ML 30GX1/2" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 1/2"	(Comfort EZ Insulin Syringe) 2	GC
INSULIN SYRIN 0.5 ML 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16"	(Advocate Syringes) 2	GC
INSULIN SYRING 0.5 ML 27G 1/2" INNER 1/2 ML 27 GAUGE X 1/2"	(Easy Touch Insulin Syringe) 2	GC
INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE	(insulin syringe-needle u-100) 2	GC
INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe) 2	GC
INSULIN SYRINGE 0.5 ML 1/2 ML 29	(insulin syringe-needle u-100) 2	GC
INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe) 2	GC
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE	2	GC
INSULIN SYRINGE 1 ML 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2"	(BD Eclipse Luer-Lok) 2	GC
INSULIN SYRINGE 1 ML 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16"	(Advocate Syringes) 2	GC
INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe) 2	GC
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE	(Ultilet Insulin Syringe) 2	GC
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe) 2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE	(Monoject Syringe)	2	GC
INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
INSUPEN 32G 6MM PEN NEEDLE 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
INSUPEN PEN NEEDLE 29GX12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
INSUPEN PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
INSUPEN PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
INSUPEN PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
LISCO SPONGES 100/BAG 2 X 2 "		1	GC
LITE TOUCH 31GX1/4" PEN NEEDLE 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
LITE TOUCH INSULIN 0.5 ML SYR 1/2 ML 28 GAUGE, 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	2	GC
LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	2	GC
LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE		2	GC
LITE TOUCH INSULIN SYR 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
LITE TOUCH PEN NEEDLE 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LITE TOUCH PEN NEEDLE (pen needle, diabetic) 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16"	2	GC
LITETOUCH INS 0.3 ML (insulin syringe-needle 29GX1/2" 0.3 ML 29 GAUGE X 1/2" u-100)	2	GC
LITETOUCH INS 0.3 ML (insulin syringe-needle 30GX5/16" 0.3 ML 30 GAUGE X 5/16" u-100)	2	GC
LITETOUCH INS 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X 5/16" u-100)	2	GC
LITETOUCH INS 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X 5/16" u-100)	2	GC
LITETOUCH SYR 0.5 ML (insulin syringe-needle 28GX1/2" 1/2 ML 28 GAUGE X 1/2" u-100)	2	GC
LITETOUCH SYR 0.5 ML (insulin syringe-needle 29GX1/2" 0.5 ML 29 GAUGE X 1/2" u-100)	2	GC
LITETOUCH SYR 0.5 ML (insulin syringe-needle 30GX5/16" 0.5 ML 30 GAUGE X 5/16" u-100)	2	GC
LITETOUCH SYRIN 1 ML (insulin syringe-needle 28GX1/2" 1 ML 28 GAUGE X 1/2" u-100)	2	GC
LITETOUCH SYRIN 1 ML (insulin syringe-needle 29GX1/2" 1 ML 29 GAUGE X 1/2" u-100)	2	GC
LITETOUCH SYRIN 1 ML (insulin syringe-needle 30GX5/16" 1 ML 30 GAUGE X 5/16" u-100)	2	GC
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"	2	GC
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 GAUGE X 1/2"	2	GC
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"	2	GC
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"	2	GC
MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"	2	GC
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"	2	GC
MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32" (pen needle, diabetic)	2	GC
MICRODOT READYGARD NDL 31G 5MM OUTER 31 GAUGE X 3/16"	2	GC
MINI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (1st Tier Unifine Pentips)	2	GC
MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16" (CareFine Pen Needle)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MINI PEN NEEDLE 32G 6MM 32 GAUGE X 1/4" (BD Ultra-Fine Micro Pen Needle)	2	GC
MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16" (Comfort EZ Pen Needles)	2	GC
MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32" (Advocate Pen Needle)	2	GC
MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16" (Comfort EZ Pen Needles)	2	GC
MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4" (Comfort EZ Pen Needles)	2	GC
MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE (insulin syringe-needle u-100)	2	GC
MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8" (insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC) (insulin syringes (disposable))	2	GC
MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR U-100 29 GAUGE X 1/2"		2	GC
MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
NOVOFINE 30 NEEDLE		2	GC
NOVOFINE 32G NEEDLES 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"		2	GC
NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5"		2	GC
OMNIPOD 5 G6 INTRO KIT (GEN 5) SUBCUTANEOUS CARTRIDGE		3	QL (1 per 365 days)
OMNIPOD 5 G6 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE		3	
OMNIPOD 5 G6-G7 INTRO KT(GEN5) SUBCUTANEOUS CARTRIDGE		3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
OMNIPOD 5 G6-G7 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE	3	
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE	3	
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD DASH PDM KIT (GEN 4)	3	QL (1 per 365 days)
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE	3	
OMNIPOD GO PODS 10 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	
OMNIPOD GO PODS 15 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	
OMNIPOD GO PODS 20 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	
OMNIPOD GO PODS 25 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	
OMNIPOD GO PODS 30 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	
OMNIPOD GO PODS 40 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	
OMNIPOD GO PODS SUBCUTANEOUS CARTRIDGE	3	
PC UNIFINE PENTIPS 8MM (pen needle, diabetic) NEEDLE SHORT 31 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PEN NEEDLE 30G 5MM OUTER 30 GAUGE X 3/16" (Embrace Pen Needle)	2	GC
PEN NEEDLE 30G 8MM INNER 30 GAUGE X 5/16" (CareFine Pen Needle)	2	GC
PEN NEEDLE 30G X 5/16" 30 GAUGE X 5/16" (pen needle, diabetic)	2	GC
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2" (1st Tier Unifine Pentips Plus)	2	GC
PEN NEEDLES 12MM 29G 29GX12MM,STRL 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
PEN NEEDLES 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
PEN NEEDLES 6MM 31G 31GX6MM, STRL 31 GAUGE X 1/4" (1st Tier Unifine Pentips)	2	GC
PEN NEEDLES 8MM 31G 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
PENTIPS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
PENTIPS PEN NEEDLE 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)	2	GC
PENTIPS PEN NEEDLE 32GX5/32" 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
PENTIPS PEN NEEDLE 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
PIP PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
PIP PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	GC
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	GC
PRO COMFORT 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X u-100) 1/2"	2	GC
PRO COMFORT 0.5 ML (insulin syringe-needle 30GX5/16" 0.5 ML 30 GAUGE X u-100) 5/16"	2	GC
PRO COMFORT 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	GC
PRO COMFORT 1 ML 30GX1/2" (insulin syringe-needle 1 ML 30 GAUGE X 1/2" u-100)	2	GC
PRO COMFORT 1 ML (insulin syringe-needle 30GX5/16" 1 ML 30 GAUGE X u-100) 5/16"	2	GC
PRO COMFORT 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16"	2	GC
PRO COMFORT PEN NDL (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	2	GC
PRO COMFORT PEN NDL 32G (pen needle, diabetic) X 1/4" 32 GAUGE X 1/4"	2	GC
PRO COMFORT PEN NDL (pen needle, diabetic) 4MM 32G 32 GAUGE X 5/32"	2	GC
PRO COMFORT PEN NDL (pen needle, diabetic) 5MM 32G 32 GAUGE X 3/16"	2	GC
PRODIGY INS SYR 1 ML (insulin syringe-needle 28GX1/2" 1 ML 28 GAUGE X u-100) 1/2"	2	GC
PRODIGY SYRNG 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	GC
PRODIGY SYRNGE 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PURE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)	2	GC
PURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	GC
PURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	GC
PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16" (pen needle, diabetic)	2	GC
PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)	2	GC
PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16" (pen needle, diabetic)	2	GC
RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32"	2	GC
RAYA SURE PEN NEEDLE 31G 4MM 31 GAUGE X 5/32" (Comfort Touch Pen Needle)	2	GC
RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64"	2	GC
RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"	2	GC
RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" (BD Veo Insulin Syringe UF)	2	GC
RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64" (BD Veo Insulin Syringe UF)	2	GC
RELION INS SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64" (BD Veo Insulin Syringe UF)	2	GC
RELI-ON INSULIN 0.5 ML SYR 1/2 ML 29 (Utileit Insulin Syringe)	2	GC
RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"	2	GC
RELION MINI PEN 31G X 1/4" NDL 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RELION NEEDLES NEEDLE 31 (pen needle, diabetic) GAUGE X 1/4"	2	GC
RELION PEN NEEDLES (pen needle, diabetic) NEEDLE 32 GAUGE X 5/32"	2	GC
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"	2	GC
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"	2	GC
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"	2	GC
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"	2	GC
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"	2	GC
SAFETY PEN NEEDLE 31G (Comfort EZ PRO 4MM 31 GAUGE X 5/32" Safety Pen Ndl)	2	GC
SAFETY PEN NEEDLE 5MM X (pen needle, diabetic, 31G 31 GAUGE X 3/16" safety)	2	GC
SAFETY SYRINGE 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	2	GC
SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"	2	GC
SECURESAFE SYR 0.5 ML 29G 1/2" OUTER 0.5 ML 29 GAUGE X 1/2"	2	GC
SECURESAFE SYRNG 1 ML 29G 1/2" OUTER 1 ML 29 GAUGE X 1/2"	2	GC
SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	2	GC
SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"	2	GC	
STERILE PADS 2" X 2" 2 X 2 " (gauze bandage)	1	GC	
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	GC	
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	GC	
NEEDLES, INSULIN DISP., SAFETY (insulin syringe-needle u-100)	2	GC	
SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	GC
SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	GC
SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SURE COMFORT PEN NDL (pen needle, diabetic) 29GX1/2" 12.7MM 29 GAUGE X 1/2"	2	GC
SURE COMFORT PEN NDL (pen needle, diabetic) 31G 5MM 31 GAUGE X 3/16"	2	GC
SURE COMFORT PEN NDL (pen needle, diabetic) 31G 8MM 31 GAUGE X 5/16"	2	GC
SURE COMFORT PEN NDL (pen needle, diabetic) 32G 4MM 32 GAUGE X 5/32"	2	GC
SURE COMFORT PEN NDL (pen needle, diabetic) 32G 6MM 32 GAUGE X 1/4"	2	GC
SURE-FINE PEN NEEDLES (pen needle, diabetic) 12.7MM 29 GAUGE X 1/2"	2	GC
SURE-FINE PEN NEEDLES (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	GC
SURE-FINE PEN NEEDLES (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	GC
SURE-JECT INSU SYR U100 0.3 (insulin syringe-needle ML 0.3 ML 29 GAUGE X 1/2", u-100) 0.3 ML 30 GAUGE X 5/16"	2	GC
SURE-JECT INSU SYR U100 0.5 (insulin syringe-needle ML 0.5 ML 29 GAUGE X 1/2", u-100) 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	2	GC
SURE-JECT INSU SYR U100 1 (insulin syringe-needle ML 1 ML 28 GAUGE X 1/2" u-100)	2	GC
SURE-JECT INSUL SYR U100 1 (insulin syringe-needle ML 1 ML 29 GAUGE X 1/2", 1 u-100) ML 30 GAUGE X 5/16	2	GC
SURE-JECT INSULIN (insulin syringe-needle SYRINGE 1 ML 1 ML 31 u-100) GAUGE X 5/16	2	GC
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"	2	GC
TECHLITE 0.3 ML 30GX12MM (1/2) 0.3 ML 30 GAUGE X 1/2"	2	GC
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"	2	GC
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"	2	GC
TECHLITE 0.5 ML 29GX12MM (1/2) 0.5 ML 29 GAUGE X 1/2"	2	GC
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"	2	GC
TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"	2	GC
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"	2	GC
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"	2	GC
TECHLITE INS SYR 1 ML (insulin syringe-needle 29GX12MM 1 ML 29 GAUGE X u-100) 1/2"	2	GC
TECHLITE INS SYR 1 ML (insulin syringe-needle 30GX12MM 1 ML 30 GAUGE X u-100) 1/2"	2	GC
TECHLITE INS SYR 1 ML (insulin syringe-needle 30GX8MM 1 ML 30 GAUGE X u-100) 5/16	2	GC
TECHLITE INS SYR 1 ML (insulin syringe-needle 31GX6MM 1 ML 31 GAUGE X u-100) 15/64"	2	GC
TECHLITE INS SYR 1 ML (insulin syringe-needle 31GX8MM 1 ML 31 GAUGE X u-100) 5/16	2	GC
TECHLITE PEN NEEDLE (pen needle, diabetic) 29GX1/2" 29 GAUGE X 1/2"	2	GC
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"	2	GC
TECHLITE PEN NEEDLE (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4"	2	GC
TECHLITE PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TECHLITE PEN NEEDLE (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	2	GC
TECHLITE PEN NEEDLE (pen needle, diabetic) 32GX1/4" 32 GAUGE X 1/4"	2	GC
TECHLITE PEN NEEDLE (pen needle, diabetic) 32GX5/16" 32 GAUGE X 5/16"	2	GC
TECHLITE PEN NEEDLE (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	GC
TERUMO INS SYR 0.3 ML (Comfort EZ Insulin Syringe) 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	2	GC
TERUMO INS SYRINGE U100-1 (insulin syringe-needle u-100) ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	2	GC
TERUMO INS SYRINGE U100-1 (Thinpro Insulin Syringe) ML 1 ML 30 GAUGE X 3/8"	2	GC
TERUMO INS SYRINGE U100-1/2 (insulin syringe-needle u-100) ML 1/2 ML 30 X 3/8"	2	GC
TERUMO INS SYRINGE U100-1/3 (insulin syringe-needle u-100) ML 0.3 ML 30 X 3/8"	2	GC
TERUMO INS SYRNG U100-1/2 (insulin syringe-needle u-100) ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	2	GC
THINPRO INS SYRIN U100-0.3 (insulin syringe-needle u-100) ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8"	2	GC
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"	2	GC
THINPRO INS SYRIN U100-0.5 (insulin syringe-needle u-100) ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"	2	GC
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8"	(insulin syringe-needle u-100)	2	GC
THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"		2	GC
TOPCARE CLICKFINE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
TOPCARE CLICKFINE 31G X 5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
TRUE CMFRT PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
TRUE CMFRT PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"		2	GC
TRUE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	GC
TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		2	GC
TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		2	GC
TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
TRUE COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
TRUE COMFORT PEN ND 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
TRUE COMFORT PEN ND 31GX5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
TRUE COMFORT PEN ND 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
TRUE COMFORT PEN ND 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
TRUE COMFORT PEN ND 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
TRUE COMFORT PEN ND 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
TRUE COMFORT PEN ND 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
TRUE COMFORT PEN ND 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
TRUE COMFORT PEN ND 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"		2	GC
TRUE COMFORT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
TRUEPLUS PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
TRUEPLUS PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
TRUEPLUS PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4" (insulin syr/ndl u100 half mark)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ULTICARE INS 0.3 ML 31GX1/4" 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100) 2	GC
ULTICARE INS 0.5 ML 31GX1/4" 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100) 2	GC
ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100) 2	GC
ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic) 2	GC
ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic) 2	GC
ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic) 2	GC
ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic) 2	GC
ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic) 2	GC
ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic) 2	GC
ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16"	2	GC
ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"	2	GC
ULTICARE SYR 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC
ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	GC
ULTICARE SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ULTICARE SYR 0.5 ML (insulin syringe-needle 31GX5/16" SHORT NDL 0.5 ML u-100) 31 GAUGE X 5/16"	2	GC
ULTICARE SYR 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16	2	GC
ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"	2	GC
ULTIGUARD SAFE PACK 29G 12.7MM 29 GAUGE X 1/2"	2	GC
ULTIGUARD SAFE PACK 32G 4MM 32 GAUGE X 5/32"	2	GC
ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"	2	GC
ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"	2	GC
ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"	2	GC
ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16"	2	GC
ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4"	2	GC
ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16"	2	GC
ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4"	2	GC
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"	2	GC
ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"	2	GC
ULTILET INSULIN SYRINGE (insulin syringe-needle 0.3 ML 0.3 ML 29 GAUGE X u-100) 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	2	GC
ULTILET INSULIN SYRINGE (insulin syringe-needle 0.5 ML 0.5 ML 29 GAUGE X u-100) 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ULTILET INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
ULTILET PEN NEEDLE 29 GAUGE	2	GC
ULTILET PEN NEEDLE 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE (insulin syringe-needle u-100)	2	GC
ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"	2	GC
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"	2	GC
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"	2	GC
ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
ULTRA FLO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ULTRA FLO PEN NEEDLE 33G (pen needle, diabetic) 4MM 33 GAUGE X 5/32"	2	GC
ULTRA FLO PEN NEEDLES (pen needle, diabetic) 12MM 29G 29 GAUGE X 1/2"	2	GC
ULTRA FLO SYR 0.3 ML (insulin syringe-needle 29GX1/2" 0.3 ML 29 GAUGE X u-100) 1/2"	2	GC
ULTRA FLO SYR 0.3 ML 30G (insulin syringe-needle 5/16" 0.3 ML 30 GAUGE X u-100) 5/16"	2	GC
ULTRA FLO SYR 0.3 ML 31G (insulin syringe-needle 5/16" 0.3 ML 31 GAUGE X u-100) 5/16"	2	GC
ULTRA FLO SYR 0.5 ML 29G (insulin syringe-needle 1/2" 0.5 ML 29 GAUGE X u-100) 1/2"	2	GC
ULTRA THIN PEN NDL 32G X (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	GC
ULTRACARE INS 0.3 ML (insulin syringe-needle 30GX5/16" 0.3 ML 30 GAUGE X u-100) 5/16"	2	GC
ULTRACARE INS 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16"	2	GC
ULTRACARE INS 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X u-100) 1/2"	2	GC
ULTRACARE INS 0.5 ML (insulin syringe-needle 30GX5/16" 0.5 ML 30 GAUGE X u-100) 5/16"	2	GC
ULTRACARE INS 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	GC
ULTRACARE INS 1 ML 30G X (insulin syringe-needle 5/16" 1 ML 30 GAUGE X u-100) 5/16	2	GC
ULTRACARE INS 1 ML (insulin syringe-needle 30GX1/2" 1 ML 30 GAUGE X u-100) 1/2"	2	GC
ULTRACARE INS 1 ML 31G X (insulin syringe-needle 5/16" 1 ML 31 GAUGE X u-100) 5/16	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
UNIFINE PENTIPS 12MM 29G (pen needle, diabetic) 29GX12MM, STRL 29 GAUGE X 1/2"	2	GC
UNIFINE PENTIPS 31GX3/16" (pen needle, diabetic) 31GX5MM,STRL,MINI 31 GAUGE X 3/16"	2	GC
UNIFINE PENTIPS 32GX1/4" 32 (pen needle, diabetic) GAUGE X 1/4"	2	GC
UNIFINE PENTIPS 32GX5/32" (pen needle, diabetic) 32GX4MM, STRL, NANO 32 GAUGE X 5/32"	2	GC
UNIFINE PENTIPS 33GX5/32" (pen needle, diabetic) 33 GAUGE X 5/32"	2	GC
UNIFINE PENTIPS 6MM 31G (pen needle, diabetic) 31 GAUGE X 1/4"	2	GC
UNIFINE PENTIPS MAX (pen needle, diabetic) 30GX3/16" 30 GAUGE X 3/16"	2	GC
UNIFINE PENTIPS NEEDLES 29G 29 GAUGE	2	GC
UNIFINE PENTIPS PLUS (pen needle, diabetic) 29GX1/2" 12MM 29 GAUGE X 1/2"	2	GC
UNIFINE PENTIPS PLUS (pen needle, diabetic) 30GX3/16" 30 GAUGE X 3/16"	2	GC
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4"	2	GC
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX3/16" MINI 31 GAUGE X 3/16"	2	GC
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX5/16" SHORT 31 GAUGE X 5/16"	2	GC
UNIFINE PENTIPS PLUS (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	GC
UNIFINE PENTIPS PLUS (pen needle, diabetic) 33GX5/32" 33 GAUGE X 5/32"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
UNIFINE PROTECT 30G 5MM 30 GAUGE X 3/16"	2	GC
UNIFINE PROTECT 30G 8MM 30 GAUGE X 5/16"	2	GC
UNIFINE PROTECT 32G 4MM 32 GAUGE X 5/32"	2	GC
UNIFINE SAFECONTROL 30GX3/16" 30 GAUGE X 3/16"	2	GC
UNIFINE SAFECONTROL 30GX5/16" 30 GAUGE X 5/16"	2	GC
UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32"	2	GC
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 5MM 31 GAUGE X 3/16"	2	GC
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 6MM 31 GAUGE X 1/4"	2	GC
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 8MM 31 GAUGE X 5/16"	2	GC
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 32G 4MM 32 GAUGE X 5/32"	2	GC
VANISHPOINT 0.5 ML (insulin syringe-needle 30GX1/2" SY OUTER 0.5 ML 30 u-100) GAUGE X 1/2"	2	GC
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"	2	GC
VANISHPOINT U-100 29X1/2 (insulin syringe-needle SYR 1 ML 29 GAUGE X 1/2" u-100)	2	GC
VERIFINE INS SYR 1 ML 29G (insulin syringe-needle 1/2" 1 ML 29 GAUGE X 1/2" u-100)	2	GC
VERIFINE PEN NEEDLE 29G (pen needle, diabetic) 12MM 29 GAUGE X 1/2"	2	GC
VERIFINE PEN NEEDLE 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	GC
VERIFINE PEN NEEDLE 31G X (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	2	GC
VERIFINE PEN NEEDLE 31G X (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VERIFINE PEN NEEDLE 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4"	2	GC
VERIFINE PEN NEEDLE 32G X (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	GC
VERIFINE PEN NEEDLE 32G X (pen needle, diabetic) 5MM 32 GAUGE X 3/16"	2	GC
VERIFINE PLUS PEN NDL 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	GC
VERIFINE PLUS PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	GC
VERIFINE PLUS PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	GC
VERIFINE PLUS PEN NDL 32G 4MM-SHARPS CONTAINER 32 GAUGE X 5/32"	2	GC
VERIFINE SYRING 0.5 ML 29G (insulin syringe-needle 1/2" 0.5 ML 29 GAUGE X 1/2" u-100)	2	GC
VERIFINE SYRING 1 ML 31G (insulin syringe-needle 5/16" 1 ML 31 GAUGE X 5/16 u-100)	2	GC
VERIFINE SYRNG 0.3 ML 31G (insulin syringe-needle 5/16" 0.3 ML 31 GAUGE X 5/16" u-100)	2	GC
VERIFINE SYRNG 0.5 ML 31G (insulin syringe-needle 5/16" 0.5 ML 31 GAUGE X 5/16" u-100)	2	GC
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "	1	GC
Enzyme Replacement/Modifiers		
Enzyme Replacement/Modifiers		
CERDELGA ORAL CAPSULE 84 MG	5	PA; NM; NDS
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GALAFOLD ORAL CAPSULE 123 MG	5	PA; NM; NDS; QL (14 per 28 days)
<i>miglustat oral capsule 100 mg</i> (Yargesa)	5	PA; NM; NDS; QL (90 per 30 days)
<i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i> (Orfadin)	5	PA; NM; NDS
NITYR ORAL TABLET 10 MG, 2 MG, 5 MG	5	PA; NM; NDS
ORFADIN ORAL CAPSULE 20 MG (nitisinone)	5	PA; NM; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	5	PA; NM; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NM; NDS
<i>sapropterin oral tablet, soluble 100 mg</i> (Javygtor)	5	NM; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; NM; LA; NDS
ZENPEP ORAL CAPSULE, DELAYED RELEASE (DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT	3	
Eye, Ear, Nose, Throat Agents		
Eye, Ear, Nose, Throat Agents, Miscellaneous		
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	4	
<i>azelastine nasal aerosol,spray 137 mcg (0.1 %)</i>	2	GC; QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	2	GC
<i>cromolyn ophthalmic (eye) drops 4 %</i>	2	GC
<i>cyclopentolate ophthalmic (eye) drops 1 %</i> (Cyclogyl)	2	GC
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	5	PA; NM; NDS; QL (60 per 28 days)
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	2	GC
<i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i>	2	GC; QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	2	GC; QL (15 per 10 days)
<i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Eye Allergy Itch-Redness Rlf)	2	GC
<i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Eye Allergy Itch Relief)	4	
TEPEZZA INTRAVENOUS RECON SOLN 500 MG	5	PA; NM; NDS
Eye, Ear, Nose, Throat Anti-Infectives Agents		
<i>acetic acid otic (ear) solution 2 %</i>	2	GC
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	4	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (Polycin)	2	GC
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i>	2	GC
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i>	3	QL (7.5 per 7 days)
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	2	GC; QL (3.5 per 4 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	1	GC
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox)	2	GC
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	4	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neo-Polycin HC)	2	GC
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (Neo-Polycin)	2	GC
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> (Maxitrol)	2	GC
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> (Maxitrol)	2	GC
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	2	GC
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	4	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	GC
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	GC
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (neomycin-bacitracin-poly-hc)	2	GC
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (neomycin-bacitracin-polymyxin)	2	GC
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i> (Ocuflox)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ofloxacin otic (ear) drops 0.3 %</i>	2	GC
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit-1 mg/ml</i>	1	GC
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>	2	GC
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	2	GC
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	2	GC
<i>tobramycin ophthalmic (eye) drops 0.3 %</i>	2	GC
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>	2	GC
<i>trifluridine ophthalmic (eye) drops 1 %</i>	3	
XDEMVI OPTHALMIC (EYE) DROPS 0.25 %	5	PA NSO; NM; NDS
ZIRGAN OPTHALMIC (EYE) GEL 0.15 %	4	
ZYLET OPTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	3	
Eye, Ear, Nose, Throat Anti-Inflammatory Agents		
ALREX OPTHALMIC (EYE) DROPS,SUSPENSION 0.2 % (loteprednol etabonate)	3	ST
<i>bromfenac ophthalmic (eye) drops 0.07 %</i> (Prolensa)	2	GC
<i>bromfenac ophthalmic (eye) drops 0.075 %</i> (BromSite)	2	GC
<i>bromfenac ophthalmic (eye) drops 0.09 %</i>	2	GC
BROMSITE OPTHALMIC (EYE) DROPS 0.075 % (bromfenac)	3	
<i>cyclosporine ophthalmic (eye) dropperette 0.05 %</i> (Restasis)	2	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	2	GC
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	2	GC
<i>difluprednate ophthalmic (eye) drops 0.05 %</i> (Durezol)	3	
EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	3	QL (8.3 per 14 days)
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	2	GC; QL (50 per 25 days)
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> (FML Liquifilm)	4	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	2	GC
<i>fluticasone propionate nasal spray,suspension 50 mcg/lactuation</i> (24 Hour Allergy Relief)	1	GC; QL (16 per 30 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	3	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	
<i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)	2	GC; QL (10 per 25 days)
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	3	
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	3	
<i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %</i> (Lotemax)	4	
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.2 %</i> (Alrex)	2	GC
<i>mometasone nasal spray,non-aerosol 50 mcg/lactuation</i> (Nasonex 24hr Allergy)	4	QL (34 per 30 days)
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Pred Forte)	4	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PROLENSA OPHTHALMIC (bromfenac) (EYE) DROPS 0.07 %	3	
RESTASIS MULTIDOSE OPHTHALMIC (EYE) DROPS 0.05 %	3	QL (60 per 30 days)
RESTASIS OPHTHALMIC (cyclosporine) (EYE) DROPPERETTE 0.05 %	3	QL (60 per 30 days)
XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION	3	ST; QL (32 per 30 days)
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	3	QL (60 per 30 days)
Gastrointestinal Agents		
Antiulcer Agents And Acid Suppressants		
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	2	GC
<i>esomeprazole magnesium oral capsule, delayed release (drlec) 20 mg</i> (Nexium)	2	GC; QL (30 per 30 days)
<i>esomeprazole magnesium oral capsule, delayed release (drlec) 40 mg</i> (Nexium)	2	GC; QL (60 per 30 days)
<i>famotidine intravenous solution 10 mg/ml</i>	2	GC
<i>famotidine oral tablet 20 mg</i> (Acid Controller)	1	GC
<i>famotidine oral tablet 40 mg</i> (Pepcid)	1	GC
<i>lansoprazole oral capsule, delayed release (drlec) 15 mg</i> (Acid Reducer (lansoprazole))	4	QL (30 per 30 days)
<i>lansoprazole oral capsule, delayed release (drlec) 30 mg</i> (Prevacid)	4	QL (60 per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)	2	GC
<i>nizatidine oral capsule 150 mg, 300 mg</i>	2	GC
<i>omeprazole oral capsule, delayed release (drlec) 10 mg, 20 mg, 40 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram</i> (Zegerid)	4	ST; QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (drlec) 20 mg</i> (Protonix)	1	GC; QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (drlec) 40 mg</i> (Protonix)	1	GC; QL (60 per 30 days)
<i>rabeprazole oral tablet, delayed release (drlec) 20 mg</i> (AcipHex)	2	GC; QL (30 per 30 days)
<i>sucralfate oral tablet 1 gram</i> (Carafate)	2	GC
Gastrointestinal Agents, Other		
<i>carglumic acid oral tablet, dispersible 200 mg</i> (Carbaglu)	5	NM; NDS
<i>constulose oral solution 10 gram/15 ml</i> (lactulose)	2	GC
<i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)	4	
<i>dicyclomine oral capsule 10 mg</i>	2	GC
<i>dicyclomine oral solution 10 mg/5 ml</i>	4	
<i>dicyclomine oral tablet 20 mg</i>	2	GC
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> (Lomotil)	4	
<i>enulose oral solution 10 gram/15 ml</i> (lactulose)	2	GC
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	5	PA; NM; NDS
<i>generlac oral solution 10 gram/15 ml</i> (lactulose)	2	GC
<i>glycopyrrolate oral tablet 1 mg</i> (Robinul)	2	GC
<i>glycopyrrolate oral tablet 2 mg</i> (Robinul Forte)	2	GC
<i>lactulose oral solution 10 gram/15 ml</i> (Constulose)	2	GC
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM	3	QL (34 per 30 days)
LOKELMA ORAL POWDER IN PACKET 5 GRAM	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))	2	GC
<i>lubiprostone oral capsule 24 mcg, 8 mcg</i> (Amitiza)	3	QL (60 per 30 days)
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	4	
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	2	GC
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)	1	GC
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
OICALIVA ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; NM; NDS
<i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl)	5	NM; NDS
<i>sodium polystyrene sulfonate oral powder</i>	2	GC
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	2	GC
<i>ursodiol oral capsule 300 mg</i>	2	GC
<i>ursodiol oral tablet 250 mg</i> (URSO 250)	2	GC
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	2	GC
XERMELO ORAL TABLET 250 MG	5	PA; NM; NDS; QL (90 per 30 days)
Laxatives		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM- 12 GRAM/160 ML, 10 MG-3.5 GRAM- 12 GRAM/175 ML	3	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i> (peg 3350-electrolytes)	2	GC
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i> (peg 3350-electrolytes)	2	GC
<i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i> (GaviLyte-G)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>peg-electrolyte soln oral recon soln</i> 420 gram	2	GC
SUPREP BOWEL PREP KIT (sodium,potassium,ma ORAL RECON SOLN 17.5-3.13- 1.6 GRAM g sulfates)	3	
SUTAB ORAL TABLET 1.479- 0.188- 0.225 GRAM	3	
Phosphate Binders		
<i>calcium acetate(phosphat bind) oral</i> <i>capsule 667 mg</i>	2	GC
<i>calcium acetate(phosphat bind) oral</i> <i>tablet 667 mg</i>	2	GC
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	4	
<i>sevelamer carbonate oral powder in</i> (Renvela) <i>packet 0.8 gram, 2.4 gram</i>	4	
<i>sevelamer carbonate oral tablet 800</i> (Renvela) <i>mg</i>	4	
<i>sevelamer hcl oral tablet 400 mg</i>	3	
VELPHORO ORAL TABLET,CHEWABLE 500 MG	3	
Genitourinary Agents		
Antispasmodics, Urinary		
<i>bethanechol chloride oral tablet 10</i> <i>mg, 25 mg, 5 mg, 50 mg</i>	2	GC
GEMTESA ORAL TABLET 75 MG	4	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	3	
<i>oxybutynin chloride oral syrup 5</i> <i>mg/5 ml</i>	2	GC
<i>oxybutynin chloride oral tablet 2.5</i> <i>mg, 5 mg</i>	2	GC
<i>oxybutynin chloride oral tablet</i> <i>extended release 24hr 10 mg, 15 mg,</i> <i>5 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i> (Detrol LA)	2	GC
<i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol)	2	GC
<i>tropium oral tablet 20 mg</i>	4	
Genitourinary Agents, Miscellaneous		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	1	GC; QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	2	GC
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	GC
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	GC
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	GC
THIOLA EC ORAL TABLET,DELAYED RELEASE (DR/EC) 100 MG, 300 MG (tiopronin)	5	PA; NM; NDS
<i>tiopronin oral tablet 100 mg</i> (Thiola)	5	NM; NDS
<i>tiopronin oral tablet, delayed release (drlec) 100 mg, 300 mg</i> (Thiola EC)	5	PA; NM; NDS
Heavy Metal Antagonists		
Heavy Metal Antagonists		
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle)	5	PA; NM; NDS
<i>deferasirox oral tablet 180 mg, 360 mg</i> (Jadenu)	4	PA
<i>deferasirox oral tablet 90 mg</i> (Jadenu)	3	PA
<i>deferasirox oral tablet, dispersible 125 mg</i> (Exjade)	2	PA; GC
<i>deferasirox oral tablet, dispersible 250 mg</i> (Exjade)	4	PA
<i>deferasirox oral tablet, dispersible 500 mg</i> (Exjade)	5	PA; NM; NDS
<i>deferiprone oral tablet 1,000 mg, 500 mg</i> (Ferriprox)	5	PA; NM; NDS
FERRIPROX ORAL SOLUTION 100 MG/ML	5	PA; NM; NDS
<i>penicillamine oral capsule 250 mg</i> (Cuprimine)	5	PA; NM; NDS
<i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>trientine oral capsule 250 mg</i> (Syprine)	5	PA; NM; NDS; QL (240 per 30 days)
<i>trientine oral capsule 500 mg</i>	5	PA; NM; NDS; QL (240 per 30 days)
Hormonal Agents, Stimulant/Replacement/Modifying		
Androgens		
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	3	
<i>oxandrolone oral tablet 10 mg</i> (Oxandrin)	2	GC
<i>oxandrolone oral tablet 2.5 mg</i> (Oxandrin)	4	
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)	2	PA; GC
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	2	PA; GC
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	2	PA; GC; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/1.25 gram (1%)</i> (Vogelxo)	3	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62%)</i> (AndroGel)	2	PA; GC; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1% (25 mg/2.5gram), 1% (50 mg/5 gram)</i> (AndroGel)	4	PA; QL (300 per 30 days)
<i>testosterone transdermal solution in metered pump w/lapp 30 mg/lactuation (1.5 ml)</i>	4	PA; QL (180 per 30 days)
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML	3	PA; QL (2 per 28 days)
Estrogens And Antiestrogens		
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i> (estradiol-norethindrone acet)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dotti transdermal patch semiweekly</i> (estradiol) 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr	2	GC; QL (8 per 28 days)
DUAVEE ORAL TABLET 0.45- 20 MG	3	
<i>estradiol oral tablet 0.5 mg, 1 mg, 2</i> (Estrace) <i>mg</i>	1	GC
<i>estradiol transdermal patch</i> (Dotti) <i>semiweekly 0.025 mg/24 hr, 0.0375</i> <i>mg/24 hr, 0.05 mg/24 hr, 0.075</i> <i>mg/24 hr, 0.1 mg/24 hr</i>	2	GC; QL (8 per 28 days)
<i>estradiol transdermal patch weekly</i> (Climara) <i>0.025 mg/24 hr, 0.0375 mg/24 hr,</i> <i>0.05 mg/24 hr, 0.06 mg/24 hr, 0.075</i> <i>mg/24 hr, 0.1 mg/24 hr</i>	2	GC; QL (4 per 28 days)
<i>estradiol vaginal cream 0.01 % (0.1</i> (Estrace) <i>mg/gram)</i>	2	GC
<i>estradiol vaginal tablet 10 mcg</i> (Yuvaferm)	2	GC; QL (18 per 28 days)
<i>estradiol valerate intramuscular oil</i> (Delestrogen) <i>10 mg/ml, 20 mg/ml, 40 mg/ml</i>	2	GC
<i>estradiol-norethindrone acet oral</i> (Amabelz) <i>tablet 0.5-0.1 mg</i>	2	GC
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	4	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg,</i> (norethindrone ac-eth <i>1-5 mg-mcg</i> estradiol)	2	GC
<i>jinteli oral tablet 1-5 mg-mcg</i> (norethindrone ac-eth estradiol)	2	GC
<i>lyllana transdermal patch</i> (estradiol) <i>semiweekly 0.025 mg/24 hr, 0.0375</i> <i>mg/24 hr, 0.05 mg/24 hr, 0.075</i> <i>mg/24 hr, 0.1 mg/24 hr</i>	2	GC; QL (8 per 28 days)
<i>mimvey oral tablet 1-0.5 mg</i> (estradiol- norethindrone acet)	2	GC
<i>norethindrone ac-eth estradiol oral</i> (Fyavolv) <i>tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG	3	
PREMARIN ORAL TABLET (conjugated estrogens) 0.625 MG, 1.25 MG	3	
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	
<i>raloxifene oral tablet 60 mg</i> (Evista)	2	GC
<i>yuvafem vaginal tablet 10 mcg</i> (estradiol)	2	GC; QL (18 per 28 days)
Glucocorticoids/Mineralocorticoids		
<i>deflazacort oral tablet 18 mg</i> (Emflaza)	5	PA; NM; NDS; QL (30 per 30 days)
<i>deflazacort oral tablet 30 mg, 36 mg, 6 mg</i> (Emflaza)	5	PA; NM; NDS; QL (60 per 30 days)
<i>dexamethasone oral solution 0.5 mg/5 ml</i>	2	GC
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>	2	GC
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	GC
EMFLAZA ORAL SUSPENSION 22.75 MG/ML	5	PA; NM; NDS; QL (91 per 28 days)
EMFLAZA ORAL TABLET 18 MG (deflazacort)	5	PA; NM; NDS; QL (30 per 30 days)
EMFLAZA ORAL TABLET 30 MG, 36 MG, 6 MG (deflazacort)	5	PA; NM; NDS; QL (60 per 30 days)
<i>fludrocortisone oral tablet 0.1 mg</i>	2	GC
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	2	GC
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i> (Depo-Medrol)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i> (Medrol)	2	GC
<i>methylprednisolone oral tablet 32 mg</i>	2	GC
<i>methylprednisolone oral tablets,dose pack 4 mg</i> (Medrol (Pak))	2	GC
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	2	GC
<i>prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)</i>	2	PA BvD; GC
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD; GC
<i>prednisolone oral tablet 5 mg</i> (Millipred)	2	PA BvD; GC
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	3	PA BvD
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred)	3	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	3	PA BvD
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD; GC
<i>prednisone oral tablets,dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	GC
SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 100 MG/2 ML	4	
<i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog)	2	GC
Pituitary		
ACTHAR INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)
CORTROPHIN GEL INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	4	
<i>desmopressin nasal spray,non-aerosol 10 mcg/spray (0.1 ml)</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	2	GC
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	5	NM; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	NM; NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 7.5 MG (PED)	5	NM; NDS
LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT 45 MG	5	NM; NDS
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NM; NDS
<i>octreotide acetate injection solution</i> <i>1,000 mcg/ml, 200 mcg/ml</i>	3	
<i>octreotide acetate injection solution</i> (Sandostatin) <i>100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i>	3	
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NM; NDS
ORLISSA ORAL TABLET 150 MG	5	PA; NM; NDS; QL (28 per 28 days)
ORLISSA ORAL TABLET 200 MG	5	PA; NM; NDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NM; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NM; NDS; QL (60 per 30 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	5	NM; NDS
Progestins		
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML	4	QL (1 per 84 days)
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)	2	GC; QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)	2	GC; QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	GC
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	2	GC
<i>norethindrone acetate oral tablet 5 mg</i>	2	GC
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	2	GC
Thyroid And Antithyroid Agents		
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox)	1	GC
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	1	GC
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)	2	GC
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>propylthiouracil oral tablet 50 mg</i>	2	GC
Immunological Agents		
Immunological Agents		
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	NM; NDS
<i>azathioprine oral tablet 50 mg</i> (Imuran)	2	PA BvD; GC
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	5	PA; NM; NDS
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	5	PA NSO; NM; NDS; QL (2 per 28 days)
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NM; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; NM; NDS
COSENTYX UNOREADY PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS
<i>cyclosporine modified oral capsule 100 mg, 25 mg</i> (Gengraf)	2	PA BvD; GC
<i>cyclosporine modified oral capsule 50 mg</i>	2	PA BvD; GC
<i>cyclosporine modified oral solution 100 mg/ml</i> (Gengraf)	3	PA BvD
<i>cyclosporine oral capsule 100 mg, 25 mg</i> (Sandimmune)	3	PA BvD
CYLTEZO(CF) PEN CROHN'S-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML (adalimumab-adbm)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CYLTEZO(CF) PEN (adalimumab-adbm) PSORIASIS-UV SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
CYLTEZO(CF) PEN (adalimumab-adbm) SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
CYLTEZO(CF) (adalimumab-adbm) SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.8 ML	5	PA; NM; NDS
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NM; NDS
<i>everolimus (immunosuppressive)</i> (Zortress) <i>oral tablet 0.25 mg</i>	4	PA BvD
<i>everolimus (immunosuppressive)</i> (Zortress) <i>oral tablet 0.5 mg, 0.75 mg, 1 mg</i>	5	PA BvD; NM; NDS
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA BvD; NM; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NM; NDS
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	5	PA BvD; NM; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NM; NDS
<i>gengraf oral capsule 100 mg, 25 mg</i> (cyclosporine modified)	2	PA BvD; GC
<i>gengraf oral solution 100 mg/ml</i> (cyclosporine modified)	3	PA BvD
HUMIRA PEN CROHNS-UC- HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA PEN PSOR-UVEITS- ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA(CF) PEN CROHNS- UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NM; NDS
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; NM; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	2	GC
<i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept)	2	PA BvD; GC
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)	5	PA BvD; NM; NDS
<i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept)	2	PA BvD; GC
<i>mycophenolate sodium oral tablet, delayed release (drlec) 180 mg, 360 mg</i> (Myfortic)	2	PA BvD; GC
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NM; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	5	PA; NM; NDS
OTEZLA ORAL TABLET 30 MG	5	PA; NM; NDS
OTEZLA STARTER ORAL TABLETS, DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG (19)	5	PA; NM; NDS
PRIVIGEN INTRAVENOUS SOLUTION 10 %	5	PA BvD; NM; NDS
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RASUVO (PF) SUBCUTANEOUS AUTO- INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	3	
REZUROCK ORAL TABLET 200 MG	5	PA NSO; NM; NDS
RIDAURA ORAL CAPSULE 3 MG	5	NM; NDS
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG	5	PA; NM; NDS
<i>sirolimus oral solution 1 mg/ml</i> (Rapamune)	5	PA BvD; NM; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i> (Rapamune)	4	PA BvD
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML)	5	PA; NM; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NM; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg</i> (Prograf)	2	PA BvD; GC
<i>tacrolimus oral capsule 5 mg</i> (Prograf)	3	PA BvD
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; NM; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NM; NDS
YUFLYMA(CF) AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR, KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NM; NDS
Vaccines		
ABRYSVO INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML	3	
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML	3	
AREXVY ANTIGEN COMPONENT 120 MCG	3	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	3	
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG-LF/0.5ML	3	
DENGVAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	3	
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	3	PA BvD
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	3	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	3	PA BvD
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	3	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	3	QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML	3	PA BvD
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	3	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	3	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	3	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	3	
JYNNEOS (PF) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5	3	
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	3	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	3	
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	3	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	3	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	3	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	3	
PENTACEL (PF) INTRAMUSCULAR KIT 15LF- 48MCG-62DU -10 MCG/0.5ML	3	
PREHEVBRIO (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML	3	PA BvD
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4- 4.2- 3.3CCID50/0.5ML	3	
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3- 4.3-3- 3.99 TCID50/0.5	3	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML, 15 LF-48 MCG- 5 LF UNIT/0.5ML (58 UNT/ML)	3	
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	3	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML	3	
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	3	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	3	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	3	QL (2 per 365 days)
TDVAX INTRAMUSCULAR (tetanus-diphtheria SUSPENSION 2-2 LF UNIT/0.5 toxoids-td) ML	3	
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	3	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	3	
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	3	
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML, 2.4 MCG/0.5 ML	3	QL (1.5 per 365 days)
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	3	
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	3	(typhoid vi polysacch vaccine)
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	3	QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL)	3	
Inflammatory Bowel Disease		
Agents		
Inflammatory Bowel Disease Agents		
<i>alosetron oral tablet 0.5 mg</i> (Lotronex)	3	
<i>alosetron oral tablet 1 mg</i> (Lotronex)	5	NM; NDS
<i>balsalazide oral capsule 750 mg</i> (Colazal)	2	GC
<i>budesonide oral capsule, delayed, extend. release 3 mg</i>	4	
<i>budesonide rectal foam 2 mg/lactuation</i> (Uceris)	1	GC
DIPENTUM ORAL CAPSULE 250 MG	5	ST; NM; NDS
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i> (Delzicol)	4	
<i>mesalamine oral capsule, extended release 24hr 0.375 gram</i> (Apriso)	4	
<i>mesalamine oral tablet, delayed release (drlec) 1.2 gram</i> (Lialda)	4	
<i>mesalamine oral tablet, delayed release (drlec) 800 mg</i>	4	
<i>mesalamine rectal suppository 1,000 mg</i> (Canasa)	3	
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	2	GC
<i>sulfasalazine oral tablet, delayed release (drlec) 500 mg</i> (Azulfidine EN-tabs)	4	
UCERIS RECTAL FOAM 2 MG/ACTUATION (budesonide)	3	
Metabolic Bone Disease Agents		
Metabolic Bone Disease Agents		
<i>alendronate oral tablet 10 mg</i>	1	GC; QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>	1	GC; QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	GC; QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/lactuation</i>	2	GC; QL (3.7 per 28 days)
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol)	2	GC
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	4	
<i>cinacalcet oral tablet 30 mg</i> (Sensipar)	3	QL (60 per 30 days)
<i>cinacalcet oral tablet 60 mg</i> (Sensipar)	4	QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i> (Sensipar)	4	QL (120 per 30 days)
EVENITY SUBCUTANEOUS SYRINGE 210MG/2.34ML (105MG/1.17MLX2)	5	PA; NM; NDS; QL (2.34 per 30 days)
<i>ibandronate oral tablet 150 mg</i>	2	GC; QL (1 per 28 days)
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	4	
<i>paricalcitol oral capsule 4 mcg</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	3	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)
<i>risedronate oral tablet 150 mg</i> (Actonel)	4	QL (1 per 28 days)
<i>risedronate oral tablet 30 mg, 5 mg</i>	4	QL (30 per 30 days)
<i>risedronate oral tablet 35 mg</i> (Actonel)	4	QL (4 per 28 days)
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>	4	QL (4 per 28 days)
<i>risedronate oral tablet, delayed release (drlec) 35 mg</i> (Atelvia)	4	QL (4 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	3	PA; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NM; NDS
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> (Reclast)	4	
Miscellaneous Therapeutic Agents		
Miscellaneous Therapeutic Agents		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	PA; NM; NDS
<i>betaine oral powder 1 gram/scoop</i> (Cystadane)	5	NM; NDS
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	2	GC
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	2	GC
<i>dichlorphenamide oral tablet 50 mg</i> (Keveyis)	5	PA; NM; NDS; QL (120 per 30 days)
ELMIRON ORAL CAPSULE 100 MG	4	QL (90 per 30 days)
ENDARI ORAL POWDER IN PACKET 5 GRAM	5	PA; NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	5	PA; NM; NDS
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO- INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML	3	
GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML	3	
<i>hydroxyzine pamoate oral capsule</i> 100 mg	2	GC
<i>hydroxyzine pamoate oral capsule</i> (Vistaril) 25 mg	1	GC
<i>hydroxyzine pamoate oral capsule</i> 50 mg	1	GC
KEVEYIS ORAL TABLET 50 (dichlorphenamide) MG	5	PA; NM; NDS; QL (120 per 30 days)
<i>leucovorin calcium oral tablet 10</i> <i>mg, 15 mg, 5 mg</i>	2	GC
<i>leucovorin calcium oral tablet 25 mg</i>	3	
<i>levocarnitine (with sugar) oral</i> (Carnitor) <i>solution 100 mg/ml</i>	2	GC
<i>levocarnitine intravenous solution</i> (Carnitor) <i>200 mg/ml</i>	6	GC
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	4	
MESNEX ORAL TABLET 400 MG	5	NM; NDS
<i>nitroglycerin rectal ointment 0.4%</i> (Rectiv) <i>(w/w)</i>	4	QL (30 per 30 days)
<i>pyridostigmine bromide oral syrup</i> (Mestinon) <i>60 mg/5 ml</i>	4	
<i>pyridostigmine bromide oral tablet</i> <i>30 mg</i>	4	
<i>pyridostigmine bromide oral tablet</i> (Mestinon) <i>60 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RECTIV RECTAL OINTMENT (nitroglycerin) 0.4 % (W/W)	4	QL (30 per 30 days)
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS; QL (4 per 28 days)
TAKHZYRO SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS; QL (4 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TYBOST ORAL TABLET 150 MG	4	QL (30 per 30 days)
VEOZAH ORAL TABLET 45 MG	3	PA NSO; QL (30 per 30 days)
XURIDEN ORAL GRANULES IN PACKET 2 GRAM	5	PA; NM; NDS; QL (120 per 30 days)
Ophthalmic Agents		
Antiglaucoma Agents		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	GC
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	GC
ALPHAGAN P OPHTHALMIC (brimonidine) (EYE) DROPS 0.1 %	3	
<i>brimonidine ophthalmic (eye) drops (Alphagan P) 0.1 %</i>	2	GC
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	GC
<i>brimonidine-timolol ophthalmic (Combigan) (eye) drops 0.2-0.5 %</i>	3	
<i>brinzolamide ophthalmic (eye) (Azopt) drops,suspension 1 %</i>	2	GC
<i>carteolol ophthalmic (eye) drops 1 %</i>	2	GC
COMBIGAN OPHTHALMIC (brimonidine-timolol) (EYE) DROPS 0.2-0.5 %	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dorzolamide ophthalmic (eye) drops</i> 2 %	2	GC
<i>dorzolamide-timolol ophthalmic (eye) drops</i> 22.3-6.8 mg/ml (Cosopt)	2	GC
<i>latanoprost ophthalmic (eye) drops</i> 0.005 % (Xalatan)	1	GC; QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops</i> 0.5 %	1	GC
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
<i>pilocarpine hcl ophthalmic (eye) drops</i> 1 %, 2 %, 4 %	2	GC
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
<i>timolol maleate ophthalmic (eye) drops</i> 0.25 %, 0.5 %	1	GC
<i>timolol maleate ophthalmic (eye) gel forming solution</i> 0.25 %, 0.5 %	4	
<i>travoprost ophthalmic (eye) drops</i> 0.004 % (Travatan Z)	4	QL (2.5 per 25 days)
Replacement Preparations		
Replacement Preparations		
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	2	GC
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	2	GC
<i>electrolyte-148 intravenous parenteral solution</i> (Plasma-Lyte 148)	2	GC
ISOLYTE S IV SOLUTION-EXCEL SINGLE USE	3	
ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	3	
<i>klor-con m10 oral tablet,er</i> (potassium chloride) <i>particles/crystals 10 meq</i>	2	GC
<i>klor-con m15 oral tablet,er</i> (potassium chloride) <i>particles/crystals 15 meq</i>	2	GC
<i>klor-con m20 oral tablet,er</i> (potassium chloride) <i>particles/crystals 20 meq</i>	2	GC
<i>magnesium sulfate in d5w</i> <i>intravenous piggyback 1 gram/100</i> <i>ml</i>	2	GC
<i>magnesium sulfate in water</i> <i>intravenous parenteral solution 20</i> <i>gram/500 ml (4 %), 40 gram/1,000</i> <i>ml (4 %)</i>	2	GC
<i>magnesium sulfate in water</i> <i>intravenous piggyback 2 gram/50 ml</i> <i>(4 %), 4 gram/100 ml (4 %), 4</i> <i>gram/50 ml (8 %)</i>	2	GC
<i>magnesium sulfate injection solution</i> <i>500 mg/ml (50 %)</i>	2	GC
<i>magnesium sulfate injection syringe</i> <i>500 mg/ml (50 %)</i>	2	PA BvD; GC
PLASMA-LYTE 148 (electrolyte-148) INTRAVENOUS PARENTERAL SOLUTION	3	
PLASMA-LYTE A (electrolyte-a) INTRAVENOUS PARENTERAL SOLUTION	3	
<i>potassium chloride intravenous</i> <i>solution 2 meq/ml</i>	1	PA BvD; GC
<i>potassium chloride intravenous</i> <i>solution 2 meq/ml (20 ml)</i>	2	PA BvD; GC
<i>potassium chloride oral capsule,</i> <i>extended release 10 meq, 8 meq</i>	2	GC
<i>potassium chloride oral liquid 20</i> <i>meq/15 ml, 40 meq/15 ml</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>potassium chloride oral tablet extended release 10 meq</i>	(Klor-Con 10)	2	GC
<i>potassium chloride oral tablet extended release 20 meq</i>	(K-Tab)	2	GC
<i>potassium chloride oral tablet extended release 8 meq</i>	(Klor-Con 8)	2	GC
<i>potassium chloride oral tablet,er particles/crystals 10 meq</i>	(Klor-Con M10)	2	GC
<i>potassium chloride oral tablet,er particles/crystals 15 meq</i>	(Klor-Con M15)	2	GC
<i>potassium chloride oral tablet,er particles/crystals 20 meq</i>	(Klor-Con M20)	2	GC
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>		2	GC
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i>	(Urocit-K 10)	2	GC
<i>potassium citrate oral tablet extended release 15 meq</i>	(Urocit-K 15)	2	GC
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i>	(Urocit-K 5)	2	GC
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>		2	GC
<i>sodium chloride 0.9 % intravenous parenteral solution</i>		2	GC
<i>sodium chloride 0.9% solution mini-bag, single use</i>		2	GC

Respiratory Tract Agents

Anti-Inflammatories, Inhaled

Corticosteroids

ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE	(fluticasone propion-salmeterol)	2	GC; QL (60 per 30 days)
--	----------------------------------	---	-------------------------

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION (fluticasone propion-salmeterol)	3	QL (12 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE (fluticasone furoate-vilanterol)	3	QL (60 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 50-25 MCG/DOSE	3	QL (60 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i> (Pulmicort)	3	PA BvD; QL (120 per 30 days)
<i>budesonide inhalation suspension for nebulization 1 mg/2 ml</i> (Pulmicort)	3	PA BvD; QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION (fluticasone propionate)	3	QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION (fluticasone propionate)	3	QL (120 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION (fluticasone propionate)	3	QL (12 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION (fluticasone propionate)	3	QL (24 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION (fluticasone propionate)	3	QL (21.2 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION (budesonide-formoterol)	3	QL (30.6 per 30 days)
Antileukotrienes		
<i>montelukast oral tablet 10 mg</i> (Singulair)	1	GC
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i> (Singulair)	1	GC
<i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate)	4	
Bronchodilators		
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> (Ventolin HFA)	2	GC; QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i>	2	GC; QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i>	2	GC; QL (36 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg/3 ml (0.083 %)</i>	2	PA BvD; GC; QL (360 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml</i>	2	PA BvD; GC; QL (120 per 30 days)
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	2	GC
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	3	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	4	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	QL (10.7 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD; GC; QL (312.5 per 30 days)
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	2	PA BvD; GC; QL (540 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	3	QL (4 per 30 days)
SPIRIVA WITH HANDIHALER (tiotropium bromide) INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	3	QL (30 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	4	
<i>theophylline oral solution 80 mg/15 ml</i>	4	
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	4	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	GC
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200- 62.5-25 MCG	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Respiratory Tract Agents, Other		
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	2	PA BvD; GC
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	5	NM; NDS; QL (560 per 28 days)
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	2	PA BvD; GC
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG	5	PA; NM; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NM; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	5	PA; NM; LA; NDS; QL (0.4 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG, 75-94 MG	5	PA; NM; NDS; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NM; NDS; QL (120 per 30 days)
<i>pirfenidone oral capsule 267 mg</i> (Esbriet)	5	PA; NM; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 267 mg</i> (Esbriet)	5	PA; NM; NDS; QL (270 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>pirfenidone oral tablet 801 mg</i> (Esbriet)	5	PA; NM; NDS; QL (90 per 30 days)
PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,SUV	5	PA BvD; NM; NDS
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	5	PA BvD; NM; NDS
<i>roflumilast oral tablet 250 mcg</i> (Daliresp)	1	GC; QL (28 per 28 days)
<i>roflumilast oral tablet 500 mcg</i> (Daliresp)	1	GC; QL (30 per 30 days)
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	5	PA; NM; NDS; QL (56 per 28 days)
TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL 100- 50-75MG (D) /75 MG (N), 80-40- 60 MG (D) /59.5 MG (N)	5	PA; NM; NDS; QL (56 per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	5	PA; NM; NDS; QL (84 per 28 days)
XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	5	PA; NM; NDS
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NM; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	5	PA; NM; NDS
Skeletal Muscle Relaxants		
Skeletal Muscle Relaxants		
<i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>	2	GC
<i>chlorzoxazone oral tablet 500 mg</i>	2	GC
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dantrolene oral capsule 100 mg, 50 mg</i>	2	GC
<i>dantrolene oral capsule 25 mg</i> (Dantrium)	2	GC
<i>methocarbamol oral tablet 1,000 mg, 500 mg, 750 mg</i>	2	GC
<i>tizanidine oral tablet 2 mg</i>	2	GC
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	2	GC
Sleep Disorder Agents		
Sleep Disorder Agents		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	2	PA; GC; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	4	QL (30 per 30 days)
HETLIOZ LQ ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS; QL (150 per 30 days)
<i>modafinil oral tablet 100 mg</i> (Provigil)	2	PA; GC; QL (30 per 30 days)
<i>modafinil oral tablet 200 mg</i> (Provigil)	2	PA; GC; QL (60 per 30 days)
SUNOSI ORAL TABLET 150 MG, 75 MG	4	PA; QL (30 per 30 days)
<i>tasimelteon oral capsule 20 mg</i> (Hetlioz)	5	PA; NM; NDS; QL (30 per 30 days)
XYREM ORAL SOLUTION 500 MG/ML (sodium oxybate)	5	PA; NM; LA; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	4	QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	GC; QL (30 per 30 days)
Vasodilating Agents		
Vasodilating Agents		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i> (tadalafil (pulm. hypertension))	3	PA; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis)	5	PA; NM; NDS; QL (30 per 30 days)
OPSUMIT ORAL TABLET 10 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)	2	PA; GC; QL (90 per 30 days)
<i>sildenafil oral tablet 100 mg, 25 mg, 50 mg</i> (Viagra)	1	GC; EX; QL (6 per 30 days)
<i>tadalafil (pulm. hypertension) oral tablet 20 mg</i> (Alyq)	3	PA; QL (60 per 30 days)
TRACLEER ORAL TABLET 125 MG, 62.5 MG (bosentan)	5	PA; NM; LA; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	5	PA; NM; NDS; QL (112 per 28 days)
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NM; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

INDEX

1ST TIER UNIFINE PENTIPS.....	98	AJOVY SYRINGE.....	47	<i>amlodipine</i>	75
1ST TIER UNIFINE PENTIPS PLUS.....	98	AKEEGA.....	17	<i>amlodipine-benazepril</i>	75
<i>abacavir</i>	58	AKYNZEO (NETUPITANT).....	49	<i>amlodipine-valsartan</i>	75
<i>abacavir-lamivudine</i>	58	<i>ala-cort</i>	95	<i>ammonium lactate</i>	93
ABELCET.....	44	<i>albendazole</i>	50	<i>amoxapine</i>	35
<i>abiraterone</i>	17	<i>albuterol sulfate</i>	179	<i>amoxicillin</i>	14
ABOUTTIME PEN NEEDLE.....	98	<i>alclometasone</i>	95	<i>amoxicillin-pot clavulanate</i>	14
ABRYSVO.....	165	ALCOH-GLOVE.....	92	<i>amphotericin b</i>	44
<i>acamprosate</i>	7	ALCOHOL PADS.....	93	<i>ampicillin</i>	14
<i>acarbose</i>	38	ALCOHOL PREP PADS.....	93	<i>ampicillin sodium</i>	14
<i>accutane</i>	92	ALCOHOL SWABS.....	93	<i>ampicillin-sulbactam</i>	14
<i>acebutolol</i>	72	ALCOHOL WIPES.....	93	<i>anagrelide</i>	67
<i>acetaminophen-codeine</i>	3	ALCOH-WIPE.....	93	<i>anastrozole</i>	17
<i>acetazolamide</i>	174	ALECENSA.....	17	ANORO ELLIPTA.....	179
<i>acetic acid</i>	145	<i>alendronate</i>	171	<i>apomorphine</i>	51
<i>acetylcysteine</i>	181	<i>alfuzosin</i>	153	<i>apraclonidine</i>	144
<i>acitretin</i>	92	<i>aliskiren</i>	78	<i>aprepitant</i>	49
ACTHAR.....	157	<i>allopurinol</i>	46	<i>apri</i>	83
ACTHIB (PF).....	165	<i>alosetron</i>	170	APTIOM.....	29
ACTIMMUNE.....	172	ALPHAGAN P.....	174	APTIVUS.....	58
<i>acyclovir</i>	64, 92	<i>alprazolam</i>	8	AQINJECT PEN NEEDLE	99, 100
<i>acyclovir sodium</i>	64	ALREX.....	147	<i>aranelle (28)</i>	83
ADACEL(TDAP ADOLESN/ADULT)(PF)....	165	<i>altavera (28)</i>	83	ARCALYST.....	160
<i>adapalene</i>	97	ALTRENO.....	97	AREXVY (PF).....	165
<i>adefovir</i>	64	ALUNBRIG.....	17	AREXVY ANTIGEN COMPONENT.....	165
ADEMPAS.....	183	<i>alyacen 1135 (28)</i>	83	<i>aripiprazole</i>	52, 53
ADVAIR DISKUS.....	177	<i>alyacen 71717 (28)</i>	83	ARISTADA.....	53
ADVAIR HFA.....	178	<i>alyq</i>	183	ARISTADA INITIO.....	53
ADVOCATE PEN NEEDLE.....	99	<i>amabelz</i>	154	<i>armodafinil</i>	183
ADVOCATE SYRINGES.....	99	<i>amantadine hcl</i>	51	ARNUITY ELLIPTA.....	178
<i>afirmelle</i>	83	AMBISOME.....	44	<i>asenapine maleate</i>	53
AIMOVIG AUTOINJECTOR.....	47	<i>ambrisentan</i>	184	<i>ashlyna</i>	83
AJOVY AUTOINJECTOR....	47	<i>amethia</i>	83	<i>aspirin-dipyridamole</i>	67
		<i>amiloride</i>	75	ASSURE ID DUO PRO SFTY PEN NDL.....	100
		<i>amiloride-hydrochlorothiazide</i> ..	75	ASSURE ID DUO-SHIELD	100
		<i>amiodarone</i>	71		
		<i>amitriptyline</i>	35		

ASSURE ID INSULIN SAFETY	100	BALVERSA	18	BENLYSTA	160
ASSURE ID PEN NEEDLE	100	<i>balziva</i> (28)	84	<i>benztropine</i>	51
ASSURE ID PRO PEN NEEDLE.....	100	BAXDELA	15	BESREMI	160
<i>atazanavir</i>	58	BCG VACCINE, LIVE (PF)	165	<i>betaine</i>	172
<i>atenolol</i>	72	BD ALCOHOL SWABS.....	93	<i>betamethasone dipropionate</i>	95
<i>atenolol-chlorthalidone</i>	72	BD AUTOSHIELD DUO PEN NEEDLE	100	<i>betamethasone valerate</i>	95, 96
<i>atomoxetine</i>	79	BD ECLIPSE LUER-LOK... ..	100	<i>betamethasone, augmented</i>	96
<i>atorvastatin</i>	76	BD INSULIN SYRINGE.....	101	BETASERON	80
<i>atovaquone</i>	50	BD INSULIN SYRINGE (HALF UNIT).....	100	<i>betaxolol</i>	72
<i>atovaquone-proguanil</i>	50	BD INSULIN SYRINGE SLIP TIP	101	<i>bethanechol chloride</i>	152
<i>atropine</i>	145	BD INSULIN SYRINGE U-500	101	<i>bexarotene</i>	18
ATROVENT HFA	179	BD INSULIN SYRINGE ULTRA-FINE	101	BEXSERO	166
<i>aubra eq</i>	83	BD NANO 2ND GEN PEN NEEDLE	101	<i>bicalutamide</i>	18
AUGTYRO	17	BD SAFETYGLIDE INSULIN SYRINGE	101, 102	BICILLIN L-A	14
<i>aurovela 1.5/30 (21)</i>	84	BD SAFETYGLIDE SYRINGE	102	BIDIL	79
<i>aurovela 1/20 (21)</i>	84	BD ULTRA-FINE MICRO PEN NEEDLE	102	BIKTARVY	58
<i>aurovela 24 fe</i>	84	BD ULTRA-FINE MINI PEN NEEDLE	102	<i>bisoprolol fumarate</i>	72
<i>aurovela fe 1.5/30 (28)</i>	84	BD ULTRA-FINE NANO PEN NEEDLE	102	<i>bisoprolol-hydrochlorothiazide</i>	72
<i>aurovela fe 1-20 (28)</i>	84	BD ULTRA-FINE ORIG PEN NEEDLE	102	<i>blisovi 24 fe</i>	84
AUSTEDO	79	BD ULTRA-FINE SHORT PEN NEEDLE	102	<i>blisovi fe 1.5/30 (28)</i>	84
AUSTEDO XR	79	BD VEO INSULIN SYR (HALF UNIT).....	102	<i>blisovi fe 1/20 (28)</i>	84
AUSTEDO XR TITRATION KT(WK1-4).....	79	BD VEO INSULIN SYRINGE UF	102	BOOSTRIX TDAP	166
AUVELITY	35	BELSOMRA	183	BORDERED GAUZE	102
AVASTIN	18	<i>benazepril</i>	70, 71	BOSULIF	18
<i>aviane</i>	84	<i>benazepril-hydrochlorothiazide</i>	71	BRAFTOVI	18
AVONEX	79, 80			BREO ELLIPTA	178
<i>ayuna</i>	84			BREZTRI AEROSPHERE.. ..	179
AYVAKIT	18			<i>briellyn</i>	84
<i>azathioprine</i>	160			BRILINTA	67
<i>azelastine</i>	145			<i>brimonidine</i>	174
<i>azithromycin</i>	12, 13			<i>brimonidine-timolol</i>	174
<i>aztreonam</i>	13			<i>brinzolamide</i>	174
<i>azurette (28)</i>	84			BRIVIACT	29
<i>bacitracin</i>	145			<i>bromfenac</i>	147
<i>bacitracin-polymyxin b</i>	145			<i>bromocriptine</i>	51
<i>baclofen</i>	182			BROMSITE	147
<i>balsalazide</i>	170			BRONCHITOL	181
				BRUKINSA	18
				<i>budesonide</i>	170, 178
				<i>bumetanide</i>	75

<i>buprenorphine hcl</i>	7	<i>caspofungin</i>	44	CLENPIQ.....	151
<i>buprenorphine-naloxone</i>	7	CAYSTON.....	13	CLICKFINE PEN NEEDLE	
<i>bupropion hcl</i>	35	<i>caziant (28)</i>	84	104
<i>bupropion hcl (smoking deter)</i> ...	8	<i>cefaclor</i>	11	<i>clindamycin hcl</i>	10
<i>buspiron</i>	172	<i>cefadroxil</i>	11	<i>clindamycin in 5 % dextrose</i>	10
<i>butalbital-acetaminophen-caff</i>	3	<i>cefazolin</i>	11	<i>clindamycin phosphate</i>	
<i>butalbital-aspirin-caffeine</i>	3	<i>cefdinir</i>	11, 12	10, 47, 94, 95
CABENUVA.....	59	<i>cefepime</i>	12	CLINIMIX 5%/D15W	
<i>cabergoline</i>	51	<i>cefixime</i>	12	SULFITE FREE.....	68
CABLIVI.....	67	<i>cefoxitin</i>	12	CLINIMIX 4.25%/D10W	
CABOMETYX.....	18	<i>cefpodoxime</i>	12	SULF FREE.....	68
CAELYX.....	18	<i>cefprozil</i>	12	CLINIMIX 4.25%/D5W	
<i>calcipotriene</i>	93	<i>ceftazidime</i>	12	SULFIT FREE.....	68
<i>calcitonin (salmon)</i>	171	<i>ceftriaxone</i>	12	CLINIMIX 5%-	
<i>calcitriol</i>	171	<i>cefuroxime axetil</i>	12	D20W(SULFITE-FREE).....	68
<i>calcium acetate(phosphat</i>		<i>cefuroxime sodium</i>	12	CLINIMIX E 2.75%/D5W	
<i>bind)</i>	152	<i>celecoxib</i>	5	SULF FREE.....	68
CALQUENCE		CELONTIN.....	30	CLINIMIX E 4.25%/D10W	
(ACALABRUTINIB MAL) ...	18	<i>cephalexin</i>	12	SUL FREE.....	68
<i>camila</i>	84	CERDELGA.....	143	CLINIMIX E 4.25%/D5W	
<i>camrese</i>	84	<i>chateal eq (28)</i>	84	SULF FREE.....	68
<i>candesartan</i>	70	<i>chlordiazepoxide hcl</i>	8	CLINIMIX E 5%/D15W	
CAPLYTA.....	53	<i>chlorhexidine gluconate</i>	92	SULFIT FREE.....	68
CAPRELSA.....	18	<i>chloroquine phosphate</i>	50	CLINIMIX E 5%/D20W	
<i>captopril</i>	71	<i>chlorpromazine</i>	53	SULFIT FREE.....	68
<i>carbamazepine</i>	29, 30	<i>chlorthalidone</i>	75	<i>clobazam</i>	30
<i>carbidopa-levodopa</i>	51	<i>chlorzoxazone</i>	182	<i>clobetasol</i>	96
<i>carbidopa-levodopa-</i>		<i>cholestyramine (with sugar)</i>	76	<i>clobetasol-emollient</i>	96
<i>entacapone</i>	51	<i>cholestyramine light</i>	77	<i>clomipramine</i>	35
CAREFINE PEN NEEDLE	103	<i>ciclopirox</i>	44	<i>clonazepam</i>	8, 9
CARETOUCH ALCOHOL		<i>cilostazol</i>	67	<i>clonidine</i>	69
PREP PAD.....	93	CIMDUO.....	59	<i>clonidine hcl</i>	69
CARETOUCH INSULIN		<i>cimetidine hcl</i>	149	<i>clopidogrel</i>	67
SYRINGE.....	103, 104	<i>cinacalcet</i>	171	<i>clorazepate dipotassium</i>	9
CARETOUCH PEN		CINRYZE.....	65	<i>clotrimazole</i>	44
NEEDLE.....	103	<i>ciprofloxacin hcl</i>	15, 145	<i>clotrimazole-betamethasone</i>	44
<i>carglumic acid</i>	150	<i>ciprofloxacin in 5 % dextrose</i> ...	15	<i>clozapine</i>	53, 54
<i>carteolol</i>	174	<i>ciprofloxacin-dexamethasone</i> .	145	COARTEM.....	50
<i>cartia xt</i>	73	<i>citalopram</i>	35	<i>codeine sulfate</i>	3
<i>carvedilol</i>	72	<i>clarithromycin</i>	13	<i>colchicine</i>	46

<i>colesevelam</i>	77	CYLTEZO(CF).....	161	DESCOVY.....	59
<i>colestipol</i>	77	CYLTEZO(CF) PEN.....	161	<i>desipramine</i>	35
<i>colistin (colistimethate na)</i>	10	CYLTEZO(CF) PEN		<i>desmopressin</i>	157, 158
COMBIGAN.....	174	CROHN'S-UC-HS.....	160	<i>desog-e.estradiolle.estradiol</i>	85
COMBIVENT RESPIMAT..	180	CYLTEZO(CF) PEN		<i>desoximetasone</i>	96
COMETRIQ.....	19	PSORIASIS-UV.....	161	<i>desvenlafaxine succinate</i>	36
COMFORT EZ INSULIN		<i>cyproheptadine</i>	46	<i>dexamethasone</i>	156
SYRINGE.....	104, 105, 106	<i>cyred eq</i>	84	<i>dexamethasone sodium</i>	
COMFORT EZ PEN		CYSTARAN.....	145	<i>phosphate</i>	148, 156
NEEDLES.....	104, 105	<i>d5 % and 0.9 % sodium</i>		<i>dexmethylphenidate</i>	80
COMFORT EZ PRO		<i>chloride</i>	175	<i>dextroamphetamine sulfate</i>	80
SAFETY PEN NDL.....	105	<i>d5 %-0.45 % sodium chloride</i> ..	175	<i>dextroamphetamine-</i>	
COMFORT TOUCH PEN		<i>dalfampridine</i>	80	<i>amphetamine</i>	80
NEEDLE.....	106, 107	<i>danazol</i>	154	<i>dextrose 10 % in water (d10w)</i> ..	68
COMPLERA.....	59	<i>dantrolene</i>	183	<i>dextrose 5 % in water (d5w)</i>	69
<i>compro</i>	49	<i>dapsone</i>	48	DIACOMIT.....	30
<i>constulose</i>	150	DAPTACEL (DTAP		<i>diazepam</i>	9, 30
COPAXONE.....	80	PEDIATRIC) (PF).....	166	<i>diazepam intensol</i>	9
COPIKTRA.....	19	<i>daptomycin</i>	10	<i>diazoxide</i>	172
CORLANOR.....	74	DAPTOMYCIN IN 0.9 %		<i>dichlorphenamide</i>	172
CORTROPHIN GEL.....	157	SOD CHLOR.....	10	<i>diclofenac epolamine</i>	5
COSENTYX.....	160	<i>daptomycin in 0.9 % sod chlor</i> ..	10	<i>diclofenac potassium</i>	5
COSENTYX (2 SYRINGES)		<i>darunavir</i>	59	<i>diclofenac sodium</i>	5, 6, 148
.....	160	<i>dasetta 1/35 (28)</i>	85	<i>dicloxacillin</i>	14
COSENTYX PEN (2 PENS)	160	<i>dasetta 7/7/7 (28)</i>	85	<i>dicyclomine</i>	150
COSENTYX UNOREADY		DAURISMO.....	19	DIFICID.....	13
PEN.....	160	<i>daysee</i>	85	<i>difluprednate</i>	148
COTELLIC.....	19	<i>deblitane</i>	85	<i>digitek</i>	74
CREON.....	143	<i>deferasirox</i>	153	<i>digoxin</i>	74
<i>cromolyn</i>	145, 150, 181	<i>deferiprone</i>	153	<i>dihydroergotamine</i>	47
<i>cryselle (28)</i>	84	<i>deflazacort</i>	156	<i>diltiazem hcl</i>	73
CURAD GAUZE PAD.....	107	DELSTRIGO.....	59	<i>dilt-xr</i>	73
CURITY ALCOHOL		DENG VAXIA (PF).....	166	<i>dimethyl fumarate</i>	80
SWABS.....	93	<i>denta 5000 plus</i>	92	DIPENTUM.....	170
CURITY GAUZE.....	107	<i>dentagel</i>	92	<i>diphenhydramine hcl</i>	46
<i>cyclobenzaprine</i>	182	DEPO-SUBQ PROVERA		<i>diphenoxylate-atropine</i>	150
<i>cyclopentolate</i>	145	104.....	159	<i>dipyridamole</i>	67
<i>cyclophosphamide</i>	19	DERMACEA.....	107	<i>disopyramide phosphate</i>	71
<i>cyclosporine</i>	147, 160	DERMACEA NON-		<i>disulfiram</i>	8
<i>cyclosporine modified</i>	160	WOVEN.....	107	<i>divalproex</i>	30

<i>dofetilide</i>	72	EASY COMFORT PEN		ELIGARD (3 MONTH).....	19
<i>donepezil</i>	34	NEEDLES.....	111	ELIGARD (4 MONTH).....	19
DOPTELET (10 TAB PACK)	65	EASY COMFORT SAFETY		ELIGARD (6 MONTH).....	19
DOPTELET (15 TAB PACK)	65	PEN NEEDLE.....	110	<i>elimest</i>	85
DOPTELET (30 TAB PACK)	65	EASY GLIDE INSULIN		ELIQUIS.....	64
<i>dorzolamide</i>	175	SYRINGE.....	111, 112	ELIQUIS DVT-PE TREAT	
<i>dorzolamide-timolol</i>	175	EASY GLIDE PEN		30D START.....	64
<i>dotti</i>	155	NEEDLE.....	112	ELMIRON.....	172
DOVATO.....	59	EASY TOUCH.....	113, 114	<i>eluryng</i>	85
<i>doxazosin</i>	69	EASY TOUCH ALCOHOL		EMBRACE PEN NEEDLE	
<i>doxepin</i>	36	PREP PADS.....	93	114, 115
<i>doxy-100</i>	16	EASY TOUCH FLIPLOCK		EMCYT.....	19
<i>doxycycline hyclate</i>	16	INSULIN.....	113	EMEND.....	49
<i>doxycycline monohydrate</i> ...	16, 17	EASY TOUCH FLIPLOCK		EMFLAZA.....	156
DRIZALMA SPRINKLE.....	36	SYRINGE.....	112	EMGALITY PEN.....	47
<i>dronabinol</i>	49	EASY TOUCH INSULIN		EMGALITY SYRINGE.....	47
DROPLET INSULIN		SAFETY SYR.....	112	EMSAM.....	36
SYR(HALF UNIT).....	107, 108	EASY TOUCH INSULIN		<i>emtricitabine</i>	59
DROPLET INSULIN		SYRINGE.....	112, 113, 114	<i>emtricitabine-tenofovir (tdf)</i>	59
SYRINGE.....	107, 108	EASY TOUCH LUER		EMTRIVA.....	59
DROPLET MICRON PEN		LOCK INSULIN.....	113	<i>enalapril maleate</i>	71
NEEDLE.....	109	EASY TOUCH PEN		<i>enalapril-hydrochlorothiazide</i> ...	71
DROPLET PEN NEEDLE..	109	NEEDLE.....	113	ENBREL.....	161
DROPSAFE ALCOHOL		EASY TOUCH SAFETY		ENBREL MINI.....	161
PREP PADS.....	93	PEN NEEDLE.....	114	ENBREL SURECLICK.....	161
DROPSAFE INSULIN		EASY TOUCH		ENDARI.....	172
SYRINGE.....	109, 110	SHEATHLOCK INSULIN		<i>endocet</i>	3
DROPSAFE PEN NEEDLE	110	112, 113	ENGERIX-B (PF).....	166
<i>drospirenone-ethinyl estradiol</i> ...	85	EASY TOUCH UNI-SLIP...	114	ENGERIX-B PEDIATRIC	
DROXIA.....	67	<i>ec-naproxen</i>	6	(PF).....	166
<i>droxidopa</i>	69	<i>econazole</i>	44	<i>enilloring</i>	85
DUAVEE.....	155	EDARBI.....	70	<i>enoxaparin</i>	64, 65
<i>duloxetine</i>	36	EDARBYCLOR.....	70	<i>enpresse</i>	85
DUPIXENT PEN.....	161	EDURANT.....	59	<i>enskyce</i>	85
DUPIXENT SYRINGE.....	161	<i>efavirenz</i>	59	<i>entacapone</i>	51
<i>dutasteride</i>	153	<i>efavirenz-emtricitabin-tenofov</i> ..	59	<i>entecavir</i>	64
EASY COMFORT		<i>efavirenz-lamivu-tenofov disop</i> ..	59	ENTRESTO.....	70
ALCOHOL PAD.....	93	EGRIFTA SV.....	158	<i>enulose</i>	150
EASY COMFORT		<i>electrolyte-148</i>	175	EPCLUSA.....	63
INSULIN SYRINGE....	110, 111	ELIGARD.....	19	EPIDIOLEX.....	30

<i>epinastine</i>	145	<i>ezetimibe</i>	77	<i>fluocinonide</i>	96
<i>epinephrine</i>	74	<i>falmina (28)</i>	85	<i>fluocinonide-emollient</i>	96
<i>epitol</i>	30	<i>famciclovir</i>	64	<i>fluorometholone</i>	148
<i>eplerenone</i>	78	<i>famotidine</i>	149	<i>fluorouracil</i>	93
EPRONTIA.....	30	FANAPT.....	54	<i>fluoxetine</i>	36
<i>ergoloid</i>	34	FARXIGA.....	38	<i>fluphenazine decanoate</i>	54
ERIVEDGE.....	19	FASENRA.....	181	<i>fluphenazine hcl</i>	54
ERLEADA.....	19	FASENRA PEN.....	181	<i>flurazepam</i>	9
<i>erlotinib</i>	19, 20	<i>febuxostat</i>	46	<i>flurbiprofen</i>	6
<i>errin</i>	85	<i>felbamate</i>	31	<i>flurbiprofen sodium</i>	148
<i>ertapenem</i>	13	FEMRING.....	155	<i>fluticasone propionate</i>	96, 148
<i>ery pads</i>	95	<i>fenofibrate</i>	77	<i>fluvoxamine</i>	36
<i>erythromycin</i>	13, 145	<i>fenofibrate micronized</i>	77	<i>fondaparinux</i>	65
<i>erythromycin ethylsuccinate</i>	13	<i>fenofibrate nanocrystallized</i>	77	<i>fosamprenavir</i>	60
<i>erythromycin with ethanol</i>	95	<i>fentanyl</i>	3	<i>fosinopril</i>	71
<i>escitalopram oxalate</i>	36	<i>fentanyl citrate</i>	3	FOTIVDA.....	20
<i>esomeprazole magnesium</i>	149	FERRIPROX.....	153	FREESTYLE PRECISION	
<i>estarylla</i>	85	FETZIMA.....	36	115, 116
<i>estradiol</i>	155	FIASP FLEXTOUCH U-100		FRUZAQLA.....	20
<i>estradiol valerate</i>	155	INSULIN.....	41	FULPHILA.....	65
<i>estradiol-norethindrone acet</i> ...	155	FIASP PENFILL U-100		<i>furosemide</i>	76
<i>eszopiclone</i>	183	INSULIN.....	41	FUZEON.....	60
<i>ethambutol</i>	48	FIASP PUMPCART.....	41	FYARRO.....	20
<i>ethosuximide</i>	30, 31	FIASP U-100 INSULIN.....	41	<i>fyavolv</i>	155
<i>ethynodiol diac-eth estradiol</i>	85	<i>finasteride</i>	153	FYCOMPA.....	31
<i>etodolac</i>	6	<i>finbolimod</i>	80	<i>gabapentin</i>	31
<i>etonogestrel-ethinyl estradiol</i>	85	FINTEPLA.....	31	GALAFOLD.....	144
<i>etravirine</i>	60	FIRMAGON KIT W		<i>galantamine</i>	34
EUCRISA.....	96	DILUENT SYRINGE.....	20	GAMMAGARD LIQUID...	162
EVENITY.....	171	FIRVANQ.....	10	GAMMAGARD S-D (IGA <	
<i>everolimus (antineoplastic)</i>	20	FLEBOGAMMA DIF.....	161	1 MCG/ML).....	162
<i>everolimus</i>		<i>flecainide</i>	72	GAMMAPLEX.....	162
<i>(immunosuppressive)</i>	161	FLOVENT DISKUS.....	178	GAMMAPLEX (WITH	
EVOTAZ.....	60	FLOVENT HFA.....	178	SORBITOL).....	162
EVRYSDI.....	173	<i>fluconazole</i>	44	GARDASIL 9 (PF).....	166
EXEL INSULIN.....	115	<i>fluconazole in nacl (iso-osm)</i> ...	44	GATTEX 30-VIAL.....	150
<i>exemestane</i>	20	<i>flucytosine</i>	45	GAUZE PAD.....	116
EXKIVITY.....	20	<i>fludrocortisone</i>	156	<i>gavilyte-c</i>	151
EXTENCILLINE.....	15	<i>flunisolide</i>	148	<i>gavilyte-g</i>	151
EYSUVIS.....	148	<i>fluocinolone</i>	96	GAVRETO.....	20

<i>gefitinib</i>	20	HAVRIX (PF).....	166	<i>hydroxychloroquine</i>	50
<i>gemfibrozil</i>	77	HEALTHWISE INSULIN		<i>hydroxyurea</i>	20
GEMTESA.....	152	SYRINGE.....	116	<i>hydroxyzine hcl</i>	46
<i>generlac</i>	150	HEALTHWISE PEN		<i>hydroxyzine pamoate</i>	173
<i>gengraf</i>	162	NEEDLE.....	116, 117	<i>ibandronate</i>	171
<i>gentamicin</i>	9, 95, 146	HEALTHY ACCENTS		IBRANCE.....	20, 21
GENVOYA.....	60	UNIFINE PENTIP.....	117	<i>ibu</i>	6
GILENYA.....	81	<i>heather</i>	86	<i>ibuprofen</i>	6
GILOTRIF.....	20	<i>heparin (porcine)</i>	65	<i>icatibant</i>	74
<i>glatiramer</i>	81	HEPLISAV-B (PF).....	167	<i>iclevia</i>	86
<i>glatopa</i>	81	HETLIOZ LQ.....	183	ICLUSIG.....	21
GLEOSTINE.....	20	HIBERIX (PF).....	167	<i>icosapent ethyl</i>	77
<i>glimepiride</i>	43	HUMIRA.....	162	IDHIFA.....	21
<i>glipizide</i>	43	HUMIRA PEN.....	162	ILEVRO.....	148
<i>glipizide-metformin</i>	43	HUMIRA PEN CROHNS-		<i>imatinib</i>	21
<i>glyburide</i>	43	UC-HS START.....	162	IMBRUVICA.....	21
<i>glyburide micronized</i>	43	HUMIRA PEN PSOR-		<i>imipenem-cilastatin</i>	13
<i>glyburide-metformin</i>	43	UVEITS-ADOL HS.....	162	<i>imipramine hcl</i>	36
<i>glycopyrrolate</i>	150	HUMIRA(CF).....	163	<i>imiquimod</i>	93
<i>glydo</i>	7	HUMIRA(CF) PEDI		IMJUDO.....	21
GLYXAMBI.....	38	CROHNS STARTER.....	162	IMOVAX RABIES	
<i>granisetron hcl</i>	49	HUMIRA(CF) PEN.....	163	VACCINE (PF).....	167
<i>griseofulvin microsize</i>	45	HUMIRA(CF) PEN		IMPAVIDO.....	50
<i>guanfacine</i>	69, 81	CROHNS-UC-HS.....	162	INBRIJA.....	52
GVOKE HYOPEN 2-		HUMIRA(CF) PEN		<i>incassia</i>	86
PACK.....	173	PEDIATRIC UC.....	162	INCONTROL ALCOHOL	
GVOKE PFS 1-PACK		HUMIRA(CF) PEN PSOR-		PADS.....	93
SYRINGE.....	173	UV-ADOL HS.....	163	INCONTROL PEN	
GVOKE PFS 2-PACK		HUMULIN R U-500		NEEDLE.....	117
SYRINGE.....	173	(CONC) INSULIN.....	41	INCRELEX.....	158
HAEGARDA.....	66	HUMULIN R U-500		<i>indapamide</i>	76
<i>hailey</i>	86	(CONC) KWIKPEN.....	41	<i>indomethacin</i>	6
<i>hailey 24 fe</i>	86	<i>hydralazine</i>	74	INFANRIX (DTAP) (PF)....	167
<i>hailey fe 1.5/30 (28)</i>	86	<i>hydrochlorothiazide</i>	76	INGREZZA.....	81
<i>hailey fe 1/20 (28)</i>	86	<i>hydrocodone-acetaminophen</i>	3	INLYTA.....	21
<i>halobetasol propionate</i>	96	<i>hydrocodone-ibuprofen</i>	3	INQOVI.....	21
<i>haloperidol</i>	54	<i>hydrocortisone</i>	96, 97, 156, 170	INREBIC.....	21
<i>haloperidol decanoate</i>	54	<i>hydrocortisone-min oil-wht pet</i>	97	INSULIN SYR/NDL U100	
<i>haloperidol lactate</i>	54	<i>hydromorphone</i>	4	HALF MARK.....	117
HARVONI.....	63	<i>hydromorphone (pf)</i>	4	INSULIN SYRINGE.....	101

INSULIN SYRINGE MICROFINE.....	101	<i>jantoven</i>	65	KLOXXADO.....	8
INSULIN SYRINGE NEEDLELESS.....	101	JANUMET.....	38	KORLYM.....	39
INSULIN SYRINGE- NEEDLE U-100 101, 103, 115, 117, 118, 119, 127, 132		JANUMET XR.....	38	KOSELUGO.....	22
INSUPEN PEN NEEDLE... 119		JANUVIA.....	38	KOURZEQ.....	92
INTELENCE.....	60	JARDIANCE.....	38	KRAZATI.....	22
INTRALIPID.....	69	<i>jasmiel (28)</i>	86	KRINTAFEL.....	50
INVEGA HAFYERA.....	54, 55	JAYPIRCA.....	21	<i>kurvelo (28)</i>	87
INVEGA SUSTENNA.....	55	<i>jencycla</i>	86	KYNMOBI.....	52
INVEGA TRINZA.....	55	JENTADUETO.....	38	<i>l norgestle.estradiol-e.estradiol</i>	87
INVELTYS.....	148	JENTADUETO XR.....	39	<i>labetalol</i>	72
IPOD.....	167	<i>jinteli</i>	155	<i>lacosamide</i>	31
<i>ipratropium bromide</i>	145, 180	<i>juleber</i>	86	<i>lactulose</i>	150
<i>ipratropium-albuterol</i>	180	JULUCA.....	60	<i>lagevrio (eua)</i>	64
<i>irbesartan</i>	70	<i>junel 1.5/30 (21)</i>	86	<i>lamivudine</i>	60
<i>irbesartan-hydrochlorothiazide</i>	70	<i>junel 1/20 (21)</i>	86	<i>lamivudine-zidovudine</i>	60
IRESSA.....	21	<i>junel fe 1.5/30 (28)</i>	86	<i>lamotrigine</i>	31
ISENTRESS.....	60	<i>junel fe 1/20 (28)</i>	86	<i>lansoprazole</i>	149
ISENTRESS HD.....	60	<i>junel fe 24</i>	86	LANTUS SOLOSTAR U-100 INSULIN.....	41
<i>isibloom</i>	86	JUXTAPID.....	77	LANTUS U-100 INSULIN... 41	
ISOLYTE S PH 7.4.....	175	JYNARQUE.....	76	<i>lapatinib</i>	22
ISOLYTE-P IN 5 % DEXTROSE.....	176	JYNNEOS (PF).....	167	<i>larin 1.5/30 (21)</i>	87
ISOLYTE-S.....	175	<i>kalliga</i>	86	<i>larin 1/20 (21)</i>	87
<i>isoniazid</i>	48	KALYDECO.....	181	<i>larin 24 fe</i>	87
ISOPROPYL ALCOHOL.....	94	<i>kariva (28)</i>	87	<i>larin fe 1.5/30 (28)</i>	87
<i>isosorbide dinitrate</i>	79	<i>kelnor 1/35 (28)</i>	87	<i>larin fe 1/20 (28)</i>	87
<i>isosorbide mononitrate</i>	79	<i>kelnor 1-50 (28)</i>	87	<i>latanoprost</i>	175
<i>isotretinoin</i>	94	KERENDIA.....	78	<i>leflunomide</i>	163
<i>itraconazole</i>	45	KESIMPTA PEN.....	81	<i>lenalidomide</i>	22
IV PREP WIPES.....	94	<i>ketoconazole</i>	45	LENVIMA.....	22
<i>ivermectin</i>	50	<i>ketorolac</i>	6, 148	<i>lessina</i>	87
IWILFIN.....	21	KEVEYIS.....	173	<i>letrozole</i>	22
IXIARO (PF).....	167	KEYTRUDA.....	22	<i>leucovorin calcium</i>	173
<i>jaimiess</i>	86	KINERET.....	163	LEUKERAN.....	22
JAKAFI.....	21	KINRIX (PF).....	167	LEUKINE.....	66
		KISQALI.....	22	<i>leuprolide</i>	23
		KISQALI FEMARA CO- PACK.....	22	<i>leuprolide (3 month)</i>	23
		<i>klor-con m10</i>	176	<i>levetiracetam</i>	31, 32
		<i>klor-con m15</i>	176	<i>levobunolol</i>	175
		<i>klor-con m20</i>	176	<i>levocarnitine</i>	173

<i>levocarnitine (with sugar)</i>	173	LOTEMAX.....	148	MARPLAN.....	37
<i>levocetirizine</i>	46	LOTEMAX SM.....	148	MATULANE.....	23
<i>levofloxacin</i>	16	<i>loteprednol etabonate</i>	148	MAVENCLAD (10 TABLET PACK).....	81
<i>levofloxacin in d5w</i>	15	<i>lovastatin</i>	77	MAVENCLAD (4 TABLET PACK).....	81
<i>levonest (28)</i>	87	<i>low-ogestrel (28)</i>	88	MAVENCLAD (5 TABLET PACK).....	81
<i>levonorgest-eth.estradiol-iron</i> ...	87	<i>loxapine succinate</i>	55	MAVENCLAD (6 TABLET PACK).....	81
<i>levonorgestrel-ethinyl estrad</i>	87	<i>lo-zumandimine (28)</i>	88	MAVENCLAD (7 TABLET PACK).....	81
<i>levonorg-eth estrad triphasic</i>	88	<i>lubiprostone</i>	151	MAVENCLAD (8 TABLET PACK).....	81
<i>levora-28</i>	88	LUCEMYRA.....	8	MAVENCLAD (9 TABLET PACK).....	82
<i>levothyroxine</i>	159	LUMAKRAS.....	23	MAXICOMFORT II PEN NEEDLE.....	121
LEXIVA.....	60	LUMIGAN.....	175	MAXICOMFORT INSULIN SYRINGE.....	121
<i>lidocaine</i>	7	LUNSUMIO.....	23	MAXI-COMFORT INSULIN SYRINGE.....	121
<i>lidocaine (pf)</i>	7	LUPRON DEPOT.....	158	MAXICOMFORT SAFETY PEN NEEDLE.....	121
<i>lidocaine hcl</i>	7	LUPRON DEPOT (3 MONTH).....	23, 158	MAYZENT.....	82
<i>lidocaine viscous</i>	7	LUPRON DEPOT (4 MONTH).....	23	MAYZENT STARTER(FOR 1MG MAINT).....	82
<i>lidocaine-prilocaine</i>	7	LUPRON DEPOT (6 MONTH).....	23	MAYZENT STARTER(FOR 2MG MAINT).....	82
<i>linezolid</i>	10	LUPRON DEPOT-PED.....	158	<i>meclizine</i>	49
<i>linezolid in dextrose 5%</i>	10	LUPRON DEPOT-PED (3 MONTH).....	158	<i>medroxyprogesterone</i>	159
LINZESS.....	150	<i>lurasidone</i>	55	<i>mefenamic acid</i>	6
<i>liothyronine</i>	159	<i>lutera (28)</i>	88	<i>mefloquine</i>	50
LISCO.....	119	LYBALVI.....	55	<i>megestrol</i>	23, 159
<i>lisinopril</i>	71	<i>lyleq</i>	88	MEKINIST.....	23, 24
<i>lisinopril-hydrochlorothiazide</i> ...	71	<i>lyllana</i>	155	MEKTOVI.....	24
LITE TOUCH INSULIN PEN NEEDLES.....	119, 120	LYNPARZA.....	23	<i>meloxicam</i>	6
LITE TOUCH INSULIN SYRINGE.....	119, 120	LYSODREN.....	23	<i>memantine</i>	34
<i>lithium carbonate</i>	81	LYTGOBI.....	23		
<i>lithium citrate</i>	81	<i>lyza</i>	88		
LIVALO.....	77	MAGELLAN INSULIN SAFETY SYRNG.....	121		
<i>lojaimiess</i>	88	MAGELLAN SYRINGE.....	120		
LOKELMA.....	150	<i>magnesium sulfate</i>	176		
LONSURF.....	23	<i>magnesium sulfate in d5w</i>	176		
<i>loperamide</i>	151	<i>magnesium sulfate in water</i>	176		
<i>lopinavir-ritonavir</i>	60	<i>malathion</i>	98		
<i>lorazepam</i>	9	<i>maraviroc</i>	60		
LORBRENA.....	23	<i>marlissa (28)</i>	88		
<i>loryna (28)</i>	88				
<i>losartan</i>	70				
<i>losartan-hydrochlorothiazide</i>	70				

MENACTRA (PF).....	167	<i>midodrine</i>	69	MYRBETRIQ.....	152
MENQUADFI (PF).....	167	<i>mifepristone</i>	39	<i>nabumetone</i>	6
MENVEO A-C-Y-W-135- DIP (PF).....	167	<i>miglustat</i>	144	<i>nafcillin</i>	15
<i>mercaptapurine</i>	24	<i>mili</i>	88	<i>nafcillin in dextrose iso-osm</i>	15
<i>meropenem</i>	14	<i>mimvey</i>	155	<i>naloxone</i>	8
<i>mesalamine</i>	171	MINI ULTRA-THIN II.....	122	<i>naltrexone</i>	8
MESNEX.....	173	<i>minocycline</i>	17	NAMZARIC.....	35
<i>metformin</i>	39	<i>minoxidil</i>	79	<i>naproxen</i>	6
<i>methadone</i>	4	<i>mirtazapine</i>	37	NARCAN.....	8
<i>methenamine hippurate</i>	10	<i>misoprostol</i>	149	NATACYN.....	146
<i>methimazole</i>	159	MITIGARE.....	46	NAYZILAM.....	32
<i>methocarbamol</i>	183	M-M-R II (PF).....	167	<i>nebivolol</i>	73
<i>methotrexate sodium</i>	24	<i>modafinil</i>	183	<i>necon 0.5/35 (28)</i>	88
<i>methotrexate sodium (pf)</i>	24	<i>molindone</i>	55, 56	<i>nefazodone</i>	37
<i>methoxsalen</i>	94	<i>mometasone</i>	97, 148	<i>neomycin</i>	9
<i>methscopolamine</i>	151	<i>mondoxyne nl</i>	17	<i>neomycin-bacitracin-poly-hc</i> ...	146
<i>methsuximide</i>	32	MONOJECT INSULIN SAFETY SYRINGE.....	123	<i>neomycin-bacitracin- polymyxin</i>	146
<i>methyl dopa</i>	69	MONOJECT INSULIN SYRINGE.....	122, 123	<i>neomycin-polymyxin b- dexameth</i>	146
<i>methylphenidate hcl</i>	82	MONOJECT SYRINGE.....	122	<i>neomycin-polymyxin- gramicidin</i>	146
<i>methylprednisolone</i>	157	MONOJECT ULTRA COMFORT INSULIN.....	138	<i>neomycin-polymyxin-hc</i>	146
<i>methylprednisolone acetate</i>	156	<i>mono-linyah</i>	88	<i>neo-polycin</i>	146
<i>methylprednisolone sodium succ</i>	157	<i>montelukast</i>	179	<i>neo-polycin hc</i>	146
<i>metoclopramide hcl</i>	151	<i>morphine</i>	4	NERLYNX.....	24
<i>metolazone</i>	76	MORPHINE.....	4	NEULASTA.....	66
<i>metoprolol succinate</i>	72	<i>morphine concentrate</i>	4	NEUPRO.....	52
<i>metoprolol ta-hydrochlorothiaz</i>	72	MOTPOLY XR.....	32	<i>nevirapine</i>	61
<i>metoprolol tartrate</i>	73	MOUNJARO.....	39	NEXLETOL.....	77
<i>metronidazole</i>	11, 47, 95	MOVANTIK.....	151	<i>nexlizet</i>	77
<i>metronidazole in nacl (iso-os)</i> ..	10	<i>moxifloxacin</i>	16, 146	<i>niacin</i>	77
<i>metryrosine</i>	74	<i>moxifloxacin-sod.ace,sul-water</i>	16	<i>nicardipine</i>	75
<i>mexiletine</i>	72	<i>moxifloxacin-sod.chloride(iso)</i>	16	NICOTROL.....	8
<i>miconazole-3</i>	45	MULPLETA.....	66	<i>nifedipine</i>	75
MICRODOT INSULIN PEN		MULTAQ.....	72	<i>nikki (28)</i>	88
NEEDLE.....	121	<i>mupirocin</i>	95	<i>nilutamide</i>	24
MICRODOT READYGARD PEN		MVASI.....	24	NINLARO.....	24
NEEDLE.....	121	<i>mycophenolate mofetil</i>	163	<i>nitazoxanide</i>	51
<i>microgestin fe 1/20 (28)</i>	88	<i>mycophenolate sodium</i>	163	<i>nitisinone</i>	144

<i>nitrofurantoin macrocrystal</i>	11	NOVOLOG MIX 70-30 FLEXPEN U-100.....	42	OMNIPOD 5 G6 INTRO KIT (GEN 5).....	123
<i>nitrofurantoin monohydrate macrocrystal</i>	11	NOVOLOG PENFILL U-100 INSULIN.....	42	OMNIPOD 5 G6 PODS (GEN 5).....	123
<i>nitroglycerin</i>	79, 173	NOVOLOG U-100 INSULIN ASPART.....	42	OMNIPOD 5 G6-G7 INTRO KT(GEN5).....	123
NITYR.....	144	NOVOTWIST.....	123	OMNIPOD 5 G6-G7 PODS (GEN 5).....	124
NIVESTYM.....	66	NOXAFIL.....	45	OMNIPOD CLASSIC PODS (GEN 3).....	124
<i>nizatidine</i>	149	NUBEQA.....	24	OMNIPOD DASH INTRO KIT (GEN 4).....	124
NORDITROPIN FLEXPRO.....	158	NUCALA.....	181	OMNIPOD DASH PDM KIT (GEN 4).....	124
<i>norelgestromin-ethin.estradiol</i> ..	88	NUPLAZID.....	56	OMNIPOD DASH PODS (GEN 4).....	124
<i>norethindrone (contraceptive)</i> ..	88	NURTEC ODT.....	47	OMNIPOD GO PODS.....	124
<i>norethindrone acetate</i>	159	NUTRILIPID.....	69	OMNIPOD GO PODS 10 UNITS/DAY.....	124
<i>norethindrone ac-eth estradiol</i>	89, 155	<i>nyamyc</i>	45	OMNIPOD GO PODS 15 UNITS/DAY.....	124
<i>norethindrone-e.estradiol-iron</i> ..	89	<i>nylia 1/35 (28)</i>	89	OMNIPOD GO PODS 20 UNITS/DAY.....	124
<i>norgestimate-ethinyl estradiol</i> ..	89	<i>nylia 7/7/7 (28)</i>	89	OMNIPOD GO PODS 25 UNITS/DAY.....	124
<i>nortrel 0.5/35 (28)</i>	89	<i>nymyo</i>	89	OMNIPOD GO PODS 30 UNITS/DAY.....	124
<i>nortrel 1/35 (21)</i>	89	<i>nystatin</i>	45	OMNIPOD GO PODS 40 UNITS/DAY.....	124
<i>nortrel 1/35 (28)</i>	89	<i>nystop</i>	45	<i>ondansetron</i>	50
<i>nortrel 7/7/7 (28)</i>	89	NYVEPRIA.....	66	<i>ondansetron hcl</i>	49
<i>nortriptyline</i>	37	OICALIVA.....	151	<i>ondansetron hcl (pf)</i>	49
NORVIR.....	61	OCREVUS.....	82	ONUREG.....	24
NOVOFINE 30.....	123	OCTAGAM.....	163	OPSUMIT.....	184
NOVOFINE 32.....	123	<i>octreotide acetate</i>	158	<i>oralone</i>	92
NOVOFINE PLUS.....	123	ODEFSEY.....	61	ORENCIA.....	163
NOVOLIN 70/30 U-100 INSULIN.....	41	ODOMZO.....	24	ORFADIN.....	144
NOVOLIN 70-30 FLEXPEN U-100.....	42	OFEV.....	181	ORGOVYX.....	158
NOVOLIN N FLEXPEN.....	42	<i>ofloxacin</i>	146, 147	ORILISSA.....	158
NOVOLIN N NPH U-100 INSULIN.....	42	OGSIVEO.....	24	ORKAMBI.....	181
NOVOLIN R FLEXPEN.....	42	OJJAARA.....	24		
NOVOLIN R REGULAR U100 INSULIN.....	42	<i>olanzapine</i>	56		
NOVOLOG FLEXPEN U-100 INSULIN.....	42	<i>olmesartan</i>	70		
NOVOLOG MIX 70-30 U-100 INSULIN.....	42	<i>olmesartan-hydrochlorothiazide</i>	70		
		<i>olopatadine</i>	145		
		<i>omega-3 acid ethyl esters</i>	78		
		<i>omeprazole</i>	149		
		<i>omeprazole-sodium bicarbonate</i>	150		

ORLADEYO.....	66	PENTACEL (PF).....	168	<i>potassium chloride-0.45 % nacl</i>	177
ORSERDU.....	24	<i>pentamidine</i>	51	<i>potassium citrate</i>	177
ORTHO MICRONOR.....	89	PENTIPS.....	125	PRALUENT PEN.....	78
<i>oseltamivir</i>	62, 63	<i>pentoxifylline</i>	68	<i>pramipexole</i>	52
OSMOLEX ER.....	52	<i>perindopril erbumine</i>	71	<i>prasugrel</i>	68
OTEZLA.....	163	<i>periogard</i>	92	<i>pravastatin</i>	78
OTEZLA STARTER.....	163	<i>permethrin</i>	98	<i>prazosin</i>	70
<i>oxandrolone</i>	154	<i>perphenazine</i>	56	<i>prednicarbate</i>	97
<i>oxcarbazepine</i>	32	<i>perphenazine-amitriptyline</i>	37	<i>prednisolone</i>	157
OXTELLAR XR.....	32	PERSERIS.....	56	<i>prednisolone acetate</i>	148
<i>oxybutynin chloride</i>	152	<i>pfizerpen-g</i>	15	<i>prednisolone sodium phosphate</i>	148, 157
<i>oxycodone</i>	4, 5	<i>phenelzine</i>	37	<i>prednisone</i>	157
<i>oxycodone-acetaminophen</i>	5	<i>phenobarbital</i>	32	<i>pregabalin</i>	32
OXYCONTIN.....	5	<i>phenytoin</i>	32	PREHEVBRIO (PF).....	168
OZEMPIC.....	39	<i>phenytoin sodium extended</i>	32	PREMARIN.....	156
<i>pacerone</i>	72	<i>philith</i>	89	PREMPHASE.....	156
<i>paliperidone</i>	56	PHOSLYRA.....	152	PREMPRO.....	156
PALYNZIQ.....	144	PIFELTRO.....	61	PRETOMANID.....	48
PANRETIN.....	94	<i>pilocarpine hcl</i>	92, 175	<i>prevalite</i>	78
<i>pantoprazole</i>	150	<i>pimecrolimus</i>	97	PREVENT DROPSAFE	
<i>paricalcitol</i>	171	<i>pimozide</i>	56	PEN NEEDLE.....	126
<i>paromomycin</i>	51	<i>pimtreea (28)</i>	89	PREVYMIS.....	63
<i>paroxetine hcl</i>	37	<i>pioglitazone</i>	39	PREZCOBIX.....	61
PAXLOVID.....	63	PIP PEN NEEDLE.....	125	PREZISTA.....	61
<i>pazopanib</i>	24	<i>piperacillin-tazobactam</i>	15	PRIFTIN.....	48
PEDIARIX (PF).....	168	PIQRAY.....	25	PRIMAQUINE.....	51
PEDVAX HIB (PF).....	168	<i>pirfenidone</i>	181, 182	<i>primidone</i>	33
<i>peg 3350-electrolytes</i>	151	<i>pirmella</i>	90	PRIORIX (PF).....	168
PEGASYS.....	63, 64	PLASMA-LYTE 148.....	176	PRIVIGEN.....	163
<i>peg-electrolyte soln</i>	152	PLASMA-LYTE A.....	176	PRO COMFORT	
PEMAZYRE.....	24	PLEGRIDY.....	82	ALCOHOL PADS.....	94
PEMRYDI RTU.....	25	<i>podofilox</i>	94	PRO COMFORT INSULIN	
PEN NEEDLE.....	115, 125, 127	<i>polymyxin b sulfate</i>	11	SYRINGE.....	126
PEN NEEDLE, DIABETIC		<i>polymyxin b sulf-trimethoprim</i>	147	PRO COMFORT PEN	
.....	106, 121, 122, 125, 127	POMALYST.....	25	NEEDLE.....	126
PEN NEEDLE, DIABETIC,		<i>portia 28</i>	90	<i>probenecid</i>	46
SAFETY.....	128	<i>posaconazole</i>	45	<i>probenecid-colchicine</i>	46
<i>penicillamine</i>	153	<i>potassium chloride</i>	176, 177	<i>prochlorperazine</i>	50
<i>penicillin g potassium</i>	15				
<i>penicillin v potassium</i>	15				

<i>prochlorperazine maleate</i>	50	<i>rabeprazole</i>	150	<i>ritonavir</i>	61
<i>procto-med hc</i>	97	<i>raloxifene</i>	156	<i>rivastigmine</i>	35
<i>proctosol hc</i>	97	<i>ramipril</i>	71	<i>rivastigmine tartrate</i>	35
<i>proctozone-hc</i>	97	<i>ranolazine</i>	74, 75	<i>rizatriptan</i>	48
PRODIGY INSULIN		<i>rasagiline</i>	52	ROCKLATAN	175
SYRINGE	126	RASUVO (PF)	164	<i>roflumilast</i>	182
<i>progesterone micronized</i>	159	RAVICTI	151	<i>ropinirole</i>	52
PROGRAF	163	RAYALDEE	172	<i>rosuvastatin</i>	78
PROLASTIN-C	182	<i>reclipsen (28)</i>	90	ROTARIX	169
PROLENSA	149	RECOMBIVAX HB (PF)		ROTATEQ VACCINE	169
PROLIA	172	168, 169	ROZLYTREK	25
PROMACTA	66	RECTIV	174	RUBRACA	25
<i>promethazine</i>	46, 50	RELENZA DISKHALER	63	<i>rufinamide</i>	33
<i>promethegan</i>	50	RELION NEEDLES	128	RUKOBIA	61
<i>propafenone</i>	72	RELION PEN NEEDLES	128	RYBELSUS	40
<i>propranolol</i>	73	<i>repaglinide</i>	39	RYDAPT	25
<i>propylthiouracil</i>	160	REPATHA PUSHTRONEX ..	78	RYSTIGGO	83
PROQUAD (PF)	168	REPATHA SURECLICK	78	SAFESNAP INSULIN	
PROSOL 20 %	69	REPATHA SYRINGE	78	SYRINGE	128
<i>protriptyline</i>	37	RESTASIS	149	SAFETY PEN NEEDLE	128
PULMOZYME	144	RESTASIS MULTIDOSE	149	<i>sajazir</i>	75
PURE COMFORT		RETACRIT	66	SANTYL	94
ALCOHOL PADS	94	RETEVMO	25	<i>sapropterin</i>	144
PURE COMFORT PEN		REVLIMID	25	SAVELLA	83
NEEDLE	127	REXULTI	56	SCSEMBLIX	25
PURE COMFORT SAFETY		REYATAZ	61	<i>scopolamine base</i>	50
PEN NEEDLE	127	REZLIDHIA	25	SECUADO	57
PURIXAN	25	REZUROCK	164	SECURESAFE INSULIN	
<i>pyrazinamide</i>	48	RHOPRESSA	175	SYRINGE	128
<i>pyridostigmine bromide</i>	173	<i>ribavirin</i>	64	SECURESAFE PEN	
<i>pyrimethamine</i>	51	RIDAURA	164	NEEDLE	128
PYRUKYND	67	<i>rifabutin</i>	49	<i>selegiline hcl</i>	52
QINLOCK	25	<i>rifampin</i>	49	<i>selenium sulfide</i>	95
QUADRACEL (PF)	168	<i>riluzole</i>	83	SELZENTRY	61
<i>quetiapine</i>	56	<i>rimantadine</i>	63	SEREVENT DISKUS	180
<i>quinapril</i>	71	RINVOQ	164	SEROSTIM	159
<i>quinapril-hydrochlorothiazide</i> ...	71	<i>risedronate</i>	172	<i>sertraline</i>	37
<i>quinidine sulfate</i>	72	RISPERDAL CONSTA	57	<i>setlakin</i>	90
<i>quinine sulfate</i>	51	<i>risperidone</i>	57	<i>sevelamer carbonate</i>	152
RABAVERT (PF)	168	<i>risperidone microspheres</i>	57	<i>sevelamer hcl</i>	152

<i>sf 5000 plus</i>	92	<i>ssd</i>	95	SURE-PREP ALCOHOL	
<i>sharobel</i>	90	STELARA.....	164	PREP PADS.....	94
SHINGRIX (PF).....	169	STERILE PADS.....	129	SUTAB.....	152
SIGNIFOR.....	159	STIOLTO RESPIMAT.....	180	<i>syeda</i>	90
<i>sildenafil</i>	184	STIVARGA.....	26	SYMBICORT.....	179
<i>sildenafil (pulm.hypertension)</i>	184	STRENSIQ.....	144	SYMDEKO.....	182
<i>silver sulfadiazine</i>	95	<i>streptomycin</i>	9	SYMLINPEN 120.....	40
SIMBRINZA.....	175	STRIBILD.....	61	SYMLINPEN 60.....	40
<i>simliya (28)</i>	90	STRIVERDI RESPIMAT....	180	SYMPAZAN.....	33
<i>simpesse</i>	90	<i>sucralfate</i>	150	SYMTUZA.....	62
<i>simvastatin</i>	78	<i>sulfacetamide sodium</i>	147	SYNAREL.....	159
<i>sirolimus</i>	164	<i>sulfacetamide sodium (acne)</i>	95	SYNJARDY.....	40
SIRTURO.....	49	<i>sulfacetamide-prednisolone</i>	147	SYNJARDY XR.....	40
SKY SAFETY PEN		<i>sulfadiazine</i>	16	SYNRIBO.....	26
NEEDLE.....	128	<i>sulfamethoxazole-</i>		SYRINGE WITH NEEDLE,	
SKYLA.....	90	<i>trimethoprim</i>	16	SAFETY.....	128
SKYRIZI.....	164	<i>sulfasalazine</i>	171	TABLOID.....	26
<i>sodium chloride 0.45 %</i>	177	<i>sulfatrim</i>	16	TABRECTA.....	26
<i>sodium chloride 0.9 %</i>	177	<i>sulindac</i>	6	<i>tacrolimus</i>	97, 164
<i>sodium fluoride-pot nitrate</i>	92	<i>sumatriptan</i>	48	<i>tadalafil (pulm. hypertension)</i>	184
<i>sodium phenylbutyrate</i>	151	<i>sumatriptan succinate</i>	48	TAFINLAR.....	26
<i>sodium polystyrene sulfonate</i> ..	151	<i>sunitinib malate</i>	26	TAGRISO.....	26
SOLQUA 100/33.....	42	SUNLENCA.....	61, 62	TAKHZYRO.....	174
SOLTAMOX.....	25	SUNOSI.....	183	TALZENNA.....	26
SOLU-CORTEF ACT-O-		SUPREP BOWEL PREP		<i>tamoxifen</i>	26
VIAL (PF).....	157	KIT.....	152	<i>tamsulosin</i>	153
SOMAVERT.....	159	SURE COMFORT		<i>tarina 24 fe</i>	90
<i>sorafenib</i>	26	ALCOHOL PREP PADS.....	94	<i>tarina fe 1-20 eq (28)</i>	90
<i>sorine</i>	73	SURE COMFORT INS.		TASIGNA.....	26
<i>sotalol</i>	73	SYR. U-100.....	129	<i>tasimelteon</i>	183
<i>sotalol af</i>	73	SURE COMFORT		TAVALISSE.....	67
SPIRIVA RESPIMAT.....	180	INSULIN SYRINGE.....	129	<i>tazarotene</i>	98
SPIRIVA WITH		SURE COMFORT PEN		TAZORAC.....	98
HANDIHALER.....	180	NEEDLE.....	129, 130	<i>taztia xt</i>	74
<i>spironolactone</i>	76	SURE COMFORT SAFETY		TAZVERIK.....	26
<i>sprintec (28)</i>	90	PEN NEEDLE.....	129	TDVAX.....	169
SPRITAM.....	33	SURE-FINE PEN		TECHLITE INSULIN	
SPRYCEL.....	26	NEEDLES.....	130	SYRINGE.....	131
<i>sps (with sorbitol)</i>	151	SURE-JECT INSULIN		TECHLITE INSULN	
<i>sronyx</i>	90	SYRINGE.....	130	SYR(HALF UNIT).....	130, 131

TECHLITE PEN NEEDLE	<i>tizanidine</i>	183	<i>trihexyphenidyl</i>	52
..... 131, 132	TOBI PODHALER.....	9	TRIJARDY XR.....	40
TECVAYLI.....	<i>tobramycin</i>	10, 147	TRIKAFTA.....	182
TEFLARO.....	<i>tobramycin in 0.225 % nacl</i>	9	<i>tri-legest fe</i>	90
<i>telmisartan</i>	<i>tobramycin sulfate</i>	10	<i>tri-lynyah</i>	90
<i>temazepam</i>	<i>tobramycin-dexamethasone</i>	147	<i>tri-lo-estarylla</i>	90
TENIVAC (PF).....	<i>tolterodine</i>	153	<i>tri-lo-marzia</i>	91
<i>tenofovir disoproxil fumarate</i> ...	TOPCARE CLICKFINE.....	133	<i>tri-lo-mili</i>	91
TEPEZZA.....	TOPCARE ULTRA		<i>tri-lo-sprintec</i>	91
TEPMETKO.....	COMFORT.....	133	<i>trimethoprim</i>	11
<i>terazosin</i>	<i>topiramate</i>	33	<i>tri-mili</i>	91
<i>terbinafine hcl</i>	<i>toremifene</i>	27	<i>trimipramine</i>	37
<i>terbutaline</i>	<i>torseמידe</i>	76	TRINTELLIX.....	37
<i>terconazole</i>	TOUJEO MAX U-300		<i>tri-nymyo</i>	91
<i>teriflunomide</i>	SOLOSTAR.....	43	<i>tri-sprintec (28)</i>	91
TERUMO INSULIN	TOUJEO SOLOSTAR U-300		TRIUMEQ.....	62
SYRINGE.....	INSULIN.....	43	TRIUMEQ PD.....	62
<i>testosterone</i>	TRACLEER.....	184	<i>trivora (28)</i>	91
<i>testosterone cypionate</i>	TRADJENTA.....	40	<i>tri-vylibra</i>	91
<i>testosterone enanthate</i>	<i>tramadol</i>	5	<i>tri-vylibra lo</i>	91
TETANUS,DIPHThERIA	<i>tramadol-acetaminophen</i>	5	TRIZIVIR.....	62
TOX PED(PF).....	<i>trandolapril</i>	71	TROPHAMINE 10 %.....	69
<i>tetrabenazine</i>	<i>tranexamic acid</i>	67	<i>tropium</i>	153
<i>tetracycline</i>	<i>tranylcypromine</i>	37	TRUE COMFORT	
THALOMID.....	TRAVASOL 10 %.....	69	ALCOHOL PADS.....	94
<i>theophylline</i>	<i>travoprost</i>	175	TRUE COMFORT	
THINPRO INSULIN	<i>trazodone</i>	37	INSULIN SYRINGE.....	133
SYRINGE.....	TRECTOR.....	49	TRUE COMFORT PEN	
THIOLA EC.....	TRELEGY ELLIPTA.....	180	NEEDLE.....	134
<i>thioridazine</i>	TRELSTAR.....	27	TRUE COMFORT PRO	
<i>thiothixene</i>	TREMFYA.....	164	ALCOHOL PADS.....	94
<i>tiadylt er</i>	<i>tretinoin</i>	98	TRUE COMFORT PRO INS	
<i>tiagabine</i>	<i>tretinoin (antineoplastic)</i>	27	SYRINGE.....	133, 134
TIBSOVO.....	<i>triamcinolone acetanide</i>		TRUE COMFORT SAFETY	
TICOVAC.....	92, 97, 157	PEN NEEDLE.....	133
<i>tigecycline</i>	<i>triamterene-hydrochlorothiazid</i>	76	TRUEPLUS INSULIN.....	135
<i>timolol maleate</i>	<i>trientine</i>	154	TRUEPLUS PEN NEEDLE	
<i>tiopronin</i>	<i>tri-estarylla</i>	90	134, 135
TIVICAY.....	<i>trifluoperazine</i>	57	TRULICITY.....	40
TIVICAY PD.....	<i>trifluridine</i>	147	TRUMENBA.....	169

TRUQAP.....	27	ULTRA FLO INSULIN		<i>vancomycin</i>	11
TRUSELTIQ.....	27	SYRINGE.....	139	VANFLYTA.....	27
TUKYSA.....	27	ULTRA FLO PEN NEEDLE		VANISHPOINT INSULIN	
<i>tulana</i>	91	138, 139	SYRINGE.....	142
TURALIO.....	27	ULTRA THIN PEN		VANISHPOINT SYRINGE.....	142
TWINRIX (PF).....	169	NEEDLE.....	139	VAQTA (PF).....	170
TYBOST.....	174	ULTRACARE INSULIN		<i>varenicline</i>	8
TYMLOS.....	172	SYRINGE.....	139	VARIVAX (PF).....	170
TYPHIM VI.....	170	ULTRACARE PEN		VASCEPA.....	78
UBRELVY.....	48	NEEDLE.....	140	<i>velivet triphasic regimen (28)</i> ...91	
UCERIS.....	171	ULTRA-THIN II (SHORT)		VELPHORO.....	152
UDENYCA.....	67	INS SYR.....	140	VEMLIDY.....	62
UDENYCA		ULTRA-THIN II (SHORT)		VENCLEXTA.....	27, 28
AUTOINJECTOR.....	67	PEN NDL.....	140	VENCLEXTA STARTING	
UDENYCA ONBODY.....	67	ULTRA-THIN II INS PEN		PACK.....	28
ULTICARE.....	136, 137	NEEDLES.....	140	<i>venlafaxine</i>	37, 38
ULTICARE INSULIN		ULTRA-THIN II INSULIN		VEOZAH.....	174
SYRINGE.....	136	SYRINGE.....	140	<i>verapamil</i>	74
ULTICARE INSULN		UNIFINE PEN NEEDLE....	140	VERIFINE INSULIN	
SYR(HALF UNIT).....	135	UNIFINE PENTIPS.....	124, 141	SYRINGE.....	142, 143
ULTICARE PEN NEEDLE	136	UNIFINE PENTIPS		VERIFINE PEN NEEDLE	
ULTICARE SAFETY PEN		MAXFLOW.....	141	142, 143
NEEDLE.....	136	UNIFINE PENTIPS PLUS..	141	VERIFINE PLUS PEN	
ULTIGUARD SAFEPACK-		UNIFINE PENTIPS PLUS		NEEDLE.....	143
INSULIN SYR.....	137	MAXFLOW.....	141	VERIFINE PLUS PEN	
ULTIGUARD SAFEPACK-		UNIFINE PROTECT.....	142	NEEDLE-SHARP.....	143
PEN NEEDLE.....	137	UNIFINE SAFECONTROL	142	VERQUVO.....	75
ULTILET ALCOHOL		UNIFINE ULTRA PEN		VERSACLOZ.....	58
SWAB.....	94	NEEDLE.....	142	VERSALON.....	143
ULTILET INSULIN		UPTRAVI.....	184	VERZENIO.....	28
SYRINGE.....	118, 137, 138	<i>ursodiol</i>	151	<i>vestura (28)</i>	91
ULTILET PEN NEEDLE....	138	UZEDY.....	58	<i>vienna</i>	91
ULTRA CMFT INS SYR		<i>valacyclovir</i>	64	<i>vigabatrin</i>	33
(HALF UNIT).....	116, 129	VALCHLOR.....	94	<i>vigadrone</i>	33
ULTRA COMFORT		<i>valganciclovir</i>	64	<i>vigpoder</i>	33
INSULIN SYRINGE		<i>valproic acid</i>	33	VIIBRYD.....	38
.....	110, 116, 138	<i>valproic acid (as sodium salt)</i> ...33		<i>vioele (28)</i>	91
ULTRA FLO INSUL		<i>valsartan</i>	70	VIRACEPT.....	62
SYR(HALF UNIT).....	138	<i>valsartan-hydrochlorothiazide</i> .. 70		VIREAD.....	62
		VALTOCO.....	33	VITRAKVI.....	28

VIZIMPRO.....	28	<i>xulane</i>	91
<i>volnea (28)</i>	91	XULTOPHY 100/3.6.....	43
VONJO.....	28	XURIDEN.....	174
<i>voriconazole</i>	45, 46	XYOSTED.....	154
VOSEVI.....	63	XYREM.....	183
VOTRIENT.....	28	YF-VAX (PF).....	170
VRAYLAR.....	58	YONSA.....	29
VUMERITY.....	83	YUFLYMA(CF)	
<i>vyfemla (28)</i>	91	AUTOINJECTOR.....	165
<i>vylibra</i>	91	<i>yuvafem</i>	156
VYNDAMAX.....	75	<i>zafemy</i>	92
VYNDAQEL.....	75	<i>zafirlukast</i>	179
<i>warfarin</i>	65	<i>zaleplon</i>	183
WEBCOL.....	94	<i>zarah</i>	92
WELIREG.....	28	ZARXIO.....	67
<i>wera (28)</i>	91	ZEJULA.....	29
XALKORI.....	28	ZELBORAF.....	29
XARELTO.....	65	<i>zenatane</i>	94
XARELTO DVT-PE TREAT		ZENPEP.....	144
30D START.....	65	<i>zidovudine</i>	62
XATMEP.....	28	<i>ziprasidone hcl</i>	58
XCOPRI.....	34	<i>ziprasidone mesylate</i>	58
XCOPRI MAINTENANCE		ZIRABEV.....	29
PACK.....	34	ZIRGAN.....	147
XCOPRI TITRATION		<i>zoledronic acid-mannitol-water</i>	
PACK.....	34	172
XDEMVI.....	147	ZOLINZA.....	29
XELJANZ.....	165	<i>zolpidem</i>	183
XELJANZ XR.....	165	ZONISADE.....	34
XERMELO.....	151	<i>zonisamide</i>	34
XGEVA.....	172	<i>zovia 1-35 (28)</i>	92
XHANCE.....	149	ZTALMY.....	34
XIFAXAN.....	11	ZTLIDO.....	7
XIGDUO XR.....	40, 41	<i>zumandimine (28)</i>	92
XIIDRA.....	149	ZURZUVAE.....	38
XOFLUZA.....	63	ZYDELIG.....	29
XOLAIR.....	182	ZYKADIA.....	29
XOSPATA.....	28	ZYLET.....	147
XPOVIO.....	28, 29	ZYPREXA RELPREVV.....	58
XTANDI.....	29		

This formulary was updated on 04/18/2024. For more recent information or other questions, please contact Prominence Health Plan Customer Service, at **833-775-MEDS (6337)** or, for TTY users, **711**, 8 am to 8 pm, 7 days a week from October 1 – March 31 and 8 am to 8 pm, Monday – Friday from April 1 – September 30 or visit **ProminenceMedicare.com**.

Changes to our pharmacy network may occur during the benefit year. An updated Pharmacy Directory is located on our website at ProminenceMedicare.com. You may also call Member Services at 833-775-MEDS (6337) (TTY/TDD users should call 711) for updated information.

This information is available for free in other languages. Please contact our Member Services number at 1-855-969-5882 for additional information. This document may be available in an alternate format such as large print or Spanish.

- **ATENCIÓN:** si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1-855-969-5882 (TTY: 711).
- **PAUNAWA:** Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 1-855-969-5882 (TTY: 711).
- **CHÚ Y:** Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 1-855-969-5882 (TTY: 711).
- **ATANSYON:** Si w pale Kreyòl Ayisyen, gen sèvis èd pou lang ki disponib gratis pou ou. Rele 1-855-969-5882 (TTY: 711).

Prominence Health Plan complies with applicable federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex.

Prominence Health Plan cumple con las leyes federates de derechos civiles aplicables y no discrimina por motives de raza, color, nacionalidad, edad, discapacidad o sexo.

Sumusunod ang Prominence Health Plan sa mga naaangkop na Pederal na batas sa karapatang sibil at hindi nandiskrimina batay sa lahi, kulay, bansang pinagmulan, edad, kapansanan o kasarian.

Prominence Health Plan tuân thủ luật dân quyền hiện hành của Liên bang và không phân biệt đối xử dựa trên chủng tộc, màu da, nguồn gốc quốc gia, độ tuổi, khuyết tật, hoặc giới tính.

Prominence Health Plan konfòm ak lwa sou dwa sivil Federal ki aplikab yo e li pa fè diskriminasyon sou baz ras, koulè, peyi orijin, laj, enfimite oswa sèks.



Prominence Health Plan is an HMO and HMO SNP plan with a Medicare contract and a contract with the Medicaid programs in Florida, Texas and Nevada. Enrollment in Prominence Health Plan depends on contract renewal.